

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

AD 0,1&26s G 63cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=79.87 \quad A_1=228.9$$


$$A_2=16.94 \quad A_2=12.69$$

$$A_3=0.77=t \quad A_3=0.59=t$$

$$A_6=1042.0 \quad A_6=1723.0$$

$$A_7=39.38 \quad A_7=72.58$$

$$\Delta=0.099 \quad \Delta=0.099$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

AD 0,1&26s G 63cd/m²; hyp3

$$\log(L/\Delta L) = A_1 + A_2 \cdot t + A_3 \cdot L + A_4 \cdot (L + A_2)^2$$

$$A_1 = 79.87$$

$$A_1 = 232.9$$

$$A_2 = 16.94$$

$$A_2 = 12.69$$

$$A_3 = 0.77 = t$$

$$A_3 = 0.59 = t$$

$$A_6 = 1042.0$$


$$A_6 = 1723.0$$

$$A_7 = 39.38$$

$$A_7 = 72.58$$

$$\Delta = 0.099$$

$$\Delta = 0.099$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=63\text{cd/m}^2$
 Empfindlichkeitsschwelle

$AD\ 0,1\&26s\ G\ 63\text{cd/m}^2; \text{hyp3}$

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1=79.87 \quad A_1=228.9$$


$$A_2=16.94 \quad A_2=12.69$$

$$A_3=0.77=t \quad A_3=0.59=t$$

$$A_6=1042.0 \quad A_6=1723.5$$

$$A_7=39.38 \quad A_7=72.58$$

$$\Delta=0.099 \quad \Delta=0.099$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

$AD\ 0,1\&26s\ G\ 63cd/m^2, hyp3$

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 79.87 \quad A_1 = 228.9$$

$$A_2 = 16.94 \quad A_2 = 12.69$$

$$A_3 = 0.77=t \quad A_3 = 0.59=t$$

$$A_6 = 1042.0 \quad A_6 = 1723.0$$

$$A_7 = 39.38 \quad A_7 = 72.58$$

$$\Delta = 0.099 \quad \Delta = 0.099$$

$$\bullet L_g = 63cd/m^2$$

