

$\log [\Delta a \cdot L]$

Differenzschwellen

● $L_{\text{sg}} = 60 \text{ cd/m}^2$

WDN_RC 30 5s A; pot3


$$\Delta a \cdot L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.018$$

$$A_2 = 0.808 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.0$$



$\log [L(\Delta a \cdot L)]$

Empfindlichkeitsschwellen

WDN_RC 30 5s A; n=3

● $L_{gg}=60 \text{ cd/m}^2$


$$\log[L/(\Delta a \cdot L)] = L / [A_1 + A_3 \cdot L]^t$$

$$A_1=0.018$$

$$A_2=0.808=t$$

$$A_3=0.003$$

$$\Delta=0.0$$



$[L(\Delta a \cdot L)]$

● $L_{\text{sg}} = 60 \text{ cd/m}^2$

Empfindlichkeitsschwellen

WDN_RC 30 5s A; pot3

$$L/(\Delta a \cdot L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.018$$

$$A_2 = 0.808 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.0$$

