

$\log [\Delta a \cdot L, \Delta L]$

● $L_{\text{sg}} = 60 \text{ cd/m}^2$

Differenzschwellen

2 WDN_RC&WN 30 5s A; pot3


$$\Delta a \cdot L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.024$$

$$A_2 = 0.849 = t$$

$$A_3 = 0.005$$

$$\Delta = 0.0$$



$\log [L(\Delta a \cdot L, \Delta L)]$

Empfindlichkeitsschwellen

• $L_{\text{sg}} = 60 \text{ cd/m}^2$

WDN_RC&WN 30 5s, pot3


$$\log[L/(\Delta a \cdot L)] = \log L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.024$$

$$A_2 = 0.849 = t$$

$$A_3 = 0.005$$

$$\Delta = 0.0$$



$[L(\Delta a \cdot L, \Delta L)]$

● $L_g = 60 \text{ cd/m}^2$

Empfindlichkeitsschwellen

WDN_RC&WN 30 5s A; pot3

$$L/(\Delta a \cdot L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.024$$

$$A_2 = 0.849 = t$$

$$A_3 = 0.005$$

$$\Delta = 0.0$$

