

$\log [\Delta a \cdot L, \Delta L]$

● $L_{\text{gg}} = 60 \text{ cd/m}^2$

Differenzschwellen

2 WDN_GM&WN 30 5s A; pot3


$$\Delta b \cdot L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.01$$

$$A_2 = 0.791 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.0$$



$\log [L(\Delta a \cdot L, \Delta L)]$

Empfindlichkeitsschwellen

WDN_GM&WN 30.53 A; pot3

$$\log[L/(\Delta b \cdot L)] = L / [A_1 + A_3 \cdot L]^t$$


$$A_1=0.01$$

$$A_2=0.791=t$$

$$A_3=0.003$$

$$\Delta=0.0$$

● $L_g=60 \text{ cd/m}^2$



$[L(\Delta a \cdot L, \Delta L)]$

● $L_g = 60 \text{ cd/m}^2$

Empfindlichkeitsschwellen

WDN_GM&WN 30 5s A; pot3

$$L/(\Delta b \cdot L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.01$$

$$A_2 = 0.791 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.0$$

400

300

200

100

0

-3

-2

-1

0

1

2

$x = \log L$

