

$\log [\Delta a \cdot L]$

Differenzschwellen

●  $L_{\text{gg}} = 60 \text{ cd/m}^2$

WDN\_RC 30 5s A; pot3


$$\Delta a \cdot L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.06$$

$$A_2 = 1.339 = t$$

$$A_3 = 0.001$$

$$\Delta = 0.005$$



$\log [L(\Delta a \cdot L)]$

Empfindlichkeitsschwelle

WDN\_RC 30 5s A<sub>1</sub> pot3


$$\log[L/(\Delta a \cdot L)] = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.06$$

$$A_2 = 1.339 = t$$

$$A_3 = 0.001$$

$$\Delta = 0.005$$



$L/(\Delta a \cdot L)$

Empfindlichkeitsschwellen

WDN\_RC 30 5s A; po

$$L/(\Delta a \cdot L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.06$$

$$A_2 = 1.339 = t$$

$$A_3 = 0.001$$

$$\Delta = 0.005$$

●  $L_{sg} = 60 \text{ cd/m}^2$

