

$\log [\Delta a \cdot L, \Delta L]$

• $L_g = 60 \text{ cd/m}^2$

Differenzschwellen

WDN_GM&WN 30 5s A; pot3

$$\Delta a \cdot L = [A_1 + A_3 \cdot L]^t$$


$$\Delta L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.32 \quad A_1 = 0.129$$

$$A_2 = 2.617 = t \quad A_2 = 1.079 = t$$

$$A_3 = 0.001 \quad A_3 = 0.004$$

$$\Delta = 0.015 \quad \Delta = 0.002$$



$\log [L(\Delta a \cdot L, \Delta L)]$

Empfindlichkeitsschwellen

WDN_GM&WN 30.5; pot3

$$\log[L/(\Delta a \cdot L)] = L \cdot [A_1 + A_3 \cdot L]^t$$


$$\log[L/(\Delta L)] = L / [A_1 + A_3 \cdot L]^t$$

$$A_1=0.32 \quad A_1=0.129$$

$$A_2=2.617=t \quad A_2=1.079=t$$

$$A_3=0.001 \quad A_3=0.004$$

$$\Delta=0.015 \quad \Delta=0.002$$



$L/(\Delta a \cdot L, \Delta L)$

Empfindlichkeitsschwellen

WDN_GM&WN 30 5s A; pot3

$$L/(\Delta a \cdot L) = L / [A_1 + A_3 \cdot L]^t$$

$$L/(\Delta L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1=0.32 \quad A_1=0.129$$

$$A_2=2.617=t \quad A_2=1.079=t$$

$$A_3=0.001 \quad A_3=0.004$$

$$\Delta=0.015 \quad \Delta=0.002$$

$L_g=60 \text{ cd/m}^2$

