

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 26&0,1s R 6,3cd/m²; pot4

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$

$$A_1=0.0$$

$$A_1=0.0$$

$$A_2=0.9=t$$

$$A_2=1.08=t$$

$$A_3=0.0$$


$$A_3=0.0$$

$$A_4=10.0$$


$$A_4=10.0$$

$$\Delta=0.002$$

$$\Delta=0.011$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=6,3\text{cd/m}^2$
 Empfindlichkeitsschwelle

02 26&0,1s R 6,3cd/m²; pot4

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_2 \cdot A_3 \cdot L)^t]$$

$$A_1=0.0$$

$$A_1=0.0$$

$$A_2=0.9=t$$

$$A_2=1.08=t$$

$$A_3=0.0$$


$$A_3=0.0$$

$$A_4=10.0$$

$$A_4=10.0$$

$$\Delta=0.002$$

$$\Delta=0.011$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

02 26&0,1s R 6,3cd/m²; pot4

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$$A_1 = 0.0$$

$$A_1 = 0.0$$

$$A_2 = 0.9 = t$$

$$A_2 = 1.08 = t$$

$$A_3 = 0.0$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.002$$

$$\Delta = 0.011$$

