

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

AD 0,1&26s G 6,3cd/m²; pot3

$$\Delta L = [A_1 + A_3 \cdot L]^t$$


$$A_1=0.11 \quad A_1=0.0$$

$$A_2=1.32=t \quad A_2=0.76=t$$

$$A_3=0.08 \quad A_3=0.02$$

$$A_4=0.0 \quad A_4=0.0$$

$$\Delta=0.002 \quad \Delta=0.002$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle $L_g = 6,3 \text{ cd/m}^2$

AD 0,1&26s G 6,3cd/m²; pot3

$$\log(L/\Delta L) = L / [A_1 + A_2 + A_3 + A_4]^{1/t}$$

$$A_1 = 0.11$$

$$A_2 = 1.32 = t$$

$$A_3 = 0.63$$

$$A_4 = 0.0$$

$$\Delta = 0.002$$


$$A_1 = 0.11$$

$$A_2 = 0.76 = t$$

$$A_3 = 0.02$$

$$A_4 = 0.0$$

$$\Delta = 0.002$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=6,3\text{cd/m}^2$
 Empfindlichkeitsschwelle

$AD\ 0,1\&26s\ G\ 6,3\text{cd/m}^2; \text{pot3}$

$$L/\Delta L = L / [A_1 + A_3 \cdot I_0]^t$$


$$A_1=0.11 \quad A_1=0.0$$

$$A_2=1.32=t \quad A_2=0.76=t$$

$$A_3=0.08 \quad A_3=0.02$$

$$A_4=0.0 \quad A_4=0.0$$

$$\Delta=0.002 \quad \Delta=0.002$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

$AD\ 0,1\&26s\ G\ 6,3cd/m^2; pot3$

$$T^* = [A_1 + A \cdot L]^t - 1$$

$$A_1 = 0.11 \quad A_1 = 0.0$$

$$A_2 = 1.32=t \quad A_2 = 0.76=t$$

$$A_3 = 0.08 \quad A_3 = 0.02$$

$$A_4 = 0.0 \quad A_4 = 0.0$$

$$\Delta = 0.002 \quad \Delta = 0.002$$

$$L_g = 6,3cd/m^2$$

