

log ΔL Leuchtdichte-Differenz- $\bullet L_g=630\text{cd/m}^2$
 renzschwelle

02 0,1&26s Y 630cd/m²; pot3

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$


$$A_1=0.14 \quad A_1=0.0$$

$$A_2=0.93=t \quad A_2=0.69=t$$

$$A_3=0.0 \quad A_3=0.0$$

$$A_4=10.0 \quad A_4=10.0$$

$$\Delta=0.001 \quad \Delta=0.001$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle

02 0,1&26s Y 630cd/m²; pot3

$$\log(L/\Delta L) = L / [A_4 \cdot (A_1 + A_2 \cdot t + A_3 \cdot t^2)]$$

$$A_1=0.14$$

$$A_1=0.0$$

$$A_2=0.93=t$$

$$A_2=0.69=t$$

$$A_3=0.0$$


$$A_3=0.0$$

$$A_4=10.0$$

$$A_4=10.0$$

$$\Delta=0.001$$

$$\Delta=0.001$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 630 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1&26s Y 630cd/m²; pot

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L^A)]$$


$$A_1 = 0.14 \quad A_1 = 0.0$$

$$A_2 = 0.93=t \quad A_2 = 0.69=t$$

$$A_3 = 0.0 \quad A_3 = 0.0$$

$$A_4 = 10.0 \quad A_4 = 10.0$$

$$\Delta = 0.001 \quad \Delta = 0.001$$



T^* Leuchtdichte-Differenz- renzschwellensumme

• $L_g = 630 \text{ cd/m}^2$

02 0,1&26s Y 630cd/m²; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$A_1 = 0.14$	$A_1 = 0.0$
$A_2 = 0.93 = t$	$A_2 = 0.69 = t$
$A_3 = 0.0$	$A_3 = 0.0$
$A_4 = 10.0$	$A_4 = 10.0$
$\Delta = 0.001$	$\Delta = 0.001$

