

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

02 0,1&26s Y 63cd/m²; pot3

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$


$$A_1=0.05 \quad A_1=0.0$$

$$A_2=1.29=t \quad A_2=0.96=t$$

$$A_3=0.0 \quad A_3=0.0$$

$$A_4=10.0 \quad A_4=10.0$$

$$\Delta=0.003 \quad \Delta=0.003$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

02 0,1&26s Y 63cd/m²; pot3

$$\log(L/\Delta L) = L / [A_1 + (A_2 + A_3 \cdot L)^t]$$

$$A_1 = 0.05$$

$$A_1 = 0.96$$

$$A_2 = 1.29 = t$$

$$A_2 = 0.96 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$

$$\Delta = 0.003$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1 & 26 s Y 63 cd/m²; pots

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_2 \cdot L^{\Delta})^{\Delta}]$$

$$A_1 = 0.05$$

$$A_1 = 0.0$$

$$A_2 = 1.29 = t$$

$$A_2 = 0.96 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$

$$\Delta = 0.003$$



T^* Leuchtdichte-Differenz- renzschwellensumme

$$\bullet L_g = 63 \text{cd/m}^2$$

80 02 0,1&26s Y 63cd/m²; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

60	$A_1=0.05$	$A_1=0.0$
	$A_2=1.29=t$	$A_2=0.96=t$
40	$A_3=0.0$	$A_3=0.0$
	$A_4=10.0$	$A_4=10.0$
20	$\Delta=0.003$	$\Delta=0.003$

