

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 0,1&26s Y 6,3cd/m²; pot3

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$

$$A_1=0.02$$

$$A_1=0.0$$

$$A_2=1.38=t$$

$$A_2=0.9=t$$

$$A_3=0.01$$


$$A_3=0.0$$

$$A_4=10.0$$

$$A_4=10.0$$

$$\Delta=0.004$$

$$\Delta=0.004$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle

02 0,1&26s Y 6,3cd/m²; pot3

$$\log(L/\Delta L) = L / [A_1 + A_2 + A_3 + A_4 + (L)^t]$$

$$A_1 = 0.02$$

$$A_2 = 1.38 = t$$

$$A_3 = 0.1$$

$$A_4 = 10.0$$

$$\Delta = 0.004$$


$$A_1 = 0.9$$

$$A_2 = 0.9 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.004$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=6,3\text{cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1&26s Y 6,3cd/m²; pot3

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)^{A_2}]$$


$$A_1=0.02 \quad A_1=0.0$$

$$A_2=1.38=t \quad A_2=0.9=t$$

$$A_3=0.01 \quad A_3=0.0$$

$$A_4=10.0 \quad A_4=10.0$$

$$\Delta=0.004 \quad \Delta=0.004$$



T^* Leuchtdichte-Differenz- renzschwellensumme

$$\bullet L_0 = 6,3 \text{cd/m}^2$$

80 02 0,1&26s Y 6,3cd/m²; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$$A_1 = 0.02 \quad A_1 = 0.0$$

$$A_2 = 1.38 = t \quad A_2 = 0.9 = t$$

$$A_3 = 0.01 \quad A_3 = 0.0$$

$$A_4 = 10.0 \quad A_4 = 10.0$$

$$\Delta = 0.004 \quad \Delta = 0.004$$

