

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 0,1&26s R 6,3cd/m²; pot3

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$

$$A_1=0.0$$

$$A_1=0.0$$

$$A_2=1.08=t$$

$$A_2=0.83=t$$

$$A_3=0.0$$


$$A_3=0.0$$

$$A_4=10.0$$

$$A_4=10.0$$

$$\Delta=0.011$$

$$\Delta=0.011$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle

02 0,1&26s R 6,3cd/m²; pot3

$$\log(L/\Delta L) = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$

$$A_1 = 0.0$$

$$A_2 = 1.08$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$


$$\Delta = 0.011$$

$$A_2 = 0.83 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.011$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1&26s R 6,3cd/m²; pot3

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$

$$A_1 = 0.0$$

$$A_1 = 0.0$$

$$A_2 = 1.08 = t$$

$$A_2 = 0.83 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.011$$

$$\Delta = 0.011$$



T^* Leuchtdichte-Differenz- renzschwellensumme

$$\bullet L_g = 6,3 \text{cd/m}^2$$

80 02 0,1&26s R 6,3cd/m²; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$$A_1 = 0.0 \quad A_1 = 0.0$$

$$A_2 = 1.08 = t \quad A_2 = 0.83 = t$$

$$A_3 = 0.0 \quad A_3 = 0.0$$

$$A_4 = 10.0 \quad A_4 = 10.0$$

$$\Delta = 0.011 \quad \Delta = 0.011$$

