

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

04 0,1&26s A&G 63cd/m²; pot3

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$


$$A_1=0.09 \quad A_1=0.0$$

$$A_2=1.54=t \quad A_2=1.03=t$$

$$A_3=0.0 \quad A_3=0.0$$

$$A_4=10.0 \quad A_4=10.0$$

$$\Delta=0.003 \quad \Delta=0.003$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

04 0,1&26s A&G 63cd/m²; pot3

$$\log(L/\Delta L) = L / [A_4 + (A_3 + (A_2 + (A_1 + L)^t)]$$

$$A_1 = 0.09$$

$$A_1 = 0.09$$

$$A_2 = 1.54 = t$$

$$A_2 = 1.03 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$

$$\Delta = 0.003$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 0,1&26s A&G 63 cd/m^2 ; pot3

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_2 \cdot L^t)]$$

$$A_1 = 0.09$$

$$A_1 = 0.0$$

$$A_2 = 1.54 = t$$

$$A_2 = 1.03 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$

$$\Delta = 0.003$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 63 \text{ cd/m}^2$

80 04 0,1&26s A&G 63 cd/m^2 ; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

60 $A_1 = 0.09$ $A_1 = 0.0$

$A_2 = 1.54 = t$ $A_2 = 1.03 = t$

40 $A_3 = 0.0$ $A_3 = 0.0$

$A_4 = 10.0$ $A_4 = 10.0$

$\Delta = 0.003$ $\Delta = 0.003$

