

log ΔL Leuchtdichte-Differenz-
 renzschwelle • $L_g = 6,3 \text{ cd/m}^2$

04 0,1s A $6,3 \text{ cd/m}^2$; pot3


$$\Delta L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.11$$

$$A_2 = 1.28 = t$$

$$A_3 = 0.06$$

$$\Delta = 0.004$$



log(L/ΔL) Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

04 0,1s A 6,3cd/m²; pot3


$$\log(L/\Delta L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.11$$

$$A_2 = 1.28 = t$$

$$A_3 = 0.06$$

$$\Delta = 0.004$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 0,1s A 6,3cd/m²; pot3


$$L/\Delta L = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.11$$

$$A_2 = 1.28 = t$$

$$A_3 = 0.06$$

$$\Delta = 0.004$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

04 0,1s A 6,3cd/m²; pot3

$$T^* = [A_1 + A \cdot L]^t - 1$$

$$A_1 = 0.11$$

$$A_2 = 1.28 = t$$

$$A_3 = 0.06$$

$$\Delta = 0.004$$

$$I_g = 6,3 \text{cd/m}^2$$

