

<i>rgb</i>*_{e,AB} and CIE data of a elementary hue circle according to CIE R1-47 for <i>Ostwald</i> colours for CIE illuminant D65																				#
<i>Yxy, abc</i>_{AB}, <i>ABC</i>_{AB}, <i>LabC</i>*_{ab}, <i>h</i>_{AB} data for relative spacing of elementary hue <i>h</i>_{AB} of <i>LINYAB</i> for CIE 10 degree observer																				#
Elementary hue circle with 4 intended elementary hue angles: <i>h</i>_{AB} = 18.2, 86.3, 156.2, 260.1 of <i>LINYAB</i>, and 16 intended hue angles:																				#
18.2	35.2	52.2	69.2	86.3	103.7	121.2	138.7	156.2	182.2	208.1	234.1	260.1	289.6	319.1	348.7					#
LINYAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																				#
<i>no-AB</i>₁₀	<i>x</i>₁₀	<i>y</i>₁₀	<i>a</i>₁₀	<i>b</i>₁₀	<i>c</i>_{AB,10}	<i>A</i>₁₀	<i>B</i>₁₀	<i>C</i>_{AB,10}	<i>h</i>_{AB,10}	<i>L</i>*₁₀	<i>a</i>*₁₀	<i>b</i>*₁₀	<i>C</i>*_{ab,10}	<i>h</i>_{ab,10}	<i>rgb</i>*_{e,AB,10}	<i>Code</i>_{AB}				#
000	40.6	0.49	0.303	1.617	-0.273	0.687	27.1	6.3	27.9	13.1	69.9	72.1	20.7	75.0	16.0	1.00	0.00	0.00	% R00Y	#
001	41.9	0.57	0.381	1.496	-0.049	0.667	22.9	15.9	27.9	34.6	70.8	61.4	76.6	98.2	51.2	1.00	0.25	0.00	% R25Y	#
002	54.0	0.56	0.438	1.277	0.0	0.541	17.8	23.2	29.2	52.4	78.5	42.6	134.9	141.5	72.4	1.00	0.50	0.00	% R50Y	#
003	66.4	0.525	0.473	1.109	-0.001	0.457	10.7	28.4	30.3	69.2	85.2	23.5	142.9	144.8	80.6	1.00	0.75	0.00	% R75Y	#
004	78.3	0.491	0.503	0.975	-0.004	0.426	2.1	33.2	33.3	86.2	90.9	4.4	143.6	143.6	88.2	1.00	1.00	0.00	% Y00G	#
005	91.3	0.445	0.519	0.857	-0.027	0.412	-8.2	36.7	37.6	102.6	96.5	-15.9	116.6	117.7	97.7	0.75	1.00	0.00	% Y25G	#
006	85.3	0.394	0.552	0.713	-0.038	0.455	-20.0	33.3	38.8	120.9	94.0	-42.8	104.7	113.1	112.2	0.50	1.00	0.00	% Y50G	#
007	72.0	0.309	0.603	0.511	-0.057	0.573	-31.4	26.7	41.2	139.5	87.9	-83.2	87.3	120.6	133.6	0.25	1.00	0.00	% Y75G	#
008	42.1	0.501	0.319	1.567	-0.224	0.652	26.0	8.6	27.4	18.3	70.9	68.3	29.1	74.2	23.1	0.00	1.00	0.00	% G00B	#
009	41.7	0.484	0.303	1.596	-0.279	0.665	27.0	6.2	27.8	13.0	70.7	70.9	19.9	73.6	15.6	0.00	1.00	0.50	% G25B	#
010	41.4	0.469	0.288	1.626	-0.334	0.684	28.1	3.9	28.3	7.9	70.5	73.4	11.8	74.3	9.1	0.00	1.00	1.00	% G50B	#
011	41.1	0.456	0.275	1.655	-0.389	0.708	29.1	1.6	29.1	3.2	70.2	75.8	4.7	76.0	3.6	0.00	0.50	1.00	% G75B	#
012	40.8	0.444	0.264	1.683	-0.441	0.735	30.0	-0.4	30.0	359.0	70.0	78.2	-1.3	78.2	359.0	0.00	0.00	1.00	% B00R	#
013	40.5	0.433	0.252	1.712	-0.496	0.767	31.0	-2.7	31.1	355.0	69.8	80.6	-7.2	80.9	354.8	0.50	0.00	1.00	% B25R	#
014	40.2	0.424	0.243	1.738	-0.544	0.798	31.8	-4.6	32.1	351.7	69.6	82.7	-12.1	83.5	351.6	1.00	0.00	1.00	% B50R	#
015	40.0	0.417	0.237	1.76	-0.583	0.826	32.5	-6.1	33.0	349.2	69.5	84.3	-15.8	85.8	349.3	1.00	0.00	0.50	% B75R	#
016	40.6	0.49	0.303	1.617	-0.273	0.687	27.1	6.3	27.9	13.1	69.9	72.1	20.7	75.0	16.0	1.00	0.00	0.00	% R00Y	#
CIEXYZ data of CIE test colours 9 (R): 19.0 10.8 4.3, 10 (Y): 54.3 55.9 11.0, 11 (G): 12.5 20.4 14.4, 12 (B): 6.1 7.8 26.5																				#
5 step equidistant grey scale with intended lightness: <i>L</i>* = 0.0, 25.0, 50.0, 75.0, 100.0																				#
000	0.0	0.0	0.0	0.0	0.0	1.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	% N000W	#
001	4.4	0.313	0.33	0.948	-0.429	0.01	0.0	0.0	0.0	77.0	25.0	0.0	0.0	0.0	0.0	0.25	0.25	0.25	% N025W	#
002	18.4	0.313	0.33	0.948	-0.429	0.01	0.0	0.0	0.0	55.3	50.0	0.0	0.0	0.0	0.0	0.50	0.50	0.50	% N050W	#
003	48.2	0.313	0.33	0.948	-0.429	0.01	0.0	0.0	0.0	23.1	75.0	0.0	0.0	0.0	0.0	0.75	0.75	0.75	% N075W	#
004	100.0	0.313	0.33	0.948	-0.429	0.01	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	1.00	1.00	1.00	% N100W	#