

Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, LINYAB data															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code			%	
0	405	32	561	58.2	-22.74	-17.89	28.94	0.5596	-0.743	218.1	16 483	37 589	Cm	%	
6	435	32	562	58.79	-26.78	-9.88	28.55	0.4948	-0.6036	200.2	17 486	42 610		%	
10	450	32	563	59.42	-33.54	4.93	33.9	0.3859	-0.3525	171.6	19 496	-1 496c		%	
12	460	33	565	60.32	-36.45	12.66	38.58	0.3461	-0.2256	160.8	21 505	-1 505c		%	
12	465	33	567	61.66	-36.65	13.24	38.97	0.356	-0.2207	160.1	21 506	-1 506c		%	
14	470	33	569	62.72	-38.14	19.32	42.76	0.3422	-0.1274	153.1	24 520	-1 520c		%	
15	475	34	573	65.29	-38.28	22.47	44.39	0.364	-0.0913	149.5	25 528	-1 528c	Gm	%	
16	480	36	580	69.95	-37.48	26.04	45.64	0.4146	-0.0632	145.2	27 537	-1 537c		%	
17	485	39	595	78.75	-32.73	31.0	45.09	0.5347	-0.0418	136.5	29 548	-1 548c		%	
18	490	-1	490c	93.8	-12.06	38.4	40.25	0.8218	-0.0261	107.4	33 565	11 459	max	%	
19	495	-1	495c	92.3	-10.68	38.39	39.85	0.8346	-0.0195	105.5	33 566	12 462		%	
20	500	-1	500c	90.42	-8.91	38.07	39.1	0.8518	-0.0144	103.1	33 567	12 464		%	
22	510	-1	510c	85.27	-4.15	36.48	36.72	0.9016	-0.0076	96.5	33 569	13 469		%	
23	520	-1	519c	81.98	-1.26	35.24	35.26	0.935	-0.0056	92.0	34 570	14 471	Ym	%	
25	530	-1	529c	74.04	5.15	32.02	32.43	1.0201	-0.0031	80.8	34 573	15 475		%	
27	540	-1	539c	64.9	11.57	28.16	30.44	1.1288	-0.0016	67.6	35 577	15 478		%	
28	545	-1	544c	60.13	14.5	26.11	29.87	1.1917	-0.0012	60.9	35 579	15 479		%	
29	550	-1	549c	55.26	17.18	24.01	29.53	1.2613	-0.0009	54.4	36 582	16 480		%	
30	555	-1	554c	50.4	19.49	21.91	29.33	1.3372	-0.0007	48.3	36 584	16 481		%	
32	560	-1	560c	41.0	22.8	17.83	28.95	1.5064	-0.0005	38.0	37 589	16 483		%	
380	770	100.0	0.0	0.0	0.01	0.9504	-0.4355	0.0						%	
Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, LINYAB complementary															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code			%	
32	561	0	405	41.79	22.74	17.89	28.94	1.4946	-0.0072	38.1	37 589	16 483	Rm	%	
32	562	6	435	41.2	26.78	9.88	28.55	1.6006	-0.1956	20.2	42 610	17 486		%	
32	563	10	450	40.57	33.54	-4.93	33.9	1.7771	-0.557	351.6	-1 496c	19 496		%	
33	565	12	460	39.67	36.45	-12.66	38.58	1.8691	-0.7547	340.8	-1 505c	21 505		%	
33	567	12	465	38.33	36.65	-13.24	38.97	1.9064	-0.781	340.1	-1 506c	21 506		%	
33	569	14	470	37.27	38.14	-19.32	42.76	1.9738	-0.954	333.1	-1 520c	24 520		%	
34	573	15	475	34.7	38.28	-22.47	44.39	2.0536	-1.083	329.5	-1 528c	25 528	Mm	%	
36	580	16	480	30.04	37.48	-26.04	45.64	2.1982	-1.3026	325.2	-1 537c	27 537		%	
39	595	17	485	21.24	32.73	-31.0	45.09	2.4914	-1.8952	316.5	-1 548c	29 548		%	
-1	490c	18	490	6.19	12.06	-38.4	40.25	2.899	-6.6372	287.4	11 459	33 565	min	%	
-1	495c	19	495	7.69	10.68	-38.39	39.85	2.3392	-5.4245	285.5	12 462	33 566		%	
-1	500c	20	500	9.57	8.91	-38.07	39.1	1.8814	-4.4105	283.1	12 464	33 567		%	
-1	510c	22	510	14.72	4.15	-36.48	36.72	1.2328	-2.9143	276.5	13 469	33 569		%	
-1	519c	23	520	18.01	1.26	-35.24	35.26	1.0204	-2.3925	272.0	14 471	34 570	Bm	%	
-1	529c	25	530	25.95	-5.15	-32.02	32.43	0.7516	-1.6693	260.8	15 475	34 573		%	
-1	539c	27	540	35.09	-11.57	-28.16	30.44	0.6205	-1.238	247.6	15 478	35 577		%	
-1	544c	28	545	39.86	-14.5	-26.11	29.87	0.5865	-1.0906	240.9	15 479	35 579		%	
-1	549c	29	550	44.73	-17.18	-24.01	29.53	0.5663	-0.9725	234.4	16 480	36 582		%	
-1	554c	30	555	49.59	-19.49	-21.91	29.33	0.5572	-0.8774	228.3	16 481	36 584		%	
-1	560c	32	560	58.99	-22.8	-17.83	28.95	0.5638	-0.7379	218.0	16 483	37 589		%	
380	770	100.0	0.0	0.0	0.01	0.9504	-0.4355	0.0						%	

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, <i>c</i> _{AB} _{AB} <i>ABC</i> _{AB} <i>LabC</i> * _{ab} _{ab} data for relative spacing of elementary hue <i>h</i> _{AB} of <i>LIN</i> <i>YAB</i> for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: <i>h</i> _{AB} = 17.7, 93.3, 159.1, 270.8 of <i>LIN</i> <i>YAB</i> for CIE 2 degree observer																			
00.001, ..., 089, LINYAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 -1.2 20.9, 11 (G): 20.3 -7.2 12.9, 12 (B): 6.4 0.1 -8.2																			
<i>no</i>	<i>no</i> _{AB}	<i>x</i>	<i>y</i>	<i>a</i>	<i>b</i>	<i>c</i> _{AB}	<i>A</i>	<i>B</i>	<i>C</i> _{AB}	<i>h</i> _{AB}	<i>L</i> *	<i>a</i> *	<i>b</i> *	<i>C</i> * _{ab}	<i>h</i> _{ab}	<i>rgb</i> * _{AB}	<i>Code</i> _{AB}		
000	40.7	0.447	0.259	1.727	-0.453	0.777	31.6	-0.7	31.6	358.7	70.0	81.6	-1.9	81.7	359.6	1.00	0.00	0.39	B80R
001	40.8	0.45	0.261	1.72	-0.44	0.77	31.4	-0.1	31.4	359.6	70.0	81.1	-0.5	81.1	359.6	1.00	0.00	0.37	B81R
002	40.8	0.453	0.264	1.714	-0.427	0.764	31.1	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.35	B82R
003	40.8	0.456	0.267	1.708	-0.414	0.758	30.9	0.8	30.9	1.6	70.0	80.0	2.4	80.1	1.7	1.00	0.00	0.33	B83R
004	40.8	0.459	0.269	1.701	-0.4	0.752	30.7	1.4	30.7	2.6	70.0	79.5	4.0	79.6	2.9	1.00	0.00	0.3	B84R
005	40.8	0.462	0.272	1.695	-0.387	0.746	30.4	1.9	30.5	3.6	70.1	78.9	5.6	79.1	4.0	1.00	0.00	0.28	B85R
006	40.9	0.465	0.275	1.689	-0.374	0.741	30.2	2.4	30.3	4.7	70.1	78.4	7.2	78.7	5.2	1.00	0.00	0.26	B86R
007	40.9	0.469	0.278	1.682	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.8	8.9	78.3	6.5	1.00	0.00	0.24	B87R
008	40.9	0.481	0.281	1.676	-0.348	0.729	29.7	3.5	29.9	6.9	70.1	77.3	10.8	77.0	7.8	1.00	0.00	0.22	B88R
009	40.9	0.477	0.284	1.67	-0.335	0.726	29.4	4.1	29.7	7.9	70.1	76.7	12.3	77.7	9.1	1.00	0.00	0.19	B90R
010	40.9	0.479	0.288	1.663	-0.322	0.722	29.2	4.6	29.6	9.0	70.1	76.1	14.1	77.5	10.5	1.00	0.00	0.17	B91R
011	41.0	0.483	0.291	1.657	-0.309	0.718	28.9	5.1	29.4	10.1	70.1	75.6	15.9	77.3	11.9	1.00	0.00	0.15	B92R
012	41.0	0.486	0.294	1.65	-0.296	0.714	28.7	5.6	29.3	11.2	70.2	75.0	17.8	77.1	13.3	1.00	0.00	0.12	B93R
013	41.0	0.49	0.298	1.644	-0.283	0.71	28.5	6.2	29.1	12.3	70.2	74.5	19.7	77.0	14.8	1.00	0.00	0.1	B94R
014	41.0	0.493	0.301	1.638	-0.271	0.707	28.2	6.7	29.0	13.4	70.2	73.9	21.6	77.0	16.3	1.00	0.00	0.08	B95R
015	41.0	0.497	0.304	1.632	-0.258	0.704	28.0	7.2	28.9	14.5	70.2	73.4	23.6	77.1	17.8	1.00	0.00	0.06	B96R
016	41.1	0.501	0.308	1.626	-0.246	0.701	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.2	19.4	1.00	0.00	0.03	B98R
017	41.1	0.505	0.311	1.619	-0.234	0.699	27.5	8.2	28.7	16.7	70.2	72.3	27.7	77.4	21.0	1.00	0.00	0.01	B99R
018	41.1	0.509	0.315	1.613	-0.222	0.697	27.3	8.7	28.6	17.8	70.2	71.7	29.9	77.7	22.6	1.00	0.00	0.00	R00Y
019	41.1	0.513	0.319	1.607	-0.21	0.695	27.0	9.2	28.6	18.9	70.3	71.2	32.0	78.1	24.2	1.00	0.01	0.00	R01Y
020	41.1	0.517	0.322	1.602	-0.198	0.693	26.8	9.7	28.5	19.9	70.3	70.7	34.2	78.5	25.8	1.00	0.02	0.00	R02Y
021	41.2	0.521	0.327	1.594	-0.184	0.691	26.5	10.3	28.5	21.3	70.3	70.0	37.1	79.2	27.9	1.00	0.04	0.00	R04Y
022	41.2	0.527	0.332	1.586	-0.169	0.689	26.2	10.9	28.4	22.7	70.3	69.3	40.1	80.1	30.1	1.00	0.05	0.00	R05Y
023	41.3	0.532	0.337	1.578	-0.155	0.687	25.9	11.5	28.4	24.0	70.4	68.6	43.1	81.1	32.2	1.00	0.06	0.00	R06Y
024	41.3	0.537	0.341	1.57	-0.141	0.686	25.6	12.1	28.4	25.3	70.4	67.9	46.5	82.3	34.4	1.00	0.08	0.00	R08Y
025	41.4	0.542	0.346	1.563	-0.128	0.685	25.3	12.7	28.4	26.5	70.4	67.2	49.8	83.7	36.5	1.00	0.09	0.00	R09Y
026	41.4	0.546	0.351	1.556	-0.115	0.685	25.1	13.2	28.4	27.8	70.5	66.6	53.1	85.2	38.5	1.00	0.1	0.00	R10Y
027	41.5	0.551	0.355	1.549	-0.103	0.685	24.8	13.7	28.4	28.9	70.5	66.0	56.6	86.9	40.6	1.00	0.12	0.00	R12Y
028	41.5	0.556	0.36	1.543	-0.092	0.685	24.6	14.2	28.4	30.0	70.5	65.4	60.1	88.8	42.6	1.00	0.13	0.00	R13Y
029	41.5	0.56	0.364	1.537	-0.081	0.685	24.3	14.7	28.4	31.1	70.5	64.8	63.8	91.0	44.5	1.00	0.14	0.00	R14Y
030	41.6	0.565	0.369	1.531	-0.071	0.685	24.1	15.1	28.5	32.1	70.6	64.3	67.6	93.3	46.4	1.00	0.16	0.00	R16Y
031	41.6	0.569	0.373	1.525	-0.061	0.686	23.9	15.5	28.5	33.0	70.6	63.7	71.5	95.8	48.2	1.00	0.17	0.00	R17Y
032	41.6	0.573	0.377	1.52	-0.052	0.686	23.7	15.9	28.6	33.9	70.6	63.2	75.7	97.7	50.1	1.00	0.18	0.00	R18Y
033	41.7	0.577	0.381	1.515	-0.043	0.687	23.5	16.3	28.6	34.7	70.6	62.8	80.8	101.7	51.8	1.00	0.2	0.00	R20Y
034	41.7	0.581	0.384	1.51	-0.035	0.688	23.3	16.7	28.7	35.5	70.6	62.3	84.6	105.1	53.6	1.00	0.21	0.00	R21Y
035	41.7	0.584	0.388	1.506	-0.027	0.689	23.2	17.0	28.7	36.2	70.7	61.9	89.6	109.0	55.3	1.00	0.22	0.00	R22Y
036	41.7	0.588	0.391	1.502	-0.02	0.69	23.0	17.3	28.8	36.9	70.7	61.6	95.2	113.4	57.0	1.00	0.24	0.00	R24Y
037	41.7	0.591	0.394	1.498	-0.014	0.691	22.9	17.6	28.8	37.5	70.7	61.2	101.5	118.5	58.8	1.00	0.25	0.00	R25Y
038	41.7	0.594	0.397	1.495	-0.008	0.692	22.7	17.8	28.9	38.0	70.7	60.9	108.2	124.2	60.6	1.00	0.26	0.00	R26Y
039	41.6	0.598	0.401	1.491	0.0	0.694	22.5	18.1	28.9	38.7	70.6	60.5	121.1	135.4	63.4	1.00	0.28	0.00	R27Y
040	42.4	0.595	0.403	1.475	0.0	0.682	22.2	18.4	28.9	39.6	71.1	59.3	122.2	135.9	64.1	1.00	0.29	0.00	R29Y
041	43.3	0.593	0.406	1.458	0.0	0.669	22.0	18.8	28.9	40.5	71.7	58.0	123.3	136.3	64.8	1.00	0.3	0.00	R30Y
042	44.2	0.59	0.409	1.44	0.0	0.655	21.6	19.2	29.0	41.5	72.3	56.6	124.4	136.7	65.5	1.00	0.32	0.00	R32Y
043	45.1	0.587	0.412	1.423	0.0	0.642	21.3	19.6	29.0	42.6	73.0	55.2	125.4	137.0	66.2	1.00	0.33	0.00	R33Y
044	46.1	0.584	0.415	1.405	0.0	0.63	21.0	20.0	29.0	43.6	73.6	53.8	126.4	137.4	66.9	1.00	0.34	0.00	R34Y
045	47.1	0.581	0.418	1.388	0.0	0.617	20.6	20.5	29.1	44.7	74.2	52.4	127.3	137.7	67.6	1.00	0.36	0.00	R36Y
046	48.1	0.578	0.421	1.372	0.0	0.606	20.3	20.9	29.1	45.8	74.9	51.0	128.2	138.0	68.2	1.00	0.37	0.00	R37Y
047	49.1	0.575	0.424	1.356	0.0	0.595	19.9	21.3	29.2	46.9	75.5	49.7	129.0	138.3	68.9	1.00	0.38	0.00	R38Y
048	50.0	0.572	0.426	1.342	0.0	0.585	19.6	21.7	29.3	47.9	76.1	48.3	129.8	138.5	69.5	1.00	0.4	0.00	R40Y
049	51.0	0.569	0.429	1.326	0.0	0.575	19.2	22.2	29.3	49.1	76.7	47.0	130.7	138.9	70.2	1.00	0.41	0.00	R41Y
050	51.9	0.567	0.432	1.312	0.0	0.565	18.8	22.6	29.4	50.2	77.2	45.6	131.6	139.3	70.8	1.00	0.42	0.00	R42Y
051	52.9	0.564	0.434	1.299	0.0	0.557	18.4	22.9	29.4	51.2	77.7	44.2	132.5	139.6	71.4	1.00	0.43	0.00	R43Y
052	53.5	0.562	0.436	1.287	0.0	0.55	18.0	23.2	29.4	52.1	78.2	43.2	133.0	139.9	71.9	1.00	0.45	0.00	R45Y
053	54.2	0.56	0.438	1.276	0.0	0.543	17.7	23.6	29.4	53.1	78.6	42.1	133.6	140.1	72.5	1.00	0.46	0.00	R46Y
054	54.9	0.558	0.44	1.265	0.0	0.537	17.3	23.8	29.5	54.0	79.0	41.0	134.2	140.4	73.0	1.00	0.47	0.00	R47Y
055	55.6	0.555	0.443	1.254	0.0	0.53	16.9	24.2	29.5	54.9	79.4	39.9	134.8	140.6	73.5	1.00	0.49	0.00	R49Y
056	56.4	0.553	0.445	1.243	-0.001	0.524	16.5	24.5	29.5	55.9	79.8	38.7	135.5	140.9	74.0	1.00	0.5	0.00	R50Y
057	57.1	0.551	0.447	1.233	-0.001	0.518	16.1	24.8	29.6	56.9	80.2	37.6	136.1	141.2	74.5	1.00	0.51	0.00	R51Y
058	57.9	0.549	0.449	1.222	-0.001	0.512	15.7	25.1	29.6	57.9	80.7	36.4	136.7	141.4	75.0	1.00	0.53	0.00	R53Y
059	58.1	0.547	0.451	1.212	-0.001	0.506	15.3	25.4	29.7	59.0	81.0	35.3	137.2	141.6	75.5	1.00	0.54	0.00	R54Y
060	58.4	0.545	0.453	1.201	-0.001	0.501	14.9	25.8	29.8	59.9	81.5	34.1	137.8	142.0	76.0	1.00	0.55	0.00	R55Y
061	60.1	0.542	0.455	1.191	-0.001	0.496	14.4	26.1	29.8	60.9	81.9	33.0	138.3	142.2	76.5	1.00	0.57	0.00	R57Y
062	60.7	0.541	0.457	1.183	-0.001	0.492	14.1	26.3	29.9	61.8	82.2	32.0	138.8	142.5	76.9	1.00	0.58	0.00	R58Y
063	61.3	0.539	0.459	1.175	-0.001	0.489													

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																									
Yxy _{AB} abc _{AB} ABC _{AB} LabC _{AB} a _{hAB} b _{hAB} data for relative spacing of elementary hue h _{AB} of L ₁ Y ₁ AB for CIE 2 degree observer																									
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 17.7, 93.3, 159.1, 270.8 of L ₁ Y ₁ AB, and 90 intended hue angles:																									
090, 091, ..., 179, L ₁ Y ₁ AB data of CIE test colours 9 (R): 11.2 59.0 3.1, 10 (Y): 59.0 -1.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																									
no	AB	Y	x	y	a	b	c	AB	A	B	C	AB	h _{AB}	L*	a*	b*	C*	h _{AB}	rgb _{AB}	abc _{AB}	Code _{AB}				
090	80.7	0.483	0.511	0.947	-0.005	0.43	-0.2	34.7	34.7	90.4	92.0	-0.4	143.5	143.5	90.1	1.00	0.95	0.00	0.00	0.95	R95Y				
091	81.3	0.481	0.511	0.941	-0.005	0.43	-0.7	35.0	35.0	91.2	92.3	-1.5	143.2	143.2	90.6	1.00	0.96	0.00	0.00	0.96	R96Y				
092	81.9	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.4	143.0	143.0	90.9	1.00	0.98	0.00	0.00	0.98	R98Y				
093	82.8	0.477	0.515	0.926	-0.005	0.43	-1.9	35.5	35.6	93.2	92.9	-3.9	142.8	142.8	91.6	1.00	0.99	0.00	0.00	0.99	R99Y				
094	83.6	0.474	0.516	0.918	-0.006	0.43	-2.6	35.8	35.9	94.2	93.2	-5.2	142.4	142.5	92.1	0.98	1.00	0.00	0.00	1.00	Y01G				
095	84.2	0.472	0.518	0.911	-0.006	0.43	-3.2	36.1	36.2	95.1	93.5	-6.4	141.8	141.9	92.6	0.97	1.00	0.00	0.00	1.00	Y02G				
096	84.9	0.47	0.519	0.905	-0.007	0.43	-3.8	36.3	36.5	96.0	93.0	-7.6	140.8	141.0	93.1	0.95	1.00	0.00	0.00	1.00	Y05G				
097	85.6	0.468	0.521	0.897	-0.008	0.43	-4.5	36.6	36.8	97.0	94.1	-8.9	139.9	139.7	93.6	0.94	1.00	0.00	0.00	1.00	Y08G				
098	86.4	0.465	0.522	0.889	-0.009	0.43	-5.2	36.8	37.2	98.0	94.8	-10.3	139.3	139.4	94.2	0.92	1.00	0.00	0.00	1.00	Y10G				
099	87.2	0.462	0.524	0.881	-0.01	0.431	-5.9	37.1	37.6	99.1	94.8	-11.7	136.5	137.0	94.9	0.91	1.00	0.00	0.00	1.00	Y08G				
100	88.0	0.459	0.525	0.874	-0.011	0.431	-6.7	37.3	37.9	100.2	95.1	-13.1	135.1	135.8	95.5	0.89	1.00	0.00	0.00	1.00	Y10G				
101	88.8	0.456	0.527	0.866	-0.012	0.431	-7.4	37.6	38.3	101.2	95.5	-14.5	133.8	134.6	96.2	0.88	1.00	0.00	0.00	1.00	Y11G				
102	89.6	0.454	0.528	0.859	-0.013	0.432	-8.1	37.8	38.7	102.1	95.8	-15.9	132.5	133.5	96.8	0.86	1.00	0.00	0.00	1.00	Y13G				
103	90.3	0.451	0.529	0.852	-0.014	0.432	-8.8	38.0	39.0	103.0	96.1	-17.1	131.1	132.4	97.4	0.85	1.00	0.00	0.00	1.00	Y16G				
104	91.2	0.447	0.53	0.843	-0.016	0.432	-9.7	38.2	39.4	104.2	96.5	-18.8	129.3	130.4	98.3	0.83	1.00	0.00	0.00	1.00	Y16G				
105	92.0	0.444	0.53	0.837	-0.018	0.432	-10.4	38.3	39.7	105.0	96.6	-20.1	126.7	128.3	99.0	0.82	1.00	0.00	0.00	1.00	Y17G				
106	92.8	0.443	0.528	0.829	-0.019	0.432	-10.3	38.6	40.0	106.0	96.9	-19.7	124.2	125.9	99.0	0.8	1.00	0.00	0.00	1.00	Y19G				
107	94.3	0.44	0.527	0.836	-0.024	0.426	-10.7	38.8	40.2	105.4	97.7	-20.4	122.1	122.9	99.5	0.79	1.00	0.00	0.00	1.00	Y20G				
108	93.6	0.434	0.53	0.818	-0.026	0.43	-12.3	38.3	40.2	107.9	97.4	-23.8	118.7	121.1	101.3	0.77	1.00	0.00	0.00	1.00	Y22G				
109	93.2	0.431	0.532	0.811	-0.026	0.432	-12.9	38.1	40.2	108.8	97.3	-25.1	118.2	120.8	102.0	0.76	1.00	0.00	0.00	1.00	Y23G				
110	92.8	0.429	0.534	0.803	-0.027	0.434	-13.6	37.9	40.2	109.7	97.1	-26.5	117.6	120.6	102.6	0.74	1.00	0.00	0.00	1.00	Y25G				
111	92.3	0.426	0.536	0.796	-0.027	0.436	-14.2	37.6	40.3	110.7	96.9	-27.9	117.1	120.4	103.4	0.73	1.00	0.00	0.00	1.00	Y26G				
112	91.9	0.424	0.538	0.788	-0.027	0.438	-14.9	37.4	40.3	111.7	96.8	-29.4	116.5	120.2	104.1	0.71	1.00	0.00	0.00	1.00	Y28G				
113	91.5	0.421	0.54	0.779	-0.028	0.441	-15.6	37.2	40.3	112.7	96.6	-30.9	115.9	120.0	104.9	0.7	1.00	0.00	0.00	1.00	Y30G				
114	91.0	0.418	0.542	0.771	-0.028	0.444	-16.2	37.0	40.4	113.7	96.4	-32.5	115.4	119.9	105.7	0.68	1.00	0.00	0.00	1.00	Y31G				
115	90.5	0.415	0.544	0.762	-0.029	0.447	-16.9	36.7	40.5	114.7	96.2	-34.2	114.7	119.7	106.5	0.67	1.00	0.00	0.00	1.00	Y32G				
116	90.0	0.412	0.547	0.753	-0.029	0.451	-17.7	36.5	40.6	115.8	96.0	-35.9	114.1	119.6	107.4	0.65	1.00	0.00	0.00	1.00	Y34G				
117	89.5	0.409	0.549	0.744	-0.03	0.454	-18.4	36.3	40.7	116.9	95.8	-37.6	113.5	119.6	108.3	0.64	1.00	0.00	0.00	1.00	Y35G				
118	89.0	0.405	0.551	0.735	-0.03	0.458	-19.1	36.0	40.8	118.0	95.6	-39.4	112.9	119.6	109.2	0.62	1.00	0.00	0.00	1.00	Y37G				
119	88.5	0.402	0.554	0.725	-0.031	0.462	-19.9	35.8	40.9	119.0	95.3	-41.3	112.2	119.6	110.2	0.6	1.00	0.00	0.00	1.00	Y39G				
120	88.0	0.398	0.557	0.715	-0.031	0.467	-20.6	35.5	41.1	120.0	95.1	-43.2	111.6	119.7	111.1	0.59	1.00	0.00	0.00	1.00	Y40G				
121	87.4	0.394	0.559	0.705	-0.032	0.472	-21.4	35.2	41.2	121.2	94.9	-45.2	110.9	119.8	112.1	0.57	1.00	0.00	0.00	1.00	Y42G				
122	86.9	0.391	0.562	0.695	-0.032	0.477	-22.1	35.0	41.4	122.2	94.7	-47.2	110.2	119.9	113.1	0.56	1.00	0.00	0.00	1.00	Y43G				
123	86.3	0.387	0.565	0.684	-0.033	0.482	-22.9	34.7	41.6	123.4	94.4	-49.3	109.6	120.1	114.2	0.54	1.00	0.00	0.00	1.00	Y45G				
124	85.8	0.383	0.568	0.674	-0.033	0.487	-23.7	34.4	41.8	124.5	94.2	-51.4	108.9	120.4	115.2	0.53	1.00	0.00	0.00	1.00	Y46G				
125	85.2	0.379	0.571	0.663	-0.034	0.493	-24.4	34.2	42.0	125.5	93.9	-53.5	108.2	120.7	116.3	0.51	1.00	0.00	0.00	1.00	Y48G				
126	84.6	0.374	0.574	0.652	-0.034	0.499	-25.2	33.9	42.2	126.6	93.7	-55.7	107.5	121.1	117.3	0.5	1.00	0.00	0.00	1.00	Y49G				
127	84.1	0.37	0.577	0.641	-0.035	0.505	-25.9	33.6	42.5	127.6	93.5	-57.9	106.8	121.5	118.4	0.48	1.00	0.00	0.00	1.00	Y51G				
128	83.5	0.366	0.581	0.63	-0.036	0.511	-26.7	33.3	42.7	128.7	93.2	-60.2	106.1	122.0	119.5	0.47	1.00	0.00	0.00	1.00	Y52G				
129	82.9	0.361	0.584	0.619	-0.036	0.518	-27.4	33.0	43.0	129.7	93.0	-62.5	105.4	122.5	120.6	0.45	1.00	0.00	0.00	1.00	Y54G				
130	82.4	0.357	0.587	0.609	-0.037	0.523	-28.2	32.8	43.2	130.6	92.7	-64.8	104.7	123.1	121.7	0.44	1.00	0.00	0.00	1.00	Y55G				
131	81.8	0.352	0.591	0.596	-0.038	0.532	-28.9	32.5	43.5	131.6	92.5	-67.1	104.0	123.8	122.8	0.42	1.00	0.00	0.00	1.00	Y57G				
132	81.2	0.348	0.594	0.585	-0.038	0.539	-29.6	32.2	43.8	132.5	92.2	-69.5	103.3	124.5	123.9	0.41	1.00	0.00	0.00	1.00	Y58G				
133	80.7	0.343	0.597	0.574	-0.039	0.546	-30.3	31.9	44.0	133.5	92.0	-71.9	102.6	125.3	125.0	0.39	1.00	0.00	0.00	1.00	Y60G				
134	80.1	0.338	0.601	0.563	-0.04	0.553	-31.0	31.7	44.3	134.4	91.7	-74.3	101.8	126.1	126.1	0.38	1.00	0.00	0.00	1.00	Y61G				
135	79.6	0.333	0.604	0.551	-0.04	0.561	-31.7	31.4	44.6	135.2	91.5	-76.7	101.1	127.0	127.1	0.36	1.00	0.00	0.00	1.00	Y63G				
136	79.0	0.328	0.608	0.54	-0.041	0.568	-32.3	31.1	44.9	136.1	91.2	-79.1	100.4	127.9	128.2	0.35	1.00	0.00	0.00	1.00	Y64G				
137	78.1	0.321	0.612	0.524	-0.042	0.575	-33.2	30.8	45.2	137.2	90.8	-82.7	99.7	128.1	132.8	0.33	1.00	0.00	0.00	1.00	Y65G				
138	76.9	0.311	0.618	0.504	-0.044	0.593	-34.3	30.0	45.6	138.8	90.0	-87.2	97.2	130.6	131.2	0.32	1.00	0.00	0.00	1.00					

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, c _{AB} AB, ABC _{AB} , LabC* _{ab} AB data for relative spacing of elementary hue h _{AB} of L ₁ Y ₁ AB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 17.7, 93.3, 159.1, 270.8 of L ₁ Y ₁ AB for CIE 2 degree observer																			
180, 181, ..., 269, L ₁ Y ₁ AB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 25.0 12.2 0.9, 11 (G): 20.3 -7.2 7.2 12 (B): 6.4 0.1 -8.2																			
no.	AB	Y	x	y	a	b	c _{AB}	A	B	C _{AB}	h _{AB}	L*	a*	b*	C* _{ab}	h _{AB}	rgb* _{AB}	Code _{AB}	
180	59.2	0.167	0.404	0.415	-0.423	0.535	-31.6	0.7	31.6	178.7	81.4	-101.1	1.5	181.1	179.7	1.00	1.00	0.37	G180
181	59.1	0.167	0.399	0.419	-0.432	0.531	-31.4	0.1	31.4	179.6	81.4	-100.9	0.4	180.1	179.7	1.00	1.00	0.39	G181
182	59.1	0.167	0.395	0.423	-0.441	0.527	-31.1	-0.3	31.2	180.6	81.3	-99.2	-0.7	99.2	180.4	0.00	1.00	0.4	G208
183	59.1	0.167	0.391	0.427	-0.45	0.523	-30.9	-0.8	30.9	181.6	81.3	-98.2	-1.8	98.2	181.0	0.00	1.00	0.42	G218
184	59.1	0.167	0.387	0.431	-0.459	0.52	-30.7	-1.4	30.7	182.6	81.3	-97.2	-3.0	97.2	181.7	0.00	1.00	0.44	G228
185	59.1	0.166	0.383	0.434	-0.468	0.516	-30.4	-1.9	30.5	183.6	81.3	-96.2	-4.1	96.3	182.4	0.00	1.00	0.46	G238
186	59.0	0.166	0.379	0.438	-0.477	0.513	-30.2	-2.4	30.3	184.7	81.3	-95.2	-5.2	95.3	183.1	0.00	1.00	0.48	G248
187	59.0	0.166	0.375	0.442	-0.486	0.507	-29.9	-2.9	30.1	185.7	81.3	-94.2	-6.3	94.4	183.8	0.00	1.00	0.49	G258
188	59.0	0.166	0.372	0.445	-0.495	0.507	-29.7	-3.5	30.2	186.8	81.3	-93.2	-7.4	93.7	184.5	0.00	1.00	0.51	G268
189	59.0	0.166	0.368	0.45	-0.505	0.504	-29.4	-4.1	29.7	187.9	81.3	-92.2	-8.4	92.6	185.2	0.00	1.00	0.53	G278
190	59.0	0.166	0.364	0.454	-0.514	0.501	-29.2	-4.6	29.6	189.0	81.2	-91.3	-9.5	91.8	185.9	0.00	1.00	0.55	G278
191	58.9	0.165	0.361	0.458	-0.523	0.499	-28.9	-5.1	29.4	190.1	81.2	-90.3	-10.5	90.9	186.6	0.00	1.00	0.57	G288
192	58.9	0.165	0.357	0.462	-0.532	0.497	-28.7	-5.6	29.3	191.2	81.2	-89.3	-11.5	90.1	187.3	0.00	1.00	0.58	G298
193	58.9	0.165	0.354	0.466	-0.541	0.495	-28.5	-6.2	29.1	192.3	81.2	-88.4	-12.5	89.3	188.0	0.00	1.00	0.6	G308
194	58.9	0.165	0.351	0.47	-0.55	0.493	-28.2	-6.7	29.0	193.4	81.2	-87.4	-13.5	88.5	188.8	0.00	1.00	0.62	G318
195	58.8	0.165	0.348	0.474	-0.558	0.491	-28.0	-7.2	28.9	194.5	81.2	-86.5	-14.5	87.7	189.5	0.00	1.00	0.64	G328
196	58.8	0.165	0.345	0.478	-0.567	0.488	-27.7	-7.7	28.8	195.6	81.2	-85.5	-15.5	86.9	190.2	0.00	1.00	0.65	G338
197	58.8	0.165	0.342	0.482	-0.576	0.481	-27.5	-8.2	28.7	196.7	81.2	-84.7	-16.3	86.3	190.9	0.00	1.00	0.67	G338
198	58.8	0.164	0.339	0.486	-0.584	0.487	-27.3	-8.7	28.6	197.8	81.2	-83.8	-17.2	85.6	191.6	0.00	1.00	0.69	G348
199	58.8	0.164	0.336	0.49	-0.593	0.486	-27.0	-9.2	28.6	198.9	81.1	-82.9	-18.1	84.9	192.3	0.00	1.00	0.71	G358
200	58.8	0.164	0.333	0.493	-0.601	0.485	-26.8	-9.7	28.5	199.9	81.1	-82.1	-19.0	84.2	193.0	0.00	1.00	0.73	G368
201	58.7	0.164	0.33	0.498	-0.611	0.485	-26.5	-10.3	28.5	201.3	81.1	-81.0	-20.0	83.4	193.9	0.00	1.00	0.74	G378
202	58.7	0.164	0.326	0.503	-0.622	0.484	-26.2	-10.9	28.4	202.7	81.1	-79.9	-21.1	82.6	194.8	0.00	1.00	0.76	G388
203	58.6	0.164	0.323	0.507	-0.631	0.484	-25.9	-11.5	28.4	204.0	81.1	-78.9	-22.2	81.9	195.7	0.00	1.00	0.78	G398
204	58.6	0.164	0.32	0.512	-0.642	0.483	-25.6	-12.1	28.4	205.3	81.0	-77.8	-23.3	81.2	196.5	0.00	1.00	0.8	G408
205	58.5	0.164	0.317	0.516	-0.652	0.484	-25.3	-12.7	28.4	206.5	81.0	-76.8	-24.1	80.5	197.4	0.00	1.00	0.82	G418
206	58.5	0.164	0.314	0.521	-0.661	0.485	-25.1	-13.2	28.4	207.8	81.0	-75.9	-25.0	79.9	198.2	0.00	1.00	0.83	G418
207	58.4	0.164	0.312	0.525	-0.67	0.486	-24.8	-13.7	28.4	208.9	81.0	-75.0	-25.9	79.3	199.0	0.00	1.00	0.85	G428
208	58.4	0.163	0.309	0.529	-0.679	0.486	-24.6	-14.2	28.4	210.0	80.9	-74.1	-26.7	78.8	199.8	0.00	1.00	0.87	G438
209	58.4	0.163	0.307	0.532	-0.687	0.487	-24.3	-14.7	28.4	211.1	80.9	-73.3	-27.4	78.2	200.5	0.00	1.00	0.89	G448
210	58.3	0.163	0.305	0.536	-0.695	0.488	-24.1	-15.1	28.3	212.1	80.9	-72.5	-28.1	77.8	201.2	0.00	1.00	0.91	G458
211	58.3	0.163	0.303	0.539	-0.702	0.489	-23.9	-15.5	28.3	213.0	80.9	-71.7	-28.8	77.3	201.9	0.00	1.00	0.92	G468
212	58.3	0.163	0.301	0.543	-0.709	0.49	-23.7	-15.9	28.3	214.0	80.9	-71.0	-29.5	76.9	202.6	0.00	1.00	0.94	G478
213	58.2	0.163	0.299	0.546	-0.716	0.492	-23.5	-16.3	28.6	214.7	80.9	-70.3	-30.1	76.5	203.1	0.00	1.00	0.96	G488
214	58.2	0.163	0.298	0.549	-0.722	0.493	-23.3	-16.7	28.7	215.5	80.8	-69.7	-30.6	76.1	203.7	0.00	1.00	0.98	G498
215	58.2	0.163	0.296	0.552	-0.727	0.494	-23.2	-17.0	28.7	216.2	80.8	-69.1	-31.1	75.8	204.2	0.00	1.00	0.99	G508
216	58.2	0.163	0.295	0.554	-0.733	0.495	-23.0	-17.3	28.8	216.9	80.8	-68.6	-31.6	75.5	204.7	0.00	1.00	0.99	G508
217	58.2	0.163	0.293	0.557	-0.737	0.496	-22.9	-17.6	28.8	217.5	80.8	-68.1	-32.0	75.2	205.2	0.00	1.00	0.96	G518
218	58.2	0.163	0.292	0.559	-0.742	0.497	-22.7	-17.8	28.9	218.0	80.8	-67.6	-32.4	75.0	205.6	0.00	1.00	0.94	G528
219	58.3	0.164	0.291	0.563	-0.746	0.496	-22.5	-18.1	28.9	218.7	80.9	-66.8	-32.8	74.4	206.2	0.00	1.00	0.92	G538
220	57.5	0.162	0.289	0.562	-0.756	0.503	-22.3	-18.4	28.9	219.4	80.9	-66.0	-33.2	73.8	206.8	0.00	1.00	0.91	G548
221	56.6	0.161	0.287	0.562	-0.768	0.511	-22.0	-18.8	28.9	220.5	80.0	-66.4	-34.4	74.8	207.4	0.00	1.00	0.9	G558
222	55.7	0.159	0.284	0.561	-0.78	0.52	-21.6	-19.2	29.0	221.5	79.4	-66.2	-35.3	75.0	208.0	0.00	1.00	0.87	G568
223	54.8	0.158	0.281	0.56	-0.794	0.529	-21.3	-19.6	29.0	222.6	78.9	-65.9	-36.2	75.3	208.8	0.00	1.00	0.85	G578
224	53.8	0.156	0.279	0.56	-0.808	0.54	-21.0	-20.0	29.0	223.6	78.3	-65.7	-37.2	75.5	209.5	0.00	1.00	0.83	G588
225	52.8	0.154	0.276	0.559	-0.823	0.551	-20.6	-20.5	29.1	224.7	77.7	-65.4	-38.2	75.8	210.2	0.00	1.00	0.82	G588
226	51.8	0.152	0.273	0.558	-0.839	0.562	-20.3	-20.9	29.1	225.7	77.2	-65.2	-39.2	76.1	211.0	0.00	1.00	0.8	G598
227	50.7	0.15	0.27	0.557	-0.855	0.563	-20.0	-21.3	29.2	226.6	76.6	-64.9	-40.2	76.4	211.8	0.00	1.00	0.78	G608
228	49.9	0.149	0.267	0.557	-0.871	0.587	-19.6	-21.7	29.3	227.6	76.0	-64.6	-41.2	76.6	212.5	0.00	1.00	0.76	G618
229	48.9	0.147	0.264	0.557	-0.889	0.6	-19.2	-22.2	29.3	229.1	75.4	-64.1	-42.3	76.8	213.4	0.00	1.00	0.74	G628
230	48.0	0.146	0.261	0.558	-0.906	0.612	-18.8	-22.6	29.4	230.2	74.8	-63.6	-43.3	76.9	214.2	0.00	1.00	0.73	G638
231	47.1	0.144	0.258	0.559	-0.922	0.624	-18.4	-22.9	29.4	231.2	74.3	-63.0	-44.2	76.9	215.0	0.00	1.00	0.71	G648
232	46.4	0.143	0.256	0.561	-0.937	0.635	-18.0	-23.2	29.4	232.1	73.8	-62.3	-45.0	76.9	215.8	0.00	1.00	0.69	G658
233	45.7	0.142	0.253	0.563	-0.951	0.645	-17.7	-23.6	29.5	233.1	73.3	-61.6	-45.8	76.8	216.6	0.00	1.00	0.67	G668
234	45.0	0.141	0.251	0.565	-0.966	0.655	-17.3	-23.8	29.5	234.0	72.9	-60.9	-46.6	76.7	217.4	0.00	1.00	0.65	G678
235	44.3	0.141	0.248	0.567	-0.981	0.667	-16.9	-24.2	29.5	234.9	72.4	-60.1	-47.4	76.6	218.2	0.00	1.00	0.64	G678
236	43.5	0.14	0.245	0.57	-0.998	0.679	-16.5	-24.5	29.5	235.9	71.9	-59.3	-48.3	76.5	219.1	0.00	1.00	0.62	G688
237	42.8	0.139	0.243	0.572	-1.016	0.692	-16.1	-24.8	29.6	236.9	71.4	-58							

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for <i>Ostwald</i> colours for CIE illuminant D65																			
Yxy, <i>abc</i> _{AB} , <i>ABC</i> _{AB} , <i>LabC</i> _{ab} <i>hAB</i> data for relative spacing of elementary hue <i>h</i> _{AB} of <i>LIN</i> YAB for CIE 2 degree observer																			
Elementary hue circle with 4 divided elementary hue angles: <i>h</i> _{AB} = 17.7, 93.3, 159.1, 270.8 of <i>LIN</i> YAB, and 90 intended hue angles:																			
270, 271, ..., 360, <i>LIN</i> YAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 59.0 1.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																			
<i>no.</i> _{AB}	<i>Y</i>	<i>x</i>	<i>y</i>	<i>a</i>	<i>b</i>	<i>c</i> _{AB}	<i>A</i>	<i>B</i>	<i>C</i> _{AB}	<i>h</i> _{AB}	<i>L</i> [*]	<i>a</i> [*]	<i>b</i> [*]	<i>C</i> [*] _{ab}	<i>h</i> _{AB}	<i>rgb</i> _{ab}	<i>AB</i>	<i>Code</i> _{AB}	
276	19.2	0.127	0.132	0.963	-2.244	1.889	0.2	-34.7	34.7	270.4	50.9	1.2	-83.9	83.9	270.8	0.00	0.01	1.00	% G99B
271	18.6	0.127	0.128	0.99	-2.316	1.881	0.7	-35.0	35.0	271.2	50.2	4.0	-85.1	85.2	272.6	0.0	0.0	1.00	% R00R
272	18.0	0.127	0.125	1.019	-2.389	1.954	1.2	-35.2	35.2	272.0	49.5	6.6	-86.2	86.5	274.4	0.02	0.00	1.00	% B01R
273	17.1	0.127	0.119	1.066	-2.512	2.08	1.9	-35.5	35.6	273.2	48.4	10.8	-88.1	88.8	277.0	0.04	0.00	1.00	% B02R
274	16.3	0.128	0.115	1.111	-2.627	2.197	2.6	-35.8	35.9	274.2	47.4	14.6	-89.7	90.9	279.2	0.05	0.00	1.00	% B02R
275	15.7	0.128	0.115	1.156	-2.736	2.309	3.2	-36.1	36.2	275.1	46.6	18.2	-91.1	93.0	281.3	0.07	0.00	1.00	% B03R
276	15.0	0.129	0.107	1.205	-2.85	2.428	3.8	-36.3	36.5	276.0	45.7	21.9	-92.6	95.1	283.3	0.09	0.00	1.00	% B04R
277	13.3	0.129	0.102	1.264	-2.989	2.575	4.5	-36.6	36.8	277.0	44.7	26.1	-94.2	101.7	285.5	0.11	0.00	1.00	% B05R
278	13.5	0.127	0.097	1.315	-3.115	2.722	5.2	-36.8	37.2	278.0	43.2	30.3	-96.2	109.9	287.8	0.13	0.00	1.00	% B06R
279	12.7	0.131	0.092	1.413	-3.249	2.951	5.9	-37.1	37.6	279.1	42.3	36.0	-99.7	104.3	290.1	0.15	0.00	1.00	% B07R
280	11.9	0.132	0.087	1.513	-3.567	3.182	6.7	-37.3	37.9	280.2	41.1	41.3	-99.9	108.1	292.4	0.17	0.00	1.00	% B08R
281	11.1	0.133	0.082	1.616	-3.809	3.44	7.4	-37.6	38.3	281.2	39.8	46.7	-102.0	112.2	294.6	0.19	0.00	1.00	% B09R
282	10.3	0.134	0.077	1.739	-4.075	3.723	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.2	0.00	1.00	% B10R
283	9.6	0.135	0.072	1.858	-4.357	4.025	8.8	-38.0	39.0	283.0	37.3	57.5	-106.0	120.6	298.4	0.22	0.00	1.00	% B11R
284	8.7	0.136	0.066	1.968	-4.631	4.335	9.7	-38.2	39.4	284.2	35.4	65.5	-109.0	127.2	300.8	0.24	0.00	1.00	% B12R
285	7.9	0.137	0.061	2.055	-4.905	4.673	10.4	-38.3	39.7	285.0	33.9	71.7	-111.2	132.3	302.8	0.26	0.00	1.00	% B13R
286	7.0	0.138	0.052	2.102	-5.182	5.007	10.3	-38.4	40.0	286.0	32.8	78.9	-113.6	136.5	305.0	0.28	0.00	1.00	% B14R
287	5.6	0.128	0.045	2.048	-4.7	2.95	11.7	-38.8	40.2	285.8	28.5	84.7	-115.6	146.5	305.3	0.3	0.00	1.00	% B15R
288	6.3	0.144	0.05	2.887	-6.421	6.291	12.3	-38.2	40.2	287.9	30.4	89.6	-116.1	146.6	307.6	0.32	0.00	1.00	% B16R
289	6.7	0.15	0.052	2.866	-6.055	5.937	12.9	-38.1	40.2	288.8	31.3	90.6	-114.5	146.0	308.3	0.34	0.00	1.00	% B17R
290	7.1	0.157	0.055	2.846	-5.713	5.697	13.6	-37.9	40.2	289.7	32.2	91.7	-112.8	145.4	309.0	0.35	0.00	1.00	% B17R
291	7.6	0.163	0.057	2.826	-5.395	5.362	14.2	-37.6	40.3	290.9	33.1	92.7	-111.2	144.8	309.8	0.37	0.00	1.00	% B18R
292	8.0	0.169	0.06	2.807	-5.099	5.02	14.9	-37.4	40.3	291.7	34.0	93.8	-109.6	144.2	311.3	0.39	0.00	1.00	% B19R
293	8.4	0.175	0.063	2.788	-4.826	4.56	14.9	-37.2	40.3	292.3	34.9	95.0	-108.0	145.7	312.2	0.42	0.00	1.00	% B20R
294	8.9	0.18	0.065	2.767	-4.56	4.25	16.2	-37.0	40.4	293.1	35.8	95.8	-106.4	149.0	313.1	0.43	0.00	1.00	% B21R
295	9.4	0.188	0.068	2.753	-4.338	4.298	16.9	-36.7	40.5	294.7	36.8	96.7	-104.8	142.6	312.7	0.45	0.00	1.00	% B22R
296	9.9	0.194	0.071	2.736	-4.12	4.095	17.7	-36.5	40.6	295.8	37.7	97.7	-103.2	142.1	313.4	0.47	0.00	1.00	% B23R
297	10.4	0.201	0.073	2.72	-3.919	3.997	18.4	-36.3	40.7	296.9	38.6	98.7	-101.6	141.4	314.1	0.48	0.00	1.00	% B24R
298	10.9	0.207	0.076	2.704	-3.733	3.735	19.1	-36.0	40.8	298.0	39.4	99.6	-100.0	141.2	314.8	0.5	0.00	1.00	% B25R
299	11.4	0.213	0.079	2.689	-3.56	3.576	19.9	-35.8	40.9	299.0	40.3	100.6	-98.5	140.8	315.6	0.52	0.00	1.00	% B26R
300	11.9	0.219	0.082	2.675	-3.4	3.429	20.6	-35.5	41.1	300.1	41.2	101.5	-96.9	140.4	316.3	0.54	0.00	1.00	% B27R
301	12.5	0.225	0.084	2.661	-3.251	3.294	21.4	-35.2	41.2	300.9	42.2	102.4	-95.4	140.0	316.9	0.56	0.00	1.00	% B28R
302	13.0	0.231	0.087	2.647	-3.113	3.17	22.1	-34.9	41.3	301.7	43.1	103.2	-94.0	139.6	317.5	0.58	0.00	1.00	% B29R
303	13.6	0.237	0.09	2.634	-2.985	3.055	22.9	-34.7	41.6	303.4	43.7	104.1	-92.9	139.3	318.3	0.6	0.00	1.00	% B30R
304	14.1	0.243	0.092	2.622	-2.865	2.949	23.7	-34.4	41.8	304.5	44.5	104.9	-91.1	138.9	319.0	0.62	0.00	1.00	% B31R
305	14.7	0.248	0.095	2.61	-2.754	2.851	24.4	-34.1	42.0	305.4	45.3	105.7	-89.7	138.6	319.6	0.63	0.00	1.00	% B31R
306	15.3	0.254	0.097	2.598	-2.65	2.761	25.2	-33.9	42.2	306.6	46.0	106.5	-88.3	138.3	320.3	0.65	0.00	1.00	% B32R
307	15.8	0.259	0.1	2.586	-2.554	2.677	25.9	-33.6	42.5	307.6	46.8	107.2	-86.9	138.0	320.9	0.67	0.00	1.00	% B33R
308	16.4	0.264	0.102	2.575	-2.464	2.599	26.7	-33.3	42.7	308.7	47.5	107.9	-85.6	137.8	321.5	0.69	0.00	1.00	% B34R
309	17.0	0.269	0.105	2.565	-2.379	2.527	27.4	-33.0	43.0	309.7	48.2	108.6	-84.3	137.5	322.1	0.71	0.00	1.00	% B35R
310	17.6	0.274	0.107	2.554	-2.294	2.456	28.1	-32.7	43.3	310.7	49.0	109.3	-83.0	137.2	322.8	0.73	0.00	1.00	% B36R
311	18.1	0.279	0.109	2.544	-2.227	2.398	28.9	-32.5	43.5	311.6	49.6	109.9	-81.8	137.0	323.3	0.75	0.00	1.00	% B37R
312	18.7	0.283	0.111	2.534	-2.158	2.34	29.6	-32.2	43.8	312.5	50.3	110.5	-80.6	136.8	323.9	0.77	0.00	1.00	% B38R
313	19.2	0.288	0.114	2.524	-2.093	2.286	30.3	-31.9	44.0	313.5	51.0	111.1	-79.4	136.6	324.4	0.78	0.00	1.00	% B39R
314	19.8	0.292	0.116	2.515	-2.033	2.236	31.0	-31.7	44.3	314.4	51.6	111.7	-78.2	136.4	324.9	0.8	0.00	1.00	% B40R
315	20.3	0.296	0.118	2.505	-1.976	2.189	31.7	-31.4	44.6	315.2	52.2	112.2	-77.1	136.2	325.4	0.82	0.00	1.00	% B41R
316	20.9	0.3	0.12	2.496	-1.923	2.145	32.3	-31.1	44.9	316.1	52.8	112.7	-76.0	136.0	325.9	0.84	0.00	1.00	% B42R
317	21.3	0.296	0.123	2.484	-1.861	2.173	33.0	-30.7	45.2	317.0	53.8	113.0	-74.7	135.5	326.6	0.86	0.00	1.00	% B43R
318	21.9	0.313	0.128	2.436	-1.781	1.974	34.3	-30.0	45.6	318.8	55.1	113.9	-71.8	135.0	327.5	0.88	0.00	1.00	% B44R
319	24.2	0.319	0.133	2.399	-1.646	1.888	35.1	-29.4	45.5	320.1	56.3	112.7	-69.5	132.5	328.3	0.9	0.00	1.00	% B45R
320	25.3	0.324	0.137	2.363	-1.57	1.812	35.8	-28.7	45.9	321.2	57.4	112.3	-67.5	131.0	328.9	0.91	0.00	1.00	% B46R
321	26.4	0.328	0.141	2.328	-1.504	1.744	36.4	-28.2	46.0	322.2	58.4	111.6	-65.6	129.5	329.5	0.93	0.00	1.00	% B47R
322	27.3	0.332	0.144	2.295	-1.446	1.682	36.8	-27.6	46.0	323.0	59.3	110.9	-63.8	127.9	330.0	0.95	0.00	1.00	% B47R
323	28.2	0.335	0.148	2.263	-1.395	1.626	37.1	-27.1	45.9	323.8	60.1	110.0	-62.2	126.4	330.5	0.97	0.00	1.00	% B48R
324	29.1	0.337	0.151	2.232	-1.35	1.575	37.3	-26.6	45.8	324.4	60.8	109.1	-60.7	124.8	330.9	1.00	0.00	1.00	% B49R
325	29.9	0.34	0.154	2.203	-1.31	1.528	37.4	-26.1	45.6	325.0	61.5	108.1	-59.3	123.3	331.2	1.00	0.00	0.98	% B50R
326	31.1	0.344	0.159	2.165	-1.248	1.462	38.0	-25.3	45.5	326.2	62.6	107.0	-57.8	121.6	331.7	1.00	0.00	0.96	% B51R
327	32.3	0.348	0.163	2.129	-1.192	1.4	38.1	-24.4	45.2	327.3	63.6	105.6	-54.7	119.1	332.6	1.00	0.00	0.94	% B52R</

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, LINYAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	31 556	56.57	−21.89	−18.32	28.54	0.5611	−0.7532	219.9	15 476	37 585	Cm		%	
6 435	31 557	57.41	−26.44	−8.79	27.86	0.4876	−0.5825	198.4	16 480	44 621			%	
10 450	31 559	57.53	−32.48	6.09	33.05	0.3834	−0.3234	169.3	18 491	−1 491c			%	
11 460	32 562	59.27	−33.9	10.52	35.5	0.3761	−0.2517	162.7	19 498	−1 498c			%	
12 465	33 565	60.91	−34.93	14.56	37.84	0.3747	−0.1903	157.3	21 506	−1 506c			%	
14 470	34 570	63.07	−35.18	20.67	40.8	0.3903	−0.1016	149.5	24 522	−1 522c			%	
15 475	35 579	68.64	−33.55	24.85	41.75	0.4593	−0.0672	143.4	26 533	−1 533c	Gm		%	
16 480	41 606	81.94	−23.65	31.88	39.7	0.6594	−0.0401	126.5	30 550	−1 550c			%	
16 485	−1 484c	92.3	−10.45	36.33	37.8	0.8348	−0.0356	106.0	32 560	10 454			%	
18 490	−1 490c	89.06	−7.57	36.55	37.33	0.863	−0.0188	101.7	32 562	11 459	max		%	
19 495	−1 495c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
19 500	−1 499c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
22 510	−1 510c	79.1	1.43	33.55	33.58	0.9662	−0.0051	87.5	33 567	13 466			%	
23 520	−1 519c	75.81	4.11	32.27	32.53	1.0024	−0.0036	82.7	33 568	13 468	Ym		%	
26 530	−1 530c	64.17	12.31	27.48	30.11	1.14	−0.001	65.8	34 573	14 472			%	
27 540	−1 539c	59.9	14.81	25.68	29.65	1.1955	−0.0005	60.0	35 576	14 473			%	
28 545	−1 544c	55.54	17.09	23.83	29.32	1.2559	−0.0002	54.3	35 578	14 474			%	
29 550	−1 549c	51.12	19.09	21.94	29.08	1.3215	−0.0001	48.9	36 580	15 475			%	
31 555	−1 555c	42.37	21.98	18.19	28.53	1.4668	0.0	39.6	37 586	15 476			%	
32 560	10 451	40.04	32.52	−6.18	33.11	1.7604	−0.5838	349.2	−1 492c	18 492			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, LINYAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
31 556	0 405	43.42	21.89	18.32	28.54	1.4522	−0.0074	39.9	37 585	15 476	Rm		%	
31 557	6 435	42.58	26.44	8.79	27.86	1.5691	−0.2226	18.4	44 621	16 480			%	
31 559	10 450	42.46	32.48	−6.09	33.05	1.713	−0.5727	349.3	−1 491c	18 491			%	
32 562	11 460	40.72	33.9	−10.52	35.5	1.7807	−0.6879	342.7	−1 498c	19 498			%	
33 565	12 465	39.08	34.93	−14.56	37.84	1.8419	−0.8019	337.3	−1 506c	21 506			%	
34 570	14 470	36.92	35.18	−20.67	40.8	1.901	−0.9891	329.5	−1 522c	24 522			%	
35 579	15 475	31.35	33.55	−24.85	41.75	2.0184	−1.2222	323.4	−1 533c	26 533	Mm		%	
41 606	16 480	18.05	23.65	−31.88	39.7	2.2587	−2.1959	306.5	−1 550c	30 550			%	
−1 484c	16 485	7.69	10.45	−36.33	37.8	2.306	−5.1484	286.0	10 454	32 560			%	
−1 490c	18 490	10.93	7.57	−36.55	37.33	1.6407	−3.7725	281.7	11 459	32 562	min		%	
−1 495c	19 495	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 499c	19 500	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 510c	22 510	20.89	−1.43	−33.55	33.58	0.8795	−2.035	267.5	13 466	33 567			%	
−1 519c	23 520	24.18	−4.12	−32.27	32.53	0.7777	−1.7639	262.7	13 468	33 568	Bm		%	
−1 530c	26 530	35.82	−12.31	−27.48	30.11	0.6044	−1.1965	245.8	14 472	34 573			%	
−1 539c	27 540	40.09	−14.81	−25.68	29.65	0.5785	−1.0699	240.0	14 473	35 576			%	
−1 544c	28 545	44.45	−17.09	−23.83	29.32	0.5635	−0.9653	234.3	14 474	35 578			%	
−1 549c	29 550	48.87	−19.09	−21.94	29.08	0.5575	−0.8782	228.9	15 475	36 580			%	
−1 555c	31 555	57.62	−21.98	−18.19	28.53	0.5667	−0.745	219.6	15 476	37 586			%	
10 451	32 560	59.95	−32.52	6.18	33.11	0.4056	−0.3261	169.2	18 492	−1 492c			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																				
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} _{AB} data for relative spacing of elementary hue h _{AB} of L _{IN} YAB for CIE 10 degree observer																				
Elementary hue circle with 4 intended elementary hues angles: h _{AB} = 18.2, 86.3, 156.2, 260.1 of L _{IN} YAB, and 90 intended hue angles:																				
000, 001, ..., 089, L _{IN} YAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																				
no.	AB	X ₁₀	Y ₁₀	A ₁₀	q ₁₀	b ₁₀	c _{AB} ₁₀	A ₁₀	B ₁₀	C _{AB} ₁₀	h _{AB} ₁₀	L* ₁₀	a*	b*	b ⁰	C* _{AB} ₁₀	h _{AB} ₁₀	rgb ^a _{AB} ₁₀	Code _{AB} ₁₀	
000	48.0	0.434	0.252	1.724	-0.497	0.779	31.0	-2.7	31.1	354.9	69.5	81.2	-7.3	81.6	354.7	1.00	0.00	0.36	% B81R	
001	48.0	0.436	0.253	1.719	-0.487	0.773	30.8	-2.3	30.9	355.7	69.5	80.8	-6.3	81.1	355.5	1.00	0.00	0.34	% B82R	
002	48.0	0.439	0.256	1.714	-0.476	0.768	30.7	-1.8	30.7	356.4	69.5	80.4	-5.2	80.6	356.3	1.00	0.00	0.32	% B83R	
003	48.0	0.441	0.258	1.719	-0.465	0.762	30.5	-1.4	30.5	357.2	69.5	80.0	-4.0	80.1	357.1	1.00	0.00	0.3	% B84R	
004	48.1	0.443	0.26	1.704	-0.454	0.757	30.3	-1.0	30.3	358.1	69.5	79.6	-2.8	79.6	357.9	1.00	0.00	0.28	% B85R	
005	48.1	0.446	0.262	1.699	-0.442	0.751	30.1	-0.5	30.1	358.9	69.5	79.1	-1.5	79.1	358.8	1.00	0.00	0.26	% B86R	
006	48.1	0.449	0.265	1.694	-0.431	0.745	29.9	0.0	29.9	359.8	69.5	78.7	-0.2	78.7	359.8	1.00	0.00	0.24	% B87R	
007	48.1	0.451	0.267	1.688	-0.419	0.737	29.7	0.4	29.7	0.7	69.6	78.2	1.1	78.2	0.8	1.00	0.00	0.22	% B88R	
008	48.2	0.454	0.27	1.682	-0.406	0.734	29.5	0.8	29.5	1.7	69.6	77.7	2.6	77.7	1.9	1.00	0.00	0.2	% B89R	
009	48.2	0.457	0.272	1.676	-0.394	0.729	29.3	1.3	29.3	2.7	69.6	77.2	4.0	77.3	3.0	1.00	0.00	0.18	% B90R	
010	48.2	0.46	0.275	1.67	-0.382	0.724	29.1	1.9	29.1	3.7	69.6	76.7	5.6	76.9	4.1	1.00	0.00	0.16	% B91R	
011	48.3	0.463	0.278	1.664	-0.369	0.719	28.8	2.4	28.9	4.7	69.6	76.2	7.2	76.5	5.4	1.00	0.00	0.14	% B92R	
012	48.3	0.467	0.281	1.658	-0.356	0.714	28.6	2.9	28.8	5.8	69.7	75.6	8.8	76.2	6.7	1.00	0.00	0.12	% B93R	
013	48.3	0.47	0.284	1.652	-0.343	0.709	28.4	3.4	28.6	6.9	69.7	75.1	10.6	75.8	8.0	1.00	0.00	0.1	% B94R	
014	48.4	0.474	0.288	1.645	-0.33	0.704	28.1	4.0	28.4	8.0	69.7	74.5	12.3	75.6	9.4	1.00	0.00	0.08	% B95R	
015	48.4	0.477	0.291	1.639	-0.316	0.7	27.9	4.5	28.3	9.2	69.8	74.0	14.2	75.3	10.8	1.00	0.00	0.06	% B96R	
016	48.5	0.481	0.294	1.632	-0.303	0.695	27.7	5.0	28.6	10.4	69.8	73.4	16.1	75.2	12.3	1.00	0.00	0.04	% B97R	
017	48.5	0.485	0.298	1.625	-0.29	0.691	27.4	5.6	28.0	11.6	69.8	72.8	18.1	75.0	13.9	1.00	0.00	0.02	% B98R	
018	48.6	0.489	0.302	1.618	-0.276	0.687	27.2	6.2	27.9	12.8	69.9	72.2	20.1	75.0	15.6	1.00	0.00	0.0	% B99R	
019	48.6	0.493	0.305	1.611	-0.263	0.684	27.0	6.7	27.8	14.0	69.9	71.6	22.3	75.0	17.2	1.00	0.01	0.00	% B01Y	
020	48.7	0.497	0.309	1.605	-0.249	0.681	26.7	7.3	27.7	15.3	70.0	71.0	24.5	75.2	19.0	1.00	0.02	0.00	% B02Y	
021	48.8	0.501	0.313	1.598	-0.235	0.678	26.5	7.8	27.6	16.5	70.0	70.4	26.8	75.4	20.8	1.00	0.04	0.00	% B04Y	
022	48.8	0.505	0.317	1.591	-0.222	0.675	26.2	8.4	27.6	17.8	70.0	69.8	29.2	75.7	22.6	1.00	0.05	0.00	% B05Y	
023	48.9	0.509	0.321	1.583	-0.208	0.673	26.0	9.0	27.7	19.1	70.1	69.2	31.7	76.1	24.6	1.00	0.06	0.00	% B06Y	
024	48.9	0.514	0.326	1.575	-0.195	0.67	25.7	9.5	27.8	20.4	70.1	68.6	34.3	76.7	26.5	1.00	0.08	0.00	% B08Y	
025	49.0	0.519	0.33	1.569	-0.181	0.669	25.5	10.1	27.4	21.7	70.2	68.0	37.0	77.4	28.5	1.00	0.09	0.00	% B09Y	
026	49.1	0.523	0.335	1.562	-0.168	0.667	25.2	10.7	27.4	23.0	70.2	67.3	39.8	78.2	30.6	1.00	0.11	0.00	% B11Y	
027	49.1	0.528	0.339	1.555	-0.155	0.666	25.0	11.3	27.4	24.3	70.3	66.7	42.8	79.3	32.6	1.00	0.12	0.00	% B12Y	
028	49.2	0.533	0.344	1.548	-0.141	0.665	24.7	11.8	27.4	25.6	70.3	66.1	45.9	80.5	34.8	1.00	0.14	0.00	% B14Y	
029	49.3	0.538	0.349	1.541	-0.128	0.664	24.5	12.4	27.5	26.8	70.4	65.4	49.2	81.9	36.9	1.00	0.15	0.00	% B15Y	
030	49.4	0.543	0.354	1.533	-0.115	0.664	24.2	13.0	27.5	28.1	70.4	64.8	52.7	83.6	39.1	1.00	0.17	0.00	% B17Y	
031	49.5	0.548	0.359	1.526	-0.102	0.664	24.0	13.5	27.6	29.4	70.5	64.2	56.5	85.5	41.3	1.00	0.18	0.00	% B18Y	
032	49.6	0.553	0.364	1.519	-0.09	0.664	23.7	14.1	27.6	30.6	70.5	63.5	60.5	87.8	43.6	1.00	0.2	0.00	% B20Y	
033	49.7	0.558	0.369	1.512	-0.077	0.665	23.5	14.6	27.7	31.9	70.6	62.9	64.9	90.4	45.8	1.00	0.21	0.00	% B21Y	
034	49.8	0.564	0.374	1.505	-0.065	0.665	23.3	15.2	27.8	33.1	70.7	62.3	69.7	93.5	48.2	1.00	0.23	0.00	% B23Y	
035	49.9	0.569	0.38	1.498	-0.053	0.666	23.0	15.7	27.9	34.3	70.8	61.6	75.0	97.1	50.5	1.00	0.24	0.00	% B24Y	
036	49.9	0.574	0.385	1.491	-0.041	0.667	22.8	16.3	28.0	35.5	70.8	61.0	81.1	101.5	53.0	1.00	0.26	0.00	% B26Y	
037	49.0	0.58	0.39	1.484	-0.029	0.669	22.5	16.8	28.1	36.6	70.9	60.4	88.4	107.1	55.6	1.00	0.27	0.00	% B27Y	
038	49.2	0.585	0.396	1.477	-0.017	0.67	22.3	17.3	28.3	37.8	71.0	59.7	97.8	114.6	58.5	1.00	0.29	0.00	% B29Y	
039	49.3	0.591	0.401	1.471	-0.006	0.672	22.1	17.8	28.4	38.9	71.0	59.1	111.4	126.1	62.0	1.00	0.3	0.00	% B30Y	
040	49.4	0.597	0.407	1.465	0.007	0.673	21.9	18.3	28.5	40.0	71.1	58.4	124.8	133.2	64.9	1.00	0.31	0.00	% B31Y	
041	49.5	0.602	0.413	1.458	0.02	0.663	21.2	19.5	28.8	42.2	71.9	56.2	159.2	169.0	70.5	1.00	0.33	0.00	% B33Y	
042	44.4	0.64	0.426	1.416	0.029	0.655	20.7	20.3	29.0	44.7	72.5	54.5	175.2	183.5	72.7	1.00	0.34	0.00	% B34Y	
043	45.3	0.603	0.431	1.397	0.032	0.644	20.4	20.9	29.2	45.7	73.1	53.0	183.4	199.9	73.8	1.00	0.36	0.00	% B36Y	
044	46.3	0.6	0.434	1.381	0.032	0.633	20.0	21.3	29.3	46.7	73.7	51.7	184.9	192.0	74.3	1.00	0.37	0.00	% B37Y	
045	47.3	0.595	0.435	1.366	0.028	0.62	19.8	21.6	29.3	47.5	74.3	50.5	180.9	187.8	74.4	1.00	0.39	0.00	% B39Y	
046	48.2	0.589	0.435	1.353	0.022	0.607	19.5	21.8	29.3	48.1	75.0	49.4	172.5	179.5	74.0	1.00	0.4	0.00	% B40Y	
047	49.2	0.582	0.434	1.341	0.015	0.584	19.3	21.9	29.2	48.5	75.6	48.4	160.8	167.9	73.2	1.00	0.42	0.00	% B42Y	
048	50.2	0.575	0.432	1.331	0.007	0.581	19.2	21.9	29.1	48.7	76.2	47.5	146.8	154.3	72.0	1.00	0.43	0.00	% B43Y	
049	51.3	0.568	0.43	1.321	0.0	0.569	19.0	21.9	29.0	49.0	76.9	46.7	132.1	140.4	70.5	1.00	0.45	0.00	% B45Y	
050	52.1	0.566	0.433	1.306	0.0	0.559	18.6	22.3	29.1	50.1	77.3	45.3	133.1	140.6	71.1	1.00	0.46	0.00	% B46Y	
051	53.0	0.563	0.436	1.292	0.0	0.55	18.2	22.7	29.2	51.2	77.9	44.0	134.0	141.0	71.7	1.00	0.48	0.00	% B48Y	
052	53.8	0.561	0.438	1.281	0.0	0.543	17.9	23.1	29.2	52.1	78.3	42.9	134.7	141.4	72.3	1.00	0.49	0.00	% B49Y	
053	54.6	0.559	0.44	1.269	0.0	0.536	17.5	23.4	29.2	53.1	78.8	41.8	135.4	141.7	72.8	1.00	0.51	0.00	% B51Y	
054	55.3	0.557	0.442	1.259	0.0	0.53	17.2	23.7	29.3	54.0	79.2	40.7	135.9	141.9	73.3	1.00	0.52	0.00	% B52Y	
055	56.0	0.555	0.444	1.248	0.0	0.523	16.8	24.0	29.3	54.9	79.6	39.6	136.6	142.2	73.8	1.00	0.53	0.00	% B53Y	
056	56.8	0.552	0.446	1.237	0.0	0.517	16.4	24.3	29.4	55.9	80.0	38.4	137.2	142.5	74.3	1.00	0.55	0.00	% B55Y	
057	57.5	0.55	0.448	1.227	0.0	0.511	16.0	24.7	29.4	56.9	80.5	37.1	138.8	142.8	74.8	1.00	0.56	0.00	% B56Y	
058	58.1	0.548	0.45	1.216	0.0	0.505	15.6	25.0	29.5	57.9	80.9	36.3	139.4	143.1	75.3	1.00	0.58	0.00	% B58Y	
059	58.7	0.543	0.453	1.205	0.0	0.5	15.2	25.3	29.5	58.9	81.3	35.0	140.1	143.4	75.8	1.00	0.59	0.00	% B59Y	
060	59.8	0.544	0.455	1.195	0.0	0.495	14.8	25.6	29.6	59.9	81.7	33.8	139.6	143.6	76.3	1.00	0.61	0.00	% B61Y	
061	60.4	0.542	0.456	1.189	0.0	0.491	14.5	25.9	29.7	60.8	82.0	33.1	140.1	143.9	76.6	1.00	0.62	0.00	% B62Y	
062	60.9	0.541	0.457	1.182	0.0	0.488	14.2	26.1	29.7	61.3										

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																										
Yxy, c _{AB} , ABC _{AB} , LabC _{ab} , h _{AB} data for relative spacing of elementary hue h _{AB} of LINYAB for CIE 10 degree observer																										
Elementary hue circle with 4 intended elementary hues angles: h _{AB} = 18.2, 86.3, 156.2, 260.1 of LINYAB, and 90 intended hue angles:																										
no. 090, 091, ..., 179, LINYAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																										
no.	AB ₁₀	Y ₁₀	q ₁₀	b ₁₀	c _{AB10}	A ₁₀	B ₁₀	C _{AB10}	h _{AB10}	L* ₁₀	a* ₁₀	b* ₁₀	C _{AB10}	h _{AB10}	rgb _{AB}	AB ₁₀	Y ₁₀	q ₁₀	b ₁₀	c _{AB10}	h _{AB10}	L* ₁₀	a* ₁₀	b* ₁₀	Code _{AB10}	
990	88.8	0.481	0.509	0.936	-0.007	0.422	-0.1	34.1	34.1	90.1	92.0	-0.2	138.8	138.8	90.0	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y05G
991	81.5	0.479	0.91	0.936	-0.007	0.421	-0.7	34.1	34.4	91.3	92.4	-1.5	137.5	137.5	90.6	0.93	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y06G
992	82.3	0.476	0.512	0.93	-0.008	0.421	-1.4	34.6	34.6	92.4	92.7	-2.9	136.3	136.3	91.2	0.91	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y08G
993	83.1	0.473	0.513	0.922	-0.009	0.42	-2.1	34.8	34.9	93.4	93.0	-4.2	135.1	135.2	91.8	0.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y09G
994	83.8	0.471	0.515	0.914	-0.01	0.42	-2.7	35.1	35.2	94.4	93.3	-5.5	134.1	134.2	92.3	0.88	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y11G
995	84.5	0.468	0.516	0.907	-0.011	0.42	-3.4	35.3	35.5	95.5	93.6	-6.8	133.1	133.3	92.9	0.87	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y12G
996	85.2	0.466	0.518	0.9	-0.011	0.42	-4.0	35.5	35.8	96.5	93.9	-8.0	132.3	132.5	93.4	0.86	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y13G
997	85.9	0.464	0.519	0.883	-0.012	0.42	-4.6	35.8	36.1	97.4	94.2	-9.2	131.5	131.8	94.0	0.84	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y15G
998	85.2	0.462	0.519	0.887	-0.013	0.42	-5.1	36.1	36.3	98.2	94.8	-10.3	130.8	131.0	94.4	0.83	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y16G
999	87.0	0.46	0.521	0.882	-0.013	0.42	-5.7	36.1	36.6	98.9	94.7	-11.2	130.3	130.7	94.9	0.81	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y18G
1000	87.6	0.458	0.522	0.876	-0.014	0.42	-6.2	36.3	36.8	99.7	95.0	-12.2	129.1	129.7	95.4	0.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y19G
101	88.4	0.454	0.523	0.869	-0.016	0.42	-6.9	36.4	37.1	100.8	95.3	-13.6	128.8	127.6	96.1	0.78	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y21G
102	89.4	0.451	0.522	0.862	-0.019	0.418	-7.6	36.6	37.3	101.7	95.7	-14.9	128.3	124.2	96.8	0.77	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y22G
103	90.5	0.448	0.52	0.86	-0.023	0.414	-7.9	36.7	37.5	102.1	96.2	-15.3	119.5	120.5	97.3	0.76	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y23G
104	91.5	0.444	0.519	0.856	-0.028	0.411	-8.3	36.7	37.6	102.8	96.6	-16.1	115.9	117.0	97.9	0.74	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y25G
105	92.2	0.44	0.518	0.848	-0.031	0.409	-9.1	36.6	37.7	103.4	96.9	-17.6	112.7	114.1	98.8	0.73	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y26G
106	92.9	0.434	0.519	0.839	-0.033	0.409	-9.3	36.7	37.8	103.9	96.9	-18.2	109.3	110.8	98.3	0.71	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y28G
107	92.0	0.432	0.521	0.829	-0.035	0.411	-10.9	36.2	37.8	106.8	96.8	-21.2	109.4	111.4	109.9	0.7	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y29G
108	91.7	0.43	0.522	0.823	-0.036	0.412	-11.4	36.6	37.8	107.6	96.7	-22.3	109.1	111.3	101.5	0.68	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y31G
109	91.4	0.428	0.524	0.816	-0.036	0.414	-12.0	35.9	37.8	108.5	96.5	-23.5	108.8	111.3	102.2	0.67	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y32G
110	91.0	0.425	0.526	0.809	-0.036	0.416	-12.6	35.7	37.9	109.4	96.4	-24.8	108.5	111.3	102.9	0.66	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y33G
111	90.6	0.423	0.527	0.802	-0.036	0.418	-13.2	35.5	37.9	110.3	96.2	-26.1	108.2	111.3	103.5	0.64	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y35G
112	90.2	0.421	0.529	0.794	-0.036	0.421	-13.8	35.4	38.0	111.3	96.0	-27.5	107.9	111.3	104.3	0.63	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y36G
113	89.7	0.418	0.531	0.787	-0.037	0.423	-14.4	35.2	38.0	112.3	95.9	-29.0	106.6	111.3	105.0	0.61	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y38G
114	89.3	0.416	0.534	0.781	-0.037	0.427	-15.0	35.0	38.1	113.3	95.7	-30.4	107.7	111.5	105.8	0.6	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y39G
115	88.8	0.413	0.536	0.77	-0.037	0.43	-15.7	34.8	38.2	114.3	95.5	-32.0	107.0	111.7	106.6	0.58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y41G
116	88.3	0.41	0.538	0.762	-0.037	0.433	-16.4	34.6	38.2	115.3	95.3	-33.6	106.7	111.8	107.4	0.57	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y42G
117	87.7	0.407	0.541	0.753	-0.037	0.437	-17.0	34.3	38.3	116.4	95.0	-35.2	106.3	112.0	108.3	0.56	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y43G
118	87.2	0.404	0.543	0.744	-0.037	0.441	-17.7	34.1	38.4	117.4	94.8	-36.9	106.0	112.2	109.2	0.54	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y45G
119	86.6	0.401	0.546	0.735	-0.038	0.445	-18.4	33.9	38.6	118.5	94.6	-38.7	105.6	112.5	110.1	0.53	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y46G
120	86.0	0.398	0.549	0.725	-0.038	0.449	-19.1	33.6	38.7	119.6	94.3	-40.5	105.2	112.8	111.0	0.51	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y48G
121	85.4	0.395	0.551	0.716	-0.038	0.454	-19.8	33.4	38.8	120.6	94.1	-42.3	104.8	113.1	111.9	0.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y49G
122	84.8	0.391	0.554	0.706	-0.038	0.459	-20.5	33.1	38.9	121.6	93.9	-44.2	104.4	113.4	112.9	0.48	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y51G
123	84.2	0.388	0.557	0.696	-0.038	0.464	-21.2	32.8	39.1	122.6	93.5	-46.1	103.9	113.7	113.9	0.47	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y52G
124	83.6	0.384	0.56	0.686	-0.039	0.469	-21.9	32.6	39.2	123.6	93.2	-48.1	103.5	114.1	114.9	0.46	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y53G
125	82.9	0.38	0.563	0.675	-0.039	0.475	-22.5	32.3	39.4	124.6	93.0	-50.1	103.0	114.5	115.9	0.44	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y55G
126	82.3	0.376	0.566	0.665	-0.039	0.481	-23.2	32.0	39.6	125.6	92.7	-52.1	102.4	114.9	116.9	0.43	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y56G
127	81.6	0.372	0.569	0.654	-0.04	0.487	-23.9	31.7	39.7	126.7	92.4	-54.3	101.7	115.2	118.1	0.41	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y58G
128	80.7	0.367	0.572	0.642	-0.041	0.493	-24.6	31.3	39.8	127.8	92.2	-56.6	100.6	115.4	119.3	0.4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y59G
129	79.9	0.362	0.575	0.63	-0.042	0.5	-25.4	30.9	40.0	128.9	91.6	-59.0	99.5	115.7	120.6	0.38	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y61G
130	79.1	0.357	0.578	0.618	-0.044	0.507	-26.0	30.4	40.1	130.5	91.3	-61.3	98.3	115.9	121.9	0.37	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y62G
131	78.3	0.352	0.581	0.606	-0.045	0.514	-26.7	30.0	40.2	131.6	90.9	-63.8	97.2	116.2	123.2	0.36	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y63G
132	77.6	0.347	0.584	0.589	-0.046	0.521	-27.4	29.6	40.3	132.7	90.5	-66.1	96.0	116.5	124.5	0.35	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y64G
133	76.8	0.341	0.587	0.58																						

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																										
Yxy, <i>abc</i> _{AB} , <i>ABC</i> _{AB} , <i>LabC</i> * _{ab} _{AB} data for relative spacing of elementary hue <i>h</i> _{AB} of <i>LIN</i> YAB for CIE 10 degree observer																										
Elementary hue circle with 40 divided elementary hues (R): <i>h</i> _{AB} = 18.2, 86.3, 156.2, 260.1 of <i>LIN</i> YAB, and 90 intended hue angles:																										
180, 181, ..., 269, <i>LIN</i> YAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																										
<i>no.</i>	<i>AB</i>	<i>X</i>	<i>Y</i>	<i>10</i>	<i>q</i>	<i>b</i>	<i>C</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>h</i>	<i>L</i>	<i>a</i>	<i>b</i>	<i>C</i>	<i>h</i>	<i>ab</i>	<i>rgb</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	
<i>no.</i>	<i>AB</i>	<i>X</i>	<i>Y</i>	<i>10</i>	<i>q</i>	<i>b</i>	<i>C</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>h</i>	<i>L</i>	<i>a</i>	<i>b</i>	<i>C</i>	<i>h</i>	<i>ab</i>	<i>rgb</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	<i>ab</i>	
180	41.8	0.485	0.304	1.593	-0.274	0.664	27.0	6.4	27.7	13.4	70.7	70.7	29.6	73.6	16.2	0.00	1.00	0.45	0.62	28B						
181	41.8	0.485	0.304	1.593	-0.276	0.664	27.0	6.3	27.7	13.2	70.7	70.7	29.6	73.6	16.0	0.00	1.00	0.47	0.62	28B						
182	41.7	0.484	0.303	1.596	-0.279	0.665	27.0	6.2	27.8	13.0	70.7	70.8	19.9	73.6	15.7	0.00	1.00	0.49	0.62	28B						
183	41.7	0.484	0.302	1.597	-0.281	0.665	27.1	6.1	27.8	12.8	70.7	70.9	19.6	73.6	15.4	0.00	1.00	0.51	0.62	28B						
184	41.7	0.483	0.302	1.598	-0.283	0.666	27.1	6.0	27.8	12.6	70.7	71.0	19.3	73.6	15.2	0.00	1.00	0.53	0.62	28B						
185	41.7	0.482	0.301	1.599	-0.285	0.667	27.2	6.0	27.8	12.4	70.7	71.1	19.0	73.6	14.9	0.00	1.00	0.55	0.62	28B						
186	41.7	0.482	0.301	1.6	-0.287	0.667	27.2	5.9	27.8	12.2	70.7	71.2	18.6	73.6	14.6	0.00	1.00	0.57	0.62	28B						
187	41.7	0.481	0.3	1.601	-0.289	0.668	27.2	5.8	27.9	12.0	70.6	71.3	18.3	73.6	14.4	0.00	1.00	0.59	0.62	28B						
188	41.7	0.481	0.3	1.603	-0.291	0.668	27.3	5.7	27.9	11.8	70.6	71.4	18.0	73.7	14.1	0.00	1.00	0.61	0.62	28B						
189	41.7	0.48	0.299	1.604	-0.294	0.669	27.3	5.6	27.9	11.6	70.6	71.5	17.7	73.7	13.9	0.00	1.00	0.63	0.62	28B						
190	41.6	0.479	0.298	1.605	-0.296	0.67	27.4	5.5	27.9	11.4	70.6	71.6	17.3	73.7	13.6	0.00	1.00	0.64	0.62	28B						
191	41.6	0.479	0.298	1.606	-0.298	0.671	27.4	5.4	27.9	11.2	70.6	71.7	17.0	73.7	13.3	0.00	1.00	0.66	0.62	28B						
192	41.6	0.478	0.297	1.607	-0.3	0.672	27.4	5.3	28.0	11.0	70.6	71.8	16.7	73.7	13.1	0.00	1.00	0.68	0.62	28B						
193	41.6	0.478	0.297	1.608	-0.302	0.672	27.5	5.2	28.0	10.8	70.6	71.9	16.4	73.8	12.8	0.00	1.00	0.7	0.62	28B						
194	41.6	0.477	0.296	1.609	-0.304	0.673	27.5	5.1	28.0	10.6	70.6	72.0	16.1	73.8	12.6	0.00	1.00	0.72	0.62	28B						
195	41.6	0.476	0.296	1.611	-0.306	0.674	27.6	5.1	28.0	10.4	70.6	72.1	15.8	73.8	12.3	0.00	1.00	0.74	0.62	28B						
196	41.6	0.476	0.295	1.612	-0.308	0.674	27.6	5.0	28.0	10.2	70.6	72.2	15.5	73.8	12.1	0.00	1.00	0.76	0.62	28B						
197	41.6	0.475	0.294	1.613	-0.311	0.675	27.6	4.9	28.1	10.0	70.6	72.3	15.1	73.9	11.8	0.00	1.00	0.78	0.62	28B						
198	41.5	0.475	0.294	1.614	-0.313	0.676	27.7	4.8	28.1	9.8	70.6	72.4	14.8	73.9	11.6	0.00	1.00	0.8	0.62	28B						
199	41.5	0.474	0.293	1.615	-0.315	0.677	27.7	4.7	28.1	9.6	70.5	72.5	14.5	74.0	11.3	0.00	1.00	0.82	0.62	28B						
200	41.5	0.474	0.293	1.616	-0.317	0.677	27.7	4.6	28.1	9.4	70.5	72.6	14.2	74.0	11.1	0.00	1.00	0.84	0.62	28B						
201	41.5	0.473	0.292	1.617	-0.319	0.678	27.8	4.5	28.2	9.3	70.5	72.7	13.9	74.0	10.8	0.00	1.00	0.86	0.62	28B						
202	41.5	0.472	0.292	1.619	-0.321	0.679	27.8	4.4	28.2	9.1	70.5	72.8	13.6	74.1	10.6	0.00	1.00	0.88	0.62	28B						
203	41.5	0.472	0.291	1.621	-0.323	0.681	27.9	4.3	28.2	8.9	70.5	72.9	13.3	74.1	10.3	0.00	1.00	0.9	0.62	28B						
204	41.5	0.471	0.291	1.621	-0.326	0.681	27.9	4.2	28.2	8.7	70.5	73.0	13.0	74.1	10.1	0.00	1.00	0.91	0.62	28B						
205	41.5	0.471	0.29	1.622	-0.328	0.681	27.9	4.2	28.3	8.5	70.5	73.1	12.7	74.2	9.9	0.00	1.00	0.93	0.62	28B						
206	41.5	0.47	0.289	1.623	-0.33	0.682	28.0	4.1	28.3	8.3	70.5	73.2	12.4	74.2	9.6	0.00	1.00	0.95	0.62	28B						
207	41.4	0.47	0.289	1.624	-0.332	0.683	28.0	4.0	28.3	8.1	70.5	73.3	12.1	74.3	9.4	0.00	1.00	0.97	0.62	28B						
208	41.4	0.469	0.288	1.625	-0.334	0.684	28.1	3.9	28.3	7.9	70.5	73.4	11.9	74.3	9.2	0.00	1.00	0.99	0.62	28B						
209	41.4	0.469	0.288	1.626	-0.336	0.685	28.1	3.8	28.4	7.7	70.5	73.5	11.6	74.4	8.9	0.00	1.00	1.00	0.62	28B						
210	41.4	0.468	0.287	1.628	-0.338	0.686	28.1	3.7	28.4	7.5	70.4	73.6	11.3	74.4	8.7	0.00	1.00	1.00	0.62	28B						
211	41.4	0.467	0.287	1.629	-0.34	0.686	28.2	3.6	28.4	7.4	70.4	73.7	11.0	74.5	8.5	0.00	1.00	1.00	0.62	28B						
212	41.4	0.467	0.286	1.63	-0.342	0.687	28.2	3.5	28.4	7.2	70.4	73.8	10.7	74.5	8.2	0.00	1.00	1.00	0.62	28B						
213	41.4	0.466	0.286	1.631	-0.345	0.688	28.3	3.4	28.5	7.0	70.4	73.9	10.4	74.6	8.0	0.00	1.00	1.00	0.62	28B						
214	41.4	0.466	0.285	1.632	-0.347	0.689	28.3	3.4	28.5	6.8	70.4	73.9	10.1	74.6	7.8	0.00	1.00	1.00	0.62	28B						
215	41.3	0.465	0.285	1.633	-0.349	0.69	28.3	3.3	28.5	6.6	70.4	74.0	9.9	74.7	7.6	0.00	1.00	1.00	0.62	28B						
216	41.3	0.465	0.284	1.634	-0.351	0.691	28.4	3.2	28.5	6.4	70.4	74.1	9.6	74.8	7.3	0.00	1.00	1.00	0.62	28B						
217	41.3	0.464	0.284	1.635	-0.353	0.692	28.4	3.1	28.6	6.2	70.4	74.2	9.3	74.8	7.1	0.00	1.00	1.00	0.62	28B						
218	41.3	0.464	0.283	1.637	-0.355	0.692	28.4	3.0	28.6	6.1	70.4	74.3	9.0	74.9	6.9	0.00	1.00	1.00	0.62	28B						
219	41.3	0.463	0.283	1.638	-0.357	0.693	28.5	2.9	28.6	5.9	70.4	74.4	8.7	74.9	6.7	0.00	1.00	1.00	0.62	28B						
220	41.3	0.463	0.282	1.639	-0.359	0.694	28.5	2.8	28.7	5.7	70.4	74.5	8.5	75.0	6.5	0.00	1.00	1.00	0.62	28B						
221	41.3	0.462	0.282	1.64	-0.361	0.695	28.6	2.7	28.7	5.5	70.4	74.6	8.2	75.1	6.2	0.00	1.00	1.00	0.62	28B						
222	41.3	0.462	0.281	1.641	-0.364	0.696	28.6	2.6	28.7	5.3	70.3	74.7	7.9	75.1	6.0	0.00	1.00	1.00	0.62	28B						
223	41.2	0.461	0.281	1.642	-0.366	0.697	28.6	2.6	28.8	5.2	70.3	74.8	7.7	75.2	5.8	0.00	1.00	1.00	0.62	28B						
224	41.2	0.461	0.28	1.643	-0.368	0.698	28.7	2.5	28.8	5.0	70.3	74.9	7.4	75.3	5.6	0.00	1.00	1.00	0.62	28B						
225	41.2	0.46	0.28	1.644	-0.37	0.699	28.7	2.4	28.8	4.8	70.3	75.0	7.1	75.3	5.4	0.00	1.00	1.00	0.62	28B						
226	41.2	0.46	0.279	1.646	-0.372	0.7	28.7	2.3	28.8	4.6	70.3	75.1	6.8	75.4	5.2	0.00	1.00	1.00	0.62	28B						
227	41.2	0.459	0.278	1.647	-0.374	0.701	28.8	2.2	28.9	4.4	70.3	75.2	6.6	75.5	5.0	0.00	1.00	1.00	0.62	28B						
228	41.2	0.459	0.278	1.648	-0.376	0.702	28.8	2.1	28.9	4.3	70.3	75.3	6.3	75.5	4.8	0.00	1.00	1.00	0.62	28B						
229	41.2	0.458	0.278	1.649	-0.378	0.703	28.9	2.0	28.9	4.1	70.3	75.4	6.1	75.6	4.6	0.00	1.00	1.00	0.62	28B						
230	41.2																									

rgb _{LAB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} _{AB} data for relative spacing of elementary hue h _{AB} of L ₁ YAB for CIE 10 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 18.2, 86.3, 156.2, 260.1 of L ₁ YAB, and 90 intended hue angles:																			
270, 271, ..., 360, L ₁ YAB data of CIE test colours (9 R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																			
no.	AB ₁₀	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{AB} 10	A ₁₀	B ₁₀	C _{AB} 10	h _{AB} 10	L* ₁₀	a*	b*	C _{AB} 10	h _{AB} 10	rgb*	AB ₁₀	Code	AB ₁₀
270	40.7	0.44	0.26	1.693	-0.46	0.745	30.3	-1.2	30.3	357.6	70.0	79.0	-3.4	79.1	357.4	0.16	0.00	1.00	0080R
271	40.7	0.44	0.259	1.694	-0.462	0.746	30.4	-1.3	30.4	357.4	70.0	79.1	-3.6	79.2	357.3	0.18	0.00	1.00	0080R
272	40.7	0.439	0.259	1.695	-0.464	0.747	30.4	-1.4	30.4	357.3	70.0	79.2	-3.8	79.3	357.1	0.2	0.00	1.00	010R
273	40.7	0.439	0.259	1.696	-0.465	0.749	30.4	-1.4	30.5	357.2	69.9	79.2	-4.0	79.3	357.0	0.21	0.00	1.00	010R
274	40.7	0.438	0.258	1.697	-0.467	0.75	30.5	-1.5	30.5	357.0	69.9	79.3	-4.2	79.4	356.9	0.23	0.00	1.00	011R
275	40.7	0.438	0.258	1.698	-0.469	0.751	30.5	-1.6	30.5	356.9	69.9	79.4	-4.4	79.5	356.7	0.25	0.00	1.00	012R
276	40.6	0.438	0.257	1.699	-0.471	0.752	30.5	-1.7	30.6	356.7	69.9	79.5	-4.6	79.6	356.6	0.26	0.00	1.00	013R
277	40.6	0.437	0.257	1.7	-0.473	0.753	30.6	-1.7	30.6	356.6	69.9	79.6	-4.8	79.7	356.4	0.28	0.00	1.00	015R
278	40.6	0.437	0.257	1.701	-0.475	0.754	30.6	-1.8	30.6	356.5	69.9	79.7	-5.0	79.8	356.3	0.3	0.00	1.00	015R
279	40.6	0.437	0.256	1.702	-0.476	0.755	30.6	-1.9	30.7	356.3	69.9	79.7	-5.2	79.9	356.2	0.31	0.00	1.00	015R
280	40.6	0.436	0.256	1.703	-0.478	0.756	30.6	-2.0	30.7	356.2	69.9	79.8	-5.4	80.0	356.0	0.33	0.00	1.00	016R
281	40.6	0.436	0.256	1.704	-0.48	0.757	30.7	-2.0	30.8	356.1	69.9	79.9	-5.6	80.1	355.9	0.35	0.00	1.00	017R
282	40.6	0.435	0.255	1.705	-0.482	0.758	30.7	-2.1	30.8	355.9	69.9	80.0	-5.8	80.2	355.8	0.37	0.00	1.00	018R
283	40.6	0.435	0.255	1.706	-0.484	0.76	30.7	-2.2	30.8	355.8	69.9	80.0	-6.0	80.3	355.6	0.38	0.00	1.00	019R
284	40.6	0.435	0.254	1.707	-0.486	0.761	30.8	-2.3	30.9	355.7	69.9	80.1	-6.2	80.4	355.5	0.4	0.00	1.00	020R
285	40.6	0.434	0.254	1.708	-0.487	0.762	30.8	-2.3	30.9	355.6	69.9	80.2	-6.4	80.5	355.4	0.42	0.00	1.00	021R
286	40.5	0.434	0.254	1.709	-0.489	0.763	30.8	-2.4	30.9	355.4	69.8	80.3	-6.6	80.6	355.2	0.43	0.00	1.00	021R
287	40.5	0.434	0.253	1.71	-0.491	0.764	30.9	-2.5	31.0	355.3	69.8	80.4	-6.8	80.6	355.1	0.45	0.00	1.00	022R
288	40.5	0.433	0.253	1.71	-0.493	0.765	30.9	-2.5	31.0	355.2	69.8	80.4	-6.9	80.7	355.0	0.47	0.00	1.00	023R
289	40.5	0.433	0.253	1.711	-0.494	0.766	30.9	-2.6	31.0	355.0	69.8	80.5	-7.1	80.8	354.9	0.48	0.00	1.00	024R
290	40.5	0.433	0.252	1.712	-0.5	0.767	31.0	-2.7	31.1	354.9	69.8	80.6	-7.3	80.9	354.7	0.5	0.00	1.00	025R
291	40.5	0.432	0.252	1.713	-0.498	0.768	31.0	-2.7	31.1	354.8	69.8	80.7	-7.5	81.0	354.6	0.52	0.00	1.00	026R
292	40.5	0.432	0.252	1.714	-0.5	0.769	31.0	-2.8	31.2	354.7	69.8	80.7	-7.7	81.1	354.5	0.53	0.00	1.00	026R
293	40.5	0.432	0.251	1.715	-0.501	0.771	31.1	-2.8	31.2	354.6	69.8	80.7	-7.9	81.2	354.4	0.55	0.00	1.00	027R
294	40.5	0.431	0.251	1.716	-0.503	0.772	31.1	-3.0	31.2	354.4	69.8	80.9	-8.0	81.3	354.2	0.57	0.00	1.00	028R
295	40.5	0.431	0.251	1.717	-0.505	0.773	31.1	-3.0	31.3	354.3	69.8	81.0	-8.2	81.4	354.1	0.59	0.00	1.00	029R
296	40.4	0.431	0.25	1.718	-0.507	0.774	31.1	-3.1	31.3	354.2	69.8	81.0	-8.4	81.5	354.0	0.6	0.00	1.00	030R
297	40.4	0.43	0.25	1.719	-0.508	0.775	31.2	-3.2	31.3	354.1	69.8	81.1	-8.6	81.6	353.9	0.62	0.00	1.00	031R
298	40.4	0.43	0.25	1.72	-0.51	0.776	31.2	-3.2	31.4	354.0	69.8	81.2	-8.7	81.7	353.8	0.64	0.00	1.00	032R
299	40.4	0.43	0.249	1.721	-0.512	0.777	31.2	-3.3	31.4	353.8	69.8	81.3	-8.9	81.8	353.7	0.65	0.00	1.00	033R
300	40.4	0.429	0.249	1.722	-0.513	0.778	31.3	-3.4	31.4	353.7	69.7	81.3	-9.1	81.8	353.6	0.67	0.00	1.00	033R
301	40.4	0.429	0.248	1.723	-0.515	0.779	31.3	-3.4	31.5	353.6	69.7	81.4	-9.2	81.9	353.4	0.69	0.00	1.00	034R
302	40.4	0.429	0.248	1.723	-0.517	0.78	31.3	-3.5	31.5	353.5	69.7	81.5	-9.4	82.0	353.3	0.7	0.00	1.00	035R
303	40.4	0.428	0.248	1.724	-0.518	0.781	31.3	-3.6	31.6	353.4	69.7	81.6	-9.6	82.1	353.2	0.72	0.00	1.00	036R
304	40.4	0.428	0.248	1.725	-0.52	0.782	31.4	-3.6	31.6	353.3	69.7	81.6	-9.7	82.2	353.1	0.74	0.00	1.00	037R
305	40.4	0.428	0.248	1.726	-0.521	0.784	31.4	-3.7	31.6	353.2	69.7	81.7	-9.9	82.3	353.0	0.75	0.00	1.00	037R
306	40.3	0.427	0.247	1.727	-0.523	0.785	31.4	-3.8	31.7	353.1	69.7	81.8	-10.1	82.4	352.9	0.77	0.00	1.00	038R
307	40.3	0.427	0.247	1.728	-0.525	0.786	31.5	-3.8	31.7	352.9	69.7	81.8	-10.2	82.5	352.8	0.79	0.00	1.00	039R
308	40.3	0.427	0.247	1.729	-0.526	0.787	31.5	-3.9	31.7	352.8	69.7	81.9	-10.4	82.6	352.7	0.81	0.00	1.00	040R
309	40.3	0.427	0.246	1.73	-0.528	0.788	31.5	-3.9	31.8	352.7	69.7	82.0	-10.5	82.7	352.6	0.82	0.00	1.00	041R
310	40.3	0.426	0.246	1.731	-0.529	0.789	31.5	-4.0	31.8	352.6	69.7	82.0	-10.7	82.7	352.5	0.84	0.00	1.00	042R
311	40.3	0.426	0.246	1.731	-0.531	0.79	31.6	-4.1	31.8	352.5	69.7	82.1	-10.9	82.8	352.4	0.86	0.00	1.00	043R
312	40.3	0.426	0.245	1.732	-0.533	0.791	31.6	-4.1	31.9	352.4	69.7	82.2	-11.0	82.9	352.3	0.87	0.00	1.00	044R
313	40.3	0.425	0.245	1.733	-0.534	0.792	31.6	-4.2	31.9	352.3	69.7	82.2	-11.2	83.0	352.2	0.89	0.00	1.00	044R
314	40.3	0.425	0.245	1.734	-0.536	0.793	31.7	-4.3	31.9	352.2	69.7	82.3	-11.3	83.1	352.1	0.91	0.00	1.00	045R
315	40.3	0.425	0.245	1.735	-0.537	0.794	31.7	-4.3	32.0	352.1	69.7	82.4	-11.5	83.2	352.0	0.92	0.00	1.00	046R
316	40.3	0.425	0.244	1.736	-0.539	0.795	31.7	-4.4	32.0	352.0	69.6	82.4	-11.6	83.3	351.9	0.94	0.00	1.00	047R
317	40.2	0.424	0.244	1.736	-0.54	0.796	31.7	-4.4	32.0	351.9	69.6	82.5	-11.8	83.4	351.8	0.96	0.00	1.00	048R
318	40.2	0.424	0.244	1.737	-0.542	0.797	31.8	-4.5	32.1	351.8	69.6	82.6	-11.9	83.4	351.7	0.97	0.00	1.00	048R
319	40.2	0.424	0.244	1.738	-0.543	0.798	31.8	-4.6	32.1	351.7	69.6	82.6	-12.1	83.5	351.6	0.99	0.00	1.00	049R
320	40.2	0.423	0.243	1.739	-0.545	0.799	31.8	-4.6	32.2	351.6	69.6	82.7	-12.2	83.6	351.5	1.00	0.00	0.98	050R
321	40.2	0.423	0.243	1.74	-0.546	0.8	31.8	-4.7	32.2	351.5	69.6	82.8	-12.3	83.7	351.4	1.00	0.00	0.96	051R
322	40.2	0.423	0.243	1.74	-0.548	0.801	31.9	-4.7	32.2	351.4	69.6	82.8	-12.5	83.8	351.4	1.00	0.00	0.95	052R
323	40.2	0.423	0.242	1.741	-0.549	0.802	31.9	-4.8	32.3	351.3	69.6	82.9	-12.6	83.9	351.3	1.00	0.00	0.93	053R
324	40.2	0.422	0.242	1.742	-0.551	0.803	31.9	-4.9	32.3	351.2	69.6	83.0	-12.8	83.9	351.2	1.00	0.00	0.91	054R
325	40.2	0.422	0.242	1.743	-0.552	0.804	31.9	-4.9	32.3	351.1	69.6	83.0	-12.9	84.0	351.1	1.00	0.00	0.9	054R
326	40.2	0.422	0.242	1.744	-0.553	0.805	32.0	-5.0	32.4	351.0	69.6	83.1	-13.0	84.1	351.0	1.00	0.00	0.88	055R
327	40.2	0.422	0.241	1.744	-0.5														

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, CIELAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	32 561	80.85	−67.55	−32.54	74.98	0.1805	−0.1029	205.7	16 483	37 589	Cm		%	
6 435	32 562	81.18	−81.89	−19.25	84.12	0.1732	−0.096	193.2	17 486	42 610			%	
10 450	32 563	81.52	−109.06	11.43	109.66	0.1595	−0.0803	174.0	19 496	−1 496c			%	
12 460	33 565	82.01	−120.74	33.26	125.23	0.1538	−0.0692	164.5	21 505	−1 505c			%	
12 465	33 567	82.73	−118.76	34.5	123.67	0.1552	−0.0687	163.8	21 506	−1 506c			%	
14 470	33 569	83.3	−123.47	57.53	136.22	0.1532	−0.0572	155.0	24 520	−1 520c			%	
15 475	34 573	84.63	−118.73	70.39	138.03	0.1564	−0.0512	149.3	25 528	−1 528c	Gm		%	
16 480	36 580	86.98	−107.21	84.2	136.33	0.1633	−0.0452	141.8	27 537	−1 537c			%	
17 485	39 595	91.12	−80.53	100.07	128.45	0.1778	−0.0394	128.8	29 548	−1 548c			%	
18 490	−1 490c	97.55	−23.15	119.05	121.28	0.2052	−0.0337	101.0	33 565	11 459	max		%	
19 495	−1 495c	96.94	−20.63	125.42	127.1	0.2062	−0.0306	99.3	33 566	12 462			%	
20 500	−1 500c	96.17	−17.33	131.15	132.29	0.2076	−0.0277	97.5	33 567	12 464			%	
22 510	−1 510c	94.0	−8.24	140.17	140.41	0.2116	−0.0224	93.3	33 569	13 469			%	
23 520	−1 519c	92.57	−2.53	142.99	143.01	0.2142	−0.0202	91.0	34 570	14 471	Ym		%	
25 530	−1 529c	88.94	10.79	144.39	144.79	0.2205	−0.0165	85.7	34 573	15 475			%	
27 540	−1 539c	84.43	25.54	141.4	143.69	0.2281	−0.0134	79.7	35 577	15 478			%	
28 545	−1 544c	81.91	33.05	138.34	142.24	0.2322	−0.0121	76.5	35 579	15 479			%	
29 550	−1 549c	79.2	40.58	134.51	140.5	0.2367	−0.0111	73.2	36 582	16 480			%	
30 555	−1 554c	76.32	47.96	130.1	138.66	0.2413	−0.0103	69.7	36 584	16 481			%	
32 560	−1 560c	70.18	61.63	120.13	135.02	0.2511	−0.0093	62.8	37 589	16 483			%	
380	770	100.0	0.0	0.0	0.0	0.2154	−0.0861	0.0					%	
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, CIELAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
32 561	0 405	70.73	60.88	110.08	125.79	0.2505	−0.022	61.0	37 589	16 483	Rm		%	
32 562	6 435	70.32	70.58	34.83	78.71	0.2562	−0.0659	26.2	42 610	17 486			%	
32 563	10 450	69.88	85.85	−12.65	86.78	0.2653	−0.0935	351.6	−1 496c	19 496			%	
33 565	12 460	69.24	92.89	−29.55	97.48	0.2698	−0.1035	342.3	−1 505c	21 505			%	
33 567	12 465	68.27	94.84	−31.22	99.85	0.2716	−0.1046	341.7	−1 506c	21 506			%	
33 569	14 470	67.49	99.24	−42.98	108.15	0.2748	−0.1119	336.5	−1 520c	24 520			%	
34 573	15 475	65.52	102.87	−49.85	114.31	0.2784	−0.1167	334.1	−1 528c	25 528	Mm		%	
36 580	16 480	61.69	107.96	−59.02	123.05	0.2848	−0.1241	331.3	−1 537c	27 537			%	
39 595	17 485	53.22	112.99	−75.47	135.88	0.297	−0.1406	326.2	−1 548c	29 548			%	
−1 490c	18 490	29.91	89.01	−117.0	147.01	0.3124	−0.2136	307.2	11 459	33 565	min		%	
−1 495c	19 495	33.36	74.42	−112.09	134.55	0.2908	−0.1997	303.5	12 462	33 566			%	
−1 500c	20 500	37.09	58.44	−106.44	121.43	0.2704	−0.1864	298.7	12 464	33 567			%	
−1 510c	22 510	45.26	23.9	−93.37	96.38	0.2349	−0.1623	284.3	13 469	33 569			%	
−1 519c	23 520	49.52	6.76	−86.32	86.58	0.2205	−0.152	274.4	14 471	34 570	Bm		%	
−1 529c	25 530	58.0	−23.98	−72.06	75.95	0.1992	−0.1348	251.5	15 475	34 573			%	
−1 539c	27 540	65.83	−46.7	−58.75	75.05	0.1868	−0.122	231.5	15 478	35 577			%	
−1 544c	28 545	69.38	−54.68	−52.68	75.93	0.1833	−0.117	223.9	15 479	35 579			%	
−1 549c	29 550	72.72	−60.59	−46.95	76.65	0.1812	−0.1126	217.7	16 480	36 582			%	
−1 554c	30 555	75.82	−64.5	−41.62	76.77	0.1803	−0.1088	212.8	16 481	36 584			%	
−1 560c	32 560	81.29	−66.96	−32.22	74.32	0.181	−0.1027	205.6	16 483	37 589			%	
380	770	100.0	0.0	0.0	0.0	0.2154	−0.0861	0.0					%	

rgb _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy _{ab} , abc _{AB} , ABC _{AB} , LabC _{ab} , h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																								
000, 001, ..., 089, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																								
no.	ab	Y	x	y	a	b	c	ab	A	B	C _{AB}	h _{AB}	Y	a*	b*	C*	ab	rgb _{ab}	ab	ab	ab	ab	ab	ab
000	40.7	x	0.443	0.255	1.735	-0.47	0.785	31.9	-1.4	32.0	357.4	70.0	82.3	-3.8	82.4	357.3	1.00	0.00	0.58	0.58	0.58	0.58	0.58	0.58
001	40.7	x	0.445	0.257	1.73	-0.459	0.78	31.7	-0.9	31.8	358.2	70.0	81.9	-2.6	81.9	358.1	1.00	0.00	0.55	0.55	0.55	0.55	0.55	0.55
002	40.7	x	0.448	0.259	1.725	-0.448	0.774	31.6	-0.5	31.6	359.0	70.0	81.5	-1.5	81.5	358.9	1.00	0.00	0.53	0.53	0.53	0.53	0.53	0.53
003	40.8	e	0.45	0.262	1.719	-0.438	0.769	31.4	-0.1	31.4	359.8	70.0	81.0	-0.2	81.0	359.7	1.00	0.00	0.51	0.51	0.51	0.51	0.51	0.51
004	40.8	e	0.453	0.264	1.714	-0.427	0.764	31.2	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.48	0.48	0.48	0.48	0.48	0.48
005	40.8	e	0.455	0.266	1.709	-0.416	0.759	31.0	0.7	31.0	1.4	70.0	80.1	2.2	80.2	1.5	1.00	0.00	0.46	0.46	0.46	0.46	0.46	0.46
006	40.8	e	0.458	0.268	1.704	-0.405	0.754	30.8	1.2	30.8	2.2	70.0	79.7	3.5	79.8	2.5	1.00	0.00	0.44	0.44	0.44	0.44	0.44	0.44
007	40.8	e	0.461	0.271	1.698	-0.394	0.749	30.6	1.6	30.6	3.1	70.0	79.2	4.8	79.4	3.4	1.00	0.00	0.42	0.42	0.42	0.42	0.42	0.42
008	40.9	e	0.463	0.273	1.693	-0.383	0.745	30.4	2.1	30.4	4.0	70.1	78.8	6.1	79.0	4.4	1.00	0.00	0.39	0.39	0.39	0.39	0.39	0.39
009	40.9	e	0.466	0.276	1.688	-0.372	0.74	30.1	2.5	30.3	4.8	70.1	78.3	7.5	78.7	5.4	1.00	0.00	0.37	0.37	0.37	0.37	0.37	0.37
010	40.9	e	0.469	0.278	1.683	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.9	8.9	78.4	6.5	1.00	0.00	0.35	0.35	0.35	0.35	0.35	0.35
011	40.9	e	0.471	0.281	1.677	-0.35	0.732	29.7	3.4	29.9	6.6	70.1	77.4	10.3	78.1	7.5	1.00	0.00	0.33	0.33	0.33	0.33	0.33	0.33
012	40.9	e	0.474	0.283	1.672	-0.34	0.728	29.5	3.9	29.8	7.5	70.1	76.9	11.7	77.8	8.6	1.00	0.00	0.3	0.3	0.3	0.3	0.3	0.3
013	40.9	e	0.477	0.286	1.667	-0.329	0.724	29.3	4.3	29.7	8.4	70.1	76.5	13.2	77.6	9.8	1.00	0.00	0.28	0.28	0.28	0.28	0.28	0.28
014	41.0	e	0.48	0.289	1.662	-0.318	0.721	29.1	4.7	29.5	9.3	70.1	76.0	14.7	77.4	10.9	1.00	0.00	0.26	0.26	0.26	0.26	0.26	0.26
015	41.0	e	0.483	0.291	1.656	-0.308	0.717	28.9	5.2	29.4	10.2	70.1	75.5	16.2	77.3	12.1	1.00	0.00	0.24	0.24	0.24	0.24	0.24	0.24
016	41.0	e	0.486	0.294	1.651	-0.297	0.712	28.7	5.6	29.3	11.1	70.2	75.1	17.7	77.2	13.2	1.00	0.00	0.21	0.21	0.21	0.21	0.21	0.21
017	41.0	e	0.489	0.297	1.646	-0.286	0.711	28.5	6.1	29.2	12.0	70.2	74.6	19.2	77.1	14.4	1.00	0.00	0.19	0.19	0.19	0.19	0.19	0.19
018	41.0	e	0.492	0.3	1.641	-0.276	0.709	28.3	6.5	29.1	12.9	70.2	74.2	20.8	77.1	15.7	1.00	0.00	0.17	0.17	0.17	0.17	0.17	0.17
019	41.0	e	0.495	0.302	1.636	-0.266	0.706	28.1	6.9	29.0	13.8	70.2	73.7	22.4	77.1	16.9	1.00	0.00	0.15	0.15	0.15	0.15	0.15	0.15
020	41.1	e	0.498	0.305	1.631	-0.256	0.704	27.9	7.3	28.9	14.7	70.2	73.3	24.1	77.1	18.1	1.00	0.00	0.12	0.12	0.12	0.12	0.12	0.12
021	41.1	e	0.501	0.308	1.626	-0.246	0.701	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.3	19.4	1.00	0.00	0.1	0.1	0.1	0.1	0.1	0.1
022	41.1	e	0.504	0.311	1.621	-0.236	0.699	27.5	8.1	28.7	16.5	70.2	72.4	27.4	77.4	20.7	1.00	0.00	0.08	0.08	0.08	0.08	0.08	0.08
023	41.1	e	0.507	0.314	1.616	-0.226	0.697	27.4	8.6	28.7	17.4	70.2	72.0	29.1	77.6	22.0	1.00	0.00	0.06	0.06	0.06	0.06	0.06	0.06
024	41.1	e	0.51	0.317	1.611	-0.216	0.696	27.2	9.0	28.6	18.3	70.3	71.5	30.8	77.7	23.3	1.00	0.00	0.03	0.03	0.03	0.03	0.03	0.03
025	41.1	e	0.514	0.319	1.606	-0.207	0.694	27.0	9.3	28.6	19.1	70.3	71.1	32.5	78.2	24.6	1.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01
026	41.2	e	0.517	0.322	1.601	-0.198	0.693	26.8	9.7	28.5	20.0	70.3	70.7	34.3	78.6	25.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
027	41.2	e	0.52	0.326	1.597	-0.187	0.692	26.6	10.2	28.5	20.9	70.3	70.3	36.4	79.2	27.4	1.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00
028	41.2	e	0.525	0.329	1.593	-0.176	0.692	26.5	10.6	28.5	21.9	70.3	69.9	38.7	79.9	28.9	1.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00
029	41.2	e	0.528	0.332	1.588	-0.165	0.693	26.3	11.1	28.6	22.8	70.3	69.5	40.9	80.7	30.4	1.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00
030	41.3	e	0.532	0.336	1.584	-0.155	0.693	26.2	11.5	28.6	23.8	70.3	69.1	43.2	81.5	31.9	1.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00
031	41.3	e	0.536	0.339	1.58	-0.145	0.693	26.0	11.9	28.6	24.6	70.4	68.8	45.5	82.5	33.4	1.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00
032	41.3	e	0.54	0.342	1.576	-0.136	0.694	25.8	12.3	28.7	25.5	70.4	68.4	47.8	83.5	34.9	1.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00
033	41.3	e	0.544	0.345	1.572	-0.127	0.694	25.7	12.7	28.7	26.3	70.4	68.1	50.1	84.5	36.3	1.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00
034	41.3	e	0.547	0.348	1.569	-0.118	0.695	25.6	13.1	28.7	27.1	70.4	67.7	52.4	85.6	37.7	1.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00
035	41.4	e	0.55	0.351	1.565	-0.11	0.695	25.4	13.4	28.8	27.8	70.4	67.4	54.7	86.8	39.0	1.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00
036	41.4	e	0.554	0.354	1.561	-0.102	0.696	25.3	13.8	28.8	28.5	70.4	67.1	57.0	88.1	40.3	1.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00
037	41.4	e	0.557	0.357	1.558	-0.094	0.696	25.1	14.1	28.8	29.2	70.4	66.7	59.4	89.3	41.6	1.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00
038	41.4	e	0.56	0.36	1.554	-0.087	0.697	25.0	14.4	28.9	29.9	70.5	66.4	61.7	90.7	42.9	1.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00
039	41.5	e	0.563	0.363	1.55	-0.08	0.697	24.9	14.7	28.9	30.5	70.5	66.1	64.0	92.0	44.0	1.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00
040	41.5	e	0.566	0.365	1.547	-0.074	0.697	24.7	14.9	28.9	31.1	70.5	65.8	66.3	93.4	45.2	1.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00
041	41.5	e	0.568	0.368	1.544	-0.068	0.698	24.6	15.2	29.0	31.7	70.5	65.5	68.7	94.9	46.3	1.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00
042	41.5	e	0.571	0.37	1.54	-0.062	0.698	24.5	15.4	29.0	32.2	70.5	65.2	71.0	96.4	47.4	1.00	0.24	0.00	0.00	0.00	0.00	0.00	0.00
043	41.5	e	0.573	0.372	1.537	-0.057	0.698	24.4	15.7	29.0	32.7	70.5	64.9	73.2	97.9	48.4	1.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00
044	41.6	e	0.575	0.375	1.534	-0.052	0.698	24.3	15.9	29.0	33.2	70.5	64.6	75.5	99.4	49.4	1.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00
045	41.6	e	0.577	0.377	1.531	-0.047	0.698	24.1	16.1	29.0	33.7	70.6	64.3	77.8	100.9	50.4	1.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00
046	41.6	e	0.579	0.379	1.528	-0.043	0.698	24.0	16.3	29.0	34.1	70.6	64.0	80.0	102.5	51.3	1.00	0.3	0.00	0.00	0.00	0.00	0.00	0.00
047	41.6	e	0.581	0.381	1.525	-0.039	0.698	23.9	16.5	29.0	34.5	70.6	63.8	82.2	104.1	52.2	1.00	0.31	0.00	0.00	0.00	0.00	0.00	0.00
048	41.6	e	0.583	0.382	1.523	-0.035	0.698	23																

rgb* _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																						
Yxy, rgb _{AB} , ABC _{AB} , LabC* _{ahb} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																						
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																						
0.901, ..., 179, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																						
no.	ab	Y	x	y	a	b	c	ab	A	B	C	ab	h _{ab}	L*	a*	b*	C*	ab	rgb*	ab	Code	ab
990	80.7	0.483	0.509	0.938	-0.005	0.43	-0.1	34.7	34.7	90.3	92.0	-0.3	143.4	143.4	90.1	1.00	0.96	0.00	0.00	0.96	Y85	
991	81.9	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.5	144.0	143.0	91.0	1.00	0.97	0.00	0.00	0.97	Y87	
992	83.5	0.474	0.516	0.919	-0.006	0.43	-2.6	35.8	35.9	94.1	93.2	-5.2	142.2	142.3	92.1	1.00	0.99	0.00	0.00	0.99	Y89	
993	84.8	0.47	0.519	0.906	-0.007	0.43	-3.7	36.3	36.5	95.8	93.8	-7.4	140.8	141.0	93.0	0.99	1.00	0.00	0.00	1.00	Y90	
994	86.0	0.466	0.522	0.893	-0.008	0.43	-4.8	36.7	37.0	97.5	94.3	-9.6	138.9	139.2	93.9	0.97	1.00	0.00	0.00	1.00	Y92	
995	87.3	0.462	0.524	0.881	-0.009	0.431	-6.0	37.1	37.6	99.2	94.8	-11.9	136.8	137.3	94.9	0.96	1.00	0.00	0.00	1.00	Y93	
996	88.6	0.457	0.526	0.868	-0.011	0.432	-7.2	37.5	38.2	100.9	95.9	-14.1	134.5	135.3	96.0	0.94	1.00	0.00	0.00	1.00	Y95	
997	89.8	0.453	0.528	0.857	-0.013	0.432	-8.3	37.9	38.8	102.6	95.9	-16.3	132.3	133.3	97.0	0.93	1.00	0.00	0.00	1.00	Y96	
998	91.1	0.448	0.530	0.846	-0.015	0.432	-9.5	38.2	39.4	104.0	96.4	-18.5	130.4	131.4	98.0	0.91	1.00	0.00	0.00	1.00	Y98	
999	92.0	0.444	0.53	0.836	-0.018	0.432	-10.4	38.8	39.7	105.2	96.8	-20.2	128.6	129.0	99.0	0.9	1.00	0.00	0.00	1.00	Y99	
100	93.8	0.445	0.526	0.846	-0.021	0.426	-9.8	38.8	40.0	104.1	97.5	-18.6	126.3	125.0	98.5	0.89	1.00	0.00	0.00	1.00	Y100	
101	93.8	0.435	0.529	0.822	-0.026	0.429	-12.0	38.4	40.2	107.3	97.5	-23.0	119.1	121.3	100.9	0.87	1.00	0.00	0.00	1.00	Y12	
102	93.4	0.432	0.532	0.813	-0.026	0.431	-12.8	38.2	40.2	108.5	97.3	-24.7	118.5	121.0	101.8	0.86	1.00	0.00	0.00	1.00	Y13	
103	92.9	0.429	0.534	0.804	-0.027	0.434	-13.6	37.9	40.3	109.7	97.2	-26.4	117.9	120.8	102.6	0.84	1.00	0.00	0.00	1.00	Y15	
104	92.5	0.426	0.536	0.794	-0.027	0.436	-14.4	37.9	40.4	110.8	97.0	-28.2	117.3	120.6	103.5	0.83	1.00	0.00	0.00	1.00	Y16	
105	92.0	0.423	0.539	0.785	-0.027	0.44	-15.2	37.5	40.5	112.0	96.8	-30.0	116.7	120.5	104.4	0.81	1.00	0.00	0.00	1.00	Y18	
106	91.5	0.419	0.541	0.775	-0.028	0.443	-16.0	37.2	40.6	113.2	96.6	-31.8	115.9	120.4	105.3	0.8	1.00	0.00	0.00	1.00	Y19	
107	91.0	0.416	0.544	0.765	-0.028	0.447	-16.8	37.0	40.7	114.4	96.4	-33.8	115.4	120.3	106.3	0.79	1.00	0.00	0.00	1.00	Y20	
108	90.5	0.412	0.547	0.754	-0.029	0.451	-17.7	36.8	40.8	115.7	96.2	-35.7	114.8	120.2	107.3	0.77	1.00	0.00	0.00	1.00	Y22	
109	90.0	0.409	0.549	0.744	-0.029	0.455	-18.5	36.5	40.9	116.9	96.0	-37.7	114.2	120.2	108.3	0.76	1.00	0.00	0.00	1.00	Y23	
110	89.5	0.405	0.552	0.733	-0.03	0.459	-19.4	36.2	41.1	118.1	95.8	-39.8	113.5	120.3	109.3	0.74	1.00	0.00	0.00	1.00	Y25	
111	88.9	0.401	0.555	0.722	-0.03	0.464	-20.2	36.0	41.3	119.3	95.5	-41.9	112.8	120.4	110.3	0.73	1.00	0.00	0.00	1.00	Y26	
112	88.4	0.397	0.558	0.712	-0.031	0.469	-21.0	35.7	41.5	120.5	95.3	-44.0	112.1	120.5	111.4	0.71	1.00	0.00	0.00	1.00	Y28	
113	87.8	0.393	0.561	0.701	-0.032	0.474	-21.9	35.4	41.6	121.6	95.1	-46.1	111.4	120.5	112.4	0.7	1.00	0.00	0.00	1.00	Y29	
114	87.2	0.389	0.564	0.69	-0.032	0.479	-22.7	35.2	41.8	122.8	94.8	-48.3	110.8	120.8	113.5	0.69	1.00	0.00	0.00	1.00	Y30	
115	86.7	0.385	0.567	0.679	-0.032	0.485	-23.5	34.9	42.1	123.9	94.6	-50.5	110.1	121.1	114.6	0.67	1.00	0.00	0.00	1.00	Y32	
116	86.1	0.381	0.57	0.668	-0.033	0.491	-24.3	34.6	42.3	125.0	94.3	-52.7	109.3	121.4	115.7	0.66	1.00	0.00	0.00	1.00	Y33	
117	85.5	0.377	0.573	0.657	-0.034	0.497	-25.0	34.3	42.5	126.1	94.1	-54.9	108.6	121.7	116.8	0.64	1.00	0.00	0.00	1.00	Y35	
118	84.9	0.372	0.577	0.646	-0.034	0.503	-25.8	34.0	42.7	127.1	93.8	-57.1	107.9	122.1	117.8	0.63	1.00	0.00	0.00	1.00	Y36	
119	84.3	0.368	0.58	0.635	-0.035	0.509	-26.5	33.7	42.9	128.2	93.6	-59.3	107.2	122.5	118.9	0.61	1.00	0.00	0.00	1.00	Y38	
120	83.8	0.364	0.583	0.624	-0.035	0.515	-27.3	33.4	43.2	129.2	93.3	-61.5	106.5	123.0	120.0	0.6	1.00	0.00	0.00	1.00	Y39	
121	83.2	0.359	0.586	0.613	-0.036	0.522	-28.0	33.2	43.4	130.3	93.1	-63.8	105.7	123.5	121.0	0.59	1.00	0.00	0.00	1.00	Y40	
122	82.6	0.355	0.589	0.603	-0.037	0.528	-28.7	32.9	43.6	131.4	92.9	-66.0	105.0	124.0	122.1	0.57	1.00	0.00	0.00	1.00	Y42	
123	82.0	0.351	0.592	0.592	-0.037	0.535	-29.3	32.6	43.9	131.9	92.8	-68.2	104.3	124.6	123.1	0.56	1.00	0.00	0.00	1.00	Y43	
124	81.4	0.346	0.595	0.582	-0.038	0.541	-30.0	32.3	44.1	132.8	92.3	-70.3	103.5	125.2	124.1	0.54	1.00	0.00	0.00	1.00	Y45	
125	80.8	0.342	0.598	0.572	-0.039	0.548	-30.6	32.0	44.3	133.6	92.0	-72.5	102.8	125.8	125.0	0.53	1.00	0.00	0.00	1.00	Y46	
126	80.3	0.338	0.601	0.561	-0.039	0.554	-31.2	31.7	44.5	134.4	91.8	-74.6	102.1	126.5	126.1	0.51	1.00	0.00	0.00	1.00	Y48	
127	79.7	0.333	0.604	0.552	-0.04	0.561	-31.7	31.5	44.7	135.2	91.5	-76.7	101.3	127.1	127.1	0.5	1.00	0.00	0.00	1.00	Y49	
128	79.2	0.329	0.607	0.542	-0.041	0.567	-32.3	31.2	44.9	135.9	91.3	-78.8	100.6	127.8	128.0	0.48	1.00	0.00	0.00	1.00	Y50	
129	78.6	0.325	0.61	0.532	-0.042	0.574	-32.8	30.9	45.1	136.7	91.0	-81.0	99.8	128.6	128.0	0.47	1.00	0.00	0.00	1.00	Y51	
130	78.1	0.32	0.613	0.523	-0.042	0.581	-33.5	30.6	45.3	137.5	90.7	-83.9	98.5	129.4	130.4	0.46	1.00	0.00	0.00	1.00	Y53	
131	76.9	0.312	0.617	0.506	-0.045	0.591	-34.1	30.0	45.4	138.6	90.2	-86.7	97.2	130.2	131.7	0.44	1.00	0.00	0.00	1.00	Y55	
132	76.1	0.307	0.62	0.494	-0.046	0.599	-34.6	29.6	45.6	139.5	89.9	-89.2	95.9	131.0	132.9	0.43	1.00	0.00	0.00	1.00	Y56	
133	75.3	0.301	0.623	0.483	-0.048	0.606	-35.1	29.2	45.7	140.2	89.5	-91.6	94.7	131.8	134.0	0.41	1.00	0.00	0.00	1.00	Y58	
134	74.6	0.296	0.625	0.473	-0.049	0.613	-35.5	28.8	45.7	141.0	89.2	-93.9	93.4	132.5	135.1	0.4	1.00	0.00	0.00	1.00	Y59	
135	73.9	0.291	0.627	0.464	-0.051	0.619	-35.9	28.4	45.8	141.6	88.9	-96.0	92.2	133.1	136.1	0.38	1.00	0.00	0.00	1.00	Y61	
136	73.3	0.286	0.629	0.455	-0.052	0.625	-36.2	28.0	45.8	142.2	88.5	-98.0	91.0	133.7	137.1	0.37	1.00	0.00	0.00	1.00	Y62	
137	72.6	0.282	0.631	0.447	-0.054	0.631	-36.5	27.6	45.8	142.8	88.2	-100.0	90.0	134.3	138.0	0.36	1.00	0.00	0.00	1.00	Y63	
138	72.0	0.278	0.632	0.439	-0.056	0.636	-36.8	27.3	45.8	143.4	87.9	-101.6	88.6	134.9	138.7	0.34	1.00	0.00	0.00	1.00	Y65	
139	71.4	0.274	0.633	0.432	-0.058	0.641	-37.0	26.9	45.8	143.9	87.7	-103.2	87.4	135.2	139.7	0.33	1.00	0.00	0.00	1.00	Y66	
140	70.9	0.27	0.634	0.425	-0.059	0.645	-37.2	26.6	45.7	144.3	87.4	-104.7	86.3	135.6	140.4	0.31	1.00	0.00	0.00	1.00	Y68	
141	70.3	0.266	0.635	0.419	-0.061	0.649	-37.3	26.3	45.7	144.8	87.1	-106.1	85.1	136.0	141.2	0.3	1.00	0.00	0.00	1.00	Y69	
142	69.8	0.262	0.635	0.413	-0.063	0.653	-37.5	25.9	45.6	145.3	86.9	-107.5	83.9	136.4	142.0	0.28	1.00	0.00	0.00	1.00	Y71	
143	69.																					

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Xyy, cab _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																			
Elementary hue circle with 4 different elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																			
180, 181, ..., 269, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																			
no.	ab	Y	x	y	a	b	c	cab	A	B	C	h _{ab}	L*	a*	b*	C _{ab}	h _{ab}	rgb _{cab}	Code _{ab}
180	59.2	0.168	0.394	0.416	-0.423	0.534	-31.6	0.7	31.6	178.6	81.4	-100.9	0.5	100.9		179.0	0.00	1.00	0.32 G168
181	59.1	0.168	0.397	0.422	-0.436	0.528	-31.2	0.8	31.2	180.0	81.3	-99.4	0.0	99.4		180.0	0.00	1.00	0.34 G178
182	59.1	0.167	0.391	0.427	-0.449	0.522	-30.9	-0.8	30.9	181.5	81.3	-98.0	-1.7	98.0		181.0	0.00	1.00	0.36 G188
183	59.1	0.167	0.386	0.433	-0.462	0.517	-30.5	-1.6	30.5	183.0	81.3	-96.5	-3.4	96.6		182.0	0.00	1.00	0.38 G198
184	59.0	0.167	0.38	0.439	-0.476	0.512	-30.1	-2.4	30.2	184.5	81.3	-95.0	-5.0	95.2		183.0	0.00	1.00	0.39 G198
185	59.0	0.166	0.374	0.445	-0.489	0.507	-29.8	-3.2	29.9	186.1	81.3	-93.6	-6.7	93.8		184.0	0.00	1.00	0.41 G208
186	59.0	0.166	0.368	0.451	-0.503	0.503	-29.4	-4.0	29.7	187.7	81.3	-92.1	-8.3	92.5		185.1	0.00	1.00	0.43 G218
187	58.9	0.166	0.363	0.457	-0.517	0.495	-29.0	-4.8	29.4	189.3	81.2	-90.6	-9.9	91.2		186.2	0.00	1.00	0.45 G228
188	58.9	0.166	0.358	0.463	-0.531	0.486	-28.7	-5.6	29.2	191.0	81.1	-89.2	-11.5	89.9		187.3	0.00	1.00	0.47 G238
189	58.9	0.165	0.352	0.469	-0.545	0.493	-28.3	-6.4	29.0	192.8	81.2	-87.7	-13.0	88.7		188.4	0.00	1.00	0.49 G248
190	58.9	0.165	0.347	0.475	-0.559	0.49	-27.9	-7.3	28.8	194.6	81.2	-86.3	-14.5	87.5		189.5	0.00	1.00	0.5 G258
191	58.8	0.165	0.343	0.481	-0.573	0.488	-27.5	-8.1	28.7	196.3	81.2	-84.9	-16.0	86.4		190.7	0.00	1.00	0.52 G268
192	58.8	0.165	0.338	0.487	-0.587	0.487	-27.2	-8.9	28.6	198.1	81.2	-83.5	-17.5	85.3		191.8	0.00	1.00	0.54 G278
193	58.8	0.164	0.333	0.493	-0.6	0.485	-26.8	-9.7	28.5	199.8	81.1	-82.2	-18.9	84.3		192.9	0.00	1.00	0.56 G288
194	58.7	0.164	0.328	0.5	-0.616	0.485	-26.4	-10.6	28.4	201.8	81.1	-80.6	-20.5	83.2		194.2	0.00	1.00	0.58 G298
195	58.6	0.164	0.323	0.507	-0.631	0.484	-26.0	-11.5	28.4	203.8	81.1	-79.0	-22.1	82.0		195.6	0.00	1.00	0.6 G308
196	58.6	0.164	0.318	0.513	-0.646	0.483	-25.6	-12.3	28.4	205.8	81.0	-77.5	-23.5	81.0		196.8	0.00	1.00	0.61 G308
197	58.5	0.163	0.315	0.52	-0.66	0.485	-25.2	-13.1	28.4	207.6	81.0	-76.1	-24.9	80.1		198.1	0.00	1.00	0.63 G318
198	58.5	0.163	0.311	0.525	-0.673	0.486	-24.8	-13.9	28.4	209.2	81.0	-74.8	-26.1	79.2		199.2	0.00	1.00	0.65 G328
199	58.4	0.163	0.308	0.531	-0.685	0.488	-24.4	-14.6	28.5	210.8	80.9	-73.6	-27.3	78.5		200.3	0.00	1.00	0.67 G338
200	58.3	0.163	0.304	0.536	-0.697	0.489	-24.1	-15.2	28.5	212.3	80.9	-72.4	-28.3	77.8		201.3	0.00	1.00	0.69 G348
201	58.3	0.163	0.302	0.541	-0.707	0.491	-23.8	-15.8	28.6	213.6	80.9	-71.4	-29.3	77.1		202.3	0.00	1.00	0.71 G358
202	58.3	0.163	0.299	0.546	-0.716	0.492	-23.5	-16.3	28.7	214.8	80.9	-70.4	-30.1	76.6		203.1	0.00	1.00	0.72 G368
203	58.2	0.163	0.297	0.551	-0.725	0.493	-23.2	-16.8	28.7	216.0	80.8	-69.5	-30.9	76.1		204.0	0.00	1.00	0.74 G378
204	58.2	0.163	0.295	0.554	-0.732	0.495	-23.0	-17.2	28.8	216.8	80.8	-68.7	-31.6	75.6		204.9	0.00	1.00	0.76 G388
205	58.2	0.163	0.293	0.557	-0.738	0.496	-22.8	-17.6	28.9	217.6	80.8	-68.0	-32.1	75.2		205.3	0.00	1.00	0.78 G398
206	58.2	0.164	0.292	0.563	-0.741	0.493	-22.6	-17.9	28.9	218.3	81.1	-66.9	-32.5	74.3		205.9	0.00	1.00	0.8 G408
207	57.5	0.162	0.289	0.562	-0.756	0.503	-22.3	-18.4	28.9	219.6	80.4	-66.6	-33.6	74.6		206.7	0.00	1.00	0.82 G418
208	56.2	0.16	0.286	0.561	-0.773	0.515	-21.8	-19.0	28.9	221.0	79.7	-66.3	-34.8	74.9		207.7	0.00	1.00	0.83 G418
209	54.9	0.158	0.282	0.56	-0.792	0.528	-21.4	-19.6	29.0	222.5	78.9	-66.0	-36.2	75.3		208.7	0.00	1.00	0.85 G428
210	53.5	0.155	0.278	0.559	-0.813	0.543	-20.9	-20.2	29.0	224.0	78.1	-65.6	-37.6	75.6		209.7	0.00	1.00	0.87 G438
211	52.0	0.153	0.274	0.558	-0.835	0.55	-20.4	-20.8	29.1	225.6	77.3	-65.2	-39.0	76.0		210.8	0.00	1.00	0.89 G448
212	50.7	0.15	0.269	0.557	-0.858	0.577	-19.9	-21.4	29.2	227.1	76.4	-64.8	-40.4	76.4		211.9	0.00	1.00	0.91 G458
213	49.3	0.148	0.265	0.557	-0.881	0.594	-19.4	-22.0	29.3	228.5	75.6	-64.4	-41.8	76.8		213.0	0.00	1.00	0.92 G468
214	48.2	0.146	0.262	0.558	-0.902	0.609	-18.9	-22.5	29.4	229.9	74.9	-63.7	-43.0	76.9		214.0	0.00	1.00	0.94 G478
215	47.2	0.144	0.258	0.559	-0.921	0.623	-18.4	-22.9	29.4	231.2	74.3	-63.0	-44.2	76.9		215.0	0.00	1.00	0.96 G488
216	46.2	0.143	0.255	0.561	-0.94	0.637	-17.9	-23.3	29.4	232.3	73.7	-62.1	-45.2	76.9		216.0	0.00	1.00	0.98 G498
217	45.4	0.142	0.252	0.564	-0.958	0.65	-17.5	-23.7	29.5	233.5	73.1	-61.3	-46.2	76.7		216.9	0.00	0.99	1.00 G508
218	44.5	0.141	0.249	0.566	-0.976	0.662	-17.0	-24.0	29.5	234.6	72.6	-60.4	-47.1	76.6		217.9	0.00	0.97	1.00 G518
219	43.7	0.14	0.246	0.569	-0.993	0.675	-16.6	-24.4	29.5	235.6	72.0	-59.5	-48.0	76.5		218.8	0.00	0.96	1.00 G528
220	42.9	0.139	0.243	0.572	-1.012	0.689	-16.2	-24.7	29.6	236.7	71.5	-58.6	-48.9	76.4		219.8	0.00	0.94	1.00 G528
221	42.1	0.138	0.24	0.575	-1.031	0.703	-15.8	-25.1	29.6	237.6	71.0	-57.7	-49.9	76.3		220.8	0.00	0.92	1.00 G538
222	41.3	0.137	0.237	0.578	-1.05	0.718	-15.3	-25.4	29.7	238.8	70.4	-56.7	-50.8	76.2		221.8	0.00	0.9	1.00 G548
223	40.6	0.136	0.234	0.582	-1.07	0.734	-14.9	-25.8	29.8	239.9	69.9	-55.7	-51.7	76.0		222.9	0.00	0.88	1.00 G558
224	39.8	0.135	0.231	0.586	-1.091	0.75	-14.4	-26.1	29.8	240.9	69.3	-54.6	-52.7	75.9		223.9	0.00	0.86	1.00 G568
225	39.3	0.135	0.229	0.589	-1.105	0.761	-14.2	-26.3	29.9	241.6	68.8	-53.9	-53.3	75.8		224.6	0.00	0.85	1.00 G578
226	38.7	0.134	0.227	0.591	-1.12	0.773	-13.9	-26.5	30.0	242.3	68.6	-53.2	-54.0	75.8		225.4	0.00	0.83	1.00 G588
227	38.0	0.134	0.225	0.59	-1.136	0.786	-13.5	-26.8	30.0	243.3	68.2	-52.4	-54.5	75.7		226.2	0.00	0.81	1.00 G598
228	37.6	0.133	0.222	0.599	-1.154	0.8	-13.2	-27.0	30.1	243.9	67.7	-51.4	-55.4	75.6		227.1	0.00	0.79	1.00 G608
229	37.0	0.133	0.22	0.603	-1.174	0.816	-12.8	-27.3	30.2	244.8	67.2	-50.3	-56.2	75.5		228.0	0.00	0.77	1.00 G618
230	36.3	0.132	0.217	0.609	-1.197	0.834	-12.3	-27.6	30.2	245.8	66.7	-49.0	-57.1	75.3		229.3	0.00	0.75	1.00 G628
231	35.5	0.131	0.213	0.616	-1.222	0.855	-11.8	-27.9	30.3	247.0	66.1	-47.5	-58.1	75.1		230.7	0.00	0.74	1.00 G628
232	34.9	0.131	0.211	0.622	-1.244	0.873	-11.4	-28.2	30.4	247.9	65.5	-46.3	-59.0	75.0		231.8	0.00	0.72	1.00 G638
233	34.4	0.131	0.209	0.626	-1.259	0.885	-11.1	-28.4	30.5	248.5	65.3	-45.4	-59.5	74.9		232.6	0.00	0.7	1.00 G648
234	34.0	0.13	0.207	0.631	-1.275	0.898	-10.8	-28.6	30.6	249.1	65.0	-44.5	-60.1	74.8		233.4	0.00	0.68	1.00 G658
235	33.6	0.13	0.205	0.635	-1.291	0.911	-10.5	-28.7	30.6	249.8	64.6	-43.6	-60.7	74.7		234.2	0.00	0.66	1.00 G668
236	33.2	0.13	0.203	0.64	-1.308	0.926	-10.2	-28.9	30.7	250.9	64.3	-42.6	-61.3	74.6		235.1	0.00	0.64	1.00 G678
237	32.7	0.13	0.201	0.645	-1.325	0.941	-9.9	-29.1	30.8	251.0	63.9	-41.6	-61.9						

rgb* _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, cab _{AB} , ABC _{AB} , LabC* _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																			
Elementary hue circle with 40 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																			
270, 271, ..., 360, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																			
no.	ab	Y	x	y	a	b	c	ab	A	B	C _{ab}	h _{ab}	L*	a*	b*	C* _{ab}	h _{ab}	rgb*	Code _{ab}
276	19.2	0.127	0.132	0.961	-2.238	1.893	0.2	-34.7	34.7	270.3	51.0	1.1	-83.8	83.8	270.7	0.00	0.02	1.00	G98B
271	18.9	0.127	0.133	0.974	-2.272	1.837	0.4	-34.8	34.8	270.7	50.6	2.4	-84.4	84.4	271.6	0.00	0.0	1.00	G99B
272	18.6	0.127	0.128	0.987	-2.307	1.817	0.6	-34.9	34.9	271.1	50.3	3.7	-84.4	85.0	272.4	0.0	0.00	1.00	B00R
273	18.4	0.127	0.127	1.0	-2.341	1.906	0.9	-35.0	35.1	271.5	49.9	4.9	-85.5	85.6	273.3	0.02	0.00	1.00	B01R
274	18.1	0.127	0.125	1.014	-2.375	1.94	1.1	-35.1	35.2	271.8	49.6	6.1	-86.6	86.2	274.1	0.04	0.00	1.00	B02R
275	17.8	0.127	0.123	1.03	-2.419	1.985	1.4	-35.3	35.3	272.1	49.2	7.7	-86.7	87.1	275.0	0.06	0.00	1.00	B03R
276	17.4	0.127	0.121	1.05	-2.471	2.038	1.7	-35.4	35.5	272.8	48.7	9.5	-87.5	88.0	276.1	0.07	0.00	1.00	B04R
277	17.0	0.127	0.119	1.07	-2.521	2.089	2.0	-35.6	35.6	273.7	48.3	11.1	-88.2	88.9	277.2	0.09	0.00	1.00	B05R
278	16.7	0.127	0.117	1.089	-2.57	2.139	2.3	-35.7	35.8	274.7	47.9	12.8	-89.8	89.8	278.2	0.11	0.00	1.00	B06R
279	16.4	0.128	0.115	1.08	-2.618	2.188	2.6	-35.8	35.9	274.1	47.5	14.4	-89.6	90.7	279.1	0.13	0.00	1.00	B06R
280	16.1	0.128	0.113	1.08	-2.667	2.238	2.8	-35.9	36.1	274.5	47.1	16	-90.3	91.7	280.0	0.14	0.00	1.00	B07R
281	15.8	0.128	0.111	1.149	-2.717	2.29	3.1	-36.1	36.2	274.9	46.7	17.6	-90.9	92.6	280.9	0.16	0.00	1.00	B08R
282	15.5	0.128	0.109	1.171	-2.769	2.344	3.4	-36.2	36.3	275.4	46.3	19.3	-91.6	93.6	281.9	0.18	0.00	1.00	B09R
283	15.1	0.129	0.107	1.195	-2.826	2.403	3.7	-36.3	36.5	275.8	45.8	21.2	-92.3	94.7	282.9	0.2	0.00	1.00	B10R
284	14.8	0.129	0.105	1.222	-2.888	2.468	4.0	-36.4	36.6	276.3	45.4	23.1	-93.0	95.9	283.9	0.21	0.00	1.00	B10R
285	14.4	0.129	0.103	1.252	-2.96	2.542	4.3	-36.5	36.8	276.8	44.9	25.3	-93.9	97.2	285.0	0.23	0.00	1.00	B11R
286	14.0	0.13	0.101	1.286	-3.038	2.624	4.7	-36.7	37.0	277.3	44.5	27.6	-94.8	98.7	286.2	0.25	0.00	1.00	B12R
287	13.7	0.13	0.098	1.322	-3.121	2.712	5.0	-36.8	37.1	277.8	43.8	29.9	-95.7	100.2	287.3	0.27	0.00	1.00	B13R
288	13.3	0.13	0.096	1.36	-3.21	2.804	5.4	-36.9	37.3	278.3	43.2	32.4	-96.6	101.9	288.5	0.28	0.00	1.00	B14R
289	12.9	0.131	0.093	1.4	-3.303	2.902	5.8	-37.0	37.5	278.9	42.6	34.8	-97.5	103.6	289.6	0.3	0.00	1.00	B15R
290	12.5	0.131	0.091	1.442	-3.401	3.005	6.1	-37.2	37.7	279.4	42.0	37.3	-98.5	105.3	290.7	0.32	0.00	1.00	B16R
291	12.1	0.132	0.088	1.486	-3.503	3.114	6.5	-37.3	37.8	279.9	41.4	39.8	-99.4	107.1	291.8	0.34	0.00	1.00	B17R
292	11.7	0.132	0.086	1.532	-3.609	3.226	6.8	-37.4	38.0	280.3	40.8	42.3	-100.4	108.9	292.8	0.35	0.00	1.00	B17R
293	11.3	0.133	0.084	1.58	-3.719	3.349	7.2	-37.5	38.2	280.8	40.3	44.8	-101.5	110.8	293.8	0.37	0.00	1.00	B18R
294	11.0	0.133	0.081	1.628	-3.833	3.465	7.5	-37.6	38.3	281.3	39.7	47.2	-102.7	112.6	294.8	0.39	0.00	1.00	B19R
295	10.7	0.133	0.079	1.68	-3.95	3.589	7.8	-37.7	38.5	281.7	39.1	49.7	-103.1	114.5	295.7	0.41	0.00	1.00	B20R
296	10.4	0.134	0.077	1.732	-4.069	3.716	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.42	0.00	1.00	B21R
297	10.1	0.134	0.075	1.785	-4.19	3.846	8.4	-37.9	38.8	282.5	38.0	54.4	-104.9	118.2	297.4	0.44	0.00	1.00	B22R
298	9.8	0.135	0.073	1.839	-4.312	3.977	8.7	-38.0	39.0	282.9	37.4	56.7	-105.8	120.0	298.2	0.46	0.00	1.00	B23R
299	9.4	0.135	0.071	1.906	-4.465	4.141	9.0	-38.1	39.1	283.3	36.8	59.4	-106.8	122.2	299.1	0.48	0.00	1.00	B24R
300	8.9	0.136	0.067	2.013	-4.707	4.401	9.5	-38.2	39.3	283.8	35.8	63.6	-108.3	125.6	300.4	0.49	0.00	1.00	B24R
301	8.5	0.136	0.064	2.111	-4.925	4.637	9.9	-38.3	39.5	284.5	35.0	67.1	-109.5	128.4	301.4	0.51	0.00	1.00	B25R
302	8.1	0.137	0.062	2.202	-5.123	4.852	10.2	-38.3	39.6	285.0	34.3	70.9	-110.8	131.0	302.4	0.53	0.00	1.00	B26R
303	7.8	0.138	0.06	2.287	-5.31	5.055	10.5	-38.3	39.8	285.3	33.7	72.9	-111.5	133.2	303.1	0.55	0.00	1.00	B27R
304	7.2	0.136	0.056	2.409	-5.715	5.477	10.6	-38.5	39.9	285.4	32.4	75.9	-113.5	136.5	303.7	0.56	0.00	1.00	B28R
305	6.4	0.131	0.05	2.589	-6.422	6.297	10.5	-38.7	40.1	285.3	30.5	79.6	-116.5	141.1	304.3	0.58	0.00	1.00	B29R
306	6.0	0.131	0.047	2.758	-6.887	6.7	10.8	-38.7	40.2	285.6	29.4	83.4	-118.2	144.7	305.2	0.6	0.00	1.00	B30R
307	6.0	0.138	0.048	2.878	-6.779	6.629	11.7	-38.5	40.2	286.9	29.5	87.7	-117.6	146.7	306.7	0.62	0.00	1.00	B31R
308	6.5	0.146	0.05	2.886	-6.338	6.212	12.5	-38.2	40.2	288.1	30.5	90.0	-115.7	146.6	307.8	0.63	0.00	1.00	B31R
309	6.8	0.153	0.053	2.876	-5.951	5.844	13.2	-38.0	40.2	289.2	31.5	91.3	-114.0	146.1	308.7	0.65	0.00	1.00	B32R
310	7.3	0.16	0.056	2.855	-5.572	5.479	14.0	-37.7	40.3	290.3	32.6	92.7	-112.2	145.6	309.5	0.67	0.00	1.00	B33R
311	7.8	0.168	0.059	2.836	-5.207	5.13	14.8	-37.5	40.3	291.5	33.7	94.1	-110.2	145.0	310.5	0.69	0.00	1.00	B34R
312	8.4	0.176	0.062	2.815	-4.857	4.799	15.7	-37.2	40.4	292.8	34.8	95.6	-108.2	144.3	311.4	0.7	0.00	1.00	B35R
313	9.0	0.184	0.066	2.794	-4.527	4.487	16.6	-36.9	40.5	294.2	36.0	97.0	-106.0	143.7	312.4	0.72	0.00	1.00	B36R
314	9.6	0.193	0.069	2.771	-4.215	4.196	17.6	-36.6	40.6	295.7	37.2	98.4	-103.8	143.1	313.4	0.74	0.00	1.00	B37R
315	10.3	0.202	0.073	2.748	-3.925	3.925	18.6	-36.2	40.7	297.2	38.5	99.8	-101.8	142.4	314.4	0.76	0.00	1.00	B38R
316	11.1	0.211	0.077	2.724	-3.654	3.675	19.7	-35.8	40.9	298.8	39.8	101.1	-99.3	141.8	315.5	0.77	0.00	1.00	B38R
317	11.9	0.221	0.081	2.7	-3.405	3.446	20.9	-35.4	41.2	300.5	41.1	102.5	-97.0	141.1	316.5	0.77	0.00	1.00	B39R
318	12.8	0.22	0.086	2.676	-3.147	3.237	22.1	-35.0	41.4	302.2	42.4	103.8	-94.4	140.5	317.6	0.81	0.00	1.00	B40R
319	13.7	0.239	0.09	2.652	-2.963	3.047	23.3	-34.6	41.7	303.9	43.8	105.1	-92.2	139.9	318.7	0.83	0.00	1.00	B41R
320	14.6	0.249	0.094	2.628	-2.769	2.874	24.5	-34.1	42.1	305.7	45.1	106.4	-89.8	139.3	319.8	0.84	0.00	1.00	B42R
321	15.6	0.258	0.099	2.605	-2.592	2.718	25.8	-33.7	42.4	307.5	46.4	107.6	-87.5	138.7	320.8	0.86	0.00	1.00	B43R
322	16.6	0.267	0.103	2.582	-2.431	2.578	27.1	-33.2	42.9	309.2	47.8	108.7	-85.1	138.1	321.9	0.88	0.00	1.00	B44R
323	17.6	0.276	0.107	2.56	-2.284	2.511	28.4	-32.7	43.3	311.0	49.1	109.8	-82.8	137.5	322.9	0.9	0.00	1.00	B45R
324	18.7	0.284	0.112	2.538	-2.151	2.337	29.8	-32.2	43.8	312.7	50.4	110.9	-80.4	137.0	324.0	0.91	0.00	1.00	B45R
325	19.8	0.292	0.116	2.516	-2.03	2.235	31.1	-31.6	44.4	314.4	51.6	111.8	-78.2	136.5	325.0	0.93	0.00	1.00	B46R
326	20.9	0.3	0.12	2.496	-1.922	2.143	32.4	-31.1	44.9	316.1	52.9	112.7	-76.0	136	326.0	0.95	0.00	1.00	B47R
327	23.0	0.313	0.128	2.442	-1.739	1.981	34.4	-30.0	45.7	3181.									

Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, CIELAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	31 556	79.94	−66.31	−34.08	74.56	0.1807	−0.1034	207.2	15 476	37 585	Cm		%	
6 435	31 557	80.42	−82.6	−17.8	84.5	0.1724	−0.0949	192.1	16 480	44 621			%	
10 450	31 559	80.48	−108.29	14.97	109.32	0.1591	−0.078	172.1	18 491	−1 491c			%	
11 460	32 562	81.44	−111.37	27.39	114.69	0.1581	−0.0717	166.1	19 498	−1 498c			%	
12 465	33 565	82.34	−112.77	40.26	119.75	0.1579	−0.0653	160.3	21 506	−1 506c			%	
14 470	34 570	83.48	−109.79	65.41	127.8	0.1601	−0.053	149.2	24 522	−1 522c			%	
15 475	35 579	86.33	−94.64	81.3	124.77	0.169	−0.0462	139.3	26 533	−1 533c	Gm		%	
16 480	41 606	92.55	−53.33	102.14	115.22	0.1907	−0.0389	117.5	30 550	−1 550c			%	
16 485	−1 484c	96.94	−20.21	109.71	111.55	0.2063	−0.0374	100.4	32 560	10 454			%	
18 490	−1 490c	95.61	−14.83	124.45	125.34	0.2086	−0.0302	96.7	32 562	11 459	max		%	
19 495	−1 495c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461			%	
19 500	−1 499c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461			%	
22 510	−1 510c	91.28	2.92	142.55	142.58	0.2166	−0.0195	88.8	33 567	13 466			%	
23 520	−1 519c	89.77	8.54	144.07	144.32	0.2192	−0.0174	86.6	33 568	13 468	Ym		%	
26 530	−1 530c	84.06	27.32	142.33	144.93	0.2288	−0.0115	79.1	34 573	14 472			%	
27 540	−1 539c	81.79	33.86	139.63	143.68	0.2325	−0.0095	76.3	35 576	14 473			%	
28 545	−1 544c	79.35	40.37	136.19	142.05	0.2363	−0.0075	73.4	35 578	14 474			%	
29 550	−1 549c	76.75	46.79	132.12	140.16	0.2404	−0.0054	70.4	36 580	15 475			%	
31 555	−1 555c	71.13	58.79	122.64	136.0	0.2489	0.0	64.3	37 586	15 476			%	
32 560	10 451	69.5	84.42	−15.9	85.9	0.2645	−0.095	349.3	−1 492c	18 492			%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0					%	
Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, CIELAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
31 556	0 405	71.84	57.81	111.35	125.47	0.2481	−0.0221	62.5	37 585	15 476	Rm		%	
31 557	6 435	71.27	68.77	29.56	74.85	0.2546	−0.0689	23.2	44 621	16 480			%	
31 559	10 450	71.19	81.9	−15.15	83.29	0.2621	−0.0944	349.5	−1 491c	18 491			%	
32 562	11 460	69.98	86.63	−25.22	90.23	0.2655	−0.1003	343.7	−1 498c	19 498			%	
33 565	12 465	68.81	90.56	−33.85	96.68	0.2685	−0.1056	339.5	−1 506c	21 506			%	
34 570	14 470	67.22	93.6	−46.01	104.3	0.2714	−0.1132	333.8	−1 522c	24 522			%	
35 579	15 475	62.81	97.27	−56.68	112.58	0.2768	−0.1215	329.7	−1 533c	26 533	Mm		%	
41 606	16 480	49.57	94.8	−81.7	125.15	0.2874	−0.1477	319.2	−1 550c	30 550			%	
−1 484c	16 485	33.36	73.3	−109.63	131.88	0.2894	−0.1962	303.7	10 454	32 560			%	
−1 490c	18 490	39.48	47.93	−101.69	112.42	0.2584	−0.1769	295.2	11 459	32 562	min		%	
−1 495c	19 495	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563			%	
−1 499c	19 500	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563			%	
−1 510c	22 510	52.84	−7.33	−80.67	81.0	0.2099	−0.144	264.8	13 466	33 567			%	
−1 519c	23 520	56.28	−19.89	−74.95	77.55	0.2014	−0.1373	255.1	13 468	33 568	Bm		%	
−1 530c	26 530	66.39	−49.47	−57.84	76.11	0.1852	−0.1206	229.4	14 472	34 573			%	
−1 539c	27 540	69.54	−55.96	−52.46	76.71	0.1825	−0.1162	223.1	14 473	35 576			%	
−1 544c	28 545	72.53	−60.74	−47.32	77.0	0.1809	−0.1123	217.9	14 474	35 578			%	
−1 549c	29 550	75.38	−63.87	−42.44	76.68	0.1803	−0.1088	213.6	15 475	36 580			%	
−1 555c	31 555	80.53	−65.58	−33.56	73.67	0.1813	−0.103	207.1	15 476	37 586			%	
10 451	32 560	81.82	−103.91	14.76	104.95	0.1621	−0.0782	171.9	18 492	−1 492c			%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0					%	

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																									
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																									
Elementary hue circle with 4 intended elementary hues 9 angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, and 90 intended hue angles:																									
000, 001, ..., 099, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 -39.6 15.3, 12 (B): 33.6 -12.8 -39.9																									
no. _{ab} ,h _{ab}	x ₁₀	y ₁₀	a ₁₀	b ₁₀	C _{ab} ,10	A ₁₀	B ₁₀	C _{ab} ,10	hA ₁₀ ,10	L ₁₀	a ₁₀ *	b ₁₀ *	C _{ab} ,10	hA ₁₀ ,10	rgb _{cab} ,10	Code _{ab} ,10									
000	40.0	0.447	0.257	1.737	-0.458	0.789	31.5	-1.1	31.6	357.8	69.4	82.4	-3.2	82.4	357.7	1.00	0.00	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00
001	40.0	0.45	0.259	1.734	-0.445	0.786	31.4	-0.6	31.4	358.8	69.4	82.2	-1.8	82.2	358.7	1.00	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00
002	40.0	0.454	0.262	1.731	-0.432	0.783	31.3	-0.1	31.3	359.7	69.5	81.9	-0.3	81.9	359.7	1.00	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
003	40.0	0.457	0.264	1.728	-0.419	0.78	31.2	0.3	31.2	0.7	69.5	81.7	1.1	81.7	0.7	1.00	0.00	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00
004	40.0	0.461	0.267	1.725	-0.406	0.778	31.1	0.9	31.1	1.6	69.5	81.4	2.6	81.4	1.8	1.00	0.00	0.4	0.00	0.00	0.00	0.00	0.00	0.00	0.00
005	40.0	0.464	0.269	1.722	-0.393	0.775	31.0	1.4	31.0	2.6	69.5	81.1	4.2	81.3	2.9	1.00	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00
006	40.0	0.468	0.272	1.719	-0.38	0.773	30.9	1.9	30.9	3.6	69.5	80.9	5.7	81.1	4.0	1.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00
007	40.0	0.472	0.275	1.716	-0.367	0.77	30.7	2.4	30.8	4.5	69.5	80.6	7.4	80.9	5.2	1.00	0.00	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00
008	40.0	0.477	0.277	1.713	-0.354	0.768	30.6	2.9	30.8	5.5	69.5	80.3	9.0	80.8	6.4	1.00	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00
009	40.1	0.479	0.28	1.709	-0.342	0.766	30.5	3.5	30.7	6.5	69.5	80.0	10.7	80.7	7.6	1.00	0.00	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00
010	40.1	0.483	0.283	1.706	-0.329	0.764	30.4	4.0	30.6	7.5	69.5	79.7	12.4	80.7	8.8	1.00	0.00	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00
011	40.1	0.487	0.286	1.702	-0.316	0.762	30.2	4.5	30.6	8.4	69.5	79.4	14.2	80.7	10.1	1.00	0.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00
012	40.1	0.491	0.289	1.699	-0.304	0.761	30.1	5.0	30.5	9.4	69.5	79.1	15.9	80.7	11.4	1.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00
013	40.1	0.494	0.291	1.695	-0.292	0.759	30.0	5.5	30.5	10.4	69.5	78.8	17.7	80.8	12.7	1.00	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00
014	40.1	0.498	0.294	1.691	-0.279	0.758	29.8	6.0	30.4	11.3	69.5	78.5	19.6	80.9	14.0	1.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
015	40.2	0.502	0.297	1.687	-0.268	0.757	29.7	6.4	30.4	12.2	69.6	78.2	21.4	81.1	15.3	1.00	0.00	0.2	0.00	0.00	0.00	0.00	0.00	0.00	0.00
016	40.2	0.506	0.299	1.683	-0.256	0.755	29.5	6.9	30.4	13.2	69.6	77.8	23.3	81.3	16.6	1.00	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00
017	40.2	0.51	0.303	1.68	-0.244	0.754	29.4	7.4	30.3	14.1	69.6	77.5	25.2	81.5	18.0	1.00	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00
018	40.2	0.514	0.306	1.676	-0.233	0.753	29.3	7.8	30.3	15.0	69.6	77.2	27.1	81.8	19.3	1.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
019	40.2	0.517	0.309	1.672	-0.222	0.752	29.1	8.3	30.3	15.9	69.6	76.8	29.0	82.1	20.6	1.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
020	40.3	0.521	0.312	1.667	-0.211	0.752	29.0	8.7	30.3	16.8	69.6	76.5	30.9	82.5	22.0	1.00	0.00	0.1	0.00	0.00	0.00	0.00	0.00	0.00	0.00
021	40.3	0.525	0.315	1.663	-0.201	0.751	28.8	9.1	30.2	17.6	69.7	76.1	32.9	82.9	23.4	1.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00
022	40.3	0.528	0.318	1.659	-0.191	0.75	28.7	9.6	30.2	18.5	69.7	75.8	34.9	83.4	24.7	1.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00
023	40.3	0.532	0.321	1.655	-0.181	0.749	28.6	10.0	30.2	19.3	69.7	75.5	36.9	84.0	26.0	1.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00
024	40.4	0.536	0.324	1.651	-0.171	0.748	28.4	10.4	30.2	20.1	69.7	75.0	38.9	84.5	27.4	1.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00
025	40.4	0.539	0.327	1.646	-0.162	0.748	28.2	10.8	30.2	20.9	69.7	74.7	41.0	85.2	28.7	1.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
026	40.4	0.542	0.33	1.642	-0.152	0.747	28.1	11.3	30.2	21.7	69.8	74.3	43.0	85.9	30.0	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
027	40.5	0.546	0.333	1.638	-0.144	0.746	27.9	11.5	30.2	22.4	69.8	73.9	45.1	86.6	31.3	1.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
028	40.5	0.549	0.336	1.633	-0.135	0.745	27.7	11.9	30.2	23.1	69.8	73.5	47.1	87.4	32.6	1.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
029	40.5	0.552	0.339	1.629	-0.127	0.745	27.6	12.2	30.2	23.8	69.8	73.2	49.2	88.2	33.9	1.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
030	40.5	0.555	0.342	1.624	-0.119	0.744	27.4	12.5	30.2	24.5	69.8	72.8	51.3	89.1	35.1	1.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
031	40.6	0.558	0.344	1.62	-0.112	0.743	27.3	12.8	30.2	25.2	69.9	72.4	53.4	90.0	36.4	1.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
032	40.6	0.561	0.347	1.615	-0.104	0.742	27.1	13.1	30.1	25.9	69.9	72.0	55.5	90.9	37.7	1.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
033	40.7	0.564	0.35	1.611	-0.097	0.741	26.9	13.4	30.1	26.5	69.9	71.6	57.6	91.9	38.8	1.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
034	40.7	0.566	0.352	1.606	-0.091	0.74	26.8	13.7	30.1	27.1	69.9	71.2	59.8	93.0	40.0	1.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
035	40.7	0.569	0.355	1.602	-0.084	0.739	26.6	14.0	30.1	27.7	70.0	70.8	61.9	94.1	41.1	1.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
036	40.8	0.571	0.357	1.597	-0.078	0.738	26.5	14.3	30.1	28.3	70.0	70.4	64.0	95.2	42.2	1.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
037	40.8	0.573	0.36	1.592	-0.072	0.736	26.3	14.5	30.0	28.9	70.0	70.0	66.2	96.3	43.3	1.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
038	40.9	0.576	0.362	1.588	-0.067	0.735	26.1	14.8	30.0	29.4	70.1	69.6	68.3	97.5	44.4	1.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
039	40.9	0.578	0.365	1.583	-0.062	0.733	26.0	15.0	30.0	30.0	70.1	69.2	70.5	98.5	45.5	1.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
040	40.9	0.58	0.367	1.578	-0.057	0.732	25.8	15.2	30.0	30.6	70.1	68.8	72.6	99.6	46.6	1.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
041	41.0	0.581	0.369	1.574	-0.052	0.73	25.6	15.4	29.9	31.0	70.1	68.4	74.8	101.3	47.5	1.00	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
042	41.0	0.583	0.371	1.569	-0.048	0.728	25.5	15.6	29.9	31.5	70.2	67.9	76.9	102.6	48.5	1.00	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
043	41.1	0.584	0.373	1.564	-0.044	0.727	25.3	15.8	29.9	31.9	70.2	67.5	79.0	104.0	49.4	1.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
044	41.1	0.586	0.375	1.56	-0.04	0.725	25.1	16.0	29.8	32.4	70.2	67.1	81.2	105.3	50.4	1.00	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
045	41.2	0.587	0.377	1.555	-0.036	0.723	25.0	16.1	29.8	32.8	70.3	66.7	83.3	106.7	51.3										

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																										
Yxy _{cab} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																										
Elementary hue circle with 4 intended elementary hues angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, 90 intended hues angles:																										
090, 091, ..., 179, CIELAB data of CIE test colours 9 (R): 39.5, 45.5, 26.4, 10 (Y): 79.5, 3.2, 71.0, 11 (G): 52.3 – 39.6, 15, 12 (B): 33.6 – 12.8 – 39.9																										
no.	no.	x ₁₀	y ₁₀	y ₁₀	q ₁₀	b ₁₀	C _{ab} 10.9	A ₁₀	B ₁₀	C _{ab} 10.9	L ₁₀	y ₁₀	h _{ab} 10.9	a ₁₀	b ₁₀	C _{ab} 10.9	h _{ab} 10.9	rgb _{cab} 10.9	rgb _{cab} 10.9	rgb _{cab} 10.9	rgb _{cab} 10.9	rgb _{cab} 10.9	rgb _{cab} 10.9	rgb _{cab} 10.9	rgb _{cab} 10.9	Code _{lab}
090	86.6	0.482	0.508	0.949	-0.006	0.423	0.0	34.1	34.1	89.8	91.9	0.1	140.3	140.3	89.9	0.96	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y03G
091	82.0	0.478	0.511	0.943	-0.007	0.422	-1.1	34.4	34.6	91.9	92.5	-2.3	138.2	138.2	90.9	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y05G
092	83.4	0.473	0.514	0.919	-0.009	0.421	-2.4	35.0	35.1	93.9	93.1	-4.8	136.0	136.1	92.0	0.93	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y06G
093	84.7	0.468	0.517	0.905	-0.01	0.422	-3.6	35.4	35.6	95.8	93.7	-7.2	133.9	134.1	93.0	0.92	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y07G
094	86.0	0.464	0.519	0.892	-0.012	0.42	-4.7	35.8	36.1	97.5	94.3	-9.4	131.9	132.3	94.0	0.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y09G
095	87.1	0.46	0.521	0.882	-0.013	0.42	-5.7	36.1	36.6	99.0	94.7	-11.3	130.2	130.7	94.9	0.89	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y10G
096	88.0	0.456	0.522	0.873	-0.015	0.42	-6.5	36.3	36.9	100.2	95.1	-12.9	127.8	128.5	95.7	0.87	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y12G
097	89.3	0.451	0.522	0.863	-0.019	0.418	-7.5	36.6	37.3	101.9	95.7	-14.8	123.7	124.6	96.8	0.86	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y14G
098	90.2	0.448	0.522	0.853	-0.023	0.417	-8.4	36.7	37.6	103.6	96.3	-15.1	119.7	120.9	97.2	0.85	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y16G
099	91.8	0.444	0.518	0.856	-0.028	0.411	-8.4	36.8	37.7	102.8	96.7	-16.2	115.5	116.7	97.9	0.83	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y16G
100	92.3	0.437	0.518	0.853	-0.033	0.409	-9.6	36.5	37.8	104.8	96.8	-18.6	111.4	112.9	99.4	0.82	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y17G
101	92.1	0.432	0.52	0.83	-0.035	0.41	-10.8	36.2	37.8	106.6	96.6	-20.9	109.4	111.4	108.0	0.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y19G
102	91.7	0.43	0.522	0.823	-0.036	0.412	-11.4	36.0	37.8	107.6	96.7	-22.3	109.0	111.3	101.5	0.79	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y20G
103	91.3	0.427	0.524	0.814	-0.036	0.414	-12.1	35.8	37.8	108.7	96.5	-23.8	108.6	111.2	102.3	0.78	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y21G
104	90.9	0.424	0.526	0.806	-0.036	0.417	-12.8	35.6	37.9	109.8	96.3	-25.4	108.2	111.1	103.2	0.76	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y23G
105	90.4	0.421	0.529	0.797	-0.037	0.42	-13.6	35.4	37.9	111.0	96.1	-27.1	107.8	111.1	104.1	0.75	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y24G
106	89.9	0.418	0.531	0.787	-0.037	0.423	-14.4	35.2	38.0	112.9	95.9	-28.8	105.4	111.2	105.9	0.73	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y26G
107	89.3	0.415	0.534	0.778	-0.037	0.427	-15.1	35.0	38.1	113.4	95.7	-30.6	107.0	111.3	105.9	0.72	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y27G
108	88.7	0.412	0.536	0.768	-0.037	0.431	-15.9	34.7	38.2	114.6	95.4	-32.5	106.6	111.5	106.9	0.71	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y28G
109	88.1	0.408	0.539	0.757	-0.037	0.435	-16.7	34.4	38.3	115.9	95.2	-34.5	106.3	111.7	107.9	0.69	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y30G
110	87.5	0.405	0.542	0.747	-0.038	0.439	-17.5	34.2	38.4	117.2	94.9	-36.5	105.9	112.0	109.0	0.68	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y31G
111	86.8	0.401	0.545	0.736	-0.038	0.444	-18.4	33.9	38.6	118.4	94.6	-38.5	105.9	112.3	110.0	0.66	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y33G
112	86.1	0.398	0.549	0.724	-0.038	0.45	-19.2	33.6	38.7	119.7	94.3	-40.7	105.0	112.6	111.1	0.65	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y34G
113	85.4	0.394	0.552	0.713	-0.038	0.455	-20.0	33.3	38.9	120.9	94.0	-42.8	103.6	113.0	112.2	0.64	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y36G
114	84.6	0.39	0.555	0.701	-0.039	0.461	-20.8	33.0	39.0	122.2	93.7	-45.1	104.1	113.1	113.1	0.62	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y37G
115	83.9	0.385	0.559	0.69	-0.039	0.467	-21.6	32.7	39.2	123.4	93.4	-47.3	103.6	113.9	114.5	0.61	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y38G
116	83.1	0.381	0.562	0.678	-0.039	0.474	-22.4	32.4	39.4	124.6	93.0	-49.6	103.0	114.4	115.7	0.59	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y40G
117	82.4	0.377	0.566	0.666	-0.04	0.48	-23.2	32.0	39.6	125.8	92.7	-51.9	102.4	114.9	116.8	0.58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y41G
118	81.6	0.372	0.569	0.655	-0.04	0.486	-23.9	31.7	39.7	127.0	92.4	-54.1	101.8	115.3	118.0	0.57	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y42G
119	81.0	0.368	0.571	0.645	-0.041	0.492	-24.5	31.4	39.8	127.9	92.1	-56.1	100.9	115.5	119.0	0.55	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y44G
120	80.3	0.364	0.574	0.634	-0.042	0.498	-25.1	31.1	40.0	128.9	91.8	-58.1	100.1	115.8	120.1	0.54	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y46G
121	79.7	0.36	0.577	0.624	-0.043	0.503	-25.7	30.7	40.1	129.9	91.5	-60.1	99.2	116.0	121.2	0.52	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y47G
122	79.0	0.356	0.579	0.614	-0.044	0.509	-26.3	30.4	40.2	130.8	91.2	-62.1	98.4	116.9	122.3	0.51	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y48G
123	78.4	0.352	0.582	0.604	-0.044	0.515	-26.9	30.1	40.4	131.7	90.9	-64.2	97.4	116.7	123.3	0.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y49G
124	77.7	0.347	0.584	0.594	-0.046	0.521	-27.4	29.8	40.5	132.6	90.6	-66.2	96.5	117.0	124.4	0.48	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y51G
125	77.1	0.343	0.587	0.584	-0.047	0.527	-28.0	29.4	40.6	133.5	90.3	-68.2	95.6	117.4	125.5	0.47	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y52G
126	76.4	0.339	0.589	0.574	-0.048	0.533	-28.5	29.1	40.7	134.4	90.0	-70.2	94.6	117.8	126.5	0.45	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y54G
127	75.8	0.334	0.592	0.565	-0.049	0.539	-29.0	28.8	40.9	135.2	89.7	-72.2	93.6	118.2	127.6	0.44	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y55G
128	75.1	0.33	0.594	0.555	-0.05	0.545	-29.5	28.4	41.0	136.0	89.4	-74.2	92.6	118.7	128.6	0.43	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y56G
129	74.5	0.325	0.596	0.545	-0.051	0.551	-29.9	28.1	41.1	136.8	89.1	-76.1	91.7	119.2	129.7	0.41	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y58G
130	73.9	0.321	0.598	0.535	-0.052	0.557	-30.3	27.8	41.2	137.6	88.8	-78.0	90.7	119.9	130.8	0.4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y60G
131	73.3	0.317	0.601	0.527	-0.054	0.563	-30.8	27.4	41.3	138.2	88.6	-80.0	89.6	120.2	131.7	0.38	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y61G
132	72.7	0.312	0.603	0.518	-0.055	0.569	-31.2	27.1	41.3	139.0	88.3	-81.9	88.6	120.7	132.7	0.37	1.00	0.00	0.0							

rgb _{tab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy _{tab} , abc _{AB} , ABC _{AB} , LabC _{ab} , h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																			
Elementary hue circle with 4 intended elementary hues angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, and 90 intended hue angles:																			
180, 181, ..., 269, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 32 71.0, 11 (G): 52.3 -39.6 15.3, 12 (B): 33.6 -12.8 -39.9																			
no. _{ab}	h ₁₀	x ₁₀	y ₁₀	a ₁₀	b ₁₀	ab ₁₀	A ₁₀	B ₁₀	C _{ab} ₁₀	h _{AB} ₁₀	L _Y	a*	b*	C*	h ₁₀	h _{AB} ₁₀	rgb _{ab} ₁₀	Code _{ab} ₁₀	
180	41.9	0.557	0.353	1.577	-0.1	0.71	26.4	13.8	29.8	27.5	70.8	69.2	57.5	90.0	39.7	0.00	1.00	0.45	G22B
181	41.9	0.557	0.352	1.579	-0.101	0.71	26.4	13.7	29.8	27.4	70.8	69.3	57.0	89.8	39.4	0.00	1.00	0.47	G23B
182	41.9	0.556	0.352	1.58	-0.103	0.711	26.5	13.6	29.8	27.2	70.8	69.4	56.5	89.5	39.1	0.00	1.00	0.49	G24B
183	41.9	0.555	0.351	1.581	-0.105	0.711	26.5	13.5	29.8	27.0	70.8	69.5	55.9	89.3	38.8	0.00	1.00	0.51	G25B
184	41.9	0.555	0.35	1.582	-0.107	0.711	26.6	13.5	29.8	26.9	70.8	69.6	55.4	89.0	38.5	0.00	1.00	0.53	G26B
185	41.9	0.554	0.35	1.583	-0.108	0.712	26.6	13.4	29.8	26.7	70.8	69.8	54.9	88.8	38.2	0.00	1.00	0.56	G28B
186	41.8	0.553	0.349	1.588	-0.11	0.712	26.6	13.3	29.8	26.5	70.7	69.9	54.4	88.6	37.9	0.00	1.00	0.58	G29B
187	41.8	0.553	0.348	1.586	-0.112	0.712	26.7	13.2	29.8	26.4	70.7	70.0	53.9	88.3	37.6	0.00	1.00	0.6	G30B
188	41.8	0.552	0.348	1.587	-0.114	0.713	26.7	13.1	29.8	26.2	70.7	70.1	53.4	88.1	37.2	0.00	1.00	0.62	G31B
189	41.8	0.551	0.347	1.588	-0.115	0.713	26.8	13.1	29.8	26.0	70.7	70.2	52.8	87.9	36.9	0.00	1.00	0.64	G32B
190	41.8	0.551	0.346	1.59	-0.117	0.713	26.8	13.0	29.8	25.8	70.7	70.3	52.3	87.7	36.6	0.00	1.00	0.66	G33B
191	41.8	0.55	0.345	1.591	-0.119	0.713	26.9	12.9	29.8	25.7	70.7	70.4	51.8	87.4	36.3	0.00	1.00	0.68	G34B
192	41.8	0.549	0.345	1.592	-0.121	0.714	26.9	12.8	29.8	25.5	70.7	70.5	51.3	87.2	36.0	0.00	1.00	0.71	G35B
193	41.7	0.549	0.344	1.593	-0.123	0.714	26.9	12.7	29.8	25.3	70.7	70.6	50.8	87.0	35.7	0.00	1.00	0.73	G36B
194	41.7	0.548	0.343	1.595	-0.125	0.714	27.0	12.7	29.8	25.1	70.7	70.7	50.3	86.8	35.4	0.00	1.00	0.75	G37B
195	41.7	0.547	0.343	1.596	-0.127	0.715	27.0	12.6	29.8	24.9	70.7	70.8	49.8	86.6	35.0	0.00	1.00	0.77	G38B
196	41.7	0.546	0.342	1.597	-0.129	0.715	27.1	12.5	29.8	24.8	70.7	70.9	49.2	86.4	34.7	0.00	1.00	0.79	G39B
197	41.7	0.546	0.341	1.598	-0.131	0.715	27.1	12.4	29.8	24.6	70.6	71.0	48.7	86.2	34.4	0.00	1.00	0.81	G40B
198	41.7	0.545	0.34	1.599	-0.133	0.715	27.2	12.3	29.8	24.4	70.6	71.1	48.2	86.0	34.1	0.00	1.00	0.83	G41B
199	41.7	0.544	0.34	1.601	-0.135	0.716	27.2	12.2	29.8	24.2	70.6	71.2	47.7	85.8	33.8	0.00	1.00	0.86	G43B
200	41.7	0.543	0.339	1.602	-0.137	0.716	27.2	12.1	29.8	24.0	70.6	71.4	47.2	85.6	33.4	0.00	1.00	0.88	G44B
201	41.6	0.543	0.338	1.603	-0.139	0.716	27.3	12.0	29.8	23.8	70.6	71.5	46.7	85.4	33.1	0.00	1.00	0.9	G45B
202	41.6	0.542	0.337	1.604	-0.141	0.717	27.3	11.9	29.8	23.6	70.6	71.6	46.2	85.2	32.8	0.00	1.00	0.92	G46B
203	41.6	0.541	0.337	1.605	-0.143	0.717	27.4	11.9	29.8	23.4	70.6	71.7	45.6	85.0	32.4	0.00	1.00	0.94	G47B
204	41.6	0.54	0.336	1.607	-0.145	0.717	27.4	11.8	29.8	23.2	70.6	71.8	45.1	84.8	32.1	0.00	1.00	0.96	G48B
205	41.6	0.54	0.335	1.608	-0.147	0.717	27.4	11.7	29.8	23.0	70.6	71.9	44.6	84.6	31.8	0.00	1.00	0.98	G49B
206	41.6	0.539	0.335	1.609	-0.15	0.718	27.5	11.6	29.8	22.8	70.6	72.0	44.1	84.4	31.5	0.00	0.98	1.00	G50B
207	41.6	0.538	0.334	1.61	-0.152	0.718	27.5	11.5	29.8	22.6	70.6	72.1	43.6	84.3	31.1	0.00	0.96	1.00	G51B
208	41.5	0.537	0.333	1.612	-0.154	0.718	27.6	11.4	29.8	22.4	70.5	72.2	43.1	84.1	30.8	0.00	0.94	1.00	G52B
209	41.5	0.536	0.332	1.613	-0.156	0.719	27.6	11.3	29.9	22.2	70.5	72.3	42.6	83.9	30.4	0.00	0.92	1.00	G53B
210	41.5	0.536	0.332	1.614	-0.158	0.719	27.7	11.2	29.9	22.0	70.5	72.4	42.1	83.8	30.1	0.00	0.9	1.00	G54B
211	41.5	0.535	0.331	1.615	-0.161	0.719	27.7	11.1	29.9	21.8	70.5	72.5	41.5	83.6	29.8	0.00	0.88	1.00	G55B
212	41.5	0.534	0.33	1.617	-0.163	0.72	27.7	11.0	29.9	21.6	70.5	72.6	41.0	83.4	29.4	0.00	0.86	1.00	G56B
213	41.5	0.533	0.329	1.618	-0.165	0.72	27.8	10.9	29.9	21.4	70.5	72.7	40.5	83.3	29.1	0.00	0.83	1.00	G58B
214	41.5	0.532	0.328	1.619	-0.168	0.72	27.8	10.8	29.9	21.2	70.5	72.8	40.0	83.1	28.7	0.00	0.81	1.00	G59B
215	41.5	0.531	0.328	1.62	-0.17	0.72	27.9	10.7	29.9	21.0	70.5	72.9	39.5	83.0	28.4	0.00	0.79	1.00	G60B
216	41.4	0.531	0.327	1.622	-0.172	0.721	27.9	10.6	29.9	20.8	70.5	73.0	39.0	82.8	28.1	0.00	0.77	1.00	G61B
217	41.4	0.53	0.326	1.623	-0.175	0.721	28.0	10.5	29.9	20.6	70.5	73.2	38.5	82.7	27.7	0.00	0.75	1.00	G62B
218	41.4	0.529	0.325	1.624	-0.177	0.721	28.0	10.4	29.9	20.4	70.5	73.3	38.0	82.5	27.4	0.00	0.73	1.00	G63B
219	41.4	0.528	0.325	1.625	-0.179	0.722	28.0	10.3	29.9	20.2	70.4	73.4	37.5	82.4	27.0	0.00	0.71	1.00	G64B
220	41.4	0.527	0.324	1.626	-0.182	0.722	28.1	10.2	29.9	20.0	70.4	73.5	37.0	82.3	26.7	0.00	0.69	1.00	G65B
221	41.4	0.526	0.323	1.628	-0.184	0.722	28.1	10.1	29.9	19.7	70.4	73.6	36.5	82.1	26.3	0.00	0.66	1.00	G66B
222	41.4	0.525	0.322	1.629	-0.187	0.723	28.2	10.0	29.9	19.5	70.4	73.7	36.0	82.0	26.0	0.00	0.64	1.00	G67B
223	41.4	0.525	0.322	1.63	-0.189	0.723	28.2	9.9	29.9	19.3	70.4	73.8	35.4	81.9	25.6	0.00	0.62	1.00	G68B
224	41.3	0.524	0.321	1.631	-0.192	0.723	28.2	9.8	29.9	19.1	70.4	73.9	34.9	81.7	25.3	0.00	0.6	1.00	G69B
225	41.3	0.523	0.32	1.633	-0.194	0.724	28.3	9.6	29.9	18.8	70.4	74.0	34.4	81.6	24.9	0.00	0.58	1.00	G70B
226	41.3	0.522	0.319	1.634	-0.197	0.724	28.3	9.5	29.9	18.6	70.4	74.1	33.9	81.5	24.6	0.00	0.56	1.00	G71B
227	41.3	0.521	0.318	1.635	-0.2	0.724	28.4	9.4	29.9	18.4	70.4	74.2	33.4	81.4	24.3	0.00	0.53	1.00	G72B
228	41.3	0.52	0.318	1.636	-0.202	0.725	28.4	9.3	29.9	18.2	70.4	74.3	32.9	81.3	23.9	0.00	0.51	1.00	G74B
229	41.3	0.519	0.317	1.637	-0.205	0.725	28.5	9.2	29.9	17.9	70.4	74.4	32.4	81.2	23.5	0.00	0.49	1.00	G75B
230	41.3	0.518	0.316	1.639	-0.207	0.725	28.5	9.1	29.9	17.7	70.3	74.5	31.9	81.1	23.2	0.00	0.47	1.00	G76B
231	41.2	0.518	0.315	1.64	-0.21	0.726	28.5	9.0	29.9	17.5	70.3	74.6	31.4	81.0	22.8	0.00	0.45	1.00	G77B
232	41.2	0.517	0.315	1.641	-0.213	0.726	28.6	8.9	29.9	17.3	70.3	74.7	30.9	80.9	22.5	0.00	0.43	1.00	G78B
233	41.2	0.516	0.314	1.642	-0.215	0.726	28.6	8.8	29.9	17.0	70.3	74.8	30.4	80.8	22.1	0.00	0.41	1.00	G79B
234	41.2	0.515	0.313	1.643	-0.218	0.727	28.7	8.6	29.9	16.8	70.3	74.9	30.0	80.7	21.8	0.00	0.38	1.00	G80B
235	41.2	0.514	0.312	1.645	-0.221	0.727	28.7	8.5	30.0	16.6	70.3	75.0	29.5	80.6	21.4	0.00	0.36	1.00	G81B
236	41.2	0.513	0.311	1.646	-0.224	0.727	28.7	8.4	30.0	16.3	70.3	75.1	29.0	80.5	21.1	0.00	0.34	1.00	G82B
237	41.1	0.512	0.31	1.647	-0.227	0.728	28.8	8.3	30.0	16.0	70.3	75.2	28.5	80.4	20.8	0.00	0.32	1.00	G83B
238	41.2	0.511	0.31	1.648	-0.229	0.728	28.8	8.2	30.0	15.9	70.3	75.3	28.0	80.4	20.4	0			

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																											
Xyy, abc _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																											
Elementary hue circle with 4 intended elementary hues (angles): h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, and 39.6 intended hue angles:																											
270, 271, ..., 360, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 -39.6 15.3, 12 (B): 33.6 -12.8 -39.9																											
no.	ab	h _{ab}	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{ab}	AB ₁₀	A ₁₀	B ₁₀	C _{ab}	AB ₁₀	A ₁₀	B ₁₀	C _{ab}	AB ₁₀	A ₁₀	B ₁₀	C _{ab}	AB ₁₀	A ₁₀	B ₁₀	C _{ab}	AB ₁₀	Code		
270	ab	h _{ab}	0.481	0.285	1.686	-0.326	0.745	30.1	4.1	30.4	7.9	70.0	78.4	12.9	79.5	9.3	0.26	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B13R
271	ab	h _{ab}	0.48	0.284	1.687	-0.329	0.745	30.1	4.0	30.4	7.6	70.0	78.5	12.4	79.5	9.0	0.28	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B14R
272	ab	h _{ab}	0.479	0.283	1.688	-0.333	0.746	30.2	3.9	30.4	7.4	70.0	78.6	12.0	79.5	8.6	0.29	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B14R
273	ab	h _{ab}	0.478	0.283	1.689	-0.336	0.747	30.2	3.7	30.4	7.1	70.0	78.7	11.5	79.5	8.3	0.31	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B15R
274	ab	h _{ab}	0.477	0.282	1.69	-0.339	0.747	30.2	3.6	30.4	6.8	70.0	78.8	11.1	79.6	8.0	0.32	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B16R
275	ab	h _{ab}	0.476	0.281	1.691	-0.342	0.748	30.3	3.5	30.5	6.6	70.0	78.9	10.6	79.6	7.7	0.34	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B17R
276	ab	h _{ab}	0.475	0.281	1.692	-0.346	0.749	30.3	3.3	30.5	6.3	70.0	79.0	10.2	79.6	7.3	0.35	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B17R
277	ab	h _{ab}	0.474	0.28	1.693	-0.349	0.75	30.3	3.2	30.5	6.1	69.9	79.1	9.8	79.7	7.0	0.37	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B18R
278	ab	h _{ab}	0.473	0.279	1.695	-0.352	0.751	30.4	3.1	30.5	5.8	69.9	79.1	9.3	79.7	6.7	0.38	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B19R
279	ab	h _{ab}	0.472	0.278	1.696	-0.356	0.751	30.4	2.9	30.6	5.5	69.9	79.2	8.9	79.7	6.4	0.4	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B20R
280	ab	h _{ab}	0.471	0.278	1.697	-0.359	0.752	30.4	2.8	30.6	5.3	69.9	79.3	8.5	79.8	6.1	0.41	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B20R
281	ab	h _{ab}	0.471	0.277	1.698	-0.362	0.753	30.5	2.7	30.6	5.0	69.9	79.4	8.0	79.8	5.8	0.43	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B21R
282	ab	h _{ab}	0.47	0.276	1.699	-0.366	0.753	30.5	2.5	30.6	4.8	69.9	79.5	7.6	79.9	5.4	0.44	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B22R
283	ab	h _{ab}	0.469	0.275	1.7	-0.369	0.754	30.5	2.4	30.6	4.5	69.9	79.6	7.2	79.9	5.1	0.46	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B23R
284	ab	h _{ab}	0.468	0.275	1.701	-0.372	0.755	30.6	2.2	30.7	4.2	69.9	79.7	6.7	80.0	4.8	0.47	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B23R
285	ab	h _{ab}	0.467	0.274	1.702	-0.376	0.756	30.6	2.1	30.7	4.0	69.9	79.8	6.3	80.0	4.5	0.49	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B24R
286	ab	h _{ab}	0.466	0.273	1.703	-0.379	0.757	30.6	2.0	30.7	3.7	69.9	79.9	5.9	80.0	4.2	0.5	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B25R
287	ab	h _{ab}	0.465	0.273	1.704	-0.382	0.758	30.7	1.8	30.7	3.5	69.9	79.9	5.5	80.1	3.9	0.52	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B26R
288	ab	h _{ab}	0.464	0.272	1.705	-0.386	0.758	30.7	1.7	30.8	3.2	69.9	80.0	5.1	80.2	3.6	0.53	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B26R
289	ab	h _{ab}	0.463	0.271	1.706	-0.389	0.759	30.8	1.6	30.8	2.9	69.9	80.1	4.7	80.2	3.3	0.55	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B27R
290	ab	h _{ab}	0.462	0.27	1.707	-0.393	0.76	30.8	1.4	30.8	2.7	69.9	80.2	4.2	80.3	3.0	0.56	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B28R
291	ab	h _{ab}	0.461	0.27	1.708	-0.396	0.761	30.8	1.3	30.9	2.4	69.8	80.3	3.8	80.4	2.7	0.58	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B29R
292	ab	h _{ab}	0.46	0.269	1.709	-0.399	0.762	30.9	1.1	30.9	2.2	69.8	80.4	3.4	80.4	2.4	0.59	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B29R
293	ab	h _{ab}	0.458	0.268	1.71	-0.403	0.763	30.9	1.0	30.9	2.0	69.8	80.5	3.0	80.5	2.1	0.6	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B30R
294	ab	h _{ab}	0.459	0.268	1.712	-0.406	0.763	30.9	0.9	30.9	1.9	69.8	80.5	2.6	80.6	1.8	0.62	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B31R
295	ab	h _{ab}	0.458	0.267	1.713	-0.41	0.765	31.0	0.7	31.0	1.4	69.8	80.6	2.2	80.6	1.5	0.64	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B32R
296	ab	h _{ab}	0.457	0.266	1.714	-0.413	0.766	31.0	0.6	31.0	1.1	69.8	80.7	1.8	80.7	1.3	0.65	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B32R
297	ab	h _{ab}	0.456	0.266	1.715	-0.416	0.767	31.0	0.5	31.0	0.9	69.8	80.8	1.4	80.8	1.0	0.67	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B33R
298	ab	h _{ab}	0.455	0.265	1.716	-0.42	0.768	31.1	0.3	31.1	0.6	69.8	80.9	1.0	80.9	0.7	0.68	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B34R
299	ab	h _{ab}	0.454	0.264	1.717	-0.423	0.769	31.1	0.2	31.1	0.4	69.8	80.9	0.6	80.9	0.4	0.7	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B35R
300	ab	h _{ab}	0.453	0.264	1.718	-0.427	0.77	31.1	0.0	31.1	0.1	69.8	81.0	0.2	81.0	0.1	0.71	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B35R
301	ab	h _{ab}	0.452	0.263	1.719	-0.43	0.771	31.2	0.0	31.2	0.0	69.9	81.1	-0.1	81.1	0.0	0.73	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B36R
302	ab	h _{ab}	0.452	0.262	1.72	-0.433	0.772	31.2	-0.1	31.2	-0.1	69.9	81.2	-0.5	81.2	-0.5	0.72	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B37R
303	ab	h _{ab}	0.451	0.262	1.721	-0.437	0.773	31.2	-0.3	31.2	-0.3	69.9	81.3	-0.8	81.3	-0.8	0.73	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B38R
304	ab	h _{ab}	0.45	0.261	1.722	-0.44	0.774	31.3	-0.4	31.3	-0.3	69.9	81.4	-1.2	81.3	-1.2	0.71	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B38R
305	ab	h _{ab}	0.449	0.26	1.723	-0.443	0.775	31.3	-0.5	31.3	-0.5	69.9	81.4	-1.6	81.4	-1.6	0.68	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B39R
306	ab	h _{ab}	0.448	0.26	1.723	-0.447	0.776	31.3	-0.7	31.3	-0.7	69.9	81.5	-2.0	81.5	-2.0	0.65	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B40R
307	ab	h _{ab}	0.447	0.259	1.724	-0.45	0.777	31.4	-0.8	31.4	-0.8	69.9	81.6	-2.4	81.6	-2.4	0.63	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B41R
308	ab	h _{ab}	0.446	0.258	1.725	-0.454	0.778	31.4	-1.0	31.4	-0.8	69.9	81.6	-2.7	81.7	-2.7	0.61	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B41R
309	ab	h _{ab}	0.446	0.258	1.726	-0.457	0.779	31.4	-1.1	31.4	-0.9	69.9	81.7	-3.1	81.8	-3.1	0.58	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B42R
310	ab	h _{ab}	0.445	0.257	1.727	-0.46	0.78	31.5	-1.2	31.5	-0.8	69.9	81.7	-3.5	81.8	-3.5	0.55	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B43R
311	ab	h _{ab}	0.444	0.257	1.728	-0.464	0.781	31.5	-1.4	31.5	-0.7	69.9	81.9	-3.8	82.0	-3.8	0.52	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	B44R
312	ab	h _{ab}	0.443	0.256	1.729	-0.467	0.782	31.5	-1.5	31.5	-0.5	69.9	82.0	-4.2	82.1	-4.2	0.5	0.00	1.00	0.00							