

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, LINYAB data															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code				%
0	405	32	561	58.2	−22.74	−17.89	28.94	0.5596	−0.743	218.1	16 483	37 589	Cm		%
6	435	32	562	58.79	−26.78	−9.88	28.55	0.4948	−0.6036	200.2	17 486	42 610			%
10	450	32	563	59.42	−33.54	4.93	33.9	0.3859	−0.3525	171.6	19 496	−1 496c			%
12	460	33	565	60.32	−36.45	12.66	38.58	0.3461	−0.2256	160.8	21 505	−1 505c			%
12	465	33	567	61.66	−36.65	13.24	38.97	0.356	−0.2207	160.1	21 506	−1 506c			%
14	470	33	569	62.72	−38.14	19.32	42.76	0.3422	−0.1274	153.1	24 520	−1 520c			%
15	475	34	573	65.29	−38.28	22.47	44.39	0.364	−0.0913	149.5	25 528	−1 528c	Gm		%
16	480	36	580	69.95	−37.48	26.04	45.64	0.4146	−0.0632	145.2	27 537	−1 537c			%
17	485	39	595	78.75	−32.73	31.0	45.09	0.5347	−0.0418	136.5	29 548	−1 548c			%
18	490	−1	490c	93.8	−12.06	38.4	40.25	0.8218	−0.0261	107.4	33 565	11 459	max		%
19	495	−1	495c	92.3	−10.68	38.39	39.85	0.8346	−0.0195	105.5	33 566	12 462			%
20	500	−1	500c	90.42	−8.91	38.07	39.1	0.8518	−0.0144	103.1	33 567	12 464			%
22	510	−1	510c	85.27	−4.15	36.48	36.72	0.9016	−0.0076	96.5	33 569	13 469			%
23	520	−1	519c	81.98	−1.26	35.24	35.26	0.935	−0.0056	92.0	34 570	14 471	Ym		%
25	530	−1	529c	74.04	5.15	32.02	32.43	1.0201	−0.0031	80.8	34 573	15 475			%
27	540	−1	539c	64.9	11.57	28.16	30.44	1.1288	−0.0016	67.6	35 577	15 478			%
28	545	−1	544c	60.13	14.5	26.11	29.87	1.1917	−0.0012	60.9	35 579	15 479			%
29	550	−1	549c	55.26	17.18	24.01	29.53	1.2613	−0.0009	54.4	36 582	16 480			%
30	555	−1	554c	50.4	19.49	21.91	29.33	1.3372	−0.0007	48.3	36 584	16 481			%
32	560	−1	560c	41.0	22.8	17.83	28.95	1.5064	−0.0005	38.0	37 589	16 483			%
380	770	100.0	0.0	0.0	0.01	0.9504	−0.4355	0.0							%
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, LINYAB complementary															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code				%
32	561	0	405	41.79	22.74	17.89	28.94	1.4946	−0.0072	38.1	37 589	16 483	Rm		%
32	562	6	435	41.2	26.78	9.88	28.55	1.6006	−0.1956	20.2	42 610	17 486			%
32	563	10	450	40.57	33.54	−4.93	33.9	1.7771	−0.557	351.6	−1 496c	19 496			%
33	565	12	460	39.67	36.45	−12.66	38.58	1.8691	−0.7547	340.8	−1 505c	21 505			%
33	567	12	465	38.33	36.65	−13.24	38.97	1.9064	−0.781	340.1	−1 506c	21 506			%
33	569	14	470	37.27	38.14	−19.32	42.76	1.9738	−0.954	333.1	−1 520c	24 520			%
34	573	15	475	34.7	38.28	−22.47	44.39	2.0536	−1.083	329.5	−1 528c	25 528	Mm		%
36	580	16	480	30.04	37.48	−26.04	45.64	2.1982	−1.3026	325.2	−1 537c	27 537			%
39	595	17	485	21.24	32.73	−31.0	45.09	2.4914	−1.8952	316.5	−1 548c	29 548			%
−1	490c	18	490	6.19	12.06	−38.4	40.25	2.899	−6.6372	287.4	11 459	33 565	min		%
−1	495c	19	495	7.69	10.68	−38.39	39.85	2.3392	−5.4245	285.5	12 462	33 566			%
−1	500c	20	500	9.57	8.91	−38.07	39.1	1.8814	−4.4105	283.1	12 464	33 567			%
−1	510c	22	510	14.72	4.15	−36.48	36.72	1.2328	−2.9143	276.5	13 469	33 569			%
−1	519c	23	520	18.01	1.26	−35.24	35.26	1.0204	−2.3925	272.0	14 471	34 570	Bm		%
−1	529c	25	530	25.95	−5.15	−32.02	32.43	0.7516	−1.6693	260.8	15 475	34 573			%
−1	539c	27	540	35.09	−11.57	−28.16	30.44	0.6205	−1.238	247.6	15 478	35 577			%
−1	544c	28	545	39.86	−14.5	−26.11	29.87	0.5865	−1.0906	240.9	15 479	35 579			%
−1	549c	29	550	44.73	−17.18	−24.01	29.53	0.5663	−0.9725	234.4	16 480	36 582			%
−1	554c	30	555	49.59	−19.49	−21.91	29.33	0.5572	−0.8774	228.3	16 481	36 584			%
−1	560c	32	560	58.99	−22.8	−17.83	28.95	0.5638	−0.7379	218.0	16 483	37 589			%
380	770	100.0	0.0	0.0	0.01	0.9504	−0.4355	0.0							%

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy, <i>c</i> _{AB} _{AB} <i>ABC</i> _{AB} <i>LabC</i> * _{ab} _{ab} data for relative spacing of elementary hue <i>h</i> _{AB} of <i>LIN</i> YAB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: <i>h</i> _{AB} = 17.7, 93.3, 159.1, 270.8 of <i>LIN</i> YAB; 90 intended hue angles:																								
00.001, ..., 089, LINYAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 59.0 12.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																								
<i>no</i> , <i>no</i> _{AB}	<i>Y</i>	<i>x</i>	<i>y</i>	<i>a</i>	<i>b</i>	<i>c</i> _{AB}	<i>A</i>	<i>B</i>	<i>C</i> _{AB}	<i>h</i> _{AB}	<i>L</i> *	<i>a</i> *	<i>b</i> *	<i>C</i> * _{ab}	<i>h</i> _{ab}	<i>rgb</i> * _{AB}	<i>Code</i> _{AB}							
000	40.7	0.447	0.259	1.727	-0.453	0.777	31.6	-0.7	31.6	358.7	70.0	81.6	-1.9	81.7	359.6	1.00	0.00	0.39	0.00	0.00	0.39	0.00	0.00	0.00
001	40.8	0.45	0.261	1.72	-0.44	0.77	31.4	-0.1	31.4	359.6	70.0	81.1	-0.5	81.1	359.6	1.00	0.00	0.37	0.00	0.00	0.37	0.00	0.00	0.00
002	40.8	0.453	0.264	1.714	-0.427	0.764	31.1	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.35	0.00	0.00	0.35	0.00	0.00	0.00
003	40.8	0.456	0.267	1.708	-0.414	0.758	30.9	0.8	30.9	1.6	70.0	80.0	2.4	80.1	1.7	1.00	0.00	0.33	0.00	0.00	0.33	0.00	0.00	0.00
004	40.8	0.459	0.269	1.701	-0.4	0.752	30.7	1.4	30.7	2.6	70.0	79.5	4.0	79.6	2.9	1.00	0.00	0.3	0.00	0.00	0.3	0.00	0.00	0.00
005	40.8	0.462	0.272	1.695	-0.387	0.746	30.4	1.9	30.5	3.6	70.1	78.9	5.6	79.1	4.0	1.00	0.00	0.28	0.00	0.00	0.28	0.00	0.00	0.00
006	40.9	0.465	0.275	1.689	-0.374	0.741	30.2	2.4	30.3	4.7	70.1	78.4	7.2	78.7	5.2	1.00	0.00	0.26	0.00	0.00	0.26	0.00	0.00	0.00
007	40.9	0.469	0.278	1.682	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.8	8.9	78.3	6.5	1.00	0.00	0.24	0.00	0.00	0.24	0.00	0.00	0.00
008	40.9	0.472	0.281	1.676	-0.348	0.731	29.7	3.5	29.9	6.8	70.1	77.3	10.6	78.0	7.8	1.00	0.00	0.21	0.00	0.00	0.21	0.00	0.00	0.00
009	40.9	0.475	0.284	1.67	-0.335	0.726	29.4	4.1	29.7	7.9	70.1	76.7	12.3	77.7	9.1	1.00	0.00	0.19	0.00	0.00	0.19	0.00	0.00	0.00
010	40.9	0.479	0.288	1.663	-0.322	0.722	29.2	4.6	29.6	9.0	70.1	76.1	14.1	77.5	10.5	1.00	0.00	0.17	0.00	0.00	0.17	0.00	0.00	0.00
011	41.0	0.483	0.291	1.657	-0.309	0.718	28.9	5.1	29.4	10.1	70.1	75.6	15.9	77.3	11.9	1.00	0.00	0.15	0.00	0.00	0.15	0.00	0.00	0.00
012	41.0	0.486	0.294	1.65	-0.296	0.714	28.7	5.6	29.3	11.2	70.2	75.0	17.8	77.1	13.3	1.00	0.00	0.12	0.00	0.00	0.12	0.00	0.00	0.00
013	41.0	0.49	0.298	1.644	-0.283	0.71	28.5	6.2	29.1	12.3	70.2	74.5	19.7	77.0	14.8	1.00	0.00	0.1	0.00	0.00	0.1	0.00	0.00	0.00
014	41.0	0.493	0.301	1.638	-0.271	0.707	28.2	6.7	29.0	13.4	70.2	73.9	21.6	77.0	16.3	1.00	0.00	0.08	0.00	0.00	0.08	0.00	0.00	0.00
015	41.0	0.497	0.304	1.632	-0.258	0.704	28.0	7.2	28.9	14.5	70.2	73.4	23.6	77.1	17.8	1.00	0.00	0.06	0.00	0.00	0.06	0.00	0.00	0.00
016	41.1	0.501	0.308	1.626	-0.246	0.699	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.2	19.4	1.00	0.00	0.04	0.00	0.00	0.04	0.00	0.00	0.00
017	41.1	0.505	0.311	1.619	-0.234	0.699	27.5	8.2	28.7	16.7	70.2	72.3	27.7	77.4	21.0	1.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00
018	41.1	0.509	0.315	1.613	-0.222	0.697	27.3	8.7	28.6	17.8	70.2	71.7	29.9	77.7	22.6	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
019	41.1	0.513	0.319	1.607	-0.21	0.695	27.0	9.2	28.6	18.9	70.3	71.2	32.0	78.1	24.2	1.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00
020	41.1	0.517	0.322	1.602	-0.198	0.693	26.8	9.7	28.5	19.9	70.3	70.7	34.2	78.5	25.8	1.00	0.02	0.00	0.00	0.02	0.00	0.00	0.02	0.00
021	41.2	0.521	0.327	1.594	-0.184	0.691	26.5	10.3	28.5	21.3	70.3	70.0	37.1	79.2	27.9	1.00	0.04	0.00	0.00	0.04	0.00	0.00	0.04	0.00
022	41.2	0.527	0.332	1.586	-0.169	0.689	26.2	10.9	28.4	22.7	70.3	69.3	40.1	80.1	30.1	1.00	0.05	0.00	0.00	0.05	0.00	0.00	0.05	0.00
023	41.3	0.532	0.337	1.578	-0.155	0.687	25.9	11.5	28.4	24.0	70.4	68.6	43.1	81.1	32.2	1.00	0.06	0.00	0.00	0.06	0.00	0.00	0.06	0.00
024	41.3	0.537	0.341	1.57	-0.141	0.686	25.6	12.1	28.4	25.3	70.4	67.9	46.5	82.3	34.4	1.00	0.08	0.00	0.00	0.08	0.00	0.00	0.08	0.00
025	41.4	0.542	0.346	1.563	-0.128	0.685	25.3	12.7	28.4	26.5	70.4	67.2	49.8	83.7	36.5	1.00	0.09	0.00	0.00	0.09	0.00	0.00	0.09	0.00
026	41.4	0.546	0.351	1.556	-0.115	0.685	25.1	13.2	28.4	27.8	70.5	66.6	53.1	85.2	38.5	1.00	0.1	0.00	0.00	0.1	0.00	0.00	0.1	0.00
027	41.5	0.551	0.355	1.549	-0.103	0.685	24.8	13.7	28.4	28.9	70.5	66.0	56.6	86.9	40.6	1.00	0.12	0.00	0.00	0.12	0.00	0.00	0.12	0.00
028	41.5	0.556	0.36	1.543	-0.092	0.685	24.6	14.2	28.4	30.0	70.5	65.4	60.1	88.8	42.6	1.00	0.13	0.00	0.00	0.13	0.00	0.00	0.13	0.00
029	41.5	0.56	0.364	1.537	-0.081	0.685	24.3	14.7	28.4	31.1	70.5	64.8	63.8	91.0	44.5	1.00	0.14	0.00	0.00	0.14	0.00	0.00	0.14	0.00
030	41.6	0.565	0.369	1.531	-0.071	0.685	24.1	15.1	28.5	32.1	70.6	64.3	67.6	93.3	46.4	1.00	0.16	0.00	0.00	0.16	0.00	0.00	0.16	0.00
031	41.6	0.569	0.373	1.525	-0.061	0.686	23.9	15.5	28.5	33.0	70.6	63.7	71.5	95.8	48.2	1.00	0.17	0.00	0.00	0.17	0.00	0.00	0.17	0.00
032	41.6	0.573	0.377	1.52	-0.052	0.686	23.7	15.9	28.6	33.9	70.6	63.2	75.7	97.6	50.1	1.00	0.18	0.00	0.00	0.18	0.00	0.00	0.18	0.00
033	41.7	0.577	0.381	1.515	-0.043	0.687	23.5	16.3	28.6	34.7	70.6	62.8	80.8	101.7	51.8	1.00	0.2	0.00	0.00	0.2	0.00	0.00	0.2	0.00
034	41.7	0.581	0.384	1.51	-0.035	0.688	23.3	16.7	28.7	35.5	70.6	62.3	84.6	105.1	53.6	1.00	0.21	0.00	0.00	0.21	0.00	0.00	0.21	0.00
035	41.7	0.584	0.388	1.506	-0.027	0.689	23.2	17.0	28.7	36.2	70.7	61.9	89.6	109.0	55.3	1.00	0.22	0.00	0.00	0.22	0.00	0.00	0.22	0.00
036	41.7	0.588	0.391	1.502	-0.02	0.69	23.0	17.3	28.8	36.9	70.7	61.6	95.2	113.4	57.0	1.00	0.24	0.00	0.00	0.24	0.00	0.00	0.24	0.00
037	41.7	0.591	0.394	1.498	-0.014	0.691	22.9	17.6	28.8	37.5	70.7	61.2	101.5	118.5	58.8	1.00	0.25	0.00	0.00	0.25	0.00	0.00	0.25	0.00
038	41.7	0.594	0.397	1.495	-0.008	0.692	22.7	17.8	28.9	38.0	70.7	60.9	108.2	124.2	60.6	1.00	0.26	0.00	0.00	0.26	0.00	0.00	0.26	0.00
039	41.6	0.598	0.401	1.491	0.0	0.694	22.5	18.1	28.9	38.7	70.6	60.5	121.1	135.4	63.4	1.00	0.28	0.00	0.00	0.28	0.00	0.00	0.28	0.00
040	42.4	0.595	0.403	1.475	0.0	0.682	22.2	18.4	28.9	39.6	71.1	59.3	122.2	135.9	64.1	1.00	0.29	0.00	0.00	0.29	0.00	0.00	0.29	0.00
041	43.3	0.593	0.406	1.458	0.0	0.669	22.0	18.8	28.9	40.5	71.7	58.0	123.3	136.3	64.8	1.00	0.3	0.00	0.00	0.3	0.00	0.00	0.3	0.00
042	44.2	0.59	0.409	1.44	0.0	0.655	21.6	19.2	29.0	41.5	72.3	56.6	124.4	136.7	65.5	1.00	0.32	0.00	0.00	0.32	0.00	0.00	0.32	0.00
043	45.1	0.587	0.412	1.423	0.0	0.642	21.3	19.6	29.0	42.6	73.0	55.2	125.4	137.0	66.2	1.00	0.33	0.00	0.00	0.33	0.00	0.00	0.33	0.00
044	46.1	0.584	0.415	1.405	0.0	0.63	21.0	20.0	29.0	43.6	73.6	53.8	126.4	137.4	66.9	1.00	0.34	0.00	0.00	0.34	0.00	0.00	0.34	0.00
045	47.1	0.581	0.418	1.388	0.0	0.617	20.6	20.5	29.1	44.7	74.2	52.4	127.3	137.7	67.6	1.00	0.36	0.00	0.00	0.36	0.00	0.00	0.36	0.00
046	48.1	0.578	0.421	1.372	0.0	0.606	20.3	20.9	29.1	45.8	74.9	51.0	128.2	138.6	68.2	1.00	0.37	0.00	0.00	0.37	0.00	0.00	0.37	0.00
047	49.1	0.575	0.424	1.356	0.0	0.595	19.9	21.3	29.2	46.9	75.5	49.7	129.0	138.3	68.9	1.00	0.38	0.00	0.00	0.38	0.00	0.00	0.	

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																									
Yxy _{AB} abc _{AB} ABC _{AB} LabC _{AB} a _{hAB} b _{hAB} data for relative spacing of elementary hue h _{AB} of L ₁ Y ₁ AB for CIE 2 degree observer																									
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 17.7, 93.3, 159.1, 270.8 of L ₁ Y ₁ AB, and 90 intended hue angles:																									
090, 091, ..., 179, L ₁ Y ₁ AB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 -1.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																									
no	AB	Y	x	y	a	b	c	AB	A	B	C	AB	h _{AB}	L*	a*	b*	C*	h _{AB}	rgb _{AB}	abc _{AB}	Code _{AB}				
090	80.7	x	0.483	0.511	0.947	-0.005	0.43	-0.2	34.7	34.7	90.4	92.0	-0.4	143.5	143.5	90.1	1.00	0.95	0.00	0.00	R95Y				
091	81.1	x	0.481	0.511	0.941	-0.005	0.43	-0.7	35.0	35.0	91.2	92.3	-1.5	143.2	143.2	90.6	1.00	0.96	0.00	0.00	R96Y				
092	81.9	x	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.4	143.0	143.0	90.9	1.00	0.98	0.00	0.00	R98Y				
093	82.8	x	0.477	0.515	0.926	-0.005	0.43	-1.9	35.5	35.6	93.2	92.9	-3.9	142.8	142.8	91.6	1.00	0.99	0.00	0.00	R99Y				
094	83.6	x	0.474	0.516	0.918	-0.006	0.43	-2.6	35.8	35.9	94.2	93.2	-5.2	142.4	142.5	92.1	0.98	1.00	0.00	0.00	Y01G				
095	84.2	x	0.472	0.518	0.911	-0.006	0.43	-3.2	36.1	36.2	95.1	93.5	-6.4	141.8	141.9	92.6	0.97	1.00	0.00	0.00	Y02G				
096	84.9	x	0.47	0.519	0.905	-0.007	0.43	-3.8	36.3	36.5	96.0	93.8	-7.6	140.8	141.0	93.1	0.95	1.00	0.00	0.00	Y04G				
097	85.6	x	0.468	0.521	0.897	-0.008	0.43	-4.5	36.6	36.8	97.0	94.1	-8.9	139.9	139.7	93.6	0.94	1.00	0.00	0.00	Y05G				
098	86.4	x	0.465	0.522	0.889	-0.009	0.43	-5.2	36.8	37.2	98.0	94.8	-10.3	139.3	139.4	94.2	0.92	1.00	0.00	0.00	Y06G				
099	87.2	x	0.462	0.524	0.881	-0.01	0.431	-5.9	37.1	37.6	99.1	94.8	-11.7	136.5	137.0	94.9	0.91	1.00	0.00	0.00	Y08G				
100	88.0	x	0.459	0.525	0.874	-0.011	0.431	-6.7	37.3	37.9	100.2	95.1	-13.1	135.1	135.8	95.5	0.89	1.00	0.00	0.00	Y10G				
101	88.8	x	0.456	0.527	0.866	-0.012	0.431	-7.4	37.6	38.3	101.2	95.5	-14.5	133.8	134.6	96.2	0.88	1.00	0.00	0.00	Y11G				
102	89.6	x	0.454	0.528	0.859	-0.013	0.432	-8.1	37.8	38.7	102.1	95.8	-15.9	132.5	133.5	96.8	0.86	1.00	0.00	0.00	Y13G				
103	90.3	x	0.451	0.529	0.852	-0.014	0.432	-8.8	38.0	39.0	103.0	96.1	-17.1	131.3	132.4	97.4	0.85	1.00	0.00	0.00	Y14G				
104	91.2	x	0.447	0.53	0.843	-0.016	0.432	-9.7	38.2	39.4	104.2	96.5	-18.8	129.1	130.4	98.3	0.83	1.00	0.00	0.00	Y16G				
105	92.0	x	0.444	0.53	0.837	-0.018	0.432	-10.4	38.3	39.7	105.0	96.6	-20.1	126.7	128.3	99.0	0.82	1.00	0.00	0.00	Y17G				
106	92.8	x	0.443	0.528	0.839	-0.02	0.429	-10.3	38.6	40.0	106.0	97.3	-19.7	124.7	125.9	99.0	0.8	1.00	0.00	0.00	Y19G				
107	94.3	x	0.44	0.527	0.836	-0.024	0.426	-10.7	38.8	40.2	105.4	97.7	-20.4	122.1	122.9	99.5	0.79	1.00	0.00	0.00	Y20G				
108	93.6	x	0.434	0.53	0.818	-0.026	0.43	-12.3	38.3	40.2	107.9	97.4	-23.8	118.7	121.1	101.3	0.77	1.00	0.00	0.00	Y22G				
109	93.2	x	0.431	0.532	0.811	-0.026	0.432	-12.9	38.1	40.2	108.8	97.3	-25.1	118.2	120.8	102.0	0.76	1.00	0.00	0.00	Y23G				
110	92.8	x	0.429	0.534	0.803	-0.027	0.434	-13.6	37.9	40.2	109.7	97.1	-26.5	117.6	120.6	102.6	0.74	1.00	0.00	0.00	Y25G				
111	92.3	x	0.426	0.536	0.796	-0.027	0.436	-14.2	37.6	40.3	110.7	96.9	-27.9	117.1	120.4	103.4	0.73	1.00	0.00	0.00	Y26G				
112	91.9	x	0.424	0.538	0.788	-0.027	0.438	-14.9	37.4	40.3	111.7	96.8	-29.4	116.5	120.2	104.1	0.71	1.00	0.00	0.00	Y28G				
113	91.5	x	0.421	0.54	0.779	-0.028	0.441	-15.6	37.2	40.3	112.7	96.6	-30.9	115.9	120.0	104.9	0.7	1.00	0.00	0.00	Y29G				
114	91.0	x	0.418	0.542	0.771	-0.028	0.444	-16.2	37.0	40.4	113.7	96.6	-32.5	115.4	119.9	105.7	0.68	1.00	0.00	0.00	Y31G				
115	90.5	x	0.415	0.544	0.762	-0.029	0.447	-16.9	36.7	40.5	114.7	96.2	-34.2	114.7	119.7	106.5	0.67	1.00	0.00	0.00	Y32G				
116	90.0	x	0.412	0.547	0.753	-0.029	0.451	-17.7	36.5	40.6	115.8	96.0	-35.9	114.1	119.6	107.4	0.65	1.00	0.00	0.00	Y34G				
117	89.5	x	0.409	0.549	0.744	-0.03	0.454	-18.4	36.3	40.7	116.9	95.8	-37.6	113.5	119.6	108.3	0.64	1.00	0.00	0.00	Y35G				
118	89.0	x	0.405	0.551	0.735	-0.03	0.458	-19.1	36.0	40.8	118.0	95.6	-39.4	112.9	119.6	109.2	0.62	1.00	0.00	0.00	Y37G				
119	88.5	x	0.402	0.554	0.725	-0.031	0.462	-19.9	35.8	40.9	119.0	95.3	-41.3	112.2	119.6	110.2	0.6	1.00	0.00	0.00	Y39G				
120	88.0	x	0.398	0.557	0.715	-0.031	0.467	-20.6	35.5	41.1	120.0	95.1	-43.2	111.6	119.7	111.1	0.59	1.00	0.00	0.00	Y40G				
121	87.4	x	0.394	0.559	0.705	-0.032	0.472	-21.4	35.2	41.2	121.2	94.9	-45.2	110.9	119.8	112.1	0.57	1.00	0.00	0.00	Y42G				
122	86.2	x	0.391	0.562	0.695	-0.032	0.477	-22.1	35.0	41.4	122.2	94.7	-47.2	110.2	119.9	113.1	0.56	1.00	0.00	0.00	Y43G				
123	86.3	x	0.387	0.565	0.684	-0.033	0.482	-22.9	34.7	41.6	123.4	94.4	-49.3	109.6	120.1	114.2	0.54	1.00	0.00	0.00	Y45G				
124	85.8	x	0.383	0.568	0.674	-0.033	0.487	-23.7	34.4	41.8	124.5	94.2	-51.4	108.9	120.4	115.2	0.53	1.00	0.00	0.00	Y46G				
125	85.2	x	0.379	0.571	0.663	-0.034	0.493	-24.4	34.2	42.0	125.5	93.9	-53.5	108.2	120.7	116.3	0.51	1.00	0.00	0.00	Y48G				
126	84.6	x	0.374	0.574	0.652	-0.034	0.499	-25.2	33.9	42.2	126.6	93.7	-55.7	107.5	121.1	117.3	0.5	1.00	0.00	0.00	Y49G				
127	84.1	x	0.37	0.577	0.641	-0.035	0.505	-25.9	33.6	42.5	127.6	93.5	-57.9	106.8	121.5	118.4	0.48	1.00	0.00	0.00	Y51G				
128	83.5	x	0.366	0.581	0.63	-0.036	0.511	-26.7	33.3	42.7	128.7	93.2	-60.2	106.1	122.0	119.5	0.47	1.00	0.00	0.00	Y52G				
129	82.9	x	0.361	0.584	0.619	-0.036	0.518	-27.4	33.0	43.0	129.7	93.0	-62.5	105.4	122.5	120.6	0.45	1.00	0.00	0.00	Y54G				
130	82.3	x	0.357	0.587	0.606	-0.037	0.525	-28.2	32.8	43.2	130.7	92.8	-64.8	104.7	123.1	121.7	0.44	1.00	0.00	0.00	Y56G				
131	81.8	x	0.352	0.591	0.596	-0.038	0.532	-28.9	32.5	43.5	131.6	92.5	-67.1	104.0	123.8	122.8	0.42	1.00	0.00	0.00	Y57G				
132	81.2	x	0.348	0.594	0.585	-0.038	0.539	-29.6	32.2	43.8	132.5	92.2	-69.5	103.3	124.5	123.9	0.41	1.00	0.00	0.00	Y58G				
133	80.7	x	0.343	0.597	0.574	-0.039	0.546	-30.3	31.9	44.0	133.5	92.0	-71.9	102.6	125.3	125.0	0.39	1.00	0.00	0.00	Y60G				
134	80.1	x	0.338	0.601	0.563	-0.04	0.553	-31.0	31.7	44.3	134.4	91.7	-74.3	101.8	126.1	126.1	0.38	1.00	0.00	0.00	Y61G				
135	79.6	x	0.333	0.604	0.551	-0.04	0.561	-31.7	31.4	44.6	135.2	91.5	-76.7	101.1	127.0	127.1	0.36	1.00	0.00	0.00	Y63G				
136	79.0	x	0.328	0.608	0.54	-0.041	0.568	-32.3	31.1	44.9	136.1	91.2	-79.1	100.4	127.9	128.2	0.35	1.00	0.00	0.00	Y64G				
137	78.1	x	0.321	0.612	0.524	-0.042	0.575	-33.2	30.8	45.2	137.2	90.8	-82.7	99.7	128.7	129.1	0.33	1.00	0.00	0.00	Y66G				
138	76.9	x	0.311	0.618	0.504	-0.044	0.593	-34.3	30.0	45.6	138.8	90.2	-87.2	98.7	129.7	130.6	0.32	1.00	0.00	0.00	Y67G				
139	75.7	x	0.302	0.623	0.485	-0.047	0.605	-35.1	29.4	45.8	140.1	89.7	-91.3	95.3	131.9	133.7	0.3	1.							

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																				
Yxy _{AB} abc _{AB} ABC _{AB} LabC _{AB} a _{hAB} b _{hAB} data for relative spacing of elementary hue a _{hAB} of LINYAB for CIE 2 degree observer																				
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 17.7, 93.3, 159.1, 270.8 of LINYAB, and 90 intended hue angles:																				
270, 271, ..., 360, LINYAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 1-2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																				
no.	AB	Y	x	y	a	b	c	AB	A	B	C	AB	h _{AB}	L*	a*	b*	C*	h _{AB}	rgb _{AB}	Code _{AB}
276	19.2	0.127	0.132	0.963	-2.244	1.889	0.2	-34.7	34.7	779.4	50.9	1.2	-83.9	83.9	270.8	0.00	0.01	1.00	% G99B	
271	18.6	0.127	0.128	0.99	-2.316	1.881	0.7	-35.0	35.0	779.2	50.2	4.0	-85.1	85.2	272.6	0.0	0.0	1.00	% R00R	
272	18.0	0.127	0.125	1.019	-2.389	1.954	1.2	-35.2	35.2	272.0	49.5	6.6	-86.2	86.5	274.4	0.02	0.00	1.00	% B01R	
273	17.1	0.127	0.119	1.066	-2.512	2.08	1.9	-35.5	35.6	273.2	48.4	10.8	-88.1	88.8	277.0	0.04	0.00	1.00	% B02R	
274	16.3	0.128	0.115	1.111	-2.627	2.197	2.6	-35.8	35.9	274.2	47.4	14.6	-89.7	90.9	279.2	0.05	0.00	1.00	% B02R	
275	15.7	0.128	0.111	1.156	-2.736	2.309	3.2	-36.1	36.2	275.1	46.6	18.2	-91.1	93.0	281.3	0.07	0.00	1.00	% B03R	
276	15.0	0.129	0.107	1.205	-2.85	2.428	3.8	-36.3	36.5	276.0	45.7	21.9	-92.6	95.1	283.3	0.09	0.00	1.00	% B04R	
277	14.3	0.129	0.102	1.264	-2.989	2.575	4.5	-36.6	36.8	277.0	44.7	26.1	-94.2	97.7	285.5	0.11	0.00	1.00	% B05R	
278	13.5	0.13	0.097	1.336	-3.157	2.749	5.2	-36.8	37.2	278.0	43.5	30.9	-96.0	100.9	287.8	0.13	0.00	1.00	% B06R	
279	12.7	0.131	0.092	1.419	-3.349	2.951	5.9	-37.1	37.6	279.1	42.3	36.9	-99.7	104.3	290.1	0.15	0.00	1.00	% B07R	
280	11.9	0.132	0.087	1.513	-3.567	3.182	6.7	-37.3	37.9	280.2	41.1	41.3	-99.9	108.1	292.4	0.17	0.00	1.00	% B08R	
281	11.1	0.133	0.082	1.616	-3.809	3.44	7.4	-37.6	38.3	281.2	39.8	46.7	-102.0	112.2	294.6	0.19	0.00	1.00	% B09R	
282	10.3	0.134	0.077	1.734	-4.075	3.723	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.2	0.00	1.00	% B10R	
283	9.6	0.135	0.072	1.858	-4.357	4.025	8.8	-38.0	39.0	283.0	37.3	57.5	-106.0	120.6	298.4	0.22	0.00	1.00	% B11R	
284	8.7	0.136	0.066	2.068	-4.831	4.535	9.7	-38.2	39.4	284.2	35.4	65.5	-109.0	127.2	300.8	0.24	0.00	1.00	% B12R	
285	7.9	0.137	0.061	2.251	-5.235	4.973	10.4	-38.3	39.7	285.0	33.9	71.7	-112.1	132.3	302.8	0.26	0.00	1.00	% B13R	
286	7.2	0.138	0.052	2.482	-5.692	5.398	10.3	-38.6	40.0	286.0	31.1	76.8	-115.6	138.8	303.5	0.28	0.00	1.00	% B14R	
287	5.6	0.128	0.045	2.848	-7.295	7.117	10.7	-38.8	40.2	285.8	28.5	84.7	-119.6	146.5	305.3	0.3	0.00	1.00	% B15R	
288	6.3	0.144	0.05	2.887	-6.421	6.291	12.3	-38.2	40.2	287.9	30.4	89.6	-116.1	146.6	307.6	0.32	0.00	1.00	% B16R	
289	6.7	0.15	0.052	2.866	-6.055	5.937	12.9	-38.1	40.2	288.8	31.3	90.6	-114.5	146.0	308.3	0.34	0.00	1.00	% B17R	
290	7.1	0.157	0.055	2.846	-5.713	5.697	13.6	-37.9	40.2	289.7	32.2	91.7	-112.8	145.4	309.0	0.35	0.00	1.00	% B17R	
291	7.6	0.163	0.057	2.826	-5.395	5.362	14.2	-37.6	40.3	290.9	33.1	92.7	-111.2	144.8	309.8	0.37	0.00	1.00	% B18R	
292	8.0	0.169	0.06	2.807	-5.099	5.02	14.9	-37.4	40.3	291.7	34.0	93.7	-109.6	144.2	310.5	0.39	0.00	1.00	% B19R	
293	8.4	0.175	0.063	2.788	-4.826	4.64	15.6	-37.2	40.3	292.7	34.9	94.7	-108.0	143.7	311.2	0.41	0.00	1.00	% B20R	
294	8.9	0.182	0.065	2.77	-4.572	4.512	16.2	-37.0	40.4	293.7	35.9	95.8	-106.4	143.1	311.9	0.43	0.00	1.00	% B21R	
295	9.4	0.188	0.068	2.753	-4.338	4.298	16.9	-36.7	40.5	294.7	36.8	96.7	-104.8	142.6	312.7	0.45	0.00	1.00	% B22R	
296	9.9	0.194	0.071	2.736	-4.12	4.095	17.7	-36.5	40.6	295.8	37.7	97.7	-103.2	142.1	313.4	0.47	0.00	1.00	% B23R	
297	10.4	0.201	0.073	2.72	-3.919	3.997	18.4	-36.3	40.7	296.9	38.6	98.7	-101.6	141.4	314.1	0.48	0.00	1.00	% B24R	
298	10.9	0.207	0.076	2.704	-3.733	3.735	19.1	-36.0	40.8	298.0	39.4	99.6	-100.0	141.2	314.8	0.5	0.00	1.00	% B25R	
299	11.4	0.213	0.079	2.689	-3.56	3.576	19.9	-35.8	40.9	299.0	40.3	100.6	-98.5	140.8	315.6	0.52	0.00	1.00	% B26R	
300	11.9	0.219	0.082	2.675	-3.4	3.429	20.6	-35.5	41.1	300.1	41.2	101.5	-96.9	140.4	316.3	0.54	0.00	1.00	% B27R	
301	12.5	0.225	0.084	2.661	-3.251	3.294	21.4	-35.2	41.2	301.2	42.0	102.4	-95.4	140.0	316.9	0.56	0.00	1.00	% B28R	
302	13.0	0.231	0.087	2.647	-3.113	3.17	22.1	-35.0	41.4	302.3	42.8	103.2	-94.0	139.6	317.5	0.58	0.00	1.00	% B29R	
303	13.6	0.237	0.09	2.634	-2.985	3.055	22.9	-34.7	41.6	303.4	43.7	104.1	-92.9	139.3	318.3	0.6	0.00	1.00	% B30R	
304	14.1	0.243	0.092	2.622	-2.865	2.949	23.7	-34.4	41.8	304.5	44.5	104.9	-91.1	138.9	319.0	0.62	0.00	1.00	% B31R	
305	14.7	0.248	0.095	2.61	-2.754	2.851	24.4	-34.1	42.0	305.5	45.3	105.7	-89.7	138.6	319.6	0.63	0.00	1.00	% B31R	
306	15.3	0.254	0.097	2.598	-2.65	2.761	25.2	-33.9	42.2	306.6	46.0	106.5	-88.3	138.3	320.3	0.65	0.00	1.00	% B32R	
307	15.8	0.259	0.1	2.586	-2.554	2.677	25.9	-33.6	42.5	307.6	46.8	107.2	-86.9	138.0	320.9	0.67	0.00	1.00	% B33R	
308	16.4	0.264	0.102	2.575	-2.464	2.599	26.7	-33.3	42.7	308.7	47.5	107.9	-85.6	137.8	321.5	0.69	0.00	1.00	% B34R	
309	17.0	0.269	0.105	2.565	-2.379	2.527	27.4	-33.0	43.0	309.7	48.2	108.6	-84.3	137.5	322.1	0.71	0.00	1.00	% B35R	
310	17.5	0.274	0.107	2.554	-2.298	2.454	28.1	-32.8	43.2	310.7	49.0	109.3	-83.0	137.2	322.7	0.73	0.00	1.00	% B36R	
311	18.1	0.279	0.109	2.544	-2.227	2.398	28.9	-32.5	43.5	311.6	49.6	109.9	-81.8	137.0	323.3	0.75	0.00	1.00	% B37R	
312	18.7	0.283	0.111	2.534	-2.158	2.34	29.6	-32.2	43.8	312.5	50.3	110.5	-80.6	136.8	323.9	0.77	0.00	1.00	% B38R	
313	19.2	0.288	0.114	2.524	-2.093	2.286	30.3	-31.9	44.0	313.5	51.0	111.1	-79.4	136.6	324.4	0.78	0.00	1.00	% B39R	
314	19.8	0.292	0.116	2.515	-2.033	2.236	31.0	-31.7	44.3	314.4	51.6	111.7	-78.2	136.4	324.9	0.8	0.00	1.00	% B40R	
315	20.3	0.296	0.118	2.505	-1.976	2.189	31.7	-31.4	44.6	315.2	52.2	112.2	-77.1	136.2	325.4	0.82	0.00	1.00	% B41R	
316	20.9	0.3	0.12	2.496	-1.923	2.145	32.3	-31.1	44.9	316.1	52.8	112.7	-76.0	136.0	325.9	0.84	0.00	1.00	% B42R	
317	21.23	0.296	0.123	2.484	-1.881	2.173	33.0	-30.7	45.2	317.0	53.8	113.0	-74.7	135.5	326.6	0.86	0.00	1.00	% B43R	
318	21.6	0.313	0.128	2.436	-1.801	2.174	34.3	-30.0	45.6	318.8	55.1	113.9	-71.8	135.0	327.5	0.88	0.00	1.00	% B44R	
319	24.2	0.319	0.133	2.399	-1.646	1.888	35.1	-29.4	45.8	320.1	56.3	112.7	-69.5	132.5	328.3	0.9	0.00	1.00	% B45R	
320	25.3	0.324	0.137	2.363	-1.57	1.812	35.8	-28.7	45.9	322.2	57.4	112.3	-67.5	131.0	328.9	0.91	0.00	1.00	% B46R	
321	26.4	0.328	0.141	2.328	-1.504	1.744	36.4	-28.0	46.0	322.2	58.4	111.6	-65.6	129.5	329.5	0.93	0.00	1.00	% B46R	
322	27.3	0.332	0.144	2.295	-1.446	1.682	36.8	-27.6	46.0	323.0	59.3	110.9	-63.8	127.9	330.0	0.95	0.00	1.00	% B47R	
323	28.2	0.335	0.148	2.263	-1.395	1.626	37.1	-27.1	45.9	323.8	60.1	110.0	-62.2	126.4	330.5	0.97	0.00	1.00	% B48R	
324	29.1	0.337	0.151	2.232	-1.35	1.575	37.3	-26.6	45.8	324.4	60.8	109.1	-60.7	124.8	330.9	1.00	0.00	1.00	% B49R	
325	29.9	0.34	0.154	2.203	-1.31	1.528	37.4	-26.1	45.6	325.0	61.5	108.1	-59.3	123.3	331.2	1.00	0.00	0.98	% B50R	
326	31.1	0.344	0.159	2.165	-1.248	1.462	38.0	-25.3	45.5	326.2	62.6	107.0	-58.0	121.7	331.3	1.00	0.00			

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, LINYAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	31 556	56.57	−21.89	−18.32	28.54	0.5611	−0.7532	219.9	15 476	37 585	Cm		%	
6 435	31 557	57.41	−26.44	−8.79	27.86	0.4876	−0.5825	198.4	16 480	44 621			%	
10 450	31 559	57.53	−32.48	6.09	33.05	0.3834	−0.3234	169.3	18 491	−1 491c			%	
11 460	32 562	59.27	−33.9	10.52	35.5	0.3761	−0.2517	162.7	19 498	−1 498c			%	
12 465	33 565	60.91	−34.93	14.56	37.84	0.3747	−0.1903	157.3	21 506	−1 506c			%	
14 470	34 570	63.07	−35.18	20.67	40.8	0.3903	−0.1016	149.5	24 522	−1 522c			%	
15 475	35 579	68.64	−33.55	24.85	41.75	0.4593	−0.0672	143.4	26 533	−1 533c	Gm		%	
16 480	41 606	81.94	−23.65	31.88	39.7	0.6594	−0.0401	126.5	30 550	−1 550c			%	
16 485	−1 484c	92.3	−10.45	36.33	37.8	0.8348	−0.0356	106.0	32 560	10 454			%	
18 490	−1 490c	89.06	−7.57	36.55	37.33	0.863	−0.0188	101.7	32 562	11 459	max		%	
19 495	−1 495c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
19 500	−1 499c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
22 510	−1 510c	79.1	1.43	33.55	33.58	0.9662	−0.0051	87.5	33 567	13 466			%	
23 520	−1 519c	75.81	4.11	32.27	32.53	1.0024	−0.0036	82.7	33 568	13 468	Ym		%	
26 530	−1 530c	64.17	12.31	27.48	30.11	1.14	−0.001	65.8	34 573	14 472			%	
27 540	−1 539c	59.9	14.81	25.68	29.65	1.1955	−0.0005	60.0	35 576	14 473			%	
28 545	−1 544c	55.54	17.09	23.83	29.32	1.2559	−0.0002	54.3	35 578	14 474			%	
29 550	−1 549c	51.12	19.09	21.94	29.08	1.3215	−0.0001	48.9	36 580	15 475			%	
31 555	−1 555c	42.37	21.98	18.19	28.53	1.4668	0.0	39.6	37 586	15 476			%	
32 560	10 451	40.04	32.52	−6.18	33.11	1.7604	−0.5838	349.2	−1 492c	18 492			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, LINYAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
31 556	0 405	43.42	21.89	18.32	28.54	1.4522	−0.0074	39.9	37 585	15 476	Rm		%	
31 557	6 435	42.58	26.44	8.79	27.86	1.5691	−0.2226	18.4	44 621	16 480			%	
31 559	10 450	42.46	32.48	−6.09	33.05	1.713	−0.5727	349.3	−1 491c	18 491			%	
32 562	11 460	40.72	33.9	−10.52	35.5	1.7807	−0.6879	342.7	−1 498c	19 498			%	
33 565	12 465	39.08	34.93	−14.56	37.84	1.8419	−0.8019	337.3	−1 506c	21 506			%	
34 570	14 470	36.92	35.18	−20.67	40.8	1.901	−0.9891	329.5	−1 522c	24 522			%	
35 579	15 475	31.35	33.55	−24.85	41.75	2.0184	−1.2222	323.4	−1 533c	26 533	Mm		%	
41 606	16 480	18.05	23.65	−31.88	39.7	2.2587	−2.1959	306.5	−1 550c	30 550			%	
−1 484c	16 485	7.69	10.45	−36.33	37.8	2.306	−5.1484	286.0	10 454	32 560			%	
−1 490c	18 490	10.93	7.57	−36.55	37.33	1.6407	−3.7725	281.7	11 459	32 562	min		%	
−1 495c	19 495	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 499c	19 500	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 510c	22 510	20.89	−1.43	−33.55	33.58	0.8795	−2.035	267.5	13 466	33 567			%	
−1 519c	23 520	24.18	−4.12	−32.27	32.53	0.7777	−1.7639	262.7	13 468	33 568	Bm		%	
−1 530c	26 530	35.82	−12.31	−27.48	30.11	0.6044	−1.1965	245.8	14 472	34 573			%	
−1 539c	27 540	40.09	−14.81	−25.68	29.65	0.5785	−1.0699	240.0	14 473	35 576			%	
−1 544c	28 545	44.45	−17.09	−23.83	29.32	0.5635	−0.9653	234.3	14 474	35 578			%	
−1 549c	29 550	48.87	−19.09	−21.94	29.08	0.5575	−0.8782	228.9	15 475	36 580			%	
−1 555c	31 555	57.62	−21.98	−18.19	28.53	0.5667	−0.745	219.6	15 476	37 586			%	
10 451	32 560	59.95	−32.52	6.18	33.11	0.4056	−0.3261	169.2	18 492	−1 492c			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																						
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} , h _{AB} data for relative spacing of elementary hue h _{AB} of L ₁ YAB for CIE 10 degree observer																						
Elementary hue circle with 4 intended elementary hues 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																						
no.	AB	X ₁₀	Y ₁₀	A ₁₀	q ₁₀	b ₁₀	c _{AB10}	A ₁₀	B ₁₀	C _{AB10}	h _{AB10}	L* ₁₀	a*	b*	b ⁰	C* _{AB}	h _{AB}	rgb ⁰	AB ₁₀	Code	AB ₁₀	
000	48.0	0.434	0.252	1.724	-0.497	0.779	31.0	-2.7	31.1	354.9	69.5	81.2	-7.3	81.6	354.7	1.00	0.00	0.36	0.00	0.36	B81R	
001	48.0	0.436	0.253	1.719	-0.487	0.773	30.8	-2.3	30.9	355.7	69.5	80.8	-6.3	81.1	355.5	1.00	0.00	0.34	0.00	0.34	B82R	
002	48.0	0.439	0.256	1.714	-0.476	0.768	30.7	-1.8	30.7	356.4	69.5	80.4	-5.2	80.6	356.3	1.00	0.00	0.32	0.00	0.32	B83R	
003	48.0	0.441	0.258	1.709	-0.465	0.762	30.5	-1.4	30.5	357.2	69.5	80.0	-4.0	80.1	357.1	1.00	0.00	0.30	0.00	0.30	B84R	
004	48.1	0.443	0.26	1.704	-0.454	0.757	30.3	-1.0	30.3	358.1	69.5	79.6	-2.8	79.6	357.9	1.00	0.00	0.28	0.00	0.28	B85R	
005	48.1	0.446	0.262	1.699	-0.442	0.751	30.1	-0.5	30.1	358.9	69.5	79.1	-1.5	79.1	358.8	1.00	0.00	0.26	0.00	0.26	B86R	
006	48.1	0.449	0.265	1.694	-0.431	0.745	29.9	0.0	29.9	359.8	69.5	78.7	-0.2	78.7	359.8	1.00	0.00	0.24	0.00	0.24	B87R	
007	48.1	0.451	0.267	1.688	-0.419	0.737	29.7	0.4	29.7	0.7	69.6	78.2	1.1	78.2	0.8	1.00	0.00	0.22	0.00	0.22	B88R	
008	48.2	0.454	0.269	1.682	-0.408	0.734	29.5	0.8	29.5	1.0	69.7	77.2	2.7	77.2	1.8	1.00	0.00	0.20	0.00	0.20	B89R	
009	48.2	0.457	0.272	1.676	-0.394	0.729	29.3	1.3	29.3	2.7	69.6	77.2	4.0	77.3	3.0	1.00	0.00	0.18	0.00	0.18	B90R	
010	48.2	0.46	0.275	1.67	-0.382	0.724	29.1	1.9	29.1	3.7	69.6	76.7	5.6	76.9	4.1	1.00	0.00	0.16	0.00	0.16	B91R	
011	48.3	0.463	0.278	1.664	-0.369	0.719	28.8	2.4	28.9	4.7	69.6	76.2	7.2	76.5	5.4	1.00	0.00	0.14	0.00	0.14	B92R	
012	48.3	0.467	0.281	1.658	-0.356	0.714	28.6	2.9	28.8	5.8	69.7	75.6	8.8	76.2	6.7	1.00	0.00	0.12	0.00	0.12	B93R	
013	48.3	0.47	0.284	1.652	-0.343	0.709	28.4	3.4	28.6	6.9	69.7	75.1	10.6	75.8	8.0	1.00	0.00	0.1	0.00	0.1	B94R	
014	48.4	0.474	0.288	1.645	-0.33	0.704	28.1	4.0	28.4	8.0	69.7	74.5	12.3	75.6	9.4	1.00	0.00	0.08	0.00	0.08	B95R	
015	48.4	0.477	0.291	1.639	-0.316	0.7	27.9	4.5	28.3	9.2	69.8	74.0	14.2	75.3	10.8	1.00	0.00	0.06	0.00	0.06	B96R	
016	48.5	0.481	0.294	1.632	-0.303	0.695	27.7	5.0	28.6	10.4	69.8	73.5	16.1	75.2	12.3	1.00	0.00	0.04	0.00	0.04	B97R	
017	48.5	0.485	0.298	1.625	-0.29	0.691	27.4	5.6	28.0	11.6	69.8	72.8	18.1	75.0	13.9	1.00	0.00	0.02	0.00	0.02	B98R	
018	48.6	0.489	0.302	1.618	-0.276	0.687	27.2	6.2	27.9	12.8	69.9	72.2	20.1	75.0	15.6	1.00	0.00	0.0	0.00	0.0	B99R	
019	48.6	0.493	0.305	1.611	-0.263	0.684	27.0	6.7	27.8	14.0	69.9	71.6	22.3	75.0	17.2	1.00	0.01	0.00	0.00	0.01	R01Y	
020	48.7	0.497	0.309	1.605	-0.249	0.681	26.7	7.3	27.7	15.3	70.0	71.0	24.5	75.2	19.0	1.00	0.02	0.00	0.00	0.02	R02Y	
021	48.8	0.501	0.313	1.598	-0.235	0.678	26.5	7.8	27.6	16.5	70.0	70.4	26.8	75.4	20.8	1.00	0.04	0.00	0.00	0.04	R04Y	
022	48.8	0.505	0.317	1.591	-0.222	0.675	26.2	8.4	27.6	17.8	70.0	69.8	29.2	75.7	22.6	1.00	0.05	0.00	0.00	0.05	R05Y	
023	48.9	0.509	0.321	1.583	-0.208	0.673	26.0	9.0	27.7	19.1	70.1	69.2	31.7	75.6	24.6	1.00	0.06	0.00	0.00	0.06	R06Y	
024	48.9	0.514	0.326	1.575	-0.195	0.67	25.7	9.5	27.8	20.4	70.1	68.6	34.3	75.7	26.5	1.00	0.08	0.00	0.00	0.08	R08Y	
025	49.0	0.519	0.33	1.569	-0.181	0.669	25.5	10.1	27.4	21.7	70.2	68.0	37.0	77.4	28.5	1.00	0.09	0.00	0.00	0.09	R09Y	
026	49.1	0.523	0.335	1.562	-0.168	0.667	25.2	10.7	27.4	23.0	70.2	67.3	39.8	78.2	30.6	1.00	0.11	0.00	0.00	0.11	R11Y	
027	49.1	0.528	0.339	1.555	-0.155	0.666	25.0	11.3	27.4	24.3	70.3	66.7	42.8	79.3	32.6	1.00	0.12	0.00	0.00	0.12	R12Y	
028	49.2	0.533	0.344	1.548	-0.141	0.665	24.7	11.8	27.4	25.6	70.3	66.1	45.9	80.5	34.8	1.00	0.14	0.00	0.00	0.14	R14Y	
029	49.3	0.538	0.349	1.541	-0.128	0.664	24.5	12.4	27.5	26.8	70.4	65.4	49.2	81.9	36.9	1.00	0.15	0.00	0.00	0.15	R15Y	
030	49.4	0.543	0.354	1.533	-0.115	0.664	24.2	13.0	27.5	28.1	70.4	64.8	52.7	83.6	39.1	1.00	0.17	0.00	0.00	0.17	R17Y	
031	49.5	0.548	0.359	1.526	-0.102	0.664	24.0	13.5	27.6	29.4	70.5	64.2	56.5	85.5	41.3	1.00	0.18	0.00	0.00	0.18	R18Y	
032	49.6	0.553	0.364	1.519	-0.09	0.664	23.7	14.1	27.6	30.6	70.5	63.5	59.7	87.7	43.5	1.00	0.20	0.00	0.00	0.20	R20Y	
033	49.7	0.558	0.369	1.512	-0.077	0.665	23.5	14.6	27.7	31.9	70.6	62.9	64.9	89.4	45.8	1.00	0.23	0.00	0.00	0.23	R23Y	
034	49.8	0.564	0.374	1.505	-0.065	0.665	23.3	15.2	27.8	33.1	70.7	62.3	69.7	93.5	48.2	1.00	0.24	0.00	0.00	0.24	R24Y	
035	49.9	0.569	0.38	1.498	-0.053	0.666	23.0	15.7	27.9	34.3	70.8	61.6	75.0	97.1	50.5	1.00	0.26	0.00	0.00	0.26	R26Y	
036	49.9	0.574	0.385	1.491	-0.041	0.667	22.8	16.3	28.0	35.5	70.8	61.0	81.1	101.5	53.0	1.00	0.26	0.00	0.00	0.26	R26Y	
037	49.8	0.58	0.39	1.484	-0.029	0.669	22.5	16.8	28.1	36.6	70.9	60.4	88.4	107.1	55.6	1.00	0.27	0.00	0.00	0.27	R27Y	
038	49.8	0.585	0.396	1.477	-0.017	0.67	22.3	17.3	28.3	37.8	71.0	59.7	97.8	114.6	58.5	1.00	0.29	0.00	0.00	0.29	R29Y	
039	49.8	0.591	0.401	1.471	-0.006	0.672	22.1	17.8	28.4	38.9	71.0	59.1	111.4	126.1	62.0	1.00	0.3	0.00	0.00	0.3	R30Y	
040	49.7	0.597	0.407	1.465	-0.007	0.673	21.9	18.3	28.5	40.0	71.1	58.4	118.8	133.2	64.1	1.00	0.31	0.00	0.00	0.31	R31Y	
041	49.5	0.602	0.413	1.458	0.02	0.663	21.2	19.5	28.8	42.7	71.9	56.2	159.2	169.0	70.5	1.00	0.33	0.00	0.00	0.33	R33Y	
042	49.4	0.604	0.426	1.416	0.029	0.655	20.7	20.3	29.0	44.7	72.5	54.5	175.2	183.5	72.7	1.00	0.34	0.00	0.00	0.34	R34Y	
043	49.3	0.603	0.431	1.397	0.032	0.644	20.4	20.9	29.2	45.7	73.1	53.0	183.4	199.9	73.8	1.00	0.36	0.00	0.00	0.36	R36Y	
044	49.3	0.6	0.434	1.381	0.032	0.633	20.0	21.3	29.3	46.7	73.7	51.7	184.9	192.0	74.3	1.00	0.37	0.00	0.00	0.37	R37Y	
045	49.3	0.595	0.435	1.366	0.028	0.62	19.8	21.6	29.3	47.5	74.3	50.5	180.9	187.8	74.4	1.00	0.39	0.00	0.00	0.39	R39Y	
046	48.2	0.589	0.435	1.353	0.022	0.607	19.5	21.8	29.3	48.1	75.0	49.4	172.5	179.5	74.0	1.00	0.4	0.00	0.00	0.4	R40Y	
047	48.2	0.582	0.434	1.341	0.015	0.584	19.3	21.9	29.2	48.5	75.6	48.4	160.8	167.9	73.2	1.00	0.42	0.00	0.00	0.42	R42Y	
048	48.2	0.575	0.432	1.331	0.007	0.581	19.2	21.9	29.1	48.7	76.2	47.5	146.8	154.3	72.0	1.00	0.43	0.00	0.00	0.43	R43Y	
049	51.1	0.569	0.43	1.321	0.0	0.568	19.0	21.9	29.0	49.9	76.7	46.7	132.1	140.9	72.5	1.00	0.45	0.00	0.00	0.45	R45Y	
050	52.1	0.566	0.433	1.306	0.0	0.559	18.6	22.3	29.1	50.1	77.3	45.3	133.1	140.6	71.1	1.00	0.46	0.00	0.00	0.46	R46Y	
051	53.0	0.563	0.436	1.292	0.0	0.55	18.2	22.7	29.2	51.2	77.9	44.0	134.0	141.0	71.7	1.00	0.48	0.00	0.00	0.48	R48Y	
052	53.8	0.561	0.438	1.281	0.0	0.543	17.9	23.1	29.2	52.1	78.3	42.9	134.7	141.4	72.3	1.00	0.49	0.00	0.00	0.49	R49Y	
05																						

$rgb^*_{e,AB}$ and CIE data of a elementary hue circle according to CIE R1-47 for *Ostwald* colours for CIE illuminant D65

$Y_{xy}, abc_{AB}, ABC_{AB}, LabC^*_{ab}h_{ab}$ data for relative spacing of elementary hue h_{AB} of LIN_{YAB} for CIE 10 degree observer

Elementary hue circle with 4 intended elementary hue angles: $h_{AB} = 18.2, 86.3, 156.2, 260.1$ of *LINYAB*, and 90 intended hue angles:

090, 091, ..., 179, LINYAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2

no.	AB ₁₀₀	x ₁₀	y ₁₀	a ₁₀	b ₁₀	C _{AB,10}	A ₁₀	B ₁₀	C _{AB,10}	h _{AB,10}	L* ₁₀	a* ₁₀	b* ₁₀	C* _{ab,10}	h _{ab,10}	rgb* _{ab,10}	Code _{AB,10}	
090	89.8	0.481	0.509	0.936	-0.007	0.422	-0.1	34.1	34.1	99.1	92.0	-0.2	138.8	138.8	90.0	0.94	1.00	0.00 % Y85
091	88.5	0.479	0.511	0.948	-0.007	0.421	-0.7	34.3	34.4	91.3	92.4	-1.5	137.7	137.5	90.6	0.93	1.00	0.00 % Y86
092	88.2	0.476	0.512	0.958	-0.008	0.420	-1.4	34.6	34.7	82.5	93.6	-2.9	136.6	136.3	91.2	0.92	1.00	0.00 % Y87
093	83.1	0.473	0.513	0.922	-0.009	0.42	-2.1	34.8	34.9	93.4	93.0	-4.2	135.1	135.2	91.8	0.9	1.00	0.00 % Y89
094	83.8	0.471	0.515	0.914	-0.01	0.42	-2.7	35.1	35.2	94.5	93.3	-5.5	134.1	134.2	92.3	0.88	1.00	0.00 % Y116
095	84.5	0.468	0.516	0.907	-0.011	0.42	-3.4	35.3	35.5	95.5	93.6	-8.0	133.1	133.3	92.9	0.87	1.00	0.00 % Y126
096	85.2	0.466	0.518	0.9	-0.011	0.42	-4.0	35.5	35.8	96.5	93.9	-8.8	132.3	132.5	93.4	0.86	1.00	0.00 % Y136
097	85.9	0.464	0.519	0.893	-0.012	0.42	-4.6	35.8	36.1	97.4	94.2	-9.2	131.5	131.8	94.0	0.84	1.00	0.00 % Y156
098	86.5	0.462	0.52	0.883	-0.013	0.42	-5.2	36.0	36.3	98.2	94.5	-10.3	130.8	131.3	94.5	0.83	1.00	0.00 % Y166
099	87.0	0.46	0.522	0.882	-0.013	0.42	-5.7	36.1	36.6	98.9	94.7	-11.2	130.3	130.7	94.9	0.81	1.00	0.00 % Y186
100	87.6	0.458	0.522	0.876	-0.014	0.42	-6.2	36.3	36.8	99.1	95.0	-12.2	129.1	129.7	95.4	0.8	1.00	0.00 % Y196
101	88.1	0.454	0.523	0.869	-0.015	0.418	-6.7	36.4	37.1	100.8	95.8	-13.6	128.1	128.7	95.8	0.78	1.00	0.00 % Y216
102	89.4	0.451	0.522	0.862	-0.019	0.418	-7.6	36.6	37.3	101.7	95.7	-14.9	123.3	124.2	96.8	0.77	1.00	0.00 % Y226
103	95.5	0.448	0.52	0.86	-0.023	0.414	-7.9	36.7	37.5	102.1	96.2	-15.3	119.5	120.5	97.3	0.76	1.00	0.00 % Y236
104	91.5	0.444	0.519	0.856	-0.028	0.411	-8.3	36.7	37.6	102.8	96	-16.1	115.9	117.0	97.9	0.74	1.00	0.00 % Y256
105	92.2	0.44	0.518	0.848	-0.031	0.409	-9.1	36.6	37.7	104.0	96.9	-17.6	112.7	114.1	98.8	0.73	1.00	0.00 % Y266
106	92.3	0.434	0.519	0.835	-0.035	0.409	-10.3	36.3	37.8	105.9	96.9	-20.0	109.8	111.6	100.3	0.71	1.00	0.00 % Y286
107	92.0	0.432	0.521	0.829	-0.035	0.411	-10.9	36.2	37.8	106.8	96.8	-21.2	109.4	111.4	100.9	0.7	1.00	0.00 % Y296
108	91.7	0.43	0.522	0.822	-0.036	0.412	-11.4	36.6	37.8	107.6	96.7	-22.3	109.1	111.3	101.5	0.68	1.00	0.00 % Y316
109	91.4	0.428	0.524	0.816	-0.036	0.414	-12.0	35.9	37.8	108.5	96.5	-23.5	108.8	111.3	102.5	0.67	1.00	0.00 % Y326
110	91.3	0.426	0.526	0.809	-0.037	0.416	-12.7	35.7	37.7	109.4	96.4	-24.8	108.1	111.3	103.9	0.66	1.00	0.00 % Y336
111	90.6	0.423	0.527	0.802	-0.036	0.418	-13.2	35.5	37.9	110.3	96.2	-26.1	108.2	111.3	103.5	0.64	1.00	0.00 % Y356
112	90.2	0.421	0.529	0.794	-0.036	0.421	-13.8	35.4	38.0	111.3	96.0	-27.5	107.9	111.3	104.3	0.63	1.00	0.00 % Y366
113	89.7	0.418	0.531	0.787	-0.037	0.424	-14.4	35.2	38.0	112.3	95.9	-29.0	107.6	111.4	105.0	0.61	1.00	0.00 % Y386
114	89.3	0.416	0.534	0.779	-0.037	0.427	-15.0	35.5	38.1	113.3	95.7	-30.4	107.3	111.5	105.8	0.6	1.00	0.00 % Y396
115	88.8	0.413	0.536	0.77	-0.037	0.43	-15.7	34.8	38.2	114.3	95.5	-32.0	107.7	111.7	106.6	0.58	1.00	0.00 % Y416
116	88.3	0.41	0.538	0.762	-0.037	0.433	-16.4	34.6	38.2	115.3	95.3	-33.6	106.7	111.8	107.4	0.57	1.00	0.00 % Y426
117	87.7	0.487	0.541	0.753	-0.037	0.437	-17.0	34.3	38.3	116.4	95.9	-35.2	106.3	112.0	108.8	0.56	1.00	0.00 % Y436
118	87.0	0.484	0.543	0.744	-0.038	0.440	-17.7	34.1	38.4	117.4	95.8	-36.9	105.9	112.2	109.8	0.55	1.00	0.00 % Y456
119	86.6	0.481	0.546	0.735	-0.038	0.445	-18.4	33.8	38.6	118.5	94.8	-38.7	105.6	112.4	110.9	0.53	1.00	0.00 % Y466
120	86.0	0.398	0.549	0.725	-0.038	0.449	-19.1	33.6	38.8	119.6	94.3	-40.5	105.2	112.8	111.0	0.51	1.00	0.00 % Y486
121	85.4	0.395	0.551	0.716	-0.038	0.454	-19.8	33.4	38.8	120.6	94.1	-42.3	104.8	113.1	111.9	0.5	1.00	0.00 % Y496
122	84.8	0.391	0.554	0.706	-0.038	0.459	-20.5	33.1	38.9	121.7	93.8	-44.2	104.4	113.4	112.9	0.48	1.00	0.00 % Y516
123	84.2	0.388	0.557	0.696	-0.038	0.464	-21.2	32.8	39.1	122.8	93.5	-46.1	103.9	113.7	113.9	0.47	1.00	0.00 % Y526
124	83.6	0.384	0.56	0.686	-0.039	0.469	-21.9	32.6	39.2	123.8	93.2	-48.1	103.5	114.1	114.9	0.46	1.00	0.00 % Y536
125	82.9	0.38	0.563	0.675	-0.039	0.475	-22.5	32.3	39.4	124.9	93.0	-50.1	103.0	114.5	115.9	0.44	1.00	0.00 % Y556
126	82.3	0.376	0.566	0.665	-0.039	0.481	-23.2	32.1	39.6	125.9	92.7	-52.1	102.4	114.9	116.9	0.43	1.00	0.00 % Y566
127	81.6	0.372	0.568	0.655	-0.040	0.487	-23.9	31.8	39.7	126.9	92.4	-54.0	102.2	115.2	118.0	0.41	1.00	0.00 % Y586
128	81.0	0.369	0.571	0.645	-0.041	0.493	-24.6	31.3	39.8	127.8	92.0	-55.8	101.6	115.5	119.3	0.4	1.00	0.00 % Y596
129	79.9	0.362	0.575	0.63	-0.042	0.5	-25.4	30.9	40.0	129.4	91.6	-59.0	99.5	115.7	120.6	0.38	1.00	0.00 % Y616
130	79.1	0.357	0.578	0.618	-0.044	0.597	-26.0	30.8	40.1	130.5	91.3	-61.3	98.3	115.9	121.9	0.37	1.00	0.00 % Y626
131	78.3	0.352	0.581	0.606	-0.045	0.514	-26.7	30.8	40.2	131.6	90.9	-63.8	97.2	116.2	123.2	0.36	1.00	0.00 % Y636
132	77.4	0.347	0.584	0.594	-0.046	0.521	-27.4	29.6	40.3	132.7	90.5	-66.2	96.0	116.6	124.6	0.34	1.00	0.00 % Y656
133	76.6	0.341	0.587	0.581	-0.048	0.528	-28.0	29.2	40.5	133.8	90.1	-68.7	94.7	117.0	125.9	0.33	1.00	0.00 % Y666
134	75.8	0.336	0.59	0.569	-0.049	0.536	-28.8	28.7	40.6	134.9	89.7	-71.2	93.5	117.5	127.2	0.31	1.00	0.00 % Y686
135	75.0	0.33	0.593	0.557	-0.051	0.543	-29.3	28.3	40.7	135.9	89.4	-73.7	92.2	118.0	128.6	0.3	1.00	0.00 % Y696
136	74.4	0.325	0.595	0.545	-0.052	0.549	-29.8	27.9	40.9	136.9	89.1	-76.0	90.9	118.3	130.0	0.28	1.00	0.00 % Y716
137	73.7	0.319	0.598	0.533	-0.053	0.559	-30.4	27.5	41.0	137.9	88.6	-77.7	89.8	118.7	131.3	0.27	1.00	0.00 % Y726
138	72.6	0.313	0.601	0.521	-0.056	0.567	-31.0	27.0	41.1	138.8	88.2	-81.2	88.3	120.0	132.6	0.26	1.00	0.00 % Y736
139	71.8	0.307	0.604	0.509	-0.058	0.574	-31.5	26.6	41.1	139.7	87.9	-83.8	87.0	120.8	133.9	0.24	1.00	0.00 % Y756
140	71.0	0.301	0.606	0.497	-0.06	0.582	-32.0	26.2	41.4	140.6	87.5	-86.2	85.7	121.6	135.1	0.23	1.00	0.00 % Y766
141	70.3	0.296	0.609	0.486	-0.062	0.59	-32.5	25.8	41.5	141.5	87.1	-88.7	84.4	122.5	136.4	0.21	1.00	0.00 % Y786
142	69.6	0.29	0.611	0.475	-0.064	0.597	-32.9	25.4	41.6	142.3	86.8	-91.1	83.1	123.4	137.6	0.2	1.00	0.00 % Y796
143	68.9	0.284	0.613	0.464	-0.066	0.605	-33.3	25.0	41.7	143.1	86.4	-93.5	81.9	124.3	138.7	0.18	1.00	0.00 % Y816
144	68.2	0.589	0.327	1.553	-0.198	0.647	25.5	9.7	27.3	20.8	71.0	67.1	33.9	75.1	26.8	0.17	1.00	0.00 % Y826
145	67.5	0.582	0.327	1.545	-0.198	0.648	25.6	9.7	27.3	20.8	71.0	67.2	33.9	75.2	26.8	0.17	1.00	0.00 % Y836
146	66.8	0.587	0.326	1.555	-0.202	0.648	25.6	9.5	27.3	20.8	71.0	67.3	33.1	75.3	26.2	0.14	1.00	0.00 % Y856
147	66.2	0.587	0.325	1.556	-0.204	0.648	25.7	9.4	27.3	20.8	71.0	67.4	32.7	74.9	25.9	0.13	1.00	0.00 % Y866
148	65.2	0.586	0.325	1.557	-0.206	0.649	25.7	9.3	27.3	20.8	71.0	67.5	32.3	74.8	25.6	0.11	1.00	0.00 % Y886
149	64.2	0.585	0.324	1.559	-0.209	0.649	25.7	9.2	27.4	19.8	71.0	67.6	31.9	74.7	25.3	0.1	1.00	0.00 % Y896
150	63.1	0.585	0.323	1.56	-0.211	0.649	25.8	9.2	27.4	19.6	71.0	67.7	31.5	74.7	25.0	0.08	1.00	0.00 % Y916
151	62.1	0.584	0.323	1.561	-0.213	0.65	25.8	9.1	27.4	19.4	71.0	67.8	31.1	74.6	24.7	0.07	1.00	0.00 % Y926
152	61.1	0.583	0.322	1.562	-0.215	0.65	25.8	9.0	27.4	19.2	70.9	67.9	30.8	74.5	24.4	0.06	1.00	0.00 % Y936
153	60.1	0.583	0.321	1.563	-0.217	0.65	25.9	8.9	27.4	19.0	70.9	68.0	30.4	74.4	24.0	0.04	1.00	0.00 % Y956
154	59.4	0.581	0.321	1.564	-0.219	0.65	25.9	8.8	27.4	18.8	70.9	68.1	30.1	74.3	23.7	0.03	1.00	0.00 % Y966
155	62.1	0.581	0.32	1.565	-0.221	0.651	26.0	8.7	27.4									

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																										
Yxy _{AB} , abc _{AB} , ABC _{AB} , LabC _{ab} _{AB} data for relative spacing of elementary hue h _{AB} of LINYAB for CIE 10 degree observer																										
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 18.2, 86.3, 156.2, 260.1 of LINYAB, and 90 intended hue angles:																										
180, 181, ..., 269, LINYAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																										
no.	AB	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{AB} 10	A ₁₀	B ₁₀	C _{AB} 10	h _{AB} 10	L* ₁₀	a* ₁₀	b* ₁₀	C* _{ab} 10	h _{ab} 10	rgb _{AB}	AB	10	Code	AB	10					
180	41.8	0.485	0.304	1.593	-0.274	0.664	27.0	6.4	27.7	13.4	70.7	70.6	29.6	73.6	16.2	0.00	1.00	0.45	G22B	10						
181	41.8	0.485	0.304	1.593	-0.276	0.664	27.0	6.3	27.7	13.2	70.7	70.7	29.6	73.6	16.0	0.00	1.00	0.47	G23B	10						
182	41.7	0.484	0.303	1.596	-0.279	0.665	27.0	6.2	27.8	13.0	70.7	70.8	19.9	73.6	15.7	0.00	1.00	0.49	G24B	10						
183	41.7	0.484	0.302	1.597	-0.281	0.666	27.1	6.1	27.8	12.8	70.7	70.9	19.6	73.6	15.4	0.00	1.00	0.51	G25B	10						
184	41.7	0.483	0.302	1.598	-0.283	0.666	27.1	6.0	27.8	12.6	70.7	71.0	19.3	73.6	15.2	0.00	1.00	0.53	G26B	10						
185	41.7	0.482	0.301	1.599	-0.285	0.667	27.2	6.0	27.8	12.4	70.7	71.1	19.0	73.6	14.9	0.00	1.00	0.55	G27B	10						
186	41.7	0.482	0.301	1.6	-0.287	0.667	27.2	5.9	27.8	12.2	70.7	71.2	18.6	73.6	14.6	0.00	1.00	0.57	G28B	10						
187	41.7	0.481	0.3	1.601	-0.289	0.668	27.2	5.8	27.9	12.0	70.6	71.3	18.3	73.6	14.4	0.00	1.00	0.59	G29B	10						
188	41.7	0.481	0.3	1.603	-0.291	0.668	27.3	5.7	27.9	11.8	70.6	71.4	18.0	73.7	14.1	0.00	1.00	0.61	G30B	10						
189	41.7	0.48	0.299	1.604	-0.294	0.669	27.3	5.6	27.9	11.6	70.6	71.5	17.7	73.7	13.9	0.00	1.00	0.63	G31B	10						
190	41.6	0.479	0.298	1.605	-0.296	0.67	27.4	5.5	27.9	11.4	70.6	71.6	17.3	73.7	13.6	0.00	1.00	0.64	G32B	10						
191	41.6	0.479	0.298	1.606	-0.298	0.671	27.4	5.4	27.9	11.2	70.6	71.7	17.0	73.7	13.3	0.00	1.00	0.66	G33B	10						
192	41.6	0.478	0.297	1.607	-0.3	0.672	27.4	5.3	28.0	11.0	70.6	71.8	16.7	73.7	13.1	0.00	1.00	0.68	G34B	10						
193	41.6	0.478	0.297	1.608	-0.302	0.672	27.5	5.2	28.0	10.8	70.6	71.9	16.4	73.8	12.8	0.00	1.00	0.7	G35B	10						
194	41.6	0.477	0.296	1.609	-0.304	0.673	27.5	5.1	28.0	10.6	70.6	72.0	16.1	73.8	12.6	0.00	1.00	0.72	G36B	10						
195	41.6	0.476	0.296	1.611	-0.306	0.674	27.6	5.1	28.0	10.4	70.6	72.1	15.8	73.8	12.3	0.00	1.00	0.74	G37B	10						
196	41.6	0.476	0.295	1.612	-0.308	0.674	27.6	5.0	28.0	10.2	70.6	72.2	15.5	73.9	12.1	0.00	1.00	0.76	G38B	10						
197	41.6	0.475	0.294	1.613	-0.311	0.675	27.6	4.9	28.1	10.0	70.6	72.3	15.1	73.9	11.8	0.00	1.00	0.78	G39B	10						
198	41.5	0.475	0.294	1.614	-0.313	0.676	27.7	4.8	28.1	9.8	70.6	72.4	14.8	73.9	11.6	0.00	1.00	0.8	G40B	10						
199	41.5	0.474	0.293	1.615	-0.315	0.677	27.7	4.7	28.1	9.6	70.6	72.5	14.5	74.0	11.3	0.00	1.00	0.82	G41B	10						
200	41.5	0.474	0.293	1.616	-0.317	0.677	27.7	4.6	28.1	9.4	70.5	72.6	14.2	74.0	11.1	0.00	1.00	0.84	G42B	10						
201	41.5	0.473	0.292	1.617	-0.319	0.678	27.8	4.5	28.2	9.3	70.5	72.7	13.9	74.0	10.8	0.00	1.00	0.86	G43B	10						
202	41.5	0.472	0.292	1.619	-0.321	0.679	27.8	4.4	28.2	9.1	70.5	72.8	13.6	74.1	10.6	0.00	1.00	0.88	G44B	10						
203	41.5	0.472	0.291	1.621	-0.323	0.681	27.9	4.3	28.2	8.9	70.5	72.9	13.3	74.1	10.3	0.00	1.00	0.9	G45B	10						
204	41.5	0.471	0.291	1.622	-0.326	0.681	27.9	4.2	28.2	8.7	70.5	73.0	13.0	74.1	10.1	0.00	1.00	0.91	G45B	10						
205	41.5	0.471	0.29	1.622	-0.328	0.681	27.9	4.2	28.3	8.5	70.5	73.1	12.7	74.2	9.9	0.00	1.00	0.93	G46B	10						
206	41.5	0.47	0.289	1.623	-0.33	0.682	28.0	4.1	28.3	8.3	70.5	73.2	12.4	74.2	9.6	0.00	1.00	0.95	G47B	10						
207	41.4	0.47	0.289	1.624	-0.332	0.683	28.0	4.0	28.3	8.1	70.5	73.3	12.1	74.3	9.4	0.00	1.00	0.97	G48B	10						
208	41.4	0.469	0.288	1.625	-0.334	0.684	28.1	3.9	28.3	7.9	70.5	73.4	11.9	74.3	9.2	0.00	1.00	0.99	G49B	10						
209	41.4	0.469	0.288	1.626	-0.336	0.685	28.1	3.8	28.4	7.7	70.5	73.5	11.6	74.4	8.9	0.00	0.98	1.00	G50B	10						
210	41.4	0.468	0.287	1.628	-0.338	0.686	28.1	3.7	28.4	7.5	70.4	73.6	11.3	74.4	8.7	0.00	0.96	1.00	G51B	10						
211	41.4	0.467	0.287	1.629	-0.34	0.686	28.2	3.6	28.4	7.4	70.4	73.7	11.0	74.5	8.5	0.00	0.95	1.00	G52B	10						
212	41.4	0.467	0.286	1.63	-0.342	0.687	28.2	3.5	28.4	7.2	70.4	73.8	10.7	74.5	8.2	0.00	0.92	1.00	G53B	10						
213	41.4	0.466	0.286	1.631	-0.345	0.688	28.3	3.4	28.5	7.0	70.4	73.9	10.4	74.6	8.0	0.00	0.9	1.00	G54B	10						
214	41.4	0.466	0.285	1.632	-0.347	0.689	28.3	3.4	28.5	6.8	70.4	73.9	10.1	74.6	7.8	0.00	0.88	1.00	G55B	10						
215	41.3	0.465	0.285	1.633	-0.349	0.69	28.3	3.3	28.5	6.6	70.4	74.0	9.9	74.7	7.6	0.00	0.86	1.00	G56B	10						
216	41.3	0.465	0.284	1.634	-0.351	0.691	28.4	3.2	28.5	6.4	70.4	74.1	9.6	74.8	7.3	0.00	0.84	1.00	G57B	10						
217	41.3	0.464	0.284	1.635	-0.353	0.692	28.4	3.1	28.6	6.2	70.4	74.2	9.3	74.8	7.1	0.00	0.83	1.00	G58B	10						
218	41.3	0.464	0.283	1.637	-0.355	0.692	28.4	3.0	28.6	6.1	70.4	74.3	9.0	74.9	6.9	0.00	0.81	1.00	G59B	10						
219	41.3	0.463	0.283	1.638	-0.357	0.693	28.5	2.9	28.6	5.9	70.4	74.4	8.7	74.9	6.7	0.00	0.79	1.00	G60B	10						
220	41.3	0.463	0.282	1.639	-0.359	0.694	28.5	2.8	28.7	5.7	70.4	74.5	8.5	75.0	6.5	0.00	0.77	1.00	G61B	10						
221	41.3	0.462	0.282	1.64	-0.361	0.695	28.6	2.7	28.7	5.5	70.4	74.6	8.2	75.1	6.2	0.00	0.75	1.00	G62B	10						
222	41.3	0.462	0.281	1.641	-0.364	0.696	28.6	2.6	28.7	5.3	70.3	74.7	7.9	75.1	6.0	0.00	0.73	1.00	G63B	10						
223	41.2	0.461	0.281	1.642	-0.366	0.697	28.6	2.6	28.8	5.2	70.3	74.7	7.7	75.2	5.8	0.00	0.71	1.00	G64B	10						
224	41.2	0.461	0.28	1.643	-0.368	0.698	28.7	2.5	28.8	5.0	70.3	74.9	7.4	75.3	5.6	0.00	0.69	1.00	G65B	10						
225	41.2	0.46	0.28	1.644	-0.37	0.699	28.7	2.4	28.8	4.8	70.3	75.0	7.1	75.3	5.4	0.00	0.67	1.00	G66B	10						
226	41.2	0.46	0.279	1.646	-0.372	0.7	28.7	2.3	28.8	4.6	70.3	75.1	6.8	75.4	5.2	0.00	0.65	1.00	G67B	10						
227	41.2	0.459	0.278	1.647	-0.374	0.701	28.8	2.2	28.9	4.4	70.3	75.2	6.6	75.5	5.0	0.00	0.63	1.00	G68B	10						
228	41.2	0.459	0.278	1.648	-0.376	0.702	28.8	2.1	28.9	4.3	70.3	75.3	6.3	75.5	4.8	0.00	0.61	1.00	G69B	10						
229	41.2	0.458	0.278	1.649	-0.378	0.703	28.9	2.0	28.9	4.1	70.3	75.4	6.1	75.6	4.6	0.00	0.59	1.00	G70B	10						
230	41.2	0.458	0.277	1.65	-0.38	0.704	28.9	2.0	29.0	3.9	70.3	75.5	5.8	75.6	4.4	0.00	0.57	1.00	G71B	10						
231	41.2	0.45																								

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} _{AB} for relative spacing of elementary hue h _{AB} of LINYAB for CIE 10 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 18.2, 86.3, 156.2, 260.1 of LINYAB, and 90 intended hue angles:																			
270, 271, ..., 360, LINYAB data of CIE test colours (9 R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																			
no.	AB ₁₀	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{AB10}	A ₁₀	B ₁₀	C _{AB10}	h _{AB10}	L*	a*	b*	C _{AB10}	h _{AB10}	rgb ^a	AB ₁₀	Code	AB ₁₀
270	40.7	0.44	0.26	1.693	-0.46	0.745	30.3	-1.2	30.3	357.6	70.0	79.0	-3.4	79.1	357.4	0.16	0.00	1.00	0080R
271	40.7	0.44	0.259	1.694	-0.462	0.746	30.4	-1.3	30.4	357.4	70.0	79.1	-3.6	79.2	357.3	0.18	0.00	1.00	0080R
272	40.7	0.439	0.259	1.695	-0.464	0.747	30.4	-1.4	30.4	357.3	70.0	79.2	-3.8	79.3	357.1	0.2	0.00	1.00	010R
273	40.7	0.439	0.259	1.696	-0.465	0.749	30.4	-1.4	30.5	357.2	69.9	79.2	-4.0	79.3	357.0	0.21	0.00	1.00	010R
274	40.7	0.438	0.258	1.697	-0.467	0.75	30.5	-1.5	30.5	357.0	69.9	79.3	-4.2	79.4	356.9	0.23	0.00	1.00	011R
275	40.7	0.438	0.258	1.698	-0.469	0.751	30.5	-1.6	30.5	356.9	69.9	79.4	-4.4	79.5	356.7	0.25	0.00	1.00	012R
276	40.6	0.438	0.257	1.699	-0.471	0.752	30.5	-1.7	30.6	356.7	69.9	79.5	-4.6	79.6	356.6	0.26	0.00	1.00	013R
277	40.6	0.437	0.257	1.7	-0.473	0.753	30.6	-1.7	30.6	356.6	69.9	79.6	-4.8	79.7	356.4	0.28	0.00	1.00	014R
278	40.6	0.437	0.257	1.701	-0.475	0.754	30.6	-1.8	30.6	356.5	69.9	79.7	-5.0	79.8	356.3	0.3	0.00	1.00	015R
279	40.6	0.437	0.256	1.702	-0.476	0.755	30.6	-1.9	30.7	356.3	69.9	79.7	-5.2	79.9	356.2	0.31	0.00	1.00	015R
280	40.6	0.436	0.256	1.703	-0.478	0.756	30.6	-2.0	30.7	356.2	69.9	79.8	-5.4	80.0	356.0	0.33	0.00	1.00	016R
281	40.6	0.436	0.256	1.704	-0.48	0.757	30.7	-2.0	30.8	356.1	69.9	79.9	-5.6	80.1	355.9	0.35	0.00	1.00	017R
282	40.6	0.435	0.255	1.705	-0.482	0.758	30.7	-2.1	30.8	355.9	69.9	80.0	-5.8	80.2	355.8	0.37	0.00	1.00	018R
283	40.6	0.435	0.255	1.706	-0.484	0.76	30.7	-2.2	30.8	355.8	69.9	80.0	-6.0	80.3	355.6	0.38	0.00	1.00	019R
284	40.6	0.435	0.254	1.707	-0.486	0.761	30.8	-2.3	30.9	355.7	69.9	80.1	-6.2	80.4	355.5	0.4	0.00	1.00	020R
285	40.6	0.434	0.254	1.708	-0.487	0.762	30.8	-2.3	30.9	355.6	69.9	80.2	-6.4	80.5	355.4	0.42	0.00	1.00	021R
286	40.6	0.434	0.254	1.709	-0.489	0.763	30.8	-2.4	30.9	355.5	69.8	80.3	-6.6	80.6	355.3	0.43	0.00	1.00	021R
287	40.5	0.434	0.253	1.71	-0.491	0.764	30.9	-2.5	31.0	355.3	69.8	80.4	-6.8	80.6	355.1	0.45	0.00	1.00	022R
288	40.5	0.433	0.253	1.71	-0.493	0.765	30.9	-2.5	31.0	355.2	69.8	80.4	-6.9	80.7	355.0	0.47	0.00	1.00	023R
289	40.5	0.433	0.253	1.711	-0.494	0.766	30.9	-2.6	31.0	355.0	69.8	80.5	-7.1	80.8	354.9	0.48	0.00	1.00	024R
290	40.5	0.433	0.252	1.712	-0.496	0.767	31.0	-2.7	31.1	354.9	69.8	80.6	-7.3	80.9	354.7	0.5	0.00	1.00	025R
291	40.5	0.432	0.252	1.713	-0.498	0.768	31.0	-2.7	31.1	354.8	69.8	80.7	-7.5	81.0	354.6	0.52	0.00	1.00	026R
292	40.5	0.432	0.252	1.714	-0.5	0.769	31.0	-2.8	31.2	354.7	69.8	80.7	-7.7	81.1	354.5	0.53	0.00	1.00	026R
293	40.5	0.432	0.251	1.715	-0.501	0.771	31.1	-2.8	31.2	354.6	69.8	80.8	-7.9	81.2	354.4	0.55	0.00	1.00	027R
294	40.5	0.431	0.251	1.716	-0.503	0.772	31.1	-3.0	31.2	354.4	69.8	80.9	-8.1	81.3	354.2	0.57	0.00	1.00	028R
295	40.5	0.431	0.251	1.717	-0.505	0.773	31.1	-3.0	31.3	354.3	69.8	81.0	-8.2	81.4	354.1	0.59	0.00	1.00	029R
296	40.4	0.431	0.25	1.718	-0.507	0.774	31.1	-3.1	31.3	354.2	69.8	81.0	-8.4	81.5	354.0	0.6	0.00	1.00	030R
297	40.4	0.43	0.25	1.719	-0.508	0.775	31.2	-3.2	31.3	354.1	69.8	81.1	-8.6	81.6	353.9	0.62	0.00	1.00	031R
298	40.4	0.43	0.25	1.72	-0.51	0.776	31.2	-3.2	31.4	354.0	69.8	81.2	-8.7	81.7	353.8	0.64	0.00	1.00	032R
299	40.4	0.43	0.249	1.721	-0.512	0.777	31.2	-3.3	31.4	353.8	69.8	81.3	-8.9	81.8	353.7	0.65	0.00	1.00	033R
300	40.4	0.429	0.249	1.722	-0.513	0.778	31.3	-3.4	31.4	353.7	69.7	81.3	-9.1	81.8	353.6	0.67	0.00	1.00	033R
301	40.4	0.429	0.248	1.723	-0.515	0.779	31.3	-3.4	31.5	353.6	69.7	81.4	-9.2	81.9	353.4	0.69	0.00	1.00	034R
302	40.4	0.429	0.248	1.723	-0.517	0.78	31.3	-3.5	31.5	353.5	69.7	81.5	-9.4	82.0	353.3	0.7	0.00	1.00	035R
303	40.4	0.428	0.248	1.724	-0.518	0.781	31.3	-3.6	31.6	353.4	69.7	81.6	-9.6	82.1	353.2	0.72	0.00	1.00	036R
304	40.4	0.428	0.248	1.725	-0.52	0.782	31.4	-3.6	31.6	353.3	69.7	81.6	-9.7	82.2	353.1	0.74	0.00	1.00	037R
305	40.4	0.428	0.248	1.726	-0.521	0.784	31.4	-3.7	31.6	353.2	69.7	81.7	-9.9	82.3	353.0	0.75	0.00	1.00	037R
306	40.3	0.427	0.247	1.727	-0.523	0.785	31.4	-3.8	31.7	353.1	69.7	81.8	-10.1	82.4	352.9	0.77	0.00	1.00	038R
307	40.3	0.427	0.247	1.728	-0.525	0.786	31.5	-3.8	31.7	352.9	69.7	81.8	-10.2	82.5	352.8	0.79	0.00	1.00	039R
308	40.3	0.427	0.247	1.729	-0.526	0.787	31.5	-3.9	31.7	352.8	69.7	81.9	-10.4	82.6	352.7	0.81	0.00	1.00	040R
309	40.3	0.427	0.246	1.73	-0.528	0.788	31.5	-3.9	31.8	352.7	69.7	82.0	-10.5	82.7	352.6	0.82	0.00	1.00	041R
310	40.3	0.426	0.246	1.731	-0.529	0.789	31.5	-4.0	31.8	352.6	69.7	82.0	-10.7	82.7	352.5	0.84	0.00	1.00	042R
311	40.3	0.426	0.246	1.731	-0.531	0.79	31.6	-4.1	31.8	352.5	69.7	82.1	-10.9	82.8	352.4	0.86	0.00	1.00	043R
312	40.3	0.426	0.245	1.732	-0.533	0.791	31.6	-4.1	31.9	352.4	69.7	82.2	-11.0	82.9	352.3	0.87	0.00	1.00	044R
313	40.3	0.425	0.245	1.733	-0.534	0.792	31.6	-4.2	31.9	352.3	69.7	82.2	-11.2	83.0	352.2	0.89	0.00	1.00	044R
314	40.3	0.425	0.245	1.734	-0.536	0.793	31.7	-4.3	31.9	352.2	69.7	82.3	-11.3	83.1	352.1	0.91	0.00	1.00	045R
315	40.3	0.425	0.245	1.735	-0.537	0.794	31.7	-4.3	32.0	352.1	69.7	82.4	-11.5	83.2	352.0	0.92	0.00	1.00	046R
316	40.3	0.425	0.244	1.736	-0.539	0.795	31.7	-4.4	32.0	352.0	69.6	82.4	-11.6	83.3	351.9	0.94	0.00	1.00	047R
317	40.2	0.424	0.244	1.736	-0.54	0.796	31.7	-4.4	32.0	351.9	69.6	82.5	-11.8	83.4	351.8	0.96	0.00	1.00	048R
318	40.2	0.424	0.244	1.737	-0.542	0.797	31.8	-4.5	32.1	351.8	69.6	82.6	-11.9	83.4	351.7	0.97	0.00	1.00	048R
319	40.2	0.424	0.244	1.738	-0.543	0.798	31.8	-4.6	32.1	351.7	69.6	82.6	-12.1	83.5	351.6	0.99	0.00	1.00	049R
320	40.2	0.423	0.243	1.739	-0.545	0.799	31.8	-4.6	32.2	351.6	69.6	82.7	-12.2	83.6	351.5	1.00	0.00	0.98	050R
321	40.2	0.423	0.243	1.74	-0.546	0.8	31.8	-4.7	32.2	351.5	69.6	82.8	-12.3	83.7	351.4	1.00	0.00	0.96	051R
322	40.2	0.423	0.243	1.74	-0.548	0.801	31.9	-4.7	32.2	351.4	69.6	82.8	-12.5	83.8	351.4	1.00	0.00	0.95	052R
323	40.2	0.423	0.242	1.741	-0.549	0.802	31.9	-4.8	32.3	351.3	69.6	82.9	-12.6	83.9	351.3	1.00	0.00	0.93	053R
324	40.2	0.422	0.242	1.742	-0.551	0.803	31.9	-4.9	32.3	351.2	69.6	83.0	-12.8	83.9	351.2	1.00	0.00	0.91	054R
325	40.2	0.422	0.242	1.743	-0.552	0.804	31.9	-4.9	32.3	351.1	69.6	83.1	-12.9	84.0	351.1	1.00	0.00	0.9	054R
326	40.2	0.422	0.242	1.744	-0.553	0.805	32.0	-5.0	32.4	351.0	69.6	83.1	-13.0	84.1	351.0	1.00	0.00	0.88	055R
327	40.2	0.422	0.241	1.744	-0.555	0.806	32.0												

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, CIELAB data													%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code	%	
0 405	32 561	80.85	-67.55	-32.54	74.98	0.1805	-0.1029	205.7	16 483	37 589	Cm	%	
6 435	32 562	81.18	-81.89	-19.25	84.12	0.1732	-0.096	193.2	17 486	42 610		%	
10 450	32 563	81.52	-109.06	11.43	109.66	0.1595	-0.0803	174.0	19 496	-1 496c		%	
12 460	33 565	82.01	-120.74	33.26	125.23	0.1538	-0.0692	164.5	21 505	-1 505c		%	
12 465	33 567	82.73	-118.76	34.5	123.67	0.1552	-0.0687	163.8	21 506	-1 506c		%	
14 470	33 569	83.3	-123.47	57.53	136.22	0.1532	-0.0572	155.0	24 520	-1 520c		%	
15 475	34 573	84.63	-118.73	70.39	138.03	0.1564	-0.0512	149.3	25 528	-1 528c	Gm	%	
16 480	36 580	86.98	-107.21	84.2	136.33	0.1633	-0.0452	141.8	27 537	-1 537c		%	
17 485	39 595	91.12	-80.53	100.07	128.45	0.1778	-0.0394	128.8	29 548	-1 548c		%	
18 490	-1 490c	97.55	-23.15	119.05	121.28	0.2052	-0.0337	101.0	33 565	11 459	max	%	
19 495	-1 495c	96.94	-20.63	125.42	127.1	0.2062	-0.0306	99.3	33 566	12 462		%	
20 500	-1 500c	96.17	-17.33	131.15	132.29	0.2076	-0.0277	97.5	33 567	12 464		%	
22 510	-1 510c	94.0	-8.24	140.17	140.41	0.2116	-0.0224	93.3	33 569	13 469		%	
23 520	-1 519c	92.57	-2.53	142.99	143.01	0.2142	-0.0202	91.0	34 570	14 471	Ym	%	
25 530	-1 529c	88.94	10.79	144.39	144.79	0.2205	-0.0165	85.7	34 573	15 475		%	
27 540	-1 539c	84.43	25.54	141.4	143.69	0.2281	-0.0134	79.7	35 577	15 478		%	
28 545	-1 544c	81.91	33.05	138.34	142.24	0.2322	-0.0121	76.5	35 579	15 479		%	
29 550	-1 549c	79.2	40.58	134.51	140.5	0.2367	-0.0111	73.2	36 582	16 480		%	
30 555	-1 554c	76.32	47.96	130.1	138.66	0.2413	-0.0103	69.7	36 584	16 481		%	
32 560	-1 560c	70.18	61.63	120.13	135.02	0.2511	-0.0093	62.8	37 589	16 483		%	
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0				%	
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, CIELAB complementary													%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code	%	
32 561	0 405	70.73	60.88	110.08	125.79	0.2505	-0.022	61.0	37 589	16 483	Rm	%	
32 562	6 435	70.32	70.58	34.83	78.71	0.2562	-0.0659	26.2	42 610	17 486		%	
32 563	10 450	69.88	85.85	-12.65	86.78	0.2653	-0.0935	351.6	-1 496c	19 496		%	
33 565	12 460	69.24	92.89	-29.55	97.48	0.2698	-0.1035	342.3	-1 505c	21 505		%	
33 567	12 465	68.27	94.84	-31.22	99.85	0.2716	-0.1046	341.7	-1 506c	21 506		%	
33 569	14 470	67.49	99.24	-42.98	108.15	0.2748	-0.1119	336.5	-1 520c	24 520		%	
34 573	15 475	65.52	102.87	-49.85	114.31	0.2784	-0.1167	334.1	-1 528c	25 528	Mm	%	
36 580	16 480	61.69	107.96	-59.02	123.05	0.2848	-0.1241	331.3	-1 537c	27 537		%	
39 595	17 485	53.22	112.99	-75.47	135.88	0.297	-0.1406	326.2	-1 548c	29 548		%	
-1 490c	18 490	29.91	89.01	-117.0	147.01	0.3124	-0.2136	307.2	11 459	33 565	min	%	
-1 495c	19 495	33.36	74.42	-112.09	134.55	0.2908	-0.1997	303.5	12 462	33 566		%	
-1 500c	20 500	37.09	58.44	-106.44	121.43	0.2704	-0.1864	298.7	12 464	33 567		%	
-1 510c	22 510	45.26	23.9	-93.37	96.38	0.2349	-0.1623	284.3	13 469	33 569		%	
-1 519c	23 520	49.52	6.76	-86.32	86.58	0.2205	-0.152	274.4	14 471	34 570	Bm	%	
-1 529c	25 530	58.0	-23.98	-72.06	75.95	0.1992	-0.1348	251.5	15 475	34 573		%	
-1 539c	27 540	65.83	-46.7	-58.75	75.05	0.1868	-0.122	231.5	15 478	35 577		%	
-1 544c	28 545	69.38	-54.68	-52.68	75.93	0.1833	-0.117	223.9	15 479	35 579		%	
-1 549c	29 550	72.72	-60.59	-46.95	76.65	0.1812	-0.1126	217.7	16 480	36 582		%	
-1 554c	30 555	75.82	-64.5	-41.62	76.77	0.1803	-0.1088	212.8	16 481	36 584		%	
-1 560c	32 560	81.29	-66.96	-32.22	74.32	0.181	-0.1027	205.6	16 483	37 589		%	
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0				%	

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy _{cabAB} ABC _{AB} LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																			
000, 001, ..., 089, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																			
no.	ab	Y	x	y	a	b	c	ab	A	B	C _{ab}	h _{ab}	L*	a*	b*	C _{ab}	h _{ab}	rgb _{cab}	Code _{ab}
000	40.7	0.443	0.255	1.735	-0.47	0.785	31.9	-1.4	32.0	357.4	70.0	82.3	-3.8	82.4	357.3	1.00	0.00	0.58	% B79R
001	40.7	0.445	0.257	1.73	-0.459	0.78	31.7	-0.9	31.8	358.2	70.0	81.9	-2.6	81.9	358.1	1.00	0.00	0.55	% B72R
002	40.7	0.448	0.259	1.725	-0.448	0.774	31.6	-0.5	31.6	359.0	70.0	81.5	-1.5	81.5	358.9	1.00	0.00	0.53	% B73R
003	40.8	0.45	0.262	1.719	-0.438	0.769	31.4	-0.1	31.4	359.8	70.0	81.0	-0.2	81.0	359.7	1.00	0.00	0.51	% B74R
004	40.8	0.453	0.264	1.714	-0.427	0.764	31.2	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.48	% B75R
005	40.8	0.455	0.266	1.709	-0.416	0.759	31.0	0.7	31.0	1.4	70.0	80.1	2.2	80.2	1.5	1.00	0.00	0.46	% B76R
006	40.8	0.458	0.268	1.704	-0.405	0.754	30.8	1.2	30.8	2.2	70.0	79.7	3.5	79.8	2.5	1.00	0.00	0.44	% B77R
007	40.8	0.461	0.271	1.698	-0.394	0.749	30.6	1.6	30.6	3.1	70.0	79.2	4.8	79.4	3.4	1.00	0.00	0.42	% B78R
008	40.9	0.463	0.273	1.693	-0.383	0.745	30.3	2.1	30.4	4.0	70.1	78.6	6.1	79.0	4.4	1.00	0.00	0.39	% B80R
009	40.9	0.466	0.276	1.688	-0.372	0.74	30.1	2.5	30.3	4.8	70.1	78.3	7.5	78.7	5.4	1.00	0.00	0.37	% B81R
010	40.9	0.469	0.278	1.683	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.9	8.9	78.4	6.5	1.00	0.00	0.35	% B82R
011	40.9	0.471	0.281	1.677	-0.35	0.732	29.7	3.4	29.9	6.6	70.1	77.4	10.3	78.1	7.5	1.00	0.00	0.33	% B83R
012	40.9	0.474	0.283	1.672	-0.34	0.728	29.5	3.9	29.8	7.5	70.1	76.9	11.7	77.8	8.6	1.00	0.00	0.3	% B84R
013	40.9	0.477	0.286	1.667	-0.329	0.724	29.3	4.3	29.7	8.4	70.1	76.5	13.2	77.6	9.8	1.00	0.00	0.28	% B85R
014	41.0	0.48	0.289	1.662	-0.318	0.721	29.1	4.7	29.5	9.3	70.1	76.0	14.7	77.4	10.9	1.00	0.00	0.26	% B86R
015	41.0	0.483	0.291	1.656	-0.308	0.717	28.9	5.2	29.4	10.2	70.1	75.6	16.2	77.3	12.1	1.00	0.00	0.24	% B87R
016	41.0	0.486	0.294	1.651	-0.297	0.714	28.7	5.6	29.3	11.1	70.1	75.1	17.7	77.2	13.2	1.00	0.00	0.21	% B89R
017	41.0	0.489	0.297	1.646	-0.286	0.711	28.5	6.1	29.2	12.0	70.2	74.6	19.2	77.1	14.4	1.00	0.00	0.19	% B90R
018	41.0	0.492	0.3	1.641	-0.276	0.709	28.3	6.5	29.1	12.9	70.2	74.2	20.8	77.1	15.7	1.00	0.00	0.17	% B91R
019	41.0	0.495	0.302	1.636	-0.266	0.706	28.1	6.9	29.0	13.8	70.2	73.7	22.4	77.1	16.9	1.00	0.00	0.15	% B92R
020	41.1	0.498	0.305	1.631	-0.256	0.704	27.9	7.3	28.9	14.7	70.2	73.3	24.1	77.1	18.1	1.00	0.00	0.12	% B93R
021	41.1	0.501	0.308	1.626	-0.246	0.701	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.3	19.4	1.00	0.00	0.1	% B94R
022	41.1	0.504	0.311	1.621	-0.236	0.699	27.5	8.1	28.7	16.5	70.2	72.4	27.4	77.4	20.7	1.00	0.00	0.08	% B95R
023	41.1	0.507	0.314	1.616	-0.226	0.697	27.4	8.6	28.7	17.4	70.2	72.0	29.1	77.6	22.0	1.00	0.00	0.06	% B96R
024	41.1	0.51	0.317	1.611	-0.216	0.696	27.2	9.0	28.6	18.3	70.3	71.5	30.8	77.7	23.3	1.00	0.00	0.03	% B98R
025	41.1	0.514	0.319	1.606	-0.207	0.694	27.0	9.3	28.6	19.1	70.3	71.1	32.5	78.2	24.6	1.00	0.00	0.01	% B99R
026	41.2	0.517	0.322	1.601	-0.198	0.693	26.8	9.7	28.5	20.0	70.3	70.7	34.3	78.6	25.9	1.00	0.00	0.00	% R00Y
027	41.2	0.52	0.326	1.597	-0.187	0.692	26.6	10.2	28.5	20.9	70.3	70.3	36.4	79.2	27.4	1.00	0.02	0.00	% R02Y
028	41.2	0.525	0.329	1.593	-0.176	0.692	26.5	10.6	28.5	21.9	70.3	69.9	38.7	79.9	28.9	1.00	0.03	0.00	% R03Y
029	41.2	0.528	0.332	1.588	-0.165	0.693	26.3	11.1	28.6	22.8	70.3	69.5	40.9	80.7	30.4	1.00	0.05	0.00	% R05Y
030	41.3	0.532	0.336	1.584	-0.155	0.693	26.2	11.5	28.6	23.8	70.3	69.1	43.2	81.5	31.9	1.00	0.06	0.00	% R06Y
031	41.3	0.536	0.339	1.58	-0.145	0.693	26.0	11.9	28.6	24.6	70.4	68.8	45.5	82.5	33.4	1.00	0.08	0.00	% R08Y
032	41.3	0.54	0.342	1.576	-0.136	0.694	25.8	12.3	28.7	25.5	70.4	68.4	47.8	83.5	34.9	1.00	0.09	0.00	% R09Y
033	41.3	0.544	0.345	1.572	-0.127	0.694	25.7	12.7	28.7	26.3	70.4	68.1	50.1	84.5	36.3	1.00	0.11	0.00	% R11Y
034	41.3	0.547	0.348	1.569	-0.118	0.695	25.6	13.1	28.7	27.1	70.4	67.7	52.4	85.6	37.7	1.00	0.12	0.00	% R12Y
035	41.4	0.55	0.351	1.565	-0.11	0.695	25.4	13.4	28.8	27.8	70.4	67.4	54.7	86.8	39.0	1.00	0.13	0.00	% R13Y
036	41.4	0.554	0.354	1.561	-0.102	0.696	25.3	13.8	28.8	28.5	70.4	67.1	57.0	88.1	40.3	1.00	0.15	0.00	% R15Y
037	41.4	0.557	0.357	1.558	-0.094	0.696	25.1	14.1	28.8	29.2	70.4	66.7	59.4	89.3	41.6	1.00	0.16	0.00	% R16Y
038	41.4	0.56	0.36	1.554	-0.087	0.697	25.0	14.4	28.9	29.9	70.5	66.4	61.7	90.7	42.9	1.00	0.18	0.00	% R18Y
039	41.5	0.563	0.363	1.55	-0.08	0.697	24.9	14.7	28.9	30.5	70.5	66.1	64.0	92.0	44.0	1.00	0.19	0.00	% R19Y
040	41.5	0.566	0.365	1.547	-0.073	0.697	24.7	14.9	28.9	31.2	70.5	65.8	66.3	93.4	45.2	1.00	0.21	0.00	% R21Y
041	41.5	0.568	0.368	1.544	-0.068	0.698	24.6	15.2	29.0	31.7	70.5	65.5	68.7	94.9	46.3	1.00	0.22	0.00	% R22Y
042	41.5	0.571	0.37	1.54	-0.062	0.698	24.5	15.4	29.0	32.2	70.5	65.2	71.0	96.4	47.4	1.00	0.24	0.00	% R24Y
043	41.5	0.573	0.372	1.537	-0.057	0.698	24.4	15.7	29.0	32.7	70.5	64.9	73.2	97.9	48.4	1.00	0.25	0.00	% R25Y
044	41.6	0.575	0.375	1.534	-0.052	0.698	24.3	15.9	29.0	33.2	70.5	64.6	75.5	99.4	49.4	1.00	0.27	0.00	% R27Y
045	41.6	0.577	0.377	1.531	-0.047	0.698	24.1	16.1	29.0	33.7	70.6	64.3	77.8	100.9	50.4	1.00	0.28	0.00	% R28Y
046	41.6	0.579	0.379	1.528	-0.043	0.698	24.0	16.3	29.0	34.1	70.6	64.0	80.0	102.5	51.3	1.00	0.3	0.00	% R30Y
047	41.6	0.581	0.381	1.525	-0.039	0.698	23.9	16.5	29.0	34.5	70.6	63.8	82.2	104.1	52.2	1.00	0.31	0.00	% R31Y
048	41.6	0.583	0.382	1.523	-0.035	0.698	23.8	16.6	29.1	34.9	70.6	63.5	84.4	105.7	53.0	1.00	0.33	0.00	% R33Y
049	41.6	0.584	0.384	1.52	-0.032	0.698	23.7	16.8	29.1	35.2	70.6	63.3	86.6	107.3	53.8	1.00	0.34	0.00	% R34Y
050	41.7	0.585	0.386	1.517	-0.029	0.697	23.6	16.9	29.1	35.6	70.6	63.0	88.8	108.9	54.6	1.00	0.36	0.00	% R36Y
051	41.7	0.587	0.387	1.515	-0.026	0.697	23.5	17.0	29.0	35.9	70.6	62.8	90.9	110.5	55.3	1.00	0.37	0.00	% R37Y
052	41.7	0.588	0.388	1.512	-0.023	0.697	23.4	17.1	29.0	36.2	70.6	62.6	93.0	112.1	56.0	1.00	0.39	0.00	% R39Y
053	41.7	0.589	0.39	1.51	-0.02	0.696	23.3	17.3	29.0	36.5	70.6	62.3	95.0	113.7	56.7	1.00	0.4	0.00	% R40Y
054	41.7	0.59	0.391	1.508	-0.018	0.696	23.2	17.4	29.0	36.7	70.7	62.1	97.0	115.2	57.3	1.00	0.42	0.00	% R42Y
055	41.7	0.591	0.392	1.506	-0.016	0.695	23.1	17.5	29.0	37.0	70.7	61.9	99.1	116.8	58.0	1.00	0.43	0.00	% R43Y
056	41.7	0.591	0.393	1.503	-0.014	0.695	23.1	17.5	29.0	37.2	70.7	61.7	100.9	118.3	58.5	1.00	0.45	0.00	% R45Y
057	41.7	0.592	0.394	1.501	-0.013	0.694	23.0	17.6	29.0	37.4	70.7	61.5	102.8	119.9	59.1	1.00	0.46	0.00	% R46Y
058	41.7	0.593	0.395	1.499	-0.011	0.693	22.9	17.7	28.9	37.6	70.7	61.3	104.7	121.4	59.6	1.00	0.48	0.00	% R48Y
059	41.7	0.593	0.396	1.498	-0.01	0.693	22.8	17.7	28.9	37.8	70.7	61.2	106.5	122.8	60.1	1.00	0.49	0.00	% R49Y
060	41.8	0.593	0.396	1.496	-0.009	0.692	22.8	17.8	28.9	37.9	70.7	61.0	108.2	124.3	60.5	1.00	0.51	0.00	% R51Y
061	41.8	0.594	0.397	1.494	-0.008	0.692	22.7	17.8	28.9	38.1	70.7	60.8	109.9	125.7	61.0	1.00	0.52	0.00	% R52Y
062	40.8	0.6	0.398	1.586	0.0	0.705	22.7	17.7	28.8	38.0	70.8	61.5	119.3	134.3	62.7	1.00	0.54	0.00	% R54Y
063	41.1	0.6	0.399	1.593	0.0	0.703	22.7	17.9	28.9	38.2	70.8	61.4	120.3	135.					

rgb* _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																						
Yxy, rgb* _{AB} , ABC _{AB} , LabC* _{ahb} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																						
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																						
0.901, ..., 179, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																						
no.	ab	Y	x	y	a	b	c	ab	A	B	C	ab	h _{AB}	L*	a*	b*	C*	ab	rgb*	ab	Code	ab
990	80.7	0.483	0.509	0.938	-0.005	0.43	-0.1	34.7	34.7	90.3	92.0	-0.3	143.4	143.4	90.1	1.00	0.96	0.00	0.00	0.96	Y85	
991	81.9	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.5	144.0	144.0	91.0	1.00	0.97	0.00	0.00	0.97	Y87	
992	83.5	0.474	0.516	0.919	-0.006	0.43	-2.6	35.8	35.9	94.1	93.2	-5.2	142.2	142.3	92.1	1.00	0.99	0.00	0.00	0.99	Y89	
993	84.8	0.47	0.519	0.906	-0.007	0.43	-3.7	36.3	36.5	95.8	93.8	-7.4	140.8	141.0	93.0	0.99	1.00	0.00	0.00	1.00	Y90	
994	86.0	0.466	0.522	0.893	-0.008	0.43	-4.8	36.7	37.0	97.5	94.3	-9.6	138.9	139.2	93.9	0.97	1.00	0.00	0.00	1.00	Y92	
995	87.3	0.462	0.524	0.881	-0.009	0.431	-6.0	37.1	37.6	99.2	94.8	-11.9	136.8	137.3	94.9	0.96	1.00	0.00	0.00	1.00	Y93	
996	88.6	0.457	0.526	0.868	-0.011	0.432	-7.2	37.5	38.2	100.9	95.4	-14.1	134.5	135.3	96.0	0.94	1.00	0.00	0.00	1.00	Y95	
997	89.8	0.453	0.528	0.857	-0.013	0.432	-8.3	37.9	38.8	102.6	95.9	-16.3	132.3	133.3	97.0	0.93	1.00	0.00	0.00	1.00	Y96	
998	91.1	0.448	0.530	0.845	-0.015	0.432	-9.5	38.2	39.4	104.6	96.4	-18.5	129.5	130.8	98.1	0.91	1.00	0.00	0.00	1.00	Y98	
999	92.0	0.444	0.53	0.836	-0.018	0.432	-10.4	38.3	39.7	105.2	96.8	-20.2	126.4	128.0	99.0	0.9	1.00	0.00	0.00	1.00	Y99	
100	93.8	0.445	0.526	0.846	-0.021	0.426	-9.8	38.8	40.0	104.1	97.5	-18.6	123.6	125.0	98.5	0.89	1.00	0.00	0.00	1.00	Y100	
101	93.8	0.435	0.529	0.822	-0.026	0.429	-12.0	38.4	40.2	107.3	97.5	-23.0	119.1	121.3	100.9	0.87	1.00	0.00	0.00	1.00	Y102	
102	93.4	0.432	0.532	0.813	-0.026	0.431	-12.8	38.2	40.2	108.5	97.3	-24.7	118.5	121.0	101.8	0.86	1.00	0.00	0.00	1.00	Y103	
103	92.9	0.429	0.534	0.804	-0.027	0.434	-13.6	37.9	40.3	109.7	97.2	-26.4	117.9	120.8	102.6	0.84	1.00	0.00	0.00	1.00	Y105	
104	92.5	0.426	0.536	0.794	-0.027	0.436	-14.4	37.9	40.4	110.8	97.0	-28.2	117.3	120.6	103.5	0.83	1.00	0.00	0.00	1.00	Y106	
105	92.0	0.423	0.539	0.785	-0.027	0.44	-15.2	37.5	40.5	112.0	96.8	-30.0	116.7	120.5	104.4	0.81	1.00	0.00	0.00	1.00	Y108	
106	91.5	0.419	0.541	0.775	-0.028	0.443	-16.0	37.2	40.6	113.2	96.6	-31.8	115.9	120.4	105.3	0.8	1.00	0.00	0.00	1.00	Y109	
107	91.0	0.416	0.544	0.765	-0.028	0.447	-16.8	37.0	40.7	114.4	96.4	-33.8	115.4	120.3	106.3	0.79	1.00	0.00	0.00	1.00	Y110	
108	90.5	0.412	0.547	0.754	-0.029	0.451	-17.7	36.8	40.8	115.7	96.2	-35.7	114.8	120.2	107.3	0.77	1.00	0.00	0.00	1.00	Y112	
109	90.0	0.409	0.549	0.744	-0.029	0.455	-18.5	36.5	40.9	116.9	96.0	-37.7	114.2	120.2	108.3	0.76	1.00	0.00	0.00	1.00	Y113	
110	89.5	0.405	0.552	0.733	-0.03	0.459	-19.4	36.2	41.1	118.1	95.8	-39.8	113.5	120.3	109.3	0.74	1.00	0.00	0.00	1.00	Y115	
111	88.9	0.401	0.555	0.722	-0.03	0.464	-20.2	36.0	41.3	119.3	95.5	-41.9	112.8	120.4	110.3	0.73	1.00	0.00	0.00	1.00	Y116	
112	88.4	0.397	0.558	0.712	-0.031	0.469	-21.0	35.7	41.5	120.5	95.3	-44.0	112.1	120.5	111.4	0.71	1.00	0.00	0.00	1.00	Y118	
113	87.8	0.393	0.561	0.701	-0.032	0.474	-21.9	35.4	41.6	121.6	95.1	-46.1	111.5	120.5	112.4	0.7	1.00	0.00	0.00	1.00	Y119	
114	87.2	0.389	0.564	0.69	-0.032	0.48	-22.7	35.2	41.8	122.8	94.8	-48.3	110.8	120.8	113.5	0.69	1.00	0.00	0.00	1.00	Y120	
115	86.7	0.385	0.567	0.679	-0.032	0.485	-23.5	34.9	42.1	123.9	94.6	-50.5	110.1	121.1	114.6	0.67	1.00	0.00	0.00	1.00	Y122	
116	86.1	0.381	0.57	0.668	-0.033	0.491	-24.3	34.6	42.3	125.0	94.3	-52.7	109.3	121.4	115.7	0.66	1.00	0.00	0.00	1.00	Y123	
117	85.5	0.377	0.573	0.657	-0.034	0.497	-25.0	34.3	42.5	126.1	94.1	-54.9	108.6	121.7	116.8	0.64	1.00	0.00	0.00	1.00	Y125	
118	84.9	0.372	0.577	0.646	-0.034	0.503	-25.8	34.0	42.7	127.1	93.8	-57.1	107.9	122.1	117.8	0.63	1.00	0.00	0.00	1.00	Y126	
119	84.3	0.368	0.58	0.635	-0.035	0.509	-26.5	33.7	42.9	128.2	93.6	-59.3	107.2	122.5	118.9	0.61	1.00	0.00	0.00	1.00	Y128	
120	83.8	0.364	0.583	0.624	-0.035	0.515	-27.3	33.4	43.2	129.2	93.3	-61.5	106.5	123.0	120.0	0.6	1.00	0.00	0.00	1.00	Y129	
121	83.2	0.359	0.586	0.613	-0.036	0.522	-28.0	33.2	43.4	130.3	93.1	-63.8	105.7	123.5	121.0	0.59	1.00	0.00	0.00	1.00	Y130	
122	82.6	0.355	0.589	0.603	-0.037	0.528	-28.7	32.9	43.6	131.4	92.9	-65.9	104.9	124.0	122.0	0.57	1.00	0.00	0.00	1.00	Y132	
123	82.0	0.351	0.592	0.592	-0.037	0.535	-29.3	32.6	43.9	131.9	92.5	-68.2	104.3	124.6	123.1	0.56	1.00	0.00	0.00	1.00	Y133	
124	81.4	0.346	0.595	0.582	-0.038	0.541	-30.0	32.3	44.1	132.8	92.3	-70.3	103.5	125.2	124.1	0.54	1.00	0.00	0.00	1.00	Y135	
125	80.8	0.342	0.598	0.572	-0.039	0.548	-30.6	32.0	44.3	133.6	92.0	-72.5	102.8	125.8	125.0	0.53	1.00	0.00	0.00	1.00	Y136	
126	80.3	0.338	0.601	0.561	-0.039	0.554	-31.2	31.7	44.5	134.4	91.8	-74.6	102.1	126.5	126.1	0.51	1.00	0.00	0.00	1.00	Y138	
127	79.7	0.333	0.604	0.552	-0.04	0.561	-31.7	31.5	44.7	135.2	91.5	-76.7	101.3	127.1	127.1	0.5	1.00	0.00	0.00	1.00	Y139	
128	79.2	0.329	0.607	0.542	-0.041	0.567	-32.3	31.2	44.9	135.9	91.3	-78.8	100.6	127.8	128.0	0.48	1.00	0.00	0.00	1.00	Y140	
129	78.6	0.325	0.61	0.532	-0.042	0.574	-32.8	30.9	45.1	136.7	91.0	-81.0	99.8	128.6	129.0	0.47	1.00	0.00	0.00	1.00	Y142	
130	77.7	0.318	0.614	0.519	-0.043	0.583	-33.5	30.6	45.3	137.7	90.6	-83.9	98.5	129.4	130.4	0.46	1.00	0.00	0.00	1.00	Y143	
131	76.9	0.312	0.617	0.506	-0.045	0.591	-34.1	30.0	45.4	138.6	90.2	-86.7	97.2	132.7	131.7	0.44	1.00	0.00	0.00	1.00	Y145	
132	76.1	0.307	0.62	0.494	-0.046	0.599	-34.6	29.6	45.6	139.5	89.9	-89.2	95.9	131.0	132.9	0.43	1.00	0.00	0.00	1.00	Y146	
133	75.3	0.301	0.623	0.483	-0.048	0.606	-35.1	29.2	45.7	140.2	89.5	-91.6	94.7	131.8	134.0	0.41	1.00	0.00	0.00	1.00	Y148	
134	74.6	0.296	0.625	0.473	-0.049	0.613	-35.5	28.8	45.7	141.0	89.2	-93.9	93.4	132.5	135.1	0.4	1.00	0.00	0.00	1.00	Y149	
135	73.9	0.291	0.627	0.464	-0.051	0.619	-35.9	28.4	45.8	141.8	88.9	-96.0	92.2	133.1	136.1	0.38	1.00	0.00	0.00	1.00	Y151	
136	73.3	0.286	0.629	0.455	-0.052	0.625	-36.2	28.0	45.8	142.2	88.5	-98.0	91.0	133.7	137.1	0.37	1.00	0.00	0.00	1.00	Y152	
137	72.6	0.282	0.631	0.447	-0.054	0.631	-36.5	27.6	45.8	142.8	88.2	-100.0	90.0	134.3	138.0	0.36	1.00	0.00	0.00	1.00	Y153	
138	72.0	0.278	0.632	0.439	-0.056	0.636	-36.8	27.3	45.8	143.4	87.9	-101.6	88.6	135.0	139.3	0.34	1.00	0.00	0.00	1.00	Y155	
139	71.4	0.274	0.633	0.432	-0.058	0.641	-37.0	26.9	45.8	143.9	87.7	-103.2	87.4	135.2	139.7	0.33	1.00	0.00	0.00	1.00	Y156	
140	70.9	0.27	0.634	0.425	-0.059	0.645	-37.2	26.6	45.7	144.3	87.4	-104.7	86.3	136.5	140.4	0.31	1.00	0.00	0.00	1.00	Y158	
141	70.3	0.266	0.635	0.419	-0.061	0.649	-37.3	26.3	45.7	144.8	87.1	-106.1	85.1	136.0	141.2	0.3	1.00	0.00	0.00	1.00	Y159	
142	69.8	0.262	0.635	0.413	-0.063	0.653	-37.5	25.9	45.6	145.3	86.9	-107.5	83.9	136.4	142.0	0.28	1.00	0.00				

rgb _{cab} and CIE data of a elementary hci color according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, cab _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																			
Elementary hue circle with 4 different elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																			
180, 181, ..., 269, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																			
no.	ab	Y	x	y	a	b	c	cab	A	B	C	h _{ab}	L*	a*	b*	C _{ab}	h _{ab}	rgb _{cab}	Code _{ab}
180	59.2	0.168	0.394	0.416	-0.423	0.534	-31.6	0.7	31.6	178.6	81.4	-100.9	1.5	100.9		179.0	0.00	1.00	0.32 G168
181	59.1	0.168	0.397	0.422	-0.436	0.528	-31.2	0.8	31.2	180.0	81.3	-99.4	0.0	99.4		180.0	0.00	1.00	0.34 G178
182	59.1	0.167	0.391	0.427	-0.449	0.522	-30.9	-0.8	30.9	181.5	81.3	-98.0	-1.7	98.0		181.0	0.00	1.00	0.36 G188
183	59.1	0.167	0.386	0.433	-0.462	0.517	-30.5	-1.6	30.5	183.0	81.3	-96.5	-3.4	96.6		182.0	0.00	1.00	0.38 G198
184	59.0	0.167	0.38	0.439	-0.476	0.512	-30.1	-2.4	30.2	184.5	81.3	-95.0	-5.0	95.2		183.0	0.00	1.00	0.39 G198
185	59.0	0.166	0.374	0.445	-0.489	0.507	-29.8	-3.2	29.9	186.1	81.3	-93.6	-6.7	93.8		184.0	0.00	1.00	0.41 G208
186	59.0	0.166	0.368	0.451	-0.503	0.503	-29.4	-4.0	29.7	187.7	81.3	-92.1	-8.3	92.5		185.1	0.00	1.00	0.43 G218
187	58.9	0.166	0.363	0.457	-0.517	0.495	-29.0	-4.8	29.4	189.4	81.2	-90.6	-9.9	91.2		186.2	0.00	1.00	0.45 G228
188	58.9	0.166	0.358	0.463	-0.531	0.496	-28.7	-5.6	29.2	191.1	81.2	-89.2	-11.5	89.9		187.3	0.00	1.00	0.47 G238
189	58.9	0.165	0.352	0.469	-0.545	0.493	-28.3	-6.4	29.0	192.8	81.2	-87.7	-13.0	88.7		188.4	0.00	1.00	0.49 G248
190	58.9	0.165	0.347	0.475	-0.559	0.49	-27.9	-7.3	28.8	194.6	81.2	-86.3	-14.5	87.5		189.5	0.00	1.00	0.5 G258
191	58.8	0.165	0.343	0.481	-0.573	0.488	-27.5	-8.1	28.7	196.3	81.2	-84.9	-16.0	86.4		190.7	0.00	1.00	0.52 G268
192	58.8	0.165	0.338	0.487	-0.587	0.487	-27.2	-8.9	28.6	198.1	81.2	-83.5	-17.5	85.3		191.8	0.00	1.00	0.54 G278
193	58.8	0.164	0.333	0.493	-0.6	0.485	-26.8	-9.7	28.5	199.8	81.1	-82.2	-18.9	84.3		192.9	0.00	1.00	0.56 G288
194	58.7	0.164	0.328	0.5	-0.616	0.485	-26.4	-10.6	28.4	201.8	81.1	-80.6	-20.5	83.2		194.2	0.00	1.00	0.58 G298
195	58.6	0.164	0.323	0.507	-0.631	0.484	-26.0	-11.5	28.4	203.8	81.1	-79.0	-22.1	82.0		195.6	0.00	1.00	0.6 G308
196	58.6	0.164	0.318	0.513	-0.646	0.483	-25.6	-12.4	28.4	205.8	81.0	-77.5	-23.6	80.8		197.0	0.00	1.00	0.61 G308
197	58.5	0.163	0.315	0.52	-0.66	0.485	-25.2	-13.1	28.4	207.6	81.0	-76.1	-24.9	80.1		198.1	0.00	1.00	0.63 G318
198	58.5	0.163	0.311	0.525	-0.673	0.486	-24.8	-13.9	28.4	209.2	81.0	-74.8	-26.1	79.2		199.2	0.00	1.00	0.65 G328
199	58.4	0.163	0.308	0.531	-0.685	0.488	-24.4	-14.6	28.5	210.8	80.9	-73.6	-27.3	78.5		200.3	0.00	1.00	0.67 G338
200	58.3	0.163	0.304	0.536	-0.697	0.489	-24.1	-15.2	28.5	212.3	80.9	-72.4	-28.3	77.8		201.3	0.00	1.00	0.69 G348
201	58.3	0.163	0.302	0.541	-0.707	0.491	-23.8	-15.8	28.6	213.6	80.9	-71.4	-29.3	77.1		202.3	0.00	1.00	0.71 G358
202	58.3	0.163	0.299	0.546	-0.716	0.492	-23.5	-16.3	28.7	214.8	80.9	-70.4	-30.1	76.6		203.1	0.00	1.00	0.72 G368
203	58.2	0.163	0.297	0.551	-0.725	0.493	-23.2	-16.8	28.7	216.0	80.8	-69.5	-30.9	76.1		204.0	0.00	1.00	0.74 G378
204	58.2	0.163	0.295	0.554	-0.732	0.495	-23.0	-17.2	28.8	216.8	80.8	-68.7	-31.6	75.6		204.6	0.00	1.00	0.76 G388
205	58.2	0.163	0.293	0.557	-0.738	0.496	-22.8	-17.6	28.9	217.6	80.8	-68.0	-32.1	75.2		205.3	0.00	1.00	0.78 G398
206	58.6	0.164	0.292	0.563	-0.741	0.493	-22.6	-17.9	28.9	218.3	81.1	-66.9	-32.5	74.3		205.9	0.00	1.00	0.8 G408
207	57.5	0.162	0.289	0.562	-0.756	0.503	-22.3	-18.4	28.9	219.6	80.4	-66.6	-33.6	74.6		206.7	0.00	1.00	0.82 G418
208	56.2	0.16	0.286	0.561	-0.773	0.515	-21.8	-19.0	28.9	221.0	79.7	-66.3	-34.8	74.9		207.7	0.00	1.00	0.83 G418
209	54.9	0.158	0.282	0.56	-0.792	0.528	-21.4	-19.6	29.0	222.5	78.9	-66.0	-36.2	75.3		208.7	0.00	1.00	0.85 G428
210	53.5	0.155	0.278	0.559	-0.813	0.543	-20.9	-20.2	29.0	224.0	78.1	-65.6	-37.6	75.6		209.7	0.00	1.00	0.87 G438
211	52.0	0.153	0.274	0.558	-0.835	0.55	-20.4	-20.8	29.1	225.6	77.3	-65.2	-39.0	76.0		210.8	0.00	1.00	0.89 G448
212	50.7	0.15	0.269	0.557	-0.858	0.577	-19.9	-21.4	29.2	227.1	76.4	-64.8	-40.4	76.4		211.9	0.00	1.00	0.91 G458
213	49.3	0.148	0.265	0.557	-0.881	0.594	-19.4	-22.0	29.3	228.5	75.6	-64.4	-41.8	76.8		213.0	0.00	1.00	0.92 G468
214	48.2	0.146	0.262	0.558	-0.902	0.609	-18.9	-22.5	29.4	229.9	74.9	-63.7	-43.0	76.9		214.0	0.00	1.00	0.94 G478
215	47.2	0.144	0.258	0.559	-0.921	0.623	-18.4	-22.9	29.4	231.2	74.3	-63.0	-44.2	76.9		215.0	0.00	1.00	0.96 G488
216	46.2	0.143	0.255	0.561	-0.94	0.637	-17.9	-23.3	29.4	232.3	73.7	-62.1	-45.2	76.9		216.0	0.00	1.00	0.98 G498
217	45.4	0.142	0.252	0.564	-0.958	0.65	-17.5	-23.7	29.5	233.5	73.1	-61.3	-46.2	76.7		216.9	0.00	0.99	1.00 G508
218	44.5	0.141	0.249	0.566	-0.976	0.662	-17.0	-24.0	29.5	234.6	72.6	-60.4	-47.1	76.6		217.9	0.00	0.97	1.00 G518
219	43.7	0.14	0.246	0.569	-0.993	0.675	-16.6	-24.4	29.5	235.6	72.0	-59.5	-48.0	76.5		218.8	0.00	0.96	1.00 G528
220	42.9	0.139	0.243	0.572	-1.012	0.689	-16.2	-24.7	29.6	236.6	71.4	-58.6	-48.9	76.4		219.8	0.00	0.94	1.00 G528
221	42.1	0.138	0.24	0.575	-1.031	0.703	-15.8	-25.1	29.6	237.6	71.0	-57.7	-49.9	76.3		220.8	0.00	0.92	1.00 G538
222	41.3	0.137	0.237	0.578	-1.05	0.718	-15.3	-25.4	29.7	238.8	70.4	-56.7	-50.8	76.2		221.8	0.00	0.9	1.00 G548
223	40.6	0.136	0.234	0.582	-1.07	0.734	-14.9	-25.8	29.8	239.9	69.9	-55.7	-51.7	76.0		222.9	0.00	0.88	1.00 G558
224	39.8	0.135	0.231	0.586	-1.091	0.75	-14.4	-26.1	29.8	240.9	69.3	-54.6	-52.7	75.9		223.9	0.00	0.86	1.00 G568
225	39.3	0.135	0.229	0.589	-1.105	0.761	-14.2	-26.3	29.9	241.6	68.8	-53.9	-53.3	75.8		224.6	0.00	0.85	1.00 G578
226	38.7	0.134	0.227	0.591	-1.12	0.773	-13.9	-26.5	30.0	242.3	68.6	-53.2	-54.0	75.8		225.4	0.00	0.83	1.00 G588
227	38.0	0.134	0.225	0.59	-1.136	0.786	-13.5	-26.8	30.0	243.3	68.2	-52.4	-54.5	75.7		226.2	0.00	0.81	1.00 G598
228	37.6	0.133	0.222	0.599	-1.154	0.8	-13.2	-27.0	30.1	243.9	67.7	-51.4	-55.4	75.6		227.1	0.00	0.79	1.00 G608
229	37.0	0.133	0.22	0.603	-1.174	0.816	-12.8	-27.3	30.2	244.8	67.2	-50.3	-56.2	75.5		228.0	0.00	0.77	1.00 G618
230	36.3	0.132	0.217	0.609	-1.197	0.834	-12.3	-27.6	30.2	245.8	66.7	-49.0	-57.1	75.3		229.3	0.00	0.75	1.00 G628
231	35.5	0.131	0.213	0.616	-1.222	0.855	-11.8	-27.9	30.3	247.0	66.1	-47.5	-58.1	75.1		230.7	0.00	0.74	1.00 G628
232	34.9	0.131	0.211	0.622	-1.244	0.873	-11.4	-28.2	30.4	247.9	65.6	-46.3	-59.0	75.0		231.8	0.00	0.72	1.00 G638
233	34.4	0.131	0.209	0.626	-1.259	0.885	-11.1	-28.4	30.5	248.5	65.3	-45.4	-59.5	74.9		232.6	0.00	0.7	1.00 G648
234	34.0	0.13	0.207	0.631	-1.275	0.898	-10.8	-28.6	30.6	249.1	65.0	-44.5	-60.1	74.8		233.4	0.00	0.68	1.00 G658
235	33.6	0.13	0.205	0.635	-1.291	0.911	-10.5	-28.7	30.6	249.8	64.6	-43.6	-60.7	74.7		234.2	0.00	0.66	1.00 G668
236	33.2	0.13	0.203	0.64	-1.308	0.926	-10.2	-28.9	30.7	250.9	64.3	-42.6	-61.3	74.7		235.1	0.00	0.64	1.00 G678
237	32.7	0.13	0.201	0.645	-1.325	0.941	-9.9	-29.1	30.8	251.0	63.9	-41.6	-61.9						

rgb* _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, cab _{AB} , ABC _{AB} , LabC* _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																			
270, 271, ..., 360, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																			
no.	ab	Y	x	y	a	b	c	ab	A	B	C _{ab}	h _{ab}	L*	a*	b*	C* _{ab}	h _{ab}	rgb*	Code _{ab}
276	19.2	0.127	0.132	0.961	-2.238	1.893	0.2	-34.7	34.7	270.3	51.0	1.1	-83.8	83.8	270.7	0.00	0.02	1.00	0.998
271	18.9	0.127	0.133	0.974	-2.272	1.837	0.4	-34.8	34.8	270.7	50.6	2.4	-84.4	84.4	271.6	0.00	0.0	1.00	0.998
272	18.6	0.127	0.128	0.987	-2.307	1.817	0.6	-34.9	34.9	271.1	50.3	3.7	-84.4	85.0	272.4	0.0	0.00	1.00	0.90R
273	18.4	0.127	0.127	1.0	-2.341	1.906	0.9	-35.0	35.1	271.5	49.9	4.9	-85.5	85.6	273.3	0.02	0.00	1.00	0.80R
274	18.1	0.127	0.125	1.014	-2.375	1.94	1.1	-35.1	35.2	271.8	49.6	6.1	-86.6	86.2	274.1	0.04	0.00	1.00	0.80R
275	17.8	0.127	0.123	1.03	-2.419	1.985	1.4	-35.3	35.3	272.3	49.2	7.7	-86.7	87.1	275.0	0.06	0.00	1.00	0.80R
276	17.4	0.127	0.121	1.05	-2.471	2.038	1.7	-35.4	35.5	272.8	48.7	9.5	-87.5	88.0	276.1	0.07	0.00	1.00	0.80R
277	17.0	0.127	0.119	1.07	-2.521	2.093	2.0	-35.6	35.6	273.2	48.3	11.1	-88.2	88.9	277.2	0.09	0.00	1.00	0.80R
278	16.7	0.127	0.117	1.089	-2.57	2.139	2.3	-35.7	35.8	273.7	47.9	12.8	-89.0	89.8	278.2	0.11	0.00	1.00	0.80R
279	16.4	0.128	0.115	1.088	-2.618	2.188	2.6	-35.8	35.9	274.1	47.5	14.4	-89.6	90.7	279.1	0.13	0.00	1.00	0.80R
280	16.1	0.128	0.113	1.128	-2.667	2.238	2.8	-35.9	36.1	274.5	47.1	16.0	-90.3	91.7	280.0	0.14	0.00	1.00	0.80R
281	15.8	0.128	0.111	1.149	-2.717	2.29	3.1	-36.1	36.2	274.9	46.7	17.6	-90.9	92.6	280.9	0.16	0.00	1.00	0.80R
282	15.5	0.128	0.109	1.171	-2.769	2.344	3.4	-36.2	36.3	275.4	46.3	19.3	-91.6	93.6	281.9	0.18	0.00	1.00	0.80R
283	15.1	0.129	0.107	1.195	-2.826	2.403	3.7	-36.3	36.5	275.8	45.8	21.2	-92.3	94.7	282.9	0.2	0.00	1.00	0.81R
284	14.8	0.129	0.105	1.222	-2.888	2.468	4.0	-36.4	36.6	276.3	45.4	23.1	-93.0	95.9	283.9	0.21	0.00	1.00	0.81R
285	14.4	0.129	0.103	1.252	-2.96	2.542	4.3	-36.5	36.8	276.8	44.9	25.3	-93.9	97.2	285.0	0.23	0.00	1.00	0.81R
286	14.0	0.13	0.101	1.286	-3.038	2.624	4.7	-36.6	37.0	277.3	44.5	27.6	-94.6	98.7	286.2	0.25	0.00	1.00	0.81R
287	13.7	0.13	0.098	1.322	-3.121	2.712	5.0	-36.8	37.1	277.8	43.8	29.9	-95.7	100.2	287.3	0.27	0.00	1.00	0.81R
288	13.3	0.13	0.096	1.36	-3.21	2.804	5.4	-36.9	37.3	278.3	43.2	32.4	-96.6	101.9	288.5	0.28	0.00	1.00	0.81R
289	12.9	0.131	0.093	1.4	-3.303	2.902	5.8	-37.0	37.5	278.9	42.6	34.8	-97.5	103.6	289.6	0.3	0.00	1.00	0.81R
290	12.5	0.131	0.091	1.442	-3.401	3.005	6.1	-37.2	37.7	279.4	42.0	37.3	-98.5	105.3	290.7	0.32	0.00	1.00	0.81R
291	12.1	0.132	0.088	1.486	-3.503	3.114	6.5	-37.3	37.8	279.9	41.4	39.8	-99.4	107.1	291.8	0.34	0.00	1.00	0.81R
292	11.7	0.132	0.086	1.532	-3.609	3.226	6.8	-37.4	38.0	280.3	40.8	42.3	-100.4	108.9	292.8	0.35	0.00	1.00	0.81R
293	11.3	0.133	0.084	1.58	-3.719	3.343	7.2	-37.5	38.2	280.8	40.3	44.8	-101.3	110.8	293.8	0.37	0.00	1.00	0.81R
294	11.0	0.133	0.081	1.631	-3.833	3.465	7.5	-37.6	38.3	281.3	39.7	47.2	-102.2	112.6	294.8	0.39	0.00	1.00	0.81R
295	10.7	0.133	0.079	1.68	-3.95	3.589	7.8	-37.7	38.5	281.7	39.1	49.7	-103.1	114.5	295.7	0.41	0.00	1.00	0.82R
296	10.4	0.134	0.077	1.732	-4.069	3.716	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.42	0.00	1.00	0.82R
297	10.1	0.134	0.075	1.785	-4.19	3.846	8.4	-37.9	38.8	282.5	38.0	54.4	-104.9	118.2	297.4	0.44	0.00	1.00	0.82R
298	9.8	0.135	0.073	1.839	-4.312	3.977	8.7	-38.0	39.0	282.9	37.4	56.7	-105.8	120.0	298.2	0.46	0.00	1.00	0.82R
299	9.4	0.135	0.071	1.906	-4.465	4.141	9.0	-38.1	39.1	283.3	36.8	59.4	-106.8	122.2	299.1	0.48	0.00	1.00	0.82R
300	8.9	0.136	0.067	2.013	-4.707	4.401	9.5	-38.2	39.3	283.8	35.8	63.6	-108.3	125.6	300.4	0.49	0.00	1.00	0.82R
301	8.5	0.136	0.064	2.111	-4.925	4.637	9.9	-38.3	39.5	284.5	35.0	67.1	-109.5	128.4	301.4	0.51	0.00	1.00	0.82R
302	8.1	0.137	0.062	2.202	-5.123	4.852	10.2	-38.3	39.6	285.0	34.3	70.4	-110.6	131.0	302.4	0.53	0.00	1.00	0.82R
303	7.8	0.138	0.06	2.287	-5.31	5.055	10.5	-38.3	39.8	285.3	33.7	72.9	-111.5	133.2	303.1	0.55	0.00	1.00	0.82R
304	7.2	0.136	0.056	2.409	-5.715	5.477	10.6	-38.5	39.9	285.4	32.4	75.9	-113.5	136.5	303.7	0.56	0.00	1.00	0.82R
305	6.4	0.131	0.05	2.589	-6.422	6.297	10.5	-38.7	40.1	285.3	30.5	79.6	-116.5	141.1	304.3	0.58	0.00	1.00	0.82R
306	6.0	0.131	0.047	2.758	-6.887	6.7	10.8	-38.7	40.2	285.6	29.4	83.4	-118.2	144.7	305.2	0.6	0.00	1.00	0.83R
307	6.0	0.138	0.048	2.878	-6.779	6.629	11.7	-38.5	40.2	286.9	29.5	87.7	-117.6	146.7	306.7	0.62	0.00	1.00	0.83R
308	6.5	0.146	0.05	2.886	-6.338	6.212	12.5	-38.2	40.2	288.1	30.5	90.0	-115.7	146.6	307.8	0.63	0.00	1.00	0.83R
309	6.8	0.153	0.053	2.876	-5.951	5.844	13.2	-38.0	40.2	289.2	31.5	93.3	-114.0	146.1	308.7	0.65	0.00	1.00	0.83R
310	7.3	0.16	0.056	2.856	-5.572	5.479	14.0	-37.7	40.3	290.3	32.6	92.7	-112.2	145.6	309.7	0.67	0.00	1.00	0.83R
311	7.8	0.168	0.059	2.836	-5.207	5.13	14.8	-37.5	40.3	291.5	33.7	94.1	-110.2	145.0	310.5	0.69	0.00	1.00	0.83R
312	8.4	0.176	0.062	2.815	-4.857	4.799	15.7	-37.2	40.4	292.8	34.8	95.6	-108.2	144.3	311.4	0.7	0.00	1.00	0.83R
313	9.0	0.184	0.066	2.794	-4.527	4.487	16.6	-36.9	40.5	294.2	36.0	97.0	-106.0	143.7	312.4	0.72	0.00	1.00	0.83R
314	9.6	0.193	0.069	2.771	-4.215	4.196	17.6	-36.6	40.6	295.7	37.2	98.4	-103.8	143.1	313.4	0.74	0.00	1.00	0.83R
315	10.3	0.202	0.073	2.748	-3.925	3.925	18.6	-36.2	40.7	297.2	38.5	99.8	-101.8	142.4	314.4	0.76	0.00	1.00	0.83R
316	11.1	0.211	0.077	2.724	-3.654	3.675	19.7	-35.8	40.9	298.8	39.8	101.1	-99.3	141.8	315.5	0.77	0.00	1.00	0.83R
317	11.9	0.221	0.081	2.7	-3.405	3.446	20.9	-35.4	41.2	300.5	41.1	102.5	-97.0	141.1	316.5	0.78	0.00	1.00	0.83R
318	12.8	0.23	0.086	2.676	-3.174	3.237	22.1	-35.0	41.4	302.2	42.4	103.8	-94.6	140.5	317.6	0.81	0.00	1.00	0.84R
319	13.7	0.239	0.09	2.652	-2.963	3.047	23.3	-34.6	41.7	303.9	43.8	105.1	-92.2	139.9	318.7	0.83	0.00	1.00	0.84R
320	14.6	0.249	0.094	2.628	-2.769	2.874	24.5	-34.1	42.1	305.7	45.1	106.4	-89.8	139.3	319.8	0.84	0.00	1.00	0.84R
321	15.6	0.258	0.099	2.605	-2.592	2.718	25.8	-33.7	42.4	307.5	46.4	107.6	-87.5	138.7	320.8	0.86	0.00	1.00	0.84R
322	16.6	0.267	0.103	2.582	-2.431	2.578	27.1	-33.2	42.9	309.2	47.8	108.7	-85.1	138.1	321.9	0.88	0.00	1.00	0.84R
323	17.6	0.276	0.107	2.56	-2.284	2.511	28.4	-32.7	43.3	311.0	49.1	109.8	-82.8	137.5	322.9	0.9	0.00	1.00	0.84R
324	18.7	0.284	0.112	2.538	-2.151	2.337	29.8	-32.2	43.8	312.7	50.4	110.9	-80.4	137.0	324.0	0.91	0.00	1.00	0.84R
325	19.8	0.292	0.116	2.516	-2.03	2.235	31.1	-31.6	44.4	314.4	51.6	111.8	-78.2	136.5	325.0	0.93	0.00	1.00	0.84R
326	20.9	0.3	0.12	2.496	-1.922	2.143	32.4	-31.1	44.9	316.1	52.9	112.7	-76.0	136	326.0	0.95	0.00	1.00	

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, CIELAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	31 556	79.94	−66.31	−34.08	74.56	0.1807	−0.1034	207.2	15 476	37 585	Cm		%	
6 435	31 557	80.42	−82.6	−17.8	84.5	0.1724	−0.0949	192.1	16 480	44 621			%	
10 450	31 559	80.48	−108.29	14.97	109.32	0.1591	−0.078	172.1	18 491	−1 491c			%	
11 460	32 562	81.44	−111.37	27.39	114.69	0.1581	−0.0717	166.1	19 498	−1 498c			%	
12 465	33 565	82.34	−112.77	40.26	119.75	0.1579	−0.0653	160.3	21 506	−1 506c			%	
14 470	34 570	83.48	−109.79	65.41	127.8	0.1601	−0.053	149.2	24 522	−1 522c			%	
15 475	35 579	86.33	−94.64	81.3	124.77	0.169	−0.0462	139.3	26 533	−1 533c	Gm		%	
16 480	41 606	92.55	−53.33	102.14	115.22	0.1907	−0.0389	117.5	30 550	−1 550c			%	
16 485	−1 484c	96.94	−20.21	109.71	111.55	0.2063	−0.0374	100.4	32 560	10 454			%	
18 490	−1 490c	95.61	−14.83	124.45	125.34	0.2086	−0.0302	96.7	32 562	11 459	max		%	
19 495	−1 495c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461			%	
19 500	−1 499c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461			%	
22 510	−1 510c	91.28	2.92	142.55	142.58	0.2166	−0.0195	88.8	33 567	13 466			%	
23 520	−1 519c	89.77	8.54	144.07	144.32	0.2192	−0.0174	86.6	33 568	13 468	Ym		%	
26 530	−1 530c	84.06	27.32	142.33	144.93	0.2288	−0.0115	79.1	34 573	14 472			%	
27 540	−1 539c	81.79	33.86	139.63	143.68	0.2325	−0.0095	76.3	35 576	14 473			%	
28 545	−1 544c	79.35	40.37	136.19	142.05	0.2363	−0.0075	73.4	35 578	14 474			%	
29 550	−1 549c	76.75	46.79	132.12	140.16	0.2404	−0.0054	70.4	36 580	15 475			%	
31 555	−1 555c	71.13	58.79	122.64	136.0	0.2489	0.0	64.3	37 586	15 476			%	
32 560	10 451	69.5	84.42	−15.9	85.9	0.2645	−0.095	349.3	−1 492c	18 492			%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0					%	
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, CIELAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
31 556	0 405	71.84	57.81	111.35	125.47	0.2481	−0.0221	62.5	37 585	15 476	Rm		%	
31 557	6 435	71.27	68.77	29.56	74.85	0.2546	−0.0689	23.2	44 621	16 480			%	
31 559	10 450	71.19	81.9	−15.15	83.29	0.2621	−0.0944	349.5	−1 491c	18 491			%	
32 562	11 460	69.98	86.63	−25.22	90.23	0.2655	−0.1003	343.7	−1 498c	19 498			%	
33 565	12 465	68.81	90.56	−33.85	96.68	0.2685	−0.1056	339.5	−1 506c	21 506			%	
34 570	14 470	67.22	93.6	−46.01	104.3	0.2714	−0.1132	333.8	−1 522c	24 522			%	
35 579	15 475	62.81	97.27	−56.68	112.58	0.2768	−0.1215	329.7	−1 533c	26 533	Mm		%	
41 606	16 480	49.57	94.8	−81.7	125.15	0.2874	−0.1477	319.2	−1 550c	30 550			%	
−1 484c	16 485	33.36	73.3	−109.63	131.88	0.2894	−0.1962	303.7	10 454	32 560			%	
−1 490c	18 490	39.48	47.93	−101.69	112.42	0.2584	−0.1769	295.2	11 459	32 562	min		%	
−1 495c	19 495	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563			%	
−1 499c	19 500	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563			%	
−1 510c	22 510	52.84	−7.33	−80.67	81.0	0.2099	−0.144	264.8	13 466	33 567			%	
−1 519c	23 520	56.28	−19.89	−74.95	77.55	0.2014	−0.1373	255.1	13 468	33 568	Bm		%	
−1 530c	26 530	66.39	−49.47	−57.84	76.11	0.1852	−0.1206	229.4	14 472	34 573			%	
−1 539c	27 540	69.54	−55.96	−52.46	76.71	0.1825	−0.1162	223.1	14 473	35 576			%	
−1 544c	28 545	72.53	−60.74	−47.32	77.0	0.1809	−0.1123	217.9	14 474	35 578			%	
−1 549c	29 550	75.38	−63.87	−42.44	76.68	0.1803	−0.1088	213.6	15 475	36 580			%	
−1 555c	31 555	80.53	−65.58	−33.56	73.67	0.1813	−0.103	207.1	15 476	37 586			%	
10 451	32 560	81.82	−103.91	14.76	104.95	0.1621	−0.0782	171.9	18 492	−1 492c			%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0					%	
1-001000-L0										VE460-7X				

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																				
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																				
Elementary hue circle with 4 intended elementary hues 9 angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, and 90 intended hue angles:																				
000, 001, ..., 098, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 -39.6 15.3, 12 (B): 33.6 -12.8 -39.9																				
no.	ab	0	x ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{ab} 10	A ₁₀	B ₁₀	C _{ab} 10	h _{AB} 10	L _Y	a*	b*	C _{ab} 10	h _{AB} 10	rgb _{cab} 10	Code _{ab} 10		
000	40.0	0.447	0.257	1.737	-0.458	0.789	31.5	-1.1	31.6	357.8	69.4	82.4	-3.2	82.4	357.7	1.00	0.00	0.48	#B75R	
001	40.0	0.45	0.259	1.734	-0.445	0.786	31.4	-0.6	31.4	358.8	69.4	82.2	-1.8	82.2	358.7	1.00	0.00	0.46	#B76R	
002	40.0	0.454	0.262	1.731	-0.432	0.783	31.3	-0.1	31.3	359.7	69.5	81.9	-0.3	81.9	359.7	1.00	0.00	0.44	#B77R	
003	40.0	0.457	0.264	1.728	-0.419	0.78	31.2	0.3	31.2	0.7	69.5	81.7	1.1	81.7	0.7	1.00	0.00	0.42	#B78R	
004	40.0	0.461	0.267	1.725	-0.406	0.778	31.1	0.9	31.1	1.6	69.5	81.4	2.6	81.4	1.8	1.00	0.00	0.4	#B79R	
005	40.0	0.464	0.269	1.722	-0.393	0.775	31.0	1.4	31.0	2.6	69.5	81.1	4.2	81.3	2.9	1.00	0.00	0.38	#B80R	
006	40.0	0.468	0.272	1.719	-0.38	0.773	30.9	1.9	30.9	3.6	69.5	80.9	5.7	81.1	4.0	1.00	0.00	0.36	#B81R	
007	40.0	0.472	0.275	1.716	-0.367	0.77	30.7	2.4	30.8	4.5	69.5	80.6	7.4	80.9	5.2	1.00	0.00	0.35	#B82R	
008	40.0	0.475	0.277	1.713	-0.354	0.768	30.6	2.9	30.8	5.5	69.5	80.3	9.0	80.8	6.4	1.00	0.00	0.33	#B83R	
009	40.1	0.479	0.28	1.709	-0.342	0.766	30.5	3.5	30.7	6.5	69.5	80.0	10.7	80.7	7.6	1.00	0.00	0.31	#B84R	
010	40.1	0.483	0.283	1.706	-0.329	0.764	30.4	4.0	30.6	7.5	69.5	79.7	12.4	80.7	8.8	1.00	0.00	0.29	#B85R	
011	40.1	0.487	0.286	1.702	-0.316	0.762	30.2	4.5	30.6	8.4	69.5	79.4	14.2	80.7	10.1	1.00	0.00	0.27	#B86R	
012	40.1	0.491	0.289	1.699	-0.304	0.761	30.1	5.0	30.5	9.4	69.5	79.1	15.9	80.7	11.4	1.00	0.00	0.25	#B87R	
013	40.1	0.494	0.291	1.695	-0.292	0.759	30.0	5.5	30.5	10.4	69.5	78.8	17.7	80.8	12.7	1.00	0.00	0.23	#B88R	
014	40.1	0.498	0.294	1.691	-0.279	0.758	29.8	6.0	30.4	11.3	69.6	78.5	19.6	80.9	14.0	1.00	0.00	0.22	#B88R	
015	40.2	0.502	0.297	1.687	-0.268	0.757	29.7	6.4	30.4	12.2	69.6	78.2	21.4	81.1	15.3	1.00	0.00	0.2	#B89R	
016	40.2	0.506	0.299	1.683	-0.256	0.756	29.6	6.9	30.4	13.2	69.6	77.8	23.3	81.3	16.6	1.00	0.00	0.18	#B90R	
017	40.2	0.51	0.303	1.68	-0.244	0.754	29.4	7.4	30.3	14.1	69.6	77.5	25.2	81.5	18.0	1.00	0.00	0.16	#B91R	
018	40.2	0.514	0.306	1.676	-0.233	0.753	29.3	7.8	30.3	15.0	69.6	77.2	27.1	81.8	19.3	1.00	0.00	0.14	#B92R	
019	40.2	0.517	0.309	1.672	-0.222	0.752	29.1	8.3	30.3	15.9	69.6	76.8	29.0	82.1	20.6	1.00	0.00	0.12	#B93R	
020	40.3	0.521	0.312	1.667	-0.211	0.752	29.0	8.7	30.3	16.8	69.6	76.5	30.9	82.5	22.0	1.00	0.00	0.1	#B94R	
021	40.3	0.525	0.315	1.663	-0.201	0.751	28.8	9.1	30.2	17.6	69.7	76.1	32.9	82.9	23.4	1.00	0.00	0.09	#B95R	
022	40.3	0.528	0.318	1.659	-0.191	0.75	28.7	9.6	30.2	18.5	69.7	75.8	34.9	83.4	24.7	1.00	0.00	0.07	#B96R	
023	40.3	0.532	0.321	1.655	-0.181	0.749	28.6	10.0	30.2	19.3	69.7	75.5	36.9	84.0	26.0	1.00	0.00	0.06	#B97R	
024	40.4	0.536	0.324	1.651	-0.171	0.748	28.4	10.4	30.2	20.1	69.7	75.0	38.9	84.5	27.4	1.00	0.00	0.03	#B98R	
025	40.4	0.539	0.327	1.646	-0.162	0.748	28.2	10.8	30.2	20.9	69.7	74.7	41.0	85.2	28.7	1.00	0.00	0.01	#B99R	
026	40.4	0.542	0.33	1.642	-0.152	0.747	28.1	11.1	30.2	21.7	69.8	74.3	43.0	85.9	30.0	1.00	0.00	0.00	#B90Y	
027	40.5	0.546	0.333	1.638	-0.144	0.746	27.9	11.5	30.2	22.4	69.8	73.9	45.1	86.6	31.3	1.00	0.01	0.00	#B91Y	
028	40.5	0.549	0.336	1.633	-0.135	0.745	27.7	11.9	30.2	23.1	69.8	73.5	47.1	87.4	32.6	1.00	0.03	0.00	#B93Y	
029	40.5	0.552	0.339	1.629	-0.127	0.745	27.6	12.2	30.2	23.8	69.8	73.2	49.2	88.2	33.9	1.00	0.05	0.00	#B95Y	
030	40.5	0.555	0.342	1.624	-0.119	0.744	27.4	12.5	30.2	24.5	69.8	72.8	51.3	89.1	35.1	1.00	0.06	0.00	#B96Y	
031	40.6	0.558	0.344	1.62	-0.112	0.743	27.3	12.8	30.2	25.2	69.9	72.4	53.4	90.0	36.4	1.00	0.08	0.00	#B98Y	
032	40.6	0.561	0.347	1.615	-0.104	0.742	27.1	13.1	30.1	25.9	69.9	72.0	55.5	90.9	37.6	1.00	0.09	0.00	#B99Y	
033	40.7	0.564	0.35	1.611	-0.097	0.741	26.9	13.4	30.1	26.5	69.9	71.6	57.6	91.9	38.8	1.00	0.11	0.00	#B10Y	
034	40.7	0.566	0.352	1.606	-0.091	0.74	26.8	13.7	30.1	27.1	69.9	71.2	59.8	93.0	40.0	1.00	0.13	0.00	#B13Y	
035	40.7	0.569	0.355	1.602	-0.084	0.739	26.6	14.0	30.1	27.7	70.0	70.8	61.9	94.1	41.1	1.00	0.14	0.00	#B14Y	
036	40.8	0.571	0.357	1.597	-0.078	0.738	26.5	14.3	30.1	28.3	70.0	70.4	64.0	95.2	42.2	1.00	0.16	0.00	#B16Y	
037	40.8	0.573	0.36	1.592	-0.072	0.736	26.3	14.5	30.0	28.9	70.0	70.0	66.2	96.3	43.3	1.00	0.18	0.00	#B18Y	
038	40.9	0.576	0.362	1.588	-0.067	0.735	26.1	14.8	30.0	29.4	70.1	69.6	68.3	97.5	44.4	1.00	0.19	0.00	#B19Y	
039	40.9	0.578	0.365	1.583	-0.062	0.733	26.0	15.0	30.0	30.0	70.1	69.2	70.5	98.5	45.5	1.00	0.21	0.00	#B21Y	
040	40.9	0.58	0.367	1.578	-0.057	0.732	25.8	15.2	30.0	30.6	70.1	68.8	72.6	99.6	46.6	1.00	0.22	0.00	#B22Y	
041	41.0	0.581	0.369	1.574	-0.052	0.73	25.6	15.4	29.9	31.0	70.1	68.4	74.8	101.3	47.5	1.00	0.24	0.00	#B24Y	
042	41.0	0.583	0.371	1.569	-0.048	0.728	25.5	15.6	29.9	31.5	70.2	67.9	76.9	102.6	48.5	1.00	0.26	0.00	#B26Y	
043	41.1	0.584	0.373	1.564	-0.044	0.727	25.3	15.8	29.9	31.9	70.2	67.5	79.0	104.0	49.4	1.00	0.27	0.00	#B27Y	
044	41.1	0.586	0.375	1.56	-0.04	0.725	25.1	16.0	29.8	32.4	70.2	67.1	81.2	105.3	50.4	1.00	0.29	0.00	#B29Y	
045	41.2	0.587	0.377	1.555	-0.036	0.723	25.0	16.1	29.8	32.8	70.3	66.7	83.3	106.7	51.3	1.00	0.31	0.00	#B31Y	
046	41.2	0.588	0.379	1.55	-0.033	0.721	24.8	16.3	29.7	33.3	70.3	66.3	85.4	108.2	52.1	1.00	0.32	0.00	#B32Y	
047	41.3	0.589	0.381	1.546	-0.03	0.719	24.7	16.5	29.7	33.7	70.4	65.9	87.6	109.6	53.0	1.00	0.34	0.00	#B34Y	
048	41.3	0.59	0.383	1.541	-0.027	0.716	24.5	16.6	29.6	34.1	70.5	65.5	89.7	111.0	53.8	1.00	0.35	0.00	#B35Y	
049	41.4	0.591	0.384	1.536	-0.024	0.714	24.3	16.7	29.5	34.5	70.4	65.0	91.8	112.5	54.6	1.00	0.37	0.00	#B37Y	
050	41.4	0.592	0.386	1.532	-0.021	0.712	24.2	16.9	29.5	34.9	70.5	64.6	93.9	114.0	55.4	1.00	0.39	0.00	#B39Y	
051	41.5	0.592	0.388	1.527	-0.019	0.709	24.0	17.0	29.4	35.2	70.5	64.2	96.0	115.5	56.2	1.00	0.4	0.00	#B40Y	
052	41.5	0.593	0.389	1.522	-0.017	0.707	23.8	17.1	29.4	35.6	70.5	63.8	98.1	117.0	56.9	1.00	0.42	0.00	#B42Y	
053	41.6	0.593	0.391	1.518	-0.015	0.704	23.7	17.2	29.3	35.9	70.6	63.4	100.1	118.5	57.6	1.00	0.44	0.00	#B44Y	
054	41.7	0.594	0.392	1.513	-0.013	0.701	23.5	17.3	29.2	36.3	70.6	63.0	102.2	120.0	58.3	1.00	0.45	0.00	#B45Y	
055	41.7	0.594	0.393	1.508	-0.011	0.699	23.4	17.4	29.1	36.6	70.7	62.6	104.2	121.6	59.0	1.00	0.47	0.00	#B47Y	
056	41.8	0.594	0.395	1.504	-0.01	0.696	23.2	17.5	29.1	36.9	70.7	62.1	106.3	123.1	59.6	1.00	0.48	0.00	#B48Y	
057	41.8	0.596	0.397	1.5	-0.009	0.693	23.0	17.6	29.0	37.2	70.8	61.7	108.3	124.7	60.3	1.00	0.5	0.00	#B50Y	
058	41.9	0.594	0.397	1.495	-0.007	0.69	22.9	17.6	28.9	37.6	70.8	61.3	110.3	126.2	60.9	1.00	0.52	0.00	#B52Y	
059	42.0	0.594	0.398	1.49	-0.006	0.687	22.7	17.7	28.9	37.9	70.8	60.9	112.2	127.7	61.5	1.00	0.53	0.00	#B53Y	
060	42.0	0.594	0.4	1.486	-0.005	0.685	22.6	17.8	28.8	38.2	70.9	60.5	114.2	129.3	62.0	1.00	0.55	0.00	#B55Y	
061	42.1	0.594	0.401	1.481	-0.004	0.682	22.4	17.9	28.7	38.5	70.9	60.1	116.2	130.8	62.6	1.00	0.57	0.		

rgb _{tab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																				
Yxy _{tab} , abc _{AB} , ABC _{AB} , LabC _{ab} , h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																				
Elementary hue circle with 4 intended elementary hues 9 (R): 39.2, 54.5, 26.4, 10 (Y): 79.5, 32, 71.0, 11 (G): 52.3 - 39.6 intended hues angles:																				
180, 181, ..., 269, CIELAB data of CIE test colours 9 (R): 39.2, 54.5, 26.4, 10 (Y): 79.5, 32, 71.0, 11 (G): 52.3 - 39.6 intended hues angles:																				
no. _{tab}	x ₁₀	y ₁₀	a ₁₀	b ₁₀	c _{ab10}	A ₁₀	B ₁₀	C _{ab10}	h _{AB10}	L _Y	a*	b*	C*	h _{AB10}	h _{AB10}	rgb _{ab}	h _{AB10}	Code _{tab}		
180	41.9	0.557	0.353	1.577	-0.1	0.71	26.4	13.8	29.8	27.5	70.8	69.2	57.5	90.0	39.7	0.00	1.00	0.45	G22B	
181	41.9	0.557	0.352	1.579	-0.101	0.71	26.4	13.7	29.8	27.4	70.8	69.3	57.0	89.8	39.4	0.00	1.00	0.47	G23B	
182	41.9	0.556	0.352	1.58	-0.103	0.711	26.5	13.6	29.8	27.2	70.8	69.4	56.5	89.5	39.1	0.00	1.00	0.49	G24B	
183	41.9	0.555	0.351	1.581	-0.105	0.711	26.5	13.5	29.8	27.0	70.8	69.5	55.9	89.3	38.8	0.00	1.00	0.51	G25B	
184	41.9	0.555	0.35	1.582	-0.107	0.711	26.6	13.5	29.8	26.9	70.8	69.6	55.4	89.0	38.5	0.00	1.00	0.53	G26B	
185	41.9	0.554	0.35	1.583	-0.108	0.712	26.6	13.4	29.8	26.7	70.8	69.8	54.9	88.8	38.2	0.00	1.00	0.56	G28B	
186	41.8	0.553	0.349	1.588	-0.11	0.712	26.6	13.3	29.8	26.5	70.7	69.9	54.4	88.6	37.9	0.00	1.00	0.58	G29B	
187	41.8	0.553	0.348	1.586	-0.112	0.712	26.7	13.2	29.8	26.4	70.7	70.0	53.9	88.3	37.6	0.00	1.00	0.6	G30B	
188	41.8	0.552	0.348	1.587	-0.114	0.713	26.7	13.1	29.8	26.2	70.7	70.1	53.4	88.1	37.2	0.00	1.00	0.62	G31B	
189	41.8	0.547	0.347	1.588	-0.115	0.713	26.8	13.0	29.8	26.0	70.7	70.2	52.8	87.9	36.9	0.00	1.00	0.64	G32B	
190	41.8	0.551	0.346	1.59	-0.117	0.713	26.8	13.0	29.8	25.8	70.7	70.3	52.3	87.7	36.6	0.00	1.00	0.66	G33B	
191	41.8	0.55	0.345	1.591	-0.119	0.713	26.9	12.9	29.8	25.7	70.7	70.4	51.8	87.4	36.3	0.00	1.00	0.68	G34B	
192	41.8	0.549	0.345	1.592	-0.121	0.714	26.9	12.8	29.8	25.5	70.7	70.5	51.3	87.2	36.0	0.00	1.00	0.71	G35B	
193	41.7	0.549	0.344	1.593	-0.123	0.714	26.9	12.7	29.8	25.3	70.7	70.6	50.8	87.0	35.7	0.00	1.00	0.73	G36B	
194	41.7	0.548	0.343	1.595	-0.125	0.714	27.0	12.7	29.8	25.1	70.7	70.7	50.3	86.8	35.4	0.00	1.00	0.75	G37B	
195	41.7	0.547	0.343	1.596	-0.127	0.715	27.0	12.6	29.8	24.9	70.7	70.8	49.8	86.6	35.0	0.00	1.00	0.77	G38B	
196	41.7	0.546	0.342	1.597	-0.129	0.715	27.1	12.5	29.8	24.8	70.7	70.9	49.2	86.4	34.7	0.00	1.00	0.79	G39B	
197	41.7	0.546	0.341	1.598	-0.131	0.715	27.1	12.4	29.8	24.6	70.6	71.0	48.7	86.2	34.4	0.00	1.00	0.81	G40B	
198	41.7	0.545	0.34	1.599	-0.133	0.715	27.2	12.3	29.8	24.4	70.6	71.1	48.2	86.0	34.1	0.00	1.00	0.83	G41B	
199	41.7	0.544	0.34	1.601	-0.135	0.716	27.2	12.2	29.8	24.2	70.6	71.2	47.7	85.8	33.8	0.00	1.00	0.86	G43B	
200	41.7	0.543	0.339	1.602	-0.137	0.716	27.2	12.1	29.8	24.0	70.6	71.4	47.2	85.6	33.4	0.00	1.00	0.88	G44B	
201	41.6	0.543	0.338	1.603	-0.139	0.716	27.3	12.0	29.8	23.8	70.6	71.5	46.7	85.4	33.1	0.00	1.00	0.9	G45B	
202	41.6	0.542	0.337	1.604	-0.141	0.717	27.3	11.9	29.8	23.6	70.6	71.6	46.2	85.2	32.8	0.00	1.00	0.92	G46B	
203	41.6	0.541	0.337	1.606	-0.143	0.717	27.4	11.9	29.8	23.4	70.6	71.7	45.6	85.0	32.4	0.00	1.00	0.94	G47B	
204	41.6	0.54	0.336	1.607	-0.145	0.717	27.4	11.8	29.8	23.2	70.6	71.8	45.1	84.8	32.1	0.00	1.00	0.96	G48B	
205	41.6	0.54	0.335	1.608	-0.147	0.717	27.4	11.7	29.8	23.0	70.6	71.9	44.6	84.6	31.8	0.00	1.00	0.98	G49B	
206	41.6	0.539	0.335	1.609	-0.15	0.718	27.5	11.6	29.8	22.8	70.6	72.0	44.1	84.4	31.5	0.00	0.98	1.00	G50B	
207	41.6	0.538	0.334	1.61	-0.152	0.718	27.5	11.5	29.8	22.6	70.6	72.1	43.6	84.3	31.1	0.00	0.96	1.00	G51B	
208	41.5	0.537	0.333	1.612	-0.154	0.718	27.6	11.4	29.8	22.4	70.5	72.2	43.1	84.1	30.8	0.00	0.94	1.00	G52B	
209	41.5	0.536	0.332	1.613	-0.156	0.719	27.6	11.3	29.9	22.2	70.5	72.3	42.6	83.9	30.4	0.00	0.92	1.00	G53B	
210	41.5	0.536	0.332	1.614	-0.158	0.719	27.7	11.2	29.9	22.0	70.5	72.4	42.1	83.8	30.1	0.00	0.9	1.00	G54B	
211	41.5	0.535	0.331	1.615	-0.161	0.719	27.7	11.1	29.9	21.8	70.5	72.5	41.5	83.6	29.8	0.00	0.88	1.00	G55B	
212	41.5	0.534	0.33	1.617	-0.163	0.719	27.7	11.0	29.9	21.6	70.5	72.6	41.0	83.4	29.4	0.00	0.86	1.00	G56B	
213	41.5	0.533	0.329	1.618	-0.165	0.72	27.8	10.9	29.9	21.4	70.5	72.7	40.5	83.3	29.1	0.00	0.83	1.00	G58B	
214	41.5	0.532	0.328	1.619	-0.168	0.72	27.8	10.8	29.9	21.2	70.5	72.8	40.0	83.1	28.7	0.00	0.81	1.00	G59B	
215	41.5	0.531	0.328	1.62	-0.17	0.72	27.9	10.7	29.9	21.0	70.5	72.9	39.5	83.0	28.4	0.00	0.79	1.00	G60B	
216	41.4	0.531	0.327	1.622	-0.172	0.721	27.9	10.6	29.9	20.8	70.5	73.0	39.0	82.8	28.1	0.00	0.77	1.00	G61B	
217	41.4	0.53	0.326	1.623	-0.175	0.721	28.0	10.5	29.9	20.6	70.5	73.2	38.5	82.7	27.7	0.00	0.75	1.00	G62B	
218	41.4	0.529	0.325	1.624	-0.177	0.721	28.0	10.4	29.9	20.4	70.5	73.3	38.0	82.5	27.4	0.00	0.73	1.00	G63B	
219	41.4	0.528	0.325	1.625	-0.179	0.722	28.0	10.3	29.9	20.2	70.4	73.4	37.5	82.4	27.0	0.00	0.71	1.00	G64B	
220	41.4	0.527	0.324	1.626	-0.181	0.722	28.1	10.2	29.9	20.0	70.4	73.5	37.0	82.2	26.7	0.00	0.69	1.00	G65B	
221	41.4	0.526	0.323	1.628	-0.184	0.722	28.1	10.1	29.9	19.7	70.4	73.6	36.5	82.1	26.3	0.00	0.66	1.00	G66B	
222	41.4	0.525	0.322	1.629	-0.187	0.723	28.2	10.0	29.9	19.5	70.4	73.7	36.0	82.0	26.0	0.00	0.64	1.00	G67B	
223	41.4	0.525	0.322	1.63	-0.189	0.723	28.2	9.9	29.9	19.3	70.4	73.8	35.4	81.9	25.6	0.00	0.62	1.00	G68B	
224	41.3	0.524	0.321	1.631	-0.192	0.723	28.2	9.8	29.9	19.1	70.4	73.9	34.9	81.7	25.3	0.00	0.6	1.00	G69B	
225	41.3	0.523	0.32	1.633	-0.194	0.724	28.3	9.6	29.9	18.8	70.4	74.0	34.4	81.6	24.9	0.00	0.58	1.00	G70B	
226	41.3	0.522	0.319	1.634	-0.197	0.724	28.3	9.5	29.9	18.6	70.4	74.1	33.9	81.5	24.6	0.00	0.56	1.00	G71B	
227	41.3	0.521	0.318	1.635	-0.2	0.724	28.4	9.4	29.9	18.4	70.4	74.2	33.4	81.4	24.2	0.00	0.53	1.00	G73B	
228	41.3	0.52	0.318	1.636	-0.202	0.725	28.4	9.3	29.9	18.2	70.4	74.3	32.9	81.3	23.9	0.00	0.51	1.00	G74B	
229	41.3	0.519	0.317	1.637	-0.205	0.725	28.5	9.2	29.9	17.9	70.4	74.4	32.4	81.2	23.5	0.00	0.49	1.00	G75B	
230	41.3	0.518	0.316	1.639	-0.207	0.725	28.5	9.1	29.9	17.7	70.3	74.5	31.9	81.1	23.2	0.00	0.47	1.00	G76B	
231	41.2	0.518	0.315	1.64	-0.21	0.726	28.5	9.0	29.9	17.5	70.	74.6	31.4	81.0	22.8	0.00	0.45	1.00	G77B	
232	41.2	0.517	0.315	1.641	-0.213	0.726	28.6	8.9	29.9	17.3	70.3	74.7	30.9	80.9	22.5	0.00	0.43	1.00	G78B	
233	41.2	0.517	0.314	1.642	-0.215	0.726	28.6	8.8	29.9	17.1	70.3	74.8	30.4	80.8	22.2	0.00	0.41	1.00	G79B	
234	41.2	0.515	0.313	1.643	-0.218	0.727	28.7	8.6	29.9	16.8	70.3	74.9	30.0	80.7	21.8	0.00	0.38	1.00	G80B	
235	41.2	0.514	0.312	1.645	-0.221	0.727	28.7	8.5	30.0	16.6	70.3	75.0	29.5	80.6	21.4	0.00	0.36	1.00	G81B	
236	41.2	0.513	0.311	1.646	-0.224	0.727	28.7	8.4	30.0	16.3	70.3	75.1	29.0	80.5	21.1	0.00	0.34	1.00	G82B	
237	41.2	0.512	0.311	1.647	-0.226	0.728	28.8	8.3	30.0	16.1	70.3	75.2	28.5	80.4	20.7	0.00	0.32	1.00	G83B	
238	41.2	0.511	0.31	1.648	-0.229	0.728	28.8	8.2	30.0	15.9	70.3	75.3	28.0	80.4	20.4	0.00	0.3	1.00	G84B	
239	41.1	0.51	0.309	1.65	-0.232															

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																								
Elementary hue circle with 4 intended elementary hues (angles): h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB and 39.6 intended hue angles:																								
270, 271, ..., 360, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 -39.6 15.3, 12 (B): 33.6 -12.8 -39.9																								
no.	ab	h _{ab}	X ₁₀	Y ₁₀	q ₁₀	b ₁₀	C _{ab} 10.9	A ₁₀	B ₁₀	C _{ab} 10.6	h _{AB} 10	L _Y	a [*] 10	b [*] 10	C _{ab} 10.1	h _{AB} 10	rgb ^a 10	rgb ^b 10	rgb ^c 10	Code	ab	h _{ab}	Code	
270	ab	0.8	0.481	0.285	1.686	-0.326	0.745	30.1	4.1	30.4	7.9	70.0	78.4	12.9	79.5	9.3	0.26	0.00	1.00	0.00	B13R	0.8	0.481	B13R
271	ab	0.8	0.48	0.284	1.687	-0.329	0.745	30.1	4.0	30.4	7.6	70.0	78.5	12.4	79.5	9.0	0.28	0.00	1.00	0.00	B14R	0.8	0.48	B14R
272	ab	0.7	0.479	0.283	1.688	-0.333	0.746	30.2	3.9	30.4	7.4	70.0	78.6	12.0	79.5	8.6	0.29	0.00	1.00	0.00	B14R	0.7	0.479	B14R
273	ab	0.7	0.478	0.283	1.689	-0.336	0.747	30.2	3.7	30.4	7.1	70.0	78.7	11.5	79.5	8.3	0.31	0.00	1.00	0.00	B15R	0.7	0.478	B15R
274	ab	0.7	0.477	0.282	1.69	-0.339	0.747	30.2	3.6	30.4	6.8	70.0	78.8	11.1	79.6	8.0	0.32	0.00	1.00	0.00	B16R	0.7	0.477	B16R
275	ab	0.7	0.476	0.281	1.691	-0.342	0.748	30.3	3.5	30.5	6.6	70.0	78.9	10.6	79.6	7.7	0.34	0.00	1.00	0.00	B17R	0.7	0.476	B17R
276	ab	0.7	0.475	0.281	1.692	-0.346	0.749	30.3	3.3	30.5	6.3	70.0	79.0	10.2	79.6	7.3	0.35	0.00	1.00	0.00	B17R	0.7	0.475	B17R
277	ab	0.7	0.474	0.281	1.693	-0.349	0.75	30.3	3.2	30.5	6.1	69.9	79.1	9.8	79.7	7.0	0.37	0.00	1.00	0.00	B18R	0.7	0.474	B18R
278	ab	0.7	0.473	0.279	1.695	-0.352	0.751	30.4	3.1	30.5	5.8	69.9	79.1	9.3	79.7	6.7	0.38	0.00	1.00	0.00	B19R	0.7	0.473	B19R
279	ab	0.7	0.472	0.278	1.696	-0.356	0.751	30.4	2.9	30.6	5.5	69.9	79.2	8.9	79.7	6.4	0.4	0.00	1.00	0.00	B20R	0.7	0.472	B20R
280	ab	0.7	0.471	0.278	1.697	-0.359	0.752	30.4	2.8	30.6	5.3	69.9	79.3	8.5	79.8	6.1	0.41	0.00	1.00	0.00	B20R	0.7	0.471	B20R
281	ab	0.6	0.471	0.277	1.698	-0.362	0.753	30.5	2.7	30.6	5.0	69.9	79.4	8.0	79.8	5.8	0.43	0.00	1.00	0.00	B21R	0.6	0.471	B21R
282	ab	0.6	0.47	0.276	1.699	-0.366	0.753	30.5	2.5	30.6	4.8	69.9	79.5	7.6	79.9	5.4	0.44	0.00	1.00	0.00	B22R	0.6	0.47	B22R
283	ab	0.6	0.469	0.275	1.7	-0.369	0.754	30.5	2.4	30.6	4.5	69.9	79.6	7.2	79.9	5.1	0.46	0.00	1.00	0.00	B23R	0.6	0.469	B23R
284	ab	0.6	0.468	0.275	1.701	-0.372	0.755	30.6	2.2	30.7	4.2	69.9	79.7	6.7	80.0	4.8	0.47	0.00	1.00	0.00	B23R	0.6	0.468	B23R
285	ab	0.6	0.467	0.274	1.702	-0.376	0.756	30.6	2.1	30.7	4.0	69.9	79.8	6.3	80.0	4.5	0.49	0.00	1.00	0.00	B24R	0.6	0.467	B24R
286	ab	0.6	0.466	0.273	1.703	-0.379	0.757	30.7	2.0	30.7	3.7	69.9	79.9	5.9	80.1	4.2	0.5	0.00	1.00	0.00	B25R	0.6	0.466	B25R
287	ab	0.6	0.465	0.273	1.704	-0.382	0.758	30.7	1.8	30.7	3.5	69.9	79.9	5.5	80.1	3.9	0.52	0.00	1.00	0.00	B26R	0.6	0.465	B26R
288	ab	0.6	0.464	0.272	1.705	-0.386	0.758	30.7	1.7	30.8	3.2	69.9	80.0	5.1	80.2	3.6	0.53	0.00	1.00	0.00	B26R	0.6	0.464	B26R
289	ab	0.6	0.463	0.271	1.706	-0.389	0.759	30.8	1.6	30.8	2.9	69.9	80.1	4.7	80.2	3.3	0.55	0.00	1.00	0.00	B27R	0.6	0.463	B27R
290	ab	0.5	0.462	0.27	1.707	-0.393	0.76	30.8	1.4	30.8	2.7	69.9	80.2	4.2	80.3	3.0	0.56	0.00	1.00	0.00	B28R	0.5	0.462	B28R
291	ab	0.5	0.461	0.27	1.708	-0.396	0.761	30.8	1.3	30.9	2.4	69.8	80.3	3.8	80.4	2.7	0.58	0.00	1.00	0.00	B29R	0.5	0.461	B29R
292	ab	0.5	0.46	0.269	1.709	-0.399	0.762	30.9	1.1	30.9	2.2	69.8	80.4	3.4	80.4	2.4	0.59	0.00	1.00	0.00	B29R	0.5	0.46	B29R
293	ab	0.5	0.458	0.268	1.71	-0.403	0.763	30.9	1.0	30.9	1.9	69.8	80.5	3.0	80.5	2.1	0.6	0.00	1.00	0.00	B30R	0.5	0.458	B30R
294	ab	0.5	0.459	0.268	1.712	-0.406	0.764	30.9	0.9	30.9	1.7	69.8	80.5	2.6	80.6	1.8	0.62	0.00	1.00	0.00	B31R	0.5	0.459	B31R
295	ab	0.5	0.458	0.267	1.713	-0.41	0.765	31.0	0.7	31.0	1.4	69.8	80.6	2.2	80.6	1.5	0.64	0.00	1.00	0.00	B32R	0.5	0.458	B32R
296	ab	0.5	0.457	0.266	1.714	-0.413	0.766	31.0	0.6	31.0	1.1	69.8	80.7	1.8	80.7	1.3	0.65	0.00	1.00	0.00	B32R	0.5	0.457	B32R
297	ab	0.5	0.456	0.266	1.715	-0.416	0.767	31.0	0.5	31.0	0.9	69.8	80.8	1.4	80.8	1.0	0.67	0.00	1.00	0.00	B33R	0.5	0.456	B33R
298	ab	0.5	0.455	0.265	1.716	-0.42	0.768	31.1	0.3	31.1	0.6	69.8	80.9	1.0	80.9	0.7	0.68	0.00	1.00	0.00	B34R	0.5	0.455	B34R
299	ab	0.5	0.454	0.264	1.717	-0.423	0.769	31.1	0.2	31.1	0.4	69.8	80.9	0.6	80.9	0.4	0.7	0.00	1.00	0.00	B35R	0.5	0.454	B35R
300	ab	0.4	0.453	0.264	1.718	-0.427	0.77	31.1	0.0	31.1	0.1	69.8	81.0	0.2	81.0	0.1	0.71	0.00	1.00	0.00	B35R	0.4	0.453	B35R
301	ab	0.4	0.452	0.263	1.719	-0.43	0.771	31.2	0.0	31.2	0.0	69.9	81.1	-0.1	81.1	0.0	0.73	0.00	1.00	0.00	B36R	0.4	0.452	B36R
302	ab	0.4	0.452	0.262	1.72	-0.433	0.772	31.2	-0.1	31.2	-0.2	69.9	81.2	-0.2	81.2	-0.1	0.75	0.00	1.00	0.00	B37R	0.4	0.452	B37R
303	ab	0.4	0.451	0.262	1.721	-0.437	0.773	31.2	-0.3	31.2	-0.3	69.9	81.3	-0.8	81.3	-0.8	0.73	0.00	1.00	0.00	B38R	0.4	0.451	B38R
304	ab	0.4	0.45	0.261	1.722	-0.44	0.774	31.3	-0.4	31.3	-0.3	69.9	81.3	-1.2	81.3	-1.2	0.71	0.00	1.00	0.00	B38R	0.4	0.45	B38R
305	ab	0.4	0.449	0.26	1.723	-0.443	0.775	31.3	-0.5	31.3	-0.5	69.9	81.4	-1.6	81.4	-1.6	0.68	0.00	1.00	0.00	B39R	0.4	0.449	B39R
306	ab	0.4	0.448	0.26	1.723	-0.447	0.776	31.3	-0.7	31.3	-0.7	69.9	81.5	-2.0	81.5	-2.0	0.65	0.00	1.00	0.00	B40R	0.4	0.448	B40R
307	ab	0.4	0.447	0.259	1.724	-0.45	0.777	31.4	-0.8	31.4	-0.8	69.9	81.6	-2.4	81.6	-2.4	0.63	0.00	1.00	0.00	B41R	0.4	0.447	B41R
308	ab	0.4	0.446	0.258	1.725	-0.454	0.778	31.4	-1.0	31.4	-1.0	69.9	81.7	-2.7	81.7	-2.7	0.6	0.00	1.00	0.00	B41R	0.4	0.446	B41R
309	ab	0.4	0.446	0.258	1.726	-0.457	0.779	31.4	-1.1	31.4	-0.9	69.9	81.7	-3.1	81.8	-3.1	0.57	0.00	1.00	0.00	B42R	0.4	0.446	B42R
310	ab	0.3	0.445	0.257	1.727	-0.46	0.78	31.4	-1.2	31.5	-0.7	69.9	81.8	-3.5	81.9	-3.5	0.54	0.00	1.00	0.00	B43R	0.3	0.445	B43R
311	ab	0.3	0.444	0.257	1.728	-0.464	0.781	31.5	-1.4	31.5	-0.5	69.9	81.9	-3.8	82.0	-3.8	0.52	0.00	1.00	0.00	B44R	0.3	0.444	B44R
312	ab	0.3	0.443	0.256	1.729	-0.467	0.782	31.5	-1.5	31.5	-0.5	69.9	82.0	-4.2	82.1	-4.2	0.5	0.00	1.00	0.00	B44R	0.3	0.443	B44R
313	ab	0.3	0.442	0.255	1.73	-0.47	0.783	31.5	-1.6	31.6	-0.6	69.9	82.1	-4.6	82.2	-4.6	0.47	0.00	1.00	0.00	B45R	0.3	0.442	B45R
314	ab	0.3	0.442	0.255	1.731	-0.474	0.784	31.6	-1.8	31.6	-0.7	69.9	82.2	-4.9	82.3	-4.9	0.45	0.00	1.00	0.00	B46R	0.3	0.442	B46R
315	ab	0.3	0.441	0.254	1.732	-0.477	0.785	31.6	-1.9	31.7	-0.8	69.9	82.2	-5.3	82.3	-5.3	0.42	0.00	1.00	0.00	B47R	0.3	0.441	B47R
316	ab	0.3	0.44	0.254	1.733	-0.48	0.787	31.6	-2.0	31.7	-0.9	69.9	82.2	-5.6	82.4	-5.6	0.39	0.00	1.00	0.00	B47R	0.3	0.44	B47R
317	ab	0.3	0.439	0.253	1.734	-0.484	0.788	31.7	-2.2	31.7	-1.0	69.9	82.3	-6.0	82.5	-6.0	0.36	0.00	1.00	0.00	B48R	0.3	0.439	B48R
318	ab	0.3	0.438	0.252	1.735	-0.487	0.789	31.7	-2.3	31.8	-1.1	69.9	82.4	-6.3	82.6	-6.3	0.33	0.00	1.00	0.00				