

http://130.149.60.45/~farbmatrik/VE46/VE46L0N1.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/1

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520..770, CIELAB data														%
i, λ ₁	i, λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a*	b*	h _{ab}	i _d	i _d	i _c	λ _c	Code	%
0 405	32 561	80.85	-67.55	-32.54	74.98	0.1805	-0.1029	205.7	16 483	37	589	80.85	Cm	%
6 435	32 562	81.18	-81.89	-19.25	84.12	0.1732	-0.096	193.2	17 486	42	610	%		%
10 450	32 563	81.52	-109.06	11.43	109.66	0.1595	-0.0803	174.0	19 496	-1	496c	%		%
12 460	34 565	82.01	-120.74	33.26	125.23	0.1538	-0.0692	164.5	21 505	-1	505c	%		%
12 465	33 567	82.73	-118.76	34.5	123.67	0.1552	-0.0687	163.8	21 506	-1	506c	%		%
14 470	33 569	83.3	-123.47	57.53	136.22	0.1532	-0.0572	155.0	24 520	-1	520c	%		%
15 475	34 573	84.63	-118.73	70.39	138.03	0.1564	-0.0512	149.3	25 528	-1	528c	Gm	%	
16 480	34 580	86.98	-107.21	84.2	136.33	0.1633	-0.0452	141.8	27 537	-1	537c	%		%
17 485	39 595	91.12	-80.53	100.07	128.45	0.1758	-0.0394	128.8	29 548	-1	548c	%		%
18 490	-1 490c	97.55	-23.15	119.05	121.28	0.2052	-0.0337	101.0	33 565	11	459	max	%	
19 495	-1 495c	96.94	-20.63	125.42	127.1	0.2062	-0.0306	99.3	33 566	12	462	%		%
20 500	-1 500c	96.17	-17.33	131.15	132.29	0.2076	-0.0277	97.5	33 567	12	464	%		%
22 510	-1 510c	94.0	-8.24	140.17	140.41	0.2116	-0.0224	93.3	33 569	13	469	%		%
23 520	-1 519c	92.57	-2.53	144.99	143.01	0.2142	-0.0202	91.0	34 570	14	471	Ym	%	
25 530	-1 529c	88.94	10.79	144.39	144.79	0.2205	-0.0165	85.7	34 573	15	475	%		%
27 540	-1 539c	84.43	25.54	141.4	143.69	0.2281	-0.0134	79.7	35 577	15	478	%		%
28 545	-1 544c	81.91	33.05	138.34	142.24	0.2322	-0.0121	76.5	35 579	15	479	%		%
29 550	-1 549c	79.2	40.58	134.51	140.5	0.2367	-0.0111	73.2	36 582	16	480	%		%
30 555	-1 554c	76.32	47.96	130.1	138.66	0.2413	-0.0103	69.7	36 584	16	481	%		%
32 560	-1 560c	70.18	61.63	120.13	135.02	0.2511	-0.0093	62.8	37 589	16	483	%		%
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0					%	

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770..520, CIELAB complementary														%
i, λ ₁	i, λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a*	b*	h _{ab}	i _d	i _d	i _c	λ _c	Code	%
32 561	0 405	70.73	60.88	110.08	125.79	0.2505	-0.022	61.0	37 589	16	483	Rm	%	
32 562	6 435	70.32	70.58	34.83	78.71	0.2562	-0.0659	26.2	42 610	17	486	%		%
32 563	10 450	69.88	85.85	-12.65	86.78	0.2653	-0.0935	35.1	-1 496c	19	491	%		%
33 565	12 460	69.24	92.89	-29.55	97.48	0.2698	-0.1035	34.2	-1 505c	21	505	%		%
33 567	12 465	68.27	94.84	-31.22	99.85	0.2716	-0.1046	34.1	-1 506c	21	506	%		%
33 569	14 470	67.49	99.24	-42.98	108.15	0.2748	-0.1119	33.6	-1 520c	24	520	%		%
34 573	15 475	65.52	102.87	-49.85	114.31	0.2784	-0.1167	33.4	-1 528c	25	528	Mm	%	
36 580	16 480	61.69	107.96	-59.02	123.05	0.2848	-0.1241	31.3	-1 537c	27	537	%		%
39 595	17 485	53.22	112.99	-75.77	133.88	0.2987	-0.1406	32.6	-1 548c	29	548	%		%
-1 490c	19 490	29.91	89.01	-117.0	147.01	0.3124	-0.2136	30.7	11 459	33	565	min	%	
-1 495c	19 495	33.36	74.42	-112.09	134.55	0.2908	-0.1997	30.5	12 462	33	566	%		%
-1 500c	20 500	37.09	58.44	-106.44	121.43	0.2704	-0.1864	29.8	12 464	33	567	%		%
-1 510c	22 510	45.26	23.9	-93.37	96.38	0.2205	-0.1623	28.4	13 469	33	569	%		%
-1 519c	23 520	49.52	6.76	-86.32	86.58	0.2349	-0.152	27.4	14 471	34	570	Bm	%	
-1 529c	25 530	58.0	-23.98	-72.06	75.95	0.1992	-0.1348	25.1	15 475	34	573	%		%
-1 539c	27 540	65.83	-46.7	-58.75	75.05	0.1868	-0.122	23.1	15 478	35	577	%		%
-1 544c	28 545	69.38	-54.68	-52.68	75.93	0.1833	-0.117	22.9	15 479	35	579	%		%
-1 549c	29 550	72.72	-60.59	-46.95	76.65	0.1812	-0.1126	21.7	16 480	36	582	%		%
-1 554c	30 555	75.82	-64.5	-41.62	76.77	0.1803	-0.1088	21.2	16 481	36	584	%		%
-1 560c	32 560	81.29	-66.96	-32.22	74.32	0.181	-0.1027	20.5	16 483	37	589	%		%
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0					%	

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520..770, CIELAB data														%
i, λ ₁	i, λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a*	b*	h _{ab}	i _d	i _d	i _c	λ _c	Code	%
0 405	31 556	79.94	-66.31	-34.08	74.56	0.1807	-0.1034	207.2	15 476	37	585	Cm	%	
6 435	31 557	80.42	-82.6	-17.8	84.5	0.1754	-0.0949	192.1	16 480	44	621	%		%
10 450	31 559	80.48	-108.29	14.97	109.32	0.1591	-0.078	172.1	18 491	-1	491c	%		%
11 460	32 562	81.44	-111.37	27.39	114.69	0.1581	-0.0717	166.1	19 498	-1	498c	%		%
12 465	33 565	82.34	-112.77	40.26	119.75	0.1579	-0.0653	160.3	21 506	-1	506c	%		%
14 470	34 570	83.48	-109.79	65.41	127.8	0.1601	-0.053	149.2	24 522	-1	522c	%		%
15 475	35 579	86.33	-94.64	81.3	124.77	0.169	-0.0462	139.3	26 533	-1	533c	Gm	%	
16 480	41 606	92.55	-53.33	102.14	115.22	0.1907	-0.0389	117.5	30 550	-1	550c	%		%
16 485	-1 484c	96.94	-20.21	109.71	111.55	0.2063	-0.0374	100.4	32 560	10	454	%		%
18 490	-1 490c	95.61	-14.83	124.45	125.34	0.2086	-0.0302	96.7	32 562	11	459	max	%	
19 495	-1 495c	94.76	-11.22	130.34	130.82	0.2101	-0.0271	94.9	32 563	12	461	%		%
19 500	-1 499c	94.76	-11.22	130.34	130.82	0.2101	-0.0271	94.9	32 563	12	461	%		%
22 510	-1 510c	91.28	2.92	142.55	142.58	0.2166	-0.0195	88.8	33 567	13	466	%		%
23 520	-1 519c	89.77	8.54	144.07	144.32	0.2192	-0.0174	86.6	33 568	13	468	Ym	%	
26 530	-1 530c	84.06	27.32	142.33	144.93	0.2288	-0.0115	79.1	34 573	14	472	%		%
27 540	-1 539c	81.79	33.86	139.63	143.68	0.2325	-0.0095	76.3	35 576	14	473	%		%
28 545	-1 544c	79.35	40.37	136.19	142.05	0.2363	-0.0075	73.4	35 578	14	474	%		%
29 550	-1 549c	76.75	46.79	132.12	140.16	0.2404	-0.0054	70.4	36 580	15	475	%		%
31 555	-1 555c	71.13	58.79	122.64	136.0	0.2489	0.0	64.3	37 586	15	476	%		%
32 560	10 451	69.5	84.42	-15.9	85.9	0.2645	-0.095	34.9	-1 492c	18	492	%		%
380	770	100.0	0.0	0.0	0.0	0.2152	-0.0857	0.0					%	

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770..520, CIELAB complementary														%
i, λ ₁	i, λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a*	b*	h _{ab}	i _d	i _d	i _c	λ _c	Code	%
31 556	0 405	71.84	57.81	111.35	125.47	0.2481	-0.0221	62.5	37 585	15	476	Rm	%	
31 557	6 435	71.27	68.77	29.56	74.85	0.2546	-0.0689	23.2	42 611	16	480	%		%
31 559	10 450	71.19	81.19	-15.15	83.29	0.2621	-0.0944	34.9	-1 491c	18	491	%		%
32 562	11 460	69.98	86.63	-25.22	90.23	0.2655	-0.1003	34.7	-1 498c	19	498	%		%
33 565	12 465	68.81	90.56	-33.85	96.68	0.2685	-0.1056	33.9	-1 506c	21	506	%		%
34 570	14 470	67.22	93.6	-46.01	104.3	0.2714	-0.1132	33.8	-1 522c	24	522	%		%
35 579	15 475	62.81	97.27	-56.68	112.58	0.2768	-0.1215	32.9	-1 533c	26	533	Mm	%	
41 606	16 480	49.57	94.8	-81.7	125.15	0.2874	-0.1477	31.9	-1 550c	30	550	%		%
-1 484c	16 485	33.36	73.3	-109.63	131.88	0.2894	-0.1962	30.7	10 454	32	560	%		%
-1 490c	19 490	39.48	47.93	-101.69	112.42	0.2584	-0.1769	29.2	11 459	32	562	min	%	
-1 495c	19 495	42.69	34.2	-96.93	102.79	0.2443	-0.1679	28.9	12 461	32	563	%		%
-1 499c	19 500	42.69	34.2	-96.93	102.79	0.2443	-0.1679	28.9	12 461	32	563	%		%
-1 510c	22 510	52.84	-7.33	-80.67	81.0	0.2099	-0.144	26.8	13 466	33	567	%		%
-1 519c	23 520	56.28	-19.89	-74.95	77.55	0.2014	-0.1373	25.1	13 468	33	568	Bm	%	
-1 530c	26 530	66.39	-49.47	-57.84	76.11	0.1852	-0.1206	22.9	14 472	34	573	%		%