

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, LINYAB data															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code				%
0	405	32	561	58.2	−22.74	−17.89	28.94	0.5596	−0.743	218.1	16 483	37 589	Cm		%
6	435	32	562	58.79	−26.78	−9.88	28.55	0.4948	−0.6036	200.2	17 486	42 610			%
10	450	32	563	59.42	−33.54	4.93	33.9	0.3859	−0.3525	171.6	19 496	−1 496c			%
12	460	33	565	60.32	−36.45	12.66	38.58	0.3461	−0.2256	160.8	21 505	−1 505c			%
12	465	33	567	61.66	−36.65	13.24	38.97	0.356	−0.2207	160.1	21 506	−1 506c			%
14	470	33	569	62.72	−38.14	19.32	42.76	0.3422	−0.1274	153.1	24 520	−1 520c			%
15	475	34	573	65.29	−38.28	22.47	44.39	0.364	−0.0913	149.5	25 528	−1 528c	Gm		%
16	480	36	580	69.95	−37.48	26.04	45.64	0.4146	−0.0632	145.2	27 537	−1 537c			%
17	485	39	595	78.75	−32.73	31.0	45.09	0.5347	−0.0418	136.5	29 548	−1 548c			%
18	490	−1	490c	93.8	−12.06	38.4	40.25	0.8218	−0.0261	107.4	33 565	11 459	max		%
19	495	−1	495c	92.3	−10.68	38.39	39.85	0.8346	−0.0195	105.5	33 566	12 462			%
20	500	−1	500c	90.42	−8.91	38.07	39.1	0.8518	−0.0144	103.1	33 567	12 464			%
22	510	−1	510c	85.27	−4.15	36.48	36.72	0.9016	−0.0076	96.5	33 569	13 469			%
23	520	−1	519c	81.98	−1.26	35.24	35.26	0.935	−0.0056	92.0	34 570	14 471	Ym		%
25	530	−1	529c	74.04	5.15	32.02	32.43	1.0201	−0.0031	80.8	34 573	15 475			%
27	540	−1	539c	64.9	11.57	28.16	30.44	1.1288	−0.0016	67.6	35 577	15 478			%
28	545	−1	544c	60.13	14.5	26.11	29.87	1.1917	−0.0012	60.9	35 579	15 479			%
29	550	−1	549c	55.26	17.18	24.01	29.53	1.2613	−0.0009	54.4	36 582	16 480			%
30	555	−1	554c	50.4	19.49	21.91	29.33	1.3372	−0.0007	48.3	36 584	16 481			%
32	560	−1	560c	41.0	22.8	17.83	28.95	1.5064	−0.0005	38.0	37 589	16 483			%
380	770	100.0	0.0	0.0	0.01	0.9504	−0.4355	0.0							%
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, LINYAB complementary															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code				%
32	561	0	405	41.79	22.74	17.89	28.94	1.4946	−0.0072	38.1	37 589	16 483	Rm		%
32	562	6	435	41.2	26.78	9.88	28.55	1.6006	−0.1956	20.2	42 610	17 486			%
32	563	10	450	40.57	33.54	−4.93	33.9	1.7771	−0.557	351.6	−1 496c	19 496			%
33	565	12	460	39.67	36.45	−12.66	38.58	1.8691	−0.7547	340.8	−1 505c	21 505			%
33	567	12	465	38.33	36.65	−13.24	38.97	1.9064	−0.781	340.1	−1 506c	21 506			%
33	569	14	470	37.27	38.14	−19.32	42.76	1.9738	−0.954	333.1	−1 520c	24 520			%
34	573	15	475	34.7	38.28	−22.47	44.39	2.0536	−1.083	329.5	−1 528c	25 528	Mm		%
36	580	16	480	30.04	37.48	−26.04	45.64	2.1982	−1.3026	325.2	−1 537c	27 537			%
39	595	17	485	21.24	32.73	−31.0	45.09	2.4914	−1.8952	316.5	−1 548c	29 548			%
−1	490c	18	490	6.19	12.06	−38.4	40.25	2.899	−6.6372	287.4	11 459	33 565	min		%
−1	495c	19	495	7.69	10.68	−38.39	39.85	2.3392	−5.4245	285.5	12 462	33 566			%
−1	500c	20	500	9.57	8.91	−38.07	39.1	1.8814	−4.4105	283.1	12 464	33 567			%
−1	510c	22	510	14.72	4.15	−36.48	36.72	1.2328	−2.9143	276.5	13 469	33 569			%
−1	519c	23	520	18.01	1.26	−35.24	35.26	1.0204	−2.3925	272.0	14 471	34 570	Bm		%
−1	529c	25	530	25.95	−5.15	−32.02	32.43	0.7516	−1.6693	260.8	15 475	34 573			%
−1	539c	27	540	35.09	−11.57	−28.16	30.44	0.6205	−1.238	247.6	15 478	35 577			%
−1	544c	28	545	39.86	−14.5	−26.11	29.87	0.5865	−1.0906	240.9	15 479	35 579			%
−1	549c	29	550	44.73	−17.18	−24.01	29.53	0.5663	−0.9725	234.4	16 480	36 582			%
−1	554c	30	555	49.59	−19.49	−21.91	29.33	0.5572	−0.8774	228.3	16 481	36 584			%
−1	560c	32	560	58.99	−22.8	−17.83	28.95	0.5638	−0.7379	218.0	16 483	37 589			%
380	770	100.0	0.0	0.0	0.01	0.9504	−0.4355	0.0							%

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, <i>c</i> _{AB} <i>AB</i> , <i>ABC</i> _{AB} , <i>LabC</i> * _{ab} <i>ab</i> data for relative spacing of elementary hue <i>h</i> _{AB} of <i>LIN</i> YAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: <i>h</i> _{AB} = 17.7, 93.3, 159.1, 270.8 of <i>LIN</i> YAB; 90 intended hue angles:																			
00.001, ..., 089, <i>LIN</i> YAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 -1.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																			
<i>no</i>	<i>no</i> _{AB}	<i>x</i>	<i>y</i>	<i>a</i>	<i>b</i>	<i>c</i> _{AB}	<i>A</i>	<i>B</i>	<i>C</i> _{AB}	<i>h</i> _{AB}	<i>L</i> *	<i>a</i> *	<i>b</i> *	<i>C</i> *	<i>h</i> _{AB}	<i>rgb</i> * _{AB}	<i>Code</i> _{AB}		
000	40.7	0.447	0.259	1.727	-0.453	0.777	31.6	-0.7	31.6	358.7	70.0	81.6	-1.9	81.7	359.6	1.00	0.00	0.39	#B80R
001	40.8	0.45	0.261	1.72	-0.44	0.77	31.4	-0.1	31.4	359.6	70.0	81.1	-0.5	81.1	359.6	1.00	0.00	0.37	#B81R
002	40.8	0.453	0.264	1.714	-0.427	0.764	31.1	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.35	#B82R
003	40.8	0.456	0.267	1.708	-0.414	0.758	30.9	0.8	30.9	1.6	70.0	80.0	2.4	80.1	1.7	1.00	0.00	0.33	#B83R
004	40.8	0.459	0.269	1.701	-0.4	0.752	30.7	1.4	30.7	2.6	70.0	79.5	4.0	79.6	2.9	1.00	0.00	0.3	#B84R
005	40.8	0.462	0.272	1.695	-0.387	0.746	30.4	1.9	30.5	3.6	70.1	78.9	5.6	79.1	4.0	1.00	0.00	0.28	#B85R
006	40.9	0.465	0.275	1.689	-0.374	0.741	30.2	2.4	30.3	4.7	70.1	78.4	7.2	78.7	5.2	1.00	0.00	0.26	#B86R
007	40.9	0.469	0.278	1.682	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.8	8.9	78.3	6.5	1.00	0.00	0.24	#B87R
008	40.9	0.481	0.281	1.676	-0.348	0.73	29.7	3.5	29.9	6.9	70.1	77.0	10.6	77.4	7.8	1.00	0.00	0.22	#B88R
009	40.9	0.475	0.284	1.67	-0.335	0.726	29.4	4.1	29.7	7.9	70.1	76.7	12.3	77.7	9.1	1.00	0.00	0.19	#B89R
010	40.9	0.479	0.288	1.663	-0.322	0.722	29.2	4.6	29.6	9.0	70.1	76.1	14.1	77.5	10.5	1.00	0.00	0.17	#B91R
011	41.0	0.483	0.291	1.657	-0.309	0.718	28.9	5.1	29.4	10.1	70.1	75.6	15.9	77.3	11.9	1.00	0.00	0.15	#B92R
012	41.0	0.486	0.294	1.65	-0.296	0.714	28.7	5.6	29.3	11.2	70.2	75.0	17.8	77.1	13.3	1.00	0.00	0.12	#B93R
013	41.0	0.49	0.298	1.644	-0.283	0.71	28.5	6.2	29.1	12.3	70.2	74.5	19.7	77.0	14.8	1.00	0.00	0.1	#B94R
014	41.0	0.493	0.301	1.638	-0.271	0.707	28.2	6.7	29.0	13.4	70.2	73.9	21.6	77.0	16.3	1.00	0.00	0.08	#B95R
015	41.0	0.497	0.304	1.632	-0.258	0.704	28.0	7.2	28.9	14.5	70.2	73.4	23.6	77.1	17.8	1.00	0.00	0.06	#B96R
016	41.1	0.501	0.308	1.626	-0.246	0.701	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.2	19.4	1.00	0.00	0.03	#B98R
017	41.1	0.505	0.311	1.619	-0.234	0.699	27.5	8.2	28.7	16.7	70.2	72.3	27.7	77.4	21.0	1.00	0.00	0.01	#B99R
018	41.1	0.509	0.315	1.613	-0.222	0.697	27.3	8.7	28.6	17.8	70.2	71.7	29.9	77.7	22.6	1.00	0.00	0.00	#R00Y
019	41.1	0.513	0.319	1.607	-0.21	0.695	27.0	9.2	28.6	18.9	70.3	71.2	32.0	78.1	24.2	1.00	0.01	0.00	#R01Y
020	41.1	0.517	0.322	1.602	-0.198	0.693	26.8	9.7	28.5	19.9	70.3	70.7	34.2	78.5	25.8	1.00	0.02	0.00	#R02Y
021	41.2	0.521	0.327	1.594	-0.184	0.691	26.5	10.3	28.5	21.3	70.3	70.0	37.1	79.2	27.9	1.00	0.04	0.00	#R04Y
022	41.2	0.527	0.332	1.586	-0.169	0.689	26.2	10.9	28.4	22.7	70.3	69.3	40.1	80.1	30.1	1.00	0.05	0.00	#R05Y
023	41.3	0.532	0.337	1.578	-0.155	0.687	25.9	11.5	28.4	24.0	70.4	68.6	43.1	81.1	32.2	1.00	0.06	0.00	#R06Y
024	41.3	0.537	0.341	1.57	-0.141	0.686	25.6	12.1	28.4	25.3	70.4	67.9	46.5	82.3	34.4	1.00	0.08	0.00	#R08Y
025	41.4	0.542	0.346	1.563	-0.128	0.685	25.3	12.7	28.4	26.5	70.4	67.2	49.8	83.7	36.5	1.00	0.09	0.00	#R09Y
026	41.4	0.546	0.351	1.556	-0.115	0.685	25.1	13.2	28.4	27.8	70.5	66.6	53.1	85.2	38.5	1.00	0.1	0.00	#R10Y
027	41.5	0.551	0.355	1.549	-0.103	0.685	24.8	13.7	28.4	28.9	70.5	66.0	56.6	86.9	40.6	1.00	0.12	0.00	#R12Y
028	41.5	0.556	0.36	1.543	-0.092	0.685	24.6	14.2	28.4	30.0	70.5	65.4	60.1	88.8	42.6	1.00	0.13	0.00	#R13Y
029	41.5	0.56	0.364	1.537	-0.081	0.685	24.3	14.7	28.4	31.1	70.5	64.8	63.8	91.0	44.5	1.00	0.14	0.00	#R14Y
030	41.6	0.565	0.369	1.531	-0.071	0.685	24.1	15.1	28.5	32.1	70.6	64.3	67.6	93.3	46.4	1.00	0.16	0.00	#R16Y
031	41.6	0.569	0.373	1.525	-0.061	0.686	23.9	15.5	28.5	33.0	70.6	63.7	71.5	95.8	48.2	1.00	0.17	0.00	#R17Y
032	41.6	0.573	0.377	1.52	-0.052	0.686	23.7	15.9	28.6	33.9	70.6	63.2	75.7	98.6	50.1	1.00	0.18	0.00	#R18Y
033	41.7	0.577	0.381	1.515	-0.043	0.687	23.5	16.3	28.6	34.7	70.6	62.8	80.8	101.7	51.8	1.00	0.2	0.00	#R20Y
034	41.7	0.581	0.384	1.51	-0.035	0.688	23.3	16.7	28.7	35.5	70.6	62.3	84.6	105.1	53.6	1.00	0.21	0.00	#R21Y
035	41.7	0.584	0.388	1.506	-0.027	0.689	23.2	17.0	28.7	36.2	70.7	61.9	89.6	109.0	55.3	1.00	0.22	0.00	#R22Y
036	41.7	0.588	0.391	1.502	-0.02	0.69	23.0	17.3	28.8	36.9	70.7	61.6	95.2	113.4	57.0	1.00	0.24	0.00	#R24Y
037	41.7	0.591	0.394	1.498	-0.014	0.691	22.9	17.6	28.8	37.5	70.7	61.2	101.5	118.5	58.8	1.00	0.25	0.00	#R25Y
038	41.7	0.594	0.397	1.495	-0.008	0.692	22.7	17.8	28.9	38.0	70.7	60.9	108.2	124.2	60.6	1.00	0.26	0.00	#R26Y
039	41.6	0.598	0.401	1.491	0.0	0.694	22.5	18.1	28.9	38.7	70.6	60.5	121.1	135.4	63.4	1.00	0.28	0.00	#R27Y
040	42.4	0.595	0.403	1.475	0.0	0.682	22.2	18.4	28.9	39.6	71.1	59.3	122.2	135.9	64.1	1.00	0.29	0.00	#R29Y
041	43.3	0.593	0.406	1.458	0.0	0.669	22.0	18.8	28.9	40.5	71.7	58.0	123.3	136.3	64.8	1.00	0.3	0.00	#R30Y
042	44.2	0.59	0.409	1.44	0.0	0.655	21.6	19.2	29.0	41.5	72.3	56.6	124.4	136.7	65.5	1.00	0.32	0.00	#R32Y
043	45.1	0.587	0.412	1.423	0.0	0.642	21.3	19.6	29.0	42.6	73.0	55.2	125.4	137.0	66.2	1.00	0.33	0.00	#R33Y
044	46.1	0.584	0.415	1.405	0.0	0.63	21.0	20.0	29.0	43.6	73.6	53.8	126.4	137.4	66.9	1.00	0.34	0.00	#R34Y
045	47.1	0.581	0.418	1.388	0.0	0.617	20.6	20.5	29.1	44.7	74.2	52.4	127.3	137.7	67.6	1.00	0.36	0.00	#R36Y
046	48.1	0.578	0.421	1.372	0.0	0.606	20.3	20.9	29.1	45.8	74.9	51.0	128.2	138.0	68.2	1.00	0.37	0.00	#R37Y
047	49.1	0.575	0.424	1.356	0.0	0.595	19.9	21.3	29.2	46.9	75.5	49.7	129.0	138.3	69.0	1.00	0.38	0.00	#R38Y
048	50.0	0.572	0.426	1.342	0.0	0.585	19.6	21.7	29.3	47.9	76.1	48.3	129.8	138.5	69.5	1.00	0.4	0.00	#R39Y
049	51.0	0.569	0.429	1.326	0.0	0.575	19.2	22.2	29.3	49.1	76.7	47.0	130.7	138.9	70.2	1.00	0.41	0.00	#R41Y
050	51.9	0.567	0.432	1.312	0.0	0.565	18.8	22.6	29.4	50.2	77.2	45.6	131.6	139.3	70.8	1.00	0.42	0.00	#R42Y
051	52.8	0.564	0.434	1.299	0.0	0.557	18.4	22.9	29.4	51.2	77.7	44.4	132.3	139.6	71.4	1.00	0.43	0.00	#R43Y
052	53.5	0.562	0.436	1.287	0.0	0.55	18.0	23.2	29.4	52.1	78.2	43.2	133.0	139.9	71.9	1.00	0.45	0.00	#R45Y
053	54.2	0.56	0.438	1.276	0.0	0.543	17.7	23.6	29.5	53.1	78.6	42.1	133.6	140.1	72.5	1.00	0.46	0.00	#R46Y
054	54.9	0.558	0.44	1.265	0.0	0.537	17.3	23.8	29.5	54.0	79.0	41.0	134.2	140.4	73.0	1.00	0.47	0.00	#R47Y
055	55.6	0.555	0.443	1.254	0.0	0.53	16.9	24.2	29.5	54.9	79.4	39.9	134.8	140.6	73.5	1.00	0.49	0.00	#R49Y
056	56.4	0.553	0.445	1.243	-0.001	0.524	16.5	24.5	29.5	55.9	79.8	38.7	135.5	140.9	74.0	1.00	0.5	0.00	#R50Y
057	57.1	0.551	0.447	1.233	-0.001	0.518	16.1	24.8	29.6	56.9	80.2	37.6	136.1	141.2	74.5	1.00	0.51	0.00	#R51Y
058	57.9	0.549	0.449	1.222	-0.001														

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy _{AB} abc _{AB} ABC _{AB} LabC _{AB} a _{hAB} data for relative spacing of elementary hue h _{AB} of L ₁ Y ₁ AB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 17.7, 93.3, 159.1, 270.8 of L ₁ Y ₁ AB, and 90 intended hue angles:																								
090, 091, ..., 179, L ₁ Y ₁ AB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 -1.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																								
no	AB	Y	x	y	a	b	c	AB	A	B	C	AB	h _{AB}	L*	a*	b*	C*	h _{AB}	rgb _{AB}	abc _{AB}	Code _{AB}			
090	80.7	0.483	0.511	0.947	-0.005	0.43	-0.2	34.7	34.7	90.4	92.0	-0.4	143.5	143.5	90.1	1.00	0.95	0.00	0.00	0.95	0.00	0.95	0.00	R95Y
091	81.3	0.481	0.511	0.941	-0.005	0.43	-0.7	35.0	35.0	91.2	92.3	-1.5	143.2	143.2	90.6	1.00	0.96	0.00	0.00	0.96	0.00	0.96	0.00	R96Y
092	81.9	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.4	143.0	143.0	90.9	1.00	0.98	0.00	0.00	0.98	0.00	0.98	0.00	R98Y
093	82.8	0.477	0.515	0.926	-0.005	0.43	-1.9	35.5	35.6	93.2	92.9	-3.9	142.8	142.8	91.6	1.00	0.99	0.00	0.00	0.99	0.00	0.99	0.00	R99Y
094	83.6	0.474	0.516	0.918	-0.006	0.43	-2.6	35.8	35.9	94.2	93.2	-5.2	142.4	142.5	92.1	0.98	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y01G
095	84.2	0.472	0.518	0.911	-0.006	0.43	-3.2	36.1	36.2	95.1	93.5	-6.4	141.8	141.9	92.6	0.97	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y02G
096	84.9	0.47	0.519	0.905	-0.007	0.43	-3.8	36.3	36.5	96.0	93.0	-7.6	140.8	141.0	93.1	0.95	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y05G
097	85.6	0.468	0.521	0.897	-0.008	0.43	-4.5	36.6	36.8	97.0	94.1	-8.9	139.9	139.7	93.6	0.94	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y08G
098	86.4	0.465	0.522	0.889	-0.009	0.43	-5.2	36.8	37.2	98.0	94.8	-10.3	139.3	139.4	94.2	0.92	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y10G
099	87.2	0.462	0.524	0.881	-0.01	0.431	-5.9	37.1	37.6	99.1	94.8	-11.7	136.5	137.0	94.9	0.91	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y08G
100	88.0	0.459	0.525	0.874	-0.011	0.431	-6.7	37.3	37.9	100.2	95.1	-13.1	135.1	135.8	95.5	0.89	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y10G
101	88.8	0.456	0.527	0.866	-0.012	0.431	-7.4	37.6	38.3	101.2	95.5	-14.5	133.8	134.6	96.2	0.88	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y11G
102	89.6	0.454	0.528	0.859	-0.013	0.432	-8.1	37.8	38.7	102.1	95.8	-15.9	132.5	133.5	96.8	0.86	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y13G
103	90.3	0.451	0.529	0.852	-0.014	0.432	-8.8	38.0	39.0	103.0	96.1	-17.1	131.3	132.4	97.4	0.85	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y16G
104	91.2	0.447	0.53	0.843	-0.016	0.432	-9.7	38.2	39.4	104.2	96.5	-18.8	129.1	130.4	98.3	0.83	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y16G
105	92.0	0.444	0.53	0.837	-0.018	0.432	-10.4	38.3	39.7	105.0	96.6	-20.1	126.7	128.3	99.0	0.82	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y17G
106	92.8	0.443	0.528	0.829	-0.019	0.432	-10.3	38.6	40.0	106.0	96.9	-19.7	124.9	125.9	99.0	0.8	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y19G
107	94.3	0.44	0.527	0.836	-0.024	0.426	-10.7	38.8	40.2	105.4	97.7	-20.4	122.1	122.9	99.5	0.79	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y20G
108	93.6	0.434	0.53	0.818	-0.026	0.43	-12.3	38.3	40.2	107.9	97.4	-23.8	118.7	121.1	101.3	0.77	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y22G
109	93.2	0.431	0.532	0.811	-0.026	0.432	-12.9	38.1	40.2	108.8	97.3	-25.1	118.2	120.8	102.0	0.76	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y23G
110	92.8	0.429	0.534	0.803	-0.027	0.434	-13.6	37.9	40.2	109.7	97.1	-26.5	117.6	120.6	102.6	0.74	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y25G
111	92.3	0.426	0.536	0.796	-0.027	0.436	-14.2	37.6	40.3	110.7	96.9	-27.9	117.1	120.4	103.4	0.73	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y26G
112	91.9	0.424	0.538	0.788	-0.027	0.438	-14.9	37.4	40.3	111.7	96.8	-29.4	116.5	120.2	104.1	0.71	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y28G
113	91.5	0.421	0.54	0.779	-0.028	0.441	-15.6	37.2	40.3	112.7	96.6	-30.9	115.9	120.0	104.9	0.7	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y30G
114	91.0	0.418	0.542	0.771	-0.028	0.444	-16.2	37.0	40.4	113.7	96.4	-32.5	115.4	119.9	105.7	0.68	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y31G
115	90.5	0.415	0.544	0.762	-0.029	0.447	-16.9	36.7	40.5	114.7	96.2	-34.2	114.7	119.7	106.5	0.67	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y32G
116	90.0	0.412	0.547	0.753	-0.029	0.451	-17.7	36.5	40.6	115.8	96.0	-35.9	114.1	119.6	107.4	0.65	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y34G
117	89.5	0.409	0.549	0.744	-0.03	0.454	-18.4	36.3	40.7	116.9	95.8	-37.6	113.5	119.6	108.3	0.64	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y35G
118	89.0	0.405	0.551	0.735	-0.03	0.458	-19.1	36.0	40.8	118.0	95.6	-39.4	112.9	119.6	109.2	0.62	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y37G
119	88.5	0.402	0.554	0.725	-0.031	0.462	-19.9	35.8	40.9	119.0	95.3	-41.3	112.2	119.6	110.2	0.6	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y39G
120	88.0	0.398	0.557	0.715	-0.031	0.467	-20.6	35.5	41.1	120.1	95.1	-43.2	111.6	119.7	111.1	0.59	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y40G
121	87.4	0.394	0.559	0.705	-0.032	0.472	-21.4	35.2	41.2	121.2	94.9	-45.2	110.9	119.8	112.1	0.57	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y42G
122	86.6	0.391	0.562	0.695	-0.032	0.477	-22.1	35.0	41.4	122.2	94.7	-47.2	110.2	119.9	113.1	0.56	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y43G
123	86.3	0.387	0.565	0.684	-0.033	0.482	-22.9	34.7	41.6	123.4	94.4	-49.3	109.6	120.1	114.2	0.54	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y45G
124	85.8	0.383	0.568	0.674	-0.033	0.487	-23.7	34.4	41.8	124.5	94.2	-51.4	108.9	120.4	115.2	0.53	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y46G
125	85.2	0.379	0.571	0.663	-0.034	0.493	-24.4	34.2	42.0	125.5	93.9	-53.5	108.2	120.7	116.3	0.51	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y48G
126	84.6	0.374	0.574	0.652	-0.034	0.499	-25.2	33.9	42.2	126.6	93.7	-55.7	107.5	121.1	117.3	0.5	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y49G
127	84.1	0.37	0.577	0.641	-0.035	0.505	-25.9	33.6	42.5	127.6	93.5	-57.9	106.8	121.5	118.4	0.48	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y51G
128	83.5	0.366	0.581	0.63	-0.036	0.511	-26.7	33.3	42.7	128.7	93.2	-60.2	106.1	122.0	119.5	0.47	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y52G
129	82.9	0.361	0.584	0.619	-0.036	0.518	-27.4	33.0	43.0	129.7	93.0	-62.5	105.4	122.5	120.6	0.45	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y54G
130	82.3	0.357	0.587	0.609	-0.037	0.523	-28.2	32.8	43.2	130.7	92.8	-64.8	104.7	123.1	121.7	0.44	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y55G
131	81.8	0.352	0.591	0.596	-0.038	0.532	-28.9	32.5	43.5	131.6	92.5	-67.1	104.0	123.8	122.8	0.42	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y57G
132	81.2	0.348	0.594	0.585	-0.038	0.539	-29.6	32.2	43.8	132.5	92.2	-69.5	103.3	124.5	123.9	0.41	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y58G
133	80.7	0.343	0.597	0.574	-0.039	0.546	-30.3	31.9	44.0	133.5	92.0	-71.9	102.6	125.3	125.0	0.39	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y60G
134	80.1	0.338	0.601	0.563	-0.04	0.553	-31.0	31.7	44.3	134.4	91.7	-74.3	101.8	126.1	126.1	0.38	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y61G
135	79.6	0.333	0.604	0.551	-0.04	0.561	-31.7	31.4	44.6	135.2	91.5	-76.7	101.1	127.0	127.1	0.36	1.00	0.00	0.00	1.00	0.00	1.00	0.00	Y63G
136	79.0	0.328	0.608	0.54	-0.041	0.568	-32.3	31.1	44.9	136.1	91.2	-7												

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy, c _{AB} _{AB} ABC _{AB} LabC* _{ab} h _{ab} data for relative spacing of elementary hue h _{AB} of L ₁ NYAB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 17.7, 93.3, 159.1, 270.8 of L ₁ NYAB, and 90 intended hue angles:																								
180, 181, ..., 269, L ₁ NYAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 - 1.2 20.9, 11 (G): 20.3 - 7.2 12.7 12 (B): 6.4 0.1 - 8.2																								
no.	AB _Y	x	y	a	b	c _{AB}	A	B	C _{AB}	h _{AB}	L*	a*	b*	C* _{ab}	h _{ab}	rgb* _{AB}	Code _{AB}							
180	59.2	0.167	0.404	0.415	-0.423	0.535	-31.6	0.7	31.6	178.7	81.4	-101.1	1.5	181.1	179.7	1.00	1.00	0.37	G180					
181	59.1	0.167	0.399	0.419	-0.432	0.531	-31.4	0.1	31.4	179.6	81.4	-100.9	0.4	180.1	179.7	1.00	1.00	0.39	G181					
182	59.1	0.167	0.395	0.423	-0.441	0.527	-31.1	-0.3	31.2	180.6	81.3	-99.2	-0.7	99.2	180.4	0.00	1.00	0.4	G208					
183	59.1	0.167	0.391	0.427	-0.45	0.523	-30.9	-0.8	30.9	181.6	81.3	-98.2	-1.8	98.2	181.0	0.00	1.00	0.42	G218					
184	59.1	0.167	0.387	0.431	-0.459	0.52	-30.7	-1.4	30.7	182.6	81.3	-97.2	-3.0	97.2	181.7	0.00	1.00	0.44	G228					
185	59.1	0.166	0.383	0.434	-0.468	0.516	-30.4	-1.9	30.5	183.6	81.3	-96.2	-4.1	96.3	182.4	0.00	1.00	0.46	G238					
186	59.0	0.166	0.379	0.438	-0.477	0.513	-30.2	-2.4	30.3	184.7	81.3	-95.2	-5.2	95.3	183.1	0.00	1.00	0.48	G248					
187	59.0	0.166	0.375	0.442	-0.486	0.505	-29.9	-2.8	30.1	185.7	81.3	-94.2	-6.3	94.4	183.8	0.00	1.00	0.49	G258					
188	59.0	0.166	0.372	0.445	-0.495	0.507	-29.7	-3.0	30.2	186.8	81.3	-93.2	-7.4	93.7	184.5	0.00	1.00	0.51	G268					
189	59.0	0.166	0.368	0.45	-0.505	0.504	-29.4	-3.1	29.7	187.9	81.3	-92.2	-8.4	92.6	185.2	0.00	1.00	0.53	G278					
190	59.0	0.166	0.364	0.454	-0.514	0.501	-29.2	-3.6	29.6	189.0	81.2	-91.3	-9.5	91.8	185.9	0.00	1.00	0.55	G278					
191	58.9	0.165	0.361	0.458	-0.523	0.499	-28.9	-5.1	29.4	190.1	81.2	-90.3	-10.5	90.9	186.6	0.00	1.00	0.57	G288					
192	58.9	0.165	0.357	0.462	-0.532	0.497	-28.7	-5.6	29.3	191.2	81.2	-89.3	-11.5	90.1	187.3	0.00	1.00	0.58	G298					
193	58.9	0.165	0.354	0.466	-0.541	0.495	-28.5	-6.2	29.1	192.3	81.2	-88.4	-12.5	89.3	188.0	0.00	1.00	0.6	G308					
194	58.9	0.165	0.351	0.47	-0.55	0.493	-28.2	-6.7	29.0	193.4	81.2	-87.4	-13.5	88.5	188.8	0.00	1.00	0.62	G318					
195	58.8	0.165	0.348	0.474	-0.558	0.491	-28.0	-7.2	28.9	194.5	81.2	-86.5	-14.5	87.7	189.5	0.00	1.00	0.64	G328					
196	58.8	0.165	0.345	0.478	-0.567	0.488	-27.7	-7.7	28.8	195.6	81.2	-85.5	-15.4	87.9	190.2	0.00	1.00	0.65	G338					
197	58.8	0.165	0.342	0.482	-0.576	0.481	-27.5	-8.2	28.7	196.7	81.2	-84.7	-16.3	86.3	190.9	0.00	1.00	0.67	G338					
198	58.8	0.164	0.339	0.486	-0.584	0.487	-27.3	-8.7	28.6	197.8	81.2	-83.8	-17.2	85.6	191.6	0.00	1.00	0.69	G348					
199	58.8	0.164	0.336	0.49	-0.593	0.486	-27.0	-9.2	28.6	198.9	81.1	-82.9	-18.1	84.9	192.3	0.00	1.00	0.71	G358					
200	58.8	0.164	0.333	0.493	-0.601	0.485	-26.8	-9.7	28.5	199.9	81.1	-82.1	-19.0	84.2	193.0	0.00	1.00	0.73	G368					
201	58.7	0.164	0.33	0.498	-0.611	0.485	-26.5	-10.3	28.5	201.3	81.1	-81.0	-20.0	83.4	193.9	0.00	1.00	0.74	G378					
202	58.7	0.164	0.326	0.503	-0.622	0.484	-26.2	-10.9	28.4	202.7	81.1	-79.9	-21.1	82.6	194.8	0.00	1.00	0.76	G388					
203	58.6	0.164	0.323	0.507	-0.631	0.484	-25.9	-11.5	28.4	203.8	81.1	-78.8	-22.2	81.9	195.7	0.00	1.00	0.78	G398					
204	58.6	0.164	0.32	0.512	-0.642	0.483	-25.6	-12.1	28.4	205.3	81.0	-77.8	-23.3	81.2	196.5	0.00	1.00	0.8	G408					
205	58.5	0.164	0.317	0.516	-0.652	0.484	-25.3	-12.7	28.4	206.5	81.0	-76.8	-24.1	80.5	197.4	0.00	1.00	0.82	G418					
206	58.5	0.164	0.314	0.521	-0.661	0.485	-25.1	-13.2	28.4	207.8	81.0	-75.9	-25.0	79.9	198.2	0.00	1.00	0.83	G418					
207	58.4	0.164	0.312	0.525	-0.67	0.486	-24.8	-13.7	28.4	208.9	81.0	-75.0	-25.8	79.3	199.0	0.00	1.00	0.85	G428					
208	58.4	0.163	0.309	0.529	-0.679	0.486	-24.6	-14.2	28.4	210.0	80.9	-74.1	-26.7	78.8	199.8	0.00	1.00	0.87	G438					
209	58.4	0.163	0.307	0.532	-0.687	0.487	-24.3	-14.7	28.4	211.1	80.9	-73.3	-27.4	78.2	200.5	0.00	1.00	0.89	G448					
210	58.3	0.163	0.305	0.536	-0.695	0.488	-24.1	-15.1	28.3	212.1	80.9	-72.5	-28.1	77.8	201.2	0.00	1.00	0.91	G458					
211	58.3	0.163	0.303	0.539	-0.702	0.489	-23.9	-15.5	28.3	213.0	80.9	-71.7	-28.8	77.3	201.9	0.00	1.00	0.92	G468					
212	58.3	0.163	0.301	0.543	-0.709	0.49	-23.7	-15.9	28.3	214.0	80.9	-71.0	-29.5	76.9	202.6	0.00	1.00	0.94	G478					
213	58.2	0.163	0.299	0.546	-0.716	0.492	-23.5	-16.3	28.6	214.7	80.9	-70.3	-30.1	76.5	203.1	0.00	1.00	0.96	G488					
214	58.2	0.163	0.298	0.549	-0.722	0.493	-23.3	-16.7	28.7	215.5	80.8	-69.7	-30.6	76.1	203.7	0.00	1.00	0.98	G498					
215	58.2	0.163	0.296	0.552	-0.727	0.494	-23.2	-17.0	28.7	216.2	80.8	-69.1	-31.1	75.8	204.2	0.00	0.99	1.00	G508					
216	58.2	0.163	0.295	0.554	-0.733	0.495	-23.0	-17.3	28.8	216.9	80.8	-68.6	-31.6	75.5	204.7	0.00	0.98	1.00	G508					
217	58.2	0.163	0.293	0.557	-0.737	0.496	-22.9	-17.6	28.8	217.5	80.8	-68.1	-32.0	75.2	205.2	0.00	0.96	1.00	G518					
218	58.2	0.163	0.292	0.559	-0.742	0.497	-22.7	-17.8	28.9	218.0	80.8	-67.6	-32.4	75.0	205.6	0.00	0.94	1.00	G528					
219	58.3	0.164	0.291	0.563	-0.746	0.496	-22.5	-18.1	28.9	218.7	80.9	-66.8	-32.8	74.4	206.2	0.00	0.92	1.00	G538					
220	57.5	0.162	0.289	0.562	-0.756	0.503	-22.3	-18.4	28.9	219.4	80.9	-66.6	-33.3	74.6	206.7	0.00	0.91	1.00	G548					
221	56.6	0.161	0.287	0.562	-0.768	0.511	-22.0	-18.8	28.9	220.5	80.0	-66.4	-34.4	74.8	207.4	0.00	0.89	1.00	G558					
222	55.7	0.159	0.284	0.561	-0.78	0.52	-21.6	-19.2	29.0	221.5	79.4	-66.2	-35.3	75.0	208.0	0.00	0.87	1.00	G568					
223	54.8	0.158	0.281	0.56	-0.794	0.529	-21.3	-19.6	29.0	222.6	78.9	-65.9	-36.2	75.3	208.8	0.00	0.85	1.00	G578					
224	53.8	0.156	0.279	0.56	-0.808	0.54	-21.0	-20.0	29.0	223.6	78.3	-65.7	-37.2	75.5	209.5	0.00	0.83	1.00	G588					
225	52.8	0.154	0.276	0.559	-0.823	0.551	-20.6	-20.5	29.1	224.7	77.7	-65.4	-38.2	75.8	210.2	0.00	0.82	1.00	G598					
226	51.8	0.152	0.273	0.558	-0.839	0.562	-20.3	-20.9	29.1	225.7	77.2	-65.2	-39.2	76.1	211.0	0.00	0.8	1.00	G598					
227	50.7	0.15	0.27	0.557	-0.855	0.563	-20.0	-21.3	29.2	226.9	76.6	-64.9	-40.2	76.4	211.8	0.00	0.78	1.00	G608					
228	49.9	0.149	0.267	0.557	-0.871	0.587	-19.6	-21.7	29.3	227.7	76.0	-64.6	-41.2	76.6	212.5	0.00	0.76	1.00	G618					
229	48.9	0.147	0.264	0.557	-0.889	0.6	-19.2	-22.2	29.3	229.1	75.4	-64.1	-42.3	76.8	213.4	0.00	0.74	1.00	G628					
230	48.0	0.146	0.261	0.558	-0.906	0.612	-18.8	-22.6	29.4	230.2	74.8	-63.6	-43.3	76.9	214.2	0.00	0.73	1.00	G638					
231	47.1	0.144	0.258	0.559	-0.922	0.624	-18.4	-22.9	29.4	231.2	74.3	-63.0	-44.2	76.9	215.0	0.00	0.71	1.00	G648					
232	46.4	0.143	0.256	0.561	-0.937	0.635	-18.0	-23.2	29.4	232.1	73.8	-62.3	-45.0											

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, <i>abc</i> _{AB} , <i>ABC</i> _{AB} , <i>LabC</i> _{ab} , <i>hAB</i> data for relative spacing of elementary hue <i>hAB</i> of <i>LIN</i> YAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: <i>hAB</i> = 17.7, 93.3, 159.1, 270.8 of <i>LIN</i> YAB, and 90 intended hue angles:																			
270, 271, ..., 360, <i>LIN</i> YAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 59.0 1.2 20.9, 11 (G): 20.3 -7.2 7.2 12 (B): 6.4 0.1 -8.2																			
<i>no.</i> _{AB}	<i>Y</i>	<i>x</i>	<i>y</i>	<i>a</i>	<i>b</i>	<i>c</i> _{AB}	<i>A</i>	<i>B</i>	<i>C</i> _{AB}	<i>hAB</i>	<i>L</i> [*]	<i>a</i> [*]	<i>b</i> [*]	<i>C</i> [*] _{ab}	<i>hAB</i>	<i>rgb</i> _{ab}	<i>AB</i>	<i>Code</i> _{AB}	
270	19.2	0.127	0.132	0.963	-2.244	1.889	0.2	-34.7	34.7	270.4	50.9	1.2	-83.9	83.9	270.8	0.00	0.01	1.00	% G99B
271	18.6	0.127	0.128	0.99	-2.316	1.881	0.7	-35.0	35.0	271.2	50.2	4.0	-85.1	85.2	272.6	0.0	0.0	1.00	% R00R
272	18.0	0.127	0.125	1.019	-2.389	1.954	1.2	-35.2	35.2	272.0	49.5	6.6	-86.2	86.5	274.4	0.02	0.00	1.00	% B01R
273	17.1	0.127	0.119	1.066	-2.512	2.08	1.9	-35.5	35.6	273.2	48.4	10.8	-88.1	88.8	277.0	0.04	0.00	1.00	% B02R
274	16.3	0.128	0.115	1.111	-2.627	2.197	2.6	-35.8	35.9	274.2	47.4	14.6	-89.7	90.9	279.2	0.05	0.00	1.00	% B02R
275	15.7	0.128	0.111	1.156	-2.736	2.309	3.2	-36.1	36.2	275.1	46.6	18.2	-91.1	93.0	281.3	0.07	0.00	1.00	% B03R
276	15.0	0.129	0.107	1.205	-2.85	2.428	3.8	-36.3	36.5	276.0	45.7	21.9	-92.6	95.1	283.3	0.09	0.00	1.00	% B04R
277	14.3	0.129	0.102	1.264	-2.989	2.575	4.5	-36.6	36.8	277.0	44.7	26.1	-94.2	97.7	285.5	0.11	0.00	1.00	% B05R
278	13.5	0.13	0.097	1.336	-3.157	2.749	5.2	-36.8	37.2	278.0	43.5	30.9	-96.0	100.9	287.8	0.13	0.00	1.00	% B06R
279	12.7	0.131	0.092	1.419	-3.349	2.951	5.9	-37.1	37.6	279.1	42.3	36.0	-99.7	104.3	290.1	0.15	0.00	1.00	% B07R
280	11.9	0.132	0.087	1.513	-3.567	3.182	6.7	-37.3	37.9	280.2	41.1	41.3	-99.9	108.1	292.4	0.17	0.00	1.00	% B08R
281	11.1	0.133	0.082	1.616	-3.899	3.44	7.4	-37.6	38.3	281.2	39.8	46.7	-102.0	112.2	294.6	0.19	0.00	1.00	% B09R
282	10.3	0.134	0.077	1.739	-4.075	3.723	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.2	0.00	1.00	% B10R
283	9.6	0.135	0.072	1.858	-4.357	4.025	8.8	-38.0	39.0	283.0	37.3	57.5	-106.0	120.6	298.4	0.22	0.00	1.00	% B11R
284	8.7	0.136	0.066	1.968	-4.831	4.535	9.7	-38.2	39.4	284.2	35.4	65.5	-109.0	127.2	301.8	0.24	0.00	1.00	% B12R
285	7.9	0.137	0.061	2.055	-5.235	4.973	10.4	-38.3	39.7	285.0	33.9	71.7	-111.2	132.3	305.8	0.26	0.00	1.00	% B13R
286	7.2	0.138	0.052	2.162	-5.692	5.396	10.3	-38.4	40.0	286.0	32.5	78.7	-115.6	138.8	303.5	0.28	0.00	1.00	% B14R
287	5.6	0.128	0.045	2.848	-7.295	7.117	10.7	-38.8	40.2	285.8	28.5	84.7	-115.6	146.5	305.3	0.3	0.00	1.00	% B15R
288	6.3	0.144	0.05	2.887	-6.421	6.291	12.3	-38.2	40.2	287.9	30.4	89.6	-115.1	146.6	307.6	0.32	0.00	1.00	% B16R
289	6.7	0.15	0.052	2.866	-6.055	5.937	12.9	-38.1	40.2	288.8	31.3	90.6	-114.5	146.0	308.3	0.34	0.00	1.00	% B17R
290	7.1	0.157	0.055	2.846	-5.713	5.697	13.6	-37.9	40.2	289.7	32.2	91.7	-112.8	145.4	309.0	0.35	0.00	1.00	% B17R
291	7.6	0.163	0.057	2.865	-5.395	5.362	14.2	-37.6	40.3	290.9	33.1	92.7	-111.2	144.8	309.8	0.37	0.00	1.00	% B18R
292	8.0	0.169	0.06	2.887	-5.099	5.02	14.9	-37.4	40.3	291.7	34.0	93.7	-109.6	144.2	311.3	0.39	0.00	1.00	% B19R
293	8.4	0.175	0.063	2.788	-4.826	4.64	15.6	-37.2	40.3	292.3	34.9	94.7	-108.0	143.7	311.2	0.41	0.00	1.00	% B20R
294	8.9	0.18	0.065	2.77	-4.572	4.52	16.2	-37.0	40.4	293.7	35.9	95.8	-106.4	143.1	311.9	0.43	0.00	1.00	% B21R
295	9.4	0.188	0.068	2.753	-4.338	4.298	16.9	-36.7	40.5	294.7	36.8	96.7	-104.8	142.6	312.7	0.45	0.00	1.00	% B22R
296	9.9	0.194	0.071	2.736	-4.12	4.095	17.7	-36.5	40.6	295.8	37.7	97.7	-103.2	142.1	313.4	0.47	0.00	1.00	% B23R
297	10.4	0.201	0.073	2.72	-3.919	3.997	18.4	-36.3	40.7	296.9	38.6	98.7	-101.6	141.4	314.1	0.48	0.00	1.00	% B24R
298	10.9	0.207	0.076	2.704	-3.733	3.735	19.1	-36.0	40.8	298.0	39.4	99.6	-100.0	141.2	314.8	0.5	0.00	1.00	% B25R
299	11.4	0.213	0.079	2.689	-3.56	3.576	19.9	-35.8	40.9	299.0	40.3	100.6	-98.5	140.8	315.6	0.52	0.00	1.00	% B26R
300	11.9	0.219	0.082	2.675	-3.4	3.429	20.6	-35.5	41.1	300.1	41.2	101.5	-96.9	140.4	316.3	0.54	0.00	1.00	% B27R
301	12.5	0.225	0.084	2.661	-3.251	3.294	21.4	-35.2	41.2	301.2	42.0	102.4	-95.4	140.0	316.9	0.56	0.00	1.00	% B28R
302	13.0	0.231	0.087	2.647	-3.113	3.17	22.1	-35.0	41.4	302.3	42.8	103.2	-94.0	139.6	317.5	0.58	0.00	1.00	% B29R
303	13.6	0.237	0.09	2.634	-2.985	3.055	22.9	-34.7	41.6	303.4	43.7	104.1	-92.9	139.3	318.3	0.6	0.00	1.00	% B30R
304	14.1	0.243	0.092	2.622	-2.865	2.949	23.7	-34.4	41.8	304.5	44.5	104.9	-91.1	138.9	319.0	0.62	0.00	1.00	% B31R
305	14.7	0.248	0.095	2.61	-2.754	2.851	24.4	-34.1	42.0	305.5	45.3	105.7	-89.7	138.6	319.6	0.63	0.00	1.00	% B31R
306	15.3	0.254	0.097	2.598	-2.65	2.761	25.2	-33.9	42.2	306.6	46.0	106.5	-88.3	138.3	320.3	0.65	0.00	1.00	% B32R
307	15.8	0.259	0.1	2.586	-2.554	2.677	25.9	-33.8	42.5	307.6	46.8	107.2	-86.9	138.0	320.9	0.67	0.00	1.00	% B33R
308	16.4	0.264	0.102	2.575	-2.464	2.599	26.7	-33.3	42.7	308.7	47.5	107.9	-85.6	137.8	321.5	0.69	0.00	1.00	% B34R
309	16.7	0.269	0.105	2.565	-2.379	2.527	27.4	-33.0	43.0	309.7	48.2	108.6	-84.3	137.5	322.1	0.71	0.00	1.00	% B35R
310	17.5	0.274	0.107	2.554	-2.291	2.474	28.1	-32.8	43.2	310.7	49.0	109.3	-83.0	137.2	322.7	0.73	0.00	1.00	% B36R
311	18.1	0.279	0.109	2.544	-2.227	2.398	28.9	-32.5	43.5	311.6	49.6	109.9	-81.8	137.0	323.3	0.75	0.00	1.00	% B37R
312	18.7	0.283	0.111	2.534	-2.158	2.34	29.6	-32.2	43.8	312.5	50.3	110.5	-80.6	136.8	323.9	0.77	0.00	1.00	% B38R
313	19.2	0.288	0.114	2.524	-2.093	2.286	30.3	-31.9	44.0	313.5	51.0	111.1	-79.4	136.6	324.4	0.78	0.00	1.00	% B39R
314	19.8	0.292	0.116	2.515	-2.033	2.236	31.0	-31.7	44.3	314.4	51.6	111.7	-78.2	136.4	324.9	0.8	0.00	1.00	% B40R
315	20.3	0.296	0.118	2.505	-1.976	2.189	31.7	-31.4	44.6	315.2	52.2	112.2	-77.1	136.2	325.4	0.82	0.00	1.00	% B41R
316	20.9	0.3	0.12	2.496	-1.923	2.145	32.3	-31.1	44.9	316.1	52.8	112.7	-76.0	136.0	325.9	0.84	0.00	1.00	% B42R
317	21.23	0.296	0.123	2.484	-1.861	2.173	33.0	-30.7	45.2	317.0	53.8	113.4	-74.3	135.2	326.6	0.86	0.00	1.00	% B43R
318	21.6	0.313	0.128	2.436	-1.781	2.174	34.3	-30.0	45.6	318.8	55.1	113.9	-71.8	133.9	327.5	0.88	0.00	1.00	% B44R
319	24.2	0.319	0.133	2.399	-1.646	1.888	35.1	-29.4	45.8	320.1	56.3	112.7	-69.5	132.5	328.3	0.9	0.00	1.00	% B45R
320	25.3	0.324	0.137	2.363	-1.57	1.812	35.8	-28.7	45.9	321.2	57.4	112.3	-67.5	131.0	328.9	0.91	0.00	1.00	% B46R
321	26.4	0.328	0.141	2.328	-1.504	1.744	36.4	-28.2	46.0	322.2	58.4	111.6	-65.6	129.5	329.5	0.93	0.00	1.00	% B46R
322	27.3	0.332	0.144	2.295	-1.446	1.682	36.8	-27.6	46.0	323.0	59.3	110.9	-63.8	127.9	330.0	0.95	0.00	1.00	% B47R
323	28.2	0.335	0.148	2.263	-1.395	1.626	37.1	-27.1	45.9	323.8	60.1	110.0	-62.2	126.4	330.5	0.97	0.00	1.00	% B48R
324	29.1	0.337	0.151	2.232	-1.35	1.575	37.3	-26.6	45.8	324.4	60.8	109.1	-60.7	124.8	330.9	1.00	0.00	1.00	% B49R
325	29.9	0.34	0.154	2.203	-1.31	1.528	37.4	-26.1	45.6	325.0	61.5	108.1	-59.3	123.3	331.2	1.00	0.00	0.98	% B50R
326	31.1	0.344	0.159	2.165	-1.248														

Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, LINYAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	31 556	56.57	−21.89	−18.32	28.54	0.5611	−0.7532	219.9	15 476	37 585	Cm		%	
6 435	31 557	57.41	−26.44	−8.79	27.86	0.4876	−0.5825	198.4	16 480	44 621			%	
10 450	31 559	57.53	−32.48	6.09	33.05	0.3834	−0.3234	169.3	18 491	−1 491c			%	
11 460	32 562	59.27	−33.9	10.52	35.5	0.3761	−0.2517	162.7	19 498	−1 498c			%	
12 465	33 565	60.91	−34.93	14.56	37.84	0.3747	−0.1903	157.3	21 506	−1 506c			%	
14 470	34 570	63.07	−35.18	20.67	40.8	0.3903	−0.1016	149.5	24 522	−1 522c			%	
15 475	35 579	68.64	−33.55	24.85	41.75	0.4593	−0.0672	143.4	26 533	−1 533c	Gm		%	
16 480	41 606	81.94	−23.65	31.88	39.7	0.6594	−0.0401	126.5	30 550	−1 550c			%	
16 485	−1 484c	92.3	−10.45	36.33	37.8	0.8348	−0.0356	106.0	32 560	10 454			%	
18 490	−1 490c	89.06	−7.57	36.55	37.33	0.863	−0.0188	101.7	32 562	11 459	max		%	
19 495	−1 495c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
19 500	−1 499c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
22 510	−1 510c	79.1	1.43	33.55	33.58	0.9662	−0.0051	87.5	33 567	13 466			%	
23 520	−1 519c	75.81	4.11	32.27	32.53	1.0024	−0.0036	82.7	33 568	13 468	Ym		%	
26 530	−1 530c	64.17	12.31	27.48	30.11	1.14	−0.001	65.8	34 573	14 472			%	
27 540	−1 539c	59.9	14.81	25.68	29.65	1.1955	−0.0005	60.0	35 576	14 473			%	
28 545	−1 544c	55.54	17.09	23.83	29.32	1.2559	−0.0002	54.3	35 578	14 474			%	
29 550	−1 549c	51.12	19.09	21.94	29.08	1.3215	−0.0001	48.9	36 580	15 475			%	
31 555	−1 555c	42.37	21.98	18.19	28.53	1.4668	0.0	39.6	37 586	15 476			%	
32 560	10 451	40.04	32.52	−6.18	33.11	1.7604	−0.5838	349.2	−1 492c	18 492			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	
Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, LINYAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
31 556	0 405	43.42	21.89	18.32	28.54	1.4522	−0.0074	39.9	37 585	15 476	Rm		%	
31 557	6 435	42.58	26.44	8.79	27.86	1.5691	−0.2226	18.4	44 621	16 480			%	
31 559	10 450	42.46	32.48	−6.09	33.05	1.713	−0.5727	349.3	−1 491c	18 491			%	
32 562	11 460	40.72	33.9	−10.52	35.5	1.7807	−0.6879	342.7	−1 498c	19 498			%	
33 565	12 465	39.08	34.93	−14.56	37.84	1.8419	−0.8019	337.3	−1 506c	21 506			%	
34 570	14 470	36.92	35.18	−20.67	40.8	1.901	−0.9891	329.5	−1 522c	24 522			%	
35 579	15 475	31.35	33.55	−24.85	41.75	2.0184	−1.2222	323.4	−1 533c	26 533	Mm		%	
41 606	16 480	18.05	23.65	−31.88	39.7	2.2587	−2.1959	306.5	−1 550c	30 550			%	
−1 484c	16 485	7.69	10.45	−36.33	37.8	2.306	−5.1484	286.0	10 454	32 560			%	
−1 490c	18 490	10.93	7.57	−36.55	37.33	1.6407	−3.7725	281.7	11 459	32 562	min		%	
−1 495c	19 495	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 499c	19 500	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 510c	22 510	20.89	−1.43	−33.55	33.58	0.8795	−2.035	267.5	13 466	33 567			%	
−1 519c	23 520	24.18	−4.12	−32.27	32.53	0.7777	−1.7639	262.7	13 468	33 568	Bm		%	
−1 530c	26 530	35.82	−12.31	−27.48	30.11	0.6044	−1.1965	245.8	14 472	34 573			%	
−1 539c	27 540	40.09	−14.81	−25.68	29.65	0.5785	−1.0699	240.0	14 473	35 576			%	
−1 544c	28 545	44.45	−17.09	−23.83	29.32	0.5635	−0.9653	234.3	14 474	35 578			%	
−1 549c	29 550	48.87	−19.09	−21.94	29.08	0.5575	−0.8782	228.9	15 475	36 580			%	
−1 555c	31 555	57.62	−21.98	−18.19	28.53	0.5667	−0.745	219.6	15 476	37 586			%	
10 451	32 560	59.95	−32.52	6.18	33.11	0.4056	−0.3261	169.2	18 492	−1 492c			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	

rgb _{LAB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} , h _{AB} data for relative spacing of elementary hue h _{AB} of LINYAB for CIE 10 degree observer																			
Elementary hue circle with 4 intended elementary hues 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																			
no.	AB10	X10	Y10	a10	b10	c _{AB10}	A10	B10	C _{AB10}	h _{AB10}	L*10	a*	b*	b*	C* _{AB10}	h _{AB10}	rgb _{AB10}	Code _{AB10}	
000	40.0	0.434	0.252	1.724	-0.497	0.779	31.0	-2.7	31.1	354.9	69.5	81.2	-7.3	81.6	354.7	1.00	0.00	0.36	B81R
001	40.0	0.436	0.253	1.719	-0.487	0.773	30.8	-2.3	30.9	355.7	69.5	80.8	-6.3	81.1	355.5	1.00	0.00	0.34	B82R
002	40.0	0.439	0.256	1.714	-0.476	0.768	30.7	-1.8	30.7	356.4	69.5	80.4	-5.2	80.6	356.3	1.00	0.00	0.32	B83R
003	40.0	0.441	0.258	1.709	-0.465	0.762	30.5	-1.4	30.5	357.2	69.5	80.0	-4.0	80.1	357.1	1.00	0.00	0.3	B84R
004	40.1	0.443	0.26	1.704	-0.454	0.757	30.3	-1.0	30.3	358.1	69.5	79.6	-2.8	79.6	357.9	1.00	0.00	0.28	B85R
005	40.1	0.446	0.262	1.699	-0.442	0.751	30.1	-0.5	30.1	358.9	69.5	79.1	-1.5	79.1	358.8	1.00	0.00	0.26	B86R
006	40.1	0.449	0.265	1.694	-0.431	0.745	29.9	0.0	29.9	359.8	69.5	78.7	-0.2	78.7	359.8	1.00	0.00	0.24	B87R
007	40.1	0.451	0.267	1.688	-0.419	0.737	29.7	0.4	29.7	0.7	69.6	78.2	1.1	78.2	0.8	1.00	0.00	0.22	B88R
008	40.2	0.454	0.27	1.682	-0.408	0.734	29.5	0.8	29.5	1.0	69.7	77.2	2.7	77.2	1.8	1.00	0.00	0.2	B89R
009	40.2	0.457	0.272	1.676	-0.394	0.729	29.3	1.3	29.3	2.7	69.6	77.2	4.0	77.3	3.0	1.00	0.00	0.18	B90R
010	40.2	0.46	0.275	1.67	-0.382	0.724	29.1	1.9	29.1	3.7	69.6	76.7	5.6	76.9	4.1	1.00	0.00	0.16	B91R
011	40.3	0.463	0.278	1.664	-0.369	0.719	28.8	2.4	28.9	4.7	69.6	76.2	7.2	76.5	5.4	1.00	0.00	0.14	B92R
012	40.3	0.467	0.281	1.658	-0.356	0.714	28.6	2.9	28.8	5.8	69.7	75.6	8.8	76.2	6.7	1.00	0.00	0.12	B93R
013	40.3	0.47	0.284	1.652	-0.343	0.709	28.4	3.4	28.6	6.9	69.7	75.1	10.6	75.8	8.0	1.00	0.00	0.1	B94R
014	40.4	0.474	0.288	1.645	-0.33	0.704	28.1	4.0	28.6	8.0	69.7	74.5	12.3	75.6	9.4	1.00	0.00	0.08	B95R
015	40.4	0.477	0.291	1.639	-0.316	0.7	27.9	4.5	28.3	9.2	69.8	74.0	14.2	75.3	10.8	1.00	0.00	0.06	B96R
016	40.5	0.481	0.294	1.632	-0.303	0.695	27.7	5.0	28.5	10.4	69.8	73.5	16.1	75.2	12.3	1.00	0.00	0.04	B97R
017	40.5	0.485	0.298	1.625	-0.29	0.691	27.4	5.6	28.0	11.6	69.8	72.8	18.1	75.0	13.9	1.00	0.00	0.03	B98R
018	40.6	0.489	0.302	1.618	-0.276	0.687	27.2	6.2	27.9	12.8	69.9	72.2	20.1	75.0	15.6	1.00	0.00	0.0	B99R
019	40.6	0.493	0.305	1.611	-0.263	0.684	27.0	6.7	27.8	14.0	69.9	71.6	22.3	75.0	17.2	1.00	0.01	0.00	B01Y
020	40.7	0.497	0.309	1.605	-0.249	0.681	26.7	7.3	27.7	15.3	70.0	71.0	24.5	75.2	19.0	1.00	0.02	0.00	B02Y
021	40.8	0.501	0.313	1.598	-0.235	0.678	26.5	7.8	27.6	16.5	70.0	70.4	26.8	75.4	20.8	1.00	0.04	0.00	B04Y
022	40.8	0.505	0.317	1.591	-0.222	0.675	26.2	8.4	27.6	17.8	70.0	69.8	29.2	75.7	22.6	1.00	0.05	0.00	B05Y
023	40.9	0.509	0.321	1.583	-0.208	0.673	26.0	9.0	27.5	19.1	70.1	69.2	31.7	75.6	24.6	1.00	0.06	0.00	B06Y
024	40.9	0.514	0.326	1.576	-0.195	0.67	25.7	9.5	27.5	20.4	70.1	68.6	34.3	75.7	26.5	1.00	0.08	0.00	B07Y
025	41.0	0.519	0.33	1.569	-0.181	0.669	25.5	10.1	27.4	21.7	70.2	68.0	37.0	77.4	28.5	1.00	0.09	0.00	B09Y
026	41.1	0.523	0.335	1.562	-0.168	0.667	25.2	10.7	27.4	23.0	70.2	67.3	39.8	78.2	30.6	1.00	0.11	0.00	B11Y
027	41.2	0.528	0.339	1.555	-0.155	0.666	25.0	11.3	27.4	24.3	70.3	66.7	42.8	79.3	32.6	1.00	0.12	0.00	B12Y
028	41.2	0.533	0.344	1.548	-0.141	0.665	24.7	11.8	27.4	25.6	70.3	66.1	45.9	80.5	34.8	1.00	0.14	0.00	B14Y
029	41.3	0.538	0.349	1.541	-0.128	0.664	24.5	12.4	27.5	26.8	70.4	65.4	49.2	81.9	36.9	1.00	0.15	0.00	B15Y
030	41.4	0.543	0.354	1.533	-0.115	0.664	24.2	13.0	27.5	28.1	70.4	64.8	52.7	83.6	39.1	1.00	0.17	0.00	B17Y
031	41.5	0.548	0.359	1.526	-0.102	0.664	24.0	13.5	27.6	29.4	70.5	64.2	56.5	85.5	41.3	1.00	0.18	0.00	B18Y
032	41.6	0.553	0.364	1.519	-0.09	0.664	23.7	14.1	27.6	30.6	70.6	63.5	60.5	87.8	43.6	1.00	0.2	0.00	B20Y
033	41.7	0.558	0.369	1.512	-0.077	0.665	23.5	14.6	27.7	31.9	70.6	62.9	64.9	89.4	45.8	1.00	0.23	0.00	B21Y
034	41.8	0.564	0.374	1.505	-0.065	0.665	23.3	15.2	27.8	33.1	70.7	62.3	69.7	93.5	48.2	1.00	0.24	0.00	B23Y
035	41.9	0.569	0.38	1.498	-0.053	0.666	23.0	15.7	27.9	34.3	70.8	61.6	75.0	97.1	50.5	1.00	0.24	0.00	B24Y
036	41.9	0.574	0.385	1.491	-0.041	0.667	22.8	16.3	28.0	35.5	70.8	61.0	81.1	101.5	53.0	1.00	0.26	0.00	B26Y
037	42.0	0.58	0.39	1.484	-0.029	0.669	22.5	16.8	28.1	36.6	70.9	60.4	88.4	107.1	55.6	1.00	0.27	0.00	B27Y
038	42.2	0.585	0.396	1.477	-0.017	0.67	22.3	17.3	28.3	37.8	71.0	59.7	97.8	114.6	58.5	1.00	0.29	0.00	B29Y
039	42.3	0.591	0.401	1.471	-0.006	0.672	22.1	17.8	28.4	38.9	71.0	59.1	111.4	126.1	62.0	1.00	0.3	0.00	B30Y
040	42.6	0.597	0.409	1.457	0.007	0.671	21.7	18.6	28.5	40.5	71.3	58.0	134.8	146.7	66.7	1.00	0.31	0.00	B31Y
041	43.5	0.602	0.419	1.435	0.02	0.663	21.2	19.5	28.8	42.7	71.9	56.2	159.2	169.0	70.5	1.00	0.33	0.00	B33Y
042	44.4	0.64	0.426	1.416	0.029	0.655	20.7	20.3	29.0	44.4	72.5	54.5	175.2	183.5	72.7	1.00	0.34	0.00	B34Y
043	45.3	0.603	0.431	1.397	0.032	0.644	20.4	20.9	29.2	45.7	73.1	53.0	183.4	199.0	73.8	1.00	0.36	0.00	B36Y
044	46.3	0.6	0.434	1.381	0.032	0.633	20.0	21.3	29.3	46.7	73.7	51.7	184.9	192.0	74.3	1.00	0.37	0.00	B37Y
045	47.3	0.595	0.435	1.366	0.028	0.62	19.8	21.6	29.3	47.5	74.3	50.5	180.9	187.8	74.4	1.00	0.39	0.00	B39Y
046	48.2	0.589	0.435	1.353	0.022	0.607	19.5	21.8	29.3	48.1	75.0	49.4	172.5	179.5	74.0	1.00	0.4	0.00	B40Y
047	49.2	0.582	0.434	1.341	0.015	0.594	19.3	21.9	29.2	48.5	75.6	48.4	160.8	167.9	73.2	1.00	0.42	0.00	B42Y
048	50.2	0.575	0.432	1.331	0.007	0.581	19.2	21.9	29.1	48.7	76.2	47.5	146.8	154.3	72.0	1.00	0.43	0.00	B43Y
049	51.1	0.569	0.43	1.321	0.0	0.568	19.0	21.9	29.0	49.0	76.7	46.7	132.1	140.1	70.5	1.00	0.45	0.00	B45Y
050	52.1	0.566	0.433	1.306	0.0	0.559	18.6	22.3	29.1	50.1	77.3	45.3	133.1	140.6	71.1	1.00	0.46	0.00	B46Y
051	53.6	0.563	0.436	1.292	0.0	0.549	18.2	22.7	29.2	51.2	77.7	44.2	130.2	141.1	71.7	1.00	0.48	0.00	B48Y
052	53.8	0.561	0.438	1.281	0.0	0.543	17.9	23.1	29.2	52.1	78.3	42.9	133.7	141.4	72.3	1.00	0.49	0.00	B49Y
053	54.6	0.559	0.44	1.269	0.0	0.536	17.5	23.4	29.2	53.1	78.8	41.8	135.4	141.7	72.8	1.00	0.51	0.00	B51Y
054	55.3	0.557	0.442	1.259	0.0	0.53	17.2	23.7	29.3	54.0	79.2	40.7	135.9	141.9	73.3	1.00	0.52	0.00	B52Y
055	56.0	0.555	0.444	1.248	0.0	0.523	16.8	24.0	29.3	54.9	79.6	39.6	136.6	142.2	73.8	1.00	0.53	0.00	B53Y
056	56.8	0.552	0.446	1.237	0.0	0.517	16.4	24.3	29.4	55.9	80.0	38.4	137.2	142.5	74.3	1.00	0.55	0.00	B55Y
057	57.5	0.55	0.448	1.227	0.0	0.511	16.0	24.7	29.4	56.9	80.5	37.3	137.8	142.8	74.8	1.00	0.56	0.00	B56Y
058	58.3	0.548	0.45	1.216	0.0	0.505	15.6	25.0	29.5	57.9	80.9	36.1	138.4	143.1	75.3	1.00	0.58		

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} _{AB} data for relative spacing of elementary hue h _{AB} of L ₁ YAB for CIE 10 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 18.2, 86.3, 156.2, 260.1 of L ₁ YAB, and 90 intended hue angles:																			
270, 271, ..., 360, L ₁ YAB data of CIE test colours (9 R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																			
no.	AB ₁₀	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{AB} ₁₀	A ₁₀	B ₁₀	C _{AB} ₁₀	h _{AB} (Y)	L* ₁₀	a* ₁₀	b* ₁₀	C* _{AB} ₁₀	h _{AB} (Y)	rgb _{AB}	ab ₁₀	Code	AB ₁₀
270	40.7	0.44	0.26	1.693	-0.46	0.745	30.3	-1.2	30.3	357.6	70.0	79.0	-3.4	79.1	357.4	0.16	0.00	1.00	0080R
271	40.7	0.44	0.259	1.694	-0.462	0.746	30.4	-1.3	30.4	357.4	70.0	79.1	-3.6	79.2	357.3	0.18	0.00	1.00	0080R
272	40.7	0.439	0.259	1.695	-0.464	0.747	30.4	-1.4	30.4	357.3	70.0	79.2	-3.8	79.3	357.1	0.2	0.00	1.00	010R
273	40.7	0.439	0.259	1.696	-0.465	0.749	30.4	-1.4	30.5	357.2	69.9	79.2	-4.0	79.3	357.0	0.21	0.00	1.00	010R
274	40.7	0.438	0.258	1.697	-0.467	0.75	30.5	-1.5	30.5	357.0	69.9	79.3	-4.2	79.4	356.9	0.23	0.00	1.00	011R
275	40.7	0.438	0.258	1.698	-0.469	0.751	30.5	-1.6	30.5	356.9	69.9	79.4	-4.4	79.5	356.7	0.25	0.00	1.00	012R
276	40.6	0.438	0.257	1.699	-0.471	0.752	30.5	-1.7	30.6	356.7	69.9	79.5	-4.6	79.6	356.6	0.26	0.00	1.00	013R
277	40.6	0.437	0.257	1.7	-0.473	0.753	30.6	-1.7	30.6	356.6	69.9	79.6	-4.8	79.7	356.4	0.28	0.00	1.00	014R
278	40.6	0.437	0.257	1.701	-0.475	0.754	30.6	-1.8	30.6	356.5	69.9	79.7	-5.0	79.8	356.3	0.3	0.00	1.00	015R
279	40.6	0.437	0.256	1.702	-0.476	0.755	30.6	-1.9	30.7	356.3	69.9	79.7	-5.2	79.9	356.2	0.31	0.00	1.00	015R
280	40.6	0.436	0.256	1.703	-0.478	0.756	30.6	-2.0	30.7	356.2	69.9	79.8	-5.4	80.0	356.0	0.33	0.00	1.00	016R
281	40.6	0.436	0.256	1.704	-0.48	0.757	30.7	-2.0	30.8	356.1	69.9	79.9	-5.6	80.1	355.9	0.35	0.00	1.00	017R
282	40.6	0.435	0.255	1.705	-0.482	0.758	30.7	-2.1	30.8	355.9	69.9	80.0	-5.8	80.2	355.8	0.37	0.00	1.00	018R
283	40.6	0.435	0.255	1.706	-0.484	0.76	30.7	-2.2	30.8	355.8	69.9	80.0	-6.0	80.3	355.6	0.38	0.00	1.00	019R
284	40.6	0.435	0.254	1.707	-0.486	0.761	30.8	-2.3	30.9	355.7	69.9	80.1	-6.2	80.4	355.5	0.4	0.00	1.00	020R
285	40.6	0.434	0.254	1.708	-0.487	0.762	30.8	-2.3	30.9	355.6	69.9	80.2	-6.4	80.5	355.4	0.42	0.00	1.00	021R
286	40.5	0.434	0.254	1.709	-0.489	0.763	30.8	-2.4	30.9	355.5	69.8	80.3	-6.6	80.6	355.3	0.43	0.00	1.00	021R
287	40.5	0.434	0.253	1.71	-0.491	0.764	30.9	-2.5	31.0	355.3	69.8	80.4	-6.8	80.6	355.1	0.45	0.00	1.00	022R
288	40.5	0.433	0.253	1.711	-0.493	0.765	30.9	-2.5	31.0	355.2	69.8	80.4	-6.9	80.7	355.0	0.47	0.00	1.00	023R
289	40.5	0.433	0.253	1.711	-0.494	0.766	30.9	-2.6	31.0	355.0	69.8	80.5	-7.1	80.8	354.9	0.48	0.00	1.00	024R
290	40.5	0.433	0.252	1.712	-0.496	0.767	31.0	-2.7	31.1	354.9	69.8	80.6	-7.3	80.9	354.7	0.5	0.00	1.00	025R
291	40.5	0.432	0.252	1.713	-0.498	0.768	31.0	-2.7	31.1	354.8	69.8	80.7	-7.5	81.0	354.6	0.52	0.00	1.00	026R
292	40.5	0.432	0.252	1.714	-0.5	0.769	31.0	-2.8	31.2	354.7	69.8	80.7	-7.7	81.1	354.5	0.53	0.00	1.00	026R
293	40.5	0.432	0.251	1.715	-0.501	0.771	31.1	-2.8	31.2	354.6	69.8	80.8	-7.9	81.2	354.4	0.55	0.00	1.00	027R
294	40.5	0.431	0.251	1.716	-0.503	0.772	31.1	-3.0	31.2	354.4	69.8	80.9	-8.1	81.3	354.2	0.57	0.00	1.00	028R
295	40.5	0.431	0.251	1.717	-0.505	0.773	31.1	-3.0	31.3	354.3	69.8	81.0	-8.2	81.4	354.1	0.59	0.00	1.00	029R
296	40.4	0.431	0.25	1.718	-0.507	0.774	31.1	-3.1	31.3	354.2	69.8	81.0	-8.4	81.5	354.0	0.6	0.00	1.00	030R
297	40.4	0.43	0.25	1.719	-0.508	0.775	31.2	-3.2	31.3	354.1	69.8	81.1	-8.6	81.6	353.9	0.62	0.00	1.00	031R
298	40.4	0.43	0.25	1.72	-0.51	0.776	31.2	-3.2	31.4	354.0	69.8	81.2	-8.7	81.7	353.8	0.64	0.00	1.00	032R
299	40.4	0.43	0.249	1.721	-0.512	0.777	31.2	-3.3	31.4	353.8	69.8	81.3	-8.9	81.8	353.7	0.65	0.00	1.00	032R
300	40.4	0.429	0.249	1.722	-0.513	0.778	31.3	-3.4	31.4	353.7	69.7	81.3	-9.1	81.8	353.6	0.67	0.00	1.00	033R
301	40.4	0.429	0.249	1.723	-0.515	0.779	31.3	-3.4	31.5	353.6	69.7	81.4	-9.2	81.9	353.4	0.69	0.00	1.00	034R
302	40.4	0.429	0.248	1.723	-0.517	0.78	31.3	-3.5	31.5	353.5	69.7	81.5	-9.4	82.0	353.3	0.71	0.00	1.00	035R
303	40.4	0.428	0.248	1.724	-0.518	0.781	31.3	-3.6	31.6	353.4	69.7	81.6	-9.6	82.1	353.2	0.72	0.00	1.00	036R
304	40.4	0.428	0.248	1.725	-0.52	0.782	31.4	-3.6	31.6	353.3	69.7	81.6	-9.7	82.2	353.1	0.74	0.00	1.00	037R
305	40.4	0.428	0.248	1.726	-0.521	0.784	31.4	-3.7	31.6	353.2	69.7	81.7	-9.9	82.3	353.0	0.75	0.00	1.00	037R
306	40.3	0.427	0.247	1.727	-0.523	0.785	31.4	-3.8	31.7	353.1	69.7	81.8	-10.1	82.4	352.9	0.77	0.00	1.00	038R
307	40.3	0.427	0.247	1.728	-0.525	0.786	31.5	-3.8	31.7	352.9	69.7	81.8	-10.2	82.5	352.8	0.79	0.00	1.00	039R
308	40.3	0.427	0.247	1.729	-0.526	0.787	31.5	-3.9	31.7	352.8	69.7	81.9	-10.4	82.6	352.7	0.81	0.00	1.00	040R
309	40.3	0.427	0.246	1.73	-0.528	0.788	31.5	-3.9	31.8	352.7	69.7	82.0	-10.5	82.7	352.6	0.82	0.00	1.00	041R
310	40.3	0.426	0.246	1.731	-0.529	0.789	31.5	-4.0	31.8	352.6	69.7	82.1	-10.7	82.8	352.5	0.84	0.00	1.00	042R
311	40.3	0.426	0.246	1.731	-0.531	0.79	31.6	-4.1	31.8	352.5	69.7	82.1	-10.9	82.8	352.4	0.86	0.00	1.00	043R
312	40.3	0.426	0.245	1.732	-0.533	0.791	31.6	-4.1	31.9	352.4	69.7	82.2	-11.0	82.9	352.3	0.87	0.00	1.00	044R
313	40.3	0.425	0.245	1.733	-0.534	0.792	31.6	-4.2	31.9	352.3	69.7	82.2	-11.2	83.0	352.2	0.89	0.00	1.00	044R
314	40.3	0.425	0.245	1.734	-0.536	0.793	31.7	-4.3	31.9	352.2	69.7	82.3	-11.3	83.1	352.1	0.91	0.00	1.00	045R
315	40.3	0.425	0.245	1.735	-0.537	0.794	31.7	-4.3	32.0	352.1	69.7	82.4	-11.5	83.2	352.0	0.92	0.00	1.00	046R
316	40.3	0.425	0.244	1.736	-0.539	0.795	31.7	-4.4	32.0	352.0	69.6	82.4	-11.6	83.3	351.9	0.94	0.00	1.00	047R
317	40.2	0.424	0.244	1.736	-0.54	0.796	31.7	-4.4	32.0	351.9	69.6	82.5	-11.8	83.4	351.8	0.96	0.00	1.00	048R
318	40.2	0.424	0.244	1.737	-0.542	0.797	31.8	-4.5	32.1	351.8	69.6	82.6	-11.9	83.4	351.7	0.97	0.00	1.00	048R
319	40.2	0.424	0.244	1.738	-0.543	0.798	31.8	-4.6	32.1	351.7	69.6	82.6	-12.1	83.5	351.6	0.99	0.00	1.00	049R
320	40.2	0.423	0.243	1.739	-0.545	0.799	31.8	-4.6	32.2	351.6	69.6	82.7	-12.2	83.6	351.5	1.00	0.00	0.98	050R
321	40.2	0.423	0.243	1.74	-0.546	0.8	31.8	-4.7	32.2	351.5	69.6	82.8	-12.3	83.7	351.4	1.00	0.00	0.96	051R
322	40.2	0.423	0.243	1.741	-0.548	0.801	31.9	-4.7	32.2	351.4	69.6	82.8	-12.5	83.8	351.4	1.00	0.00	0.95	052R
323	40.2	0.423	0.242	1.742	-0.549	0.802	31.9	-4.8	32.3	351.3	69.6	82.9	-12.6	83.9	351.3	1.00	0.00	0.93	053R
324	40.2	0.422	0.242	1.743	-0.551	0.803	31.9	-4.9	32.3	351.2	69.6	83.0	-12.8	83.9	351.2	1.00	0.00	0.91	054R
325	40.2	0.422	0.242	1.744	-0.552	0.804	31.9	-4.9	32.3	351.1	69.6	83.0	-12.9	84.0	351.1	1.00	0.00	0.9	054R
326	40.2	0.422	0.242	1.744	-0.553	0.805	32.0	-5.0	32.4	351.0	69.6	83.1	-13.0	84.1	351.0	1.00	0.00	0.88	055R
327	40																		

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, CIELAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	32 561	80.85	-67.55	-32.54	74.98	0.1805	-0.1029	205.7	16 483	37 589	Cm		%	
6 435	32 562	81.18	-81.89	-19.25	84.12	0.1732	-0.096	193.2	17 486	42 610			%	
10 450	32 563	81.52	-109.06	11.43	109.66	0.1595	-0.0803	174.0	19 496	-1 496c			%	
12 460	33 565	82.01	-120.74	33.26	125.23	0.1538	-0.0692	164.5	21 505	-1 505c			%	
12 465	33 567	82.73	-118.76	34.5	123.67	0.1552	-0.0687	163.8	21 506	-1 506c			%	
14 470	33 569	83.3	-123.47	57.53	136.22	0.1532	-0.0572	155.0	24 520	-1 520c			%	
15 475	34 573	84.63	-118.73	70.39	138.03	0.1564	-0.0512	149.3	25 528	-1 528c	Gm		%	
16 480	36 580	86.98	-107.21	84.2	136.33	0.1633	-0.0452	141.8	27 537	-1 537c			%	
17 485	39 595	91.12	-80.53	100.07	128.45	0.1778	-0.0394	128.8	29 548	-1 548c			%	
18 490	-1 490c	97.55	-23.15	119.05	121.28	0.2052	-0.0337	101.0	33 565	11 459	max		%	
19 495	-1 495c	96.94	-20.63	125.42	127.1	0.2062	-0.0306	99.3	33 566	12 462			%	
20 500	-1 500c	96.17	-17.33	131.15	132.29	0.2076	-0.0277	97.5	33 567	12 464			%	
22 510	-1 510c	94.0	-8.24	140.17	140.41	0.2116	-0.0224	93.3	33 569	13 469			%	
23 520	-1 519c	92.57	-2.53	142.99	143.01	0.2142	-0.0202	91.0	34 570	14 471	Ym		%	
25 530	-1 529c	88.94	10.79	144.39	144.79	0.2205	-0.0165	85.7	34 573	15 475			%	
27 540	-1 539c	84.43	25.54	141.4	143.69	0.2281	-0.0134	79.7	35 577	15 478			%	
28 545	-1 544c	81.91	33.05	138.34	142.24	0.2322	-0.0121	76.5	35 579	15 479			%	
29 550	-1 549c	79.2	40.58	134.51	140.5	0.2367	-0.0111	73.2	36 582	16 480			%	
30 555	-1 554c	76.32	47.96	130.1	138.66	0.2413	-0.0103	69.7	36 584	16 481			%	
32 560	-1 560c	70.18	61.63	120.13	135.02	0.2511	-0.0093	62.8	37 589	16 483			%	
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0					%	
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, CIELAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
32 561	0 405	70.73	60.88	110.08	125.79	0.2505	-0.022	61.0	37 589	16 483	Rm		%	
32 562	6 435	70.32	70.58	34.83	78.71	0.2562	-0.0659	26.2	42 610	17 486			%	
32 563	10 450	69.88	85.85	-12.65	86.78	0.2653	-0.0935	351.6	-1 496c	19 496			%	
33 565	12 460	69.24	92.89	-29.55	97.48	0.2698	-0.1035	342.3	-1 505c	21 505			%	
33 567	12 465	68.27	94.84	-31.22	99.85	0.2716	-0.1046	341.7	-1 506c	21 506			%	
33 569	14 470	67.49	99.24	-42.98	108.15	0.2748	-0.1119	336.5	-1 520c	24 520			%	
34 573	15 475	65.52	102.87	-49.85	114.31	0.2784	-0.1167	334.1	-1 528c	25 528	Mm		%	
36 580	16 480	61.69	107.96	-59.02	123.05	0.2848	-0.1241	331.3	-1 537c	27 537			%	
39 595	17 485	53.22	112.99	-75.47	135.88	0.297	-0.1406	326.2	-1 548c	29 548			%	
-1 490c	18 490	29.91	89.01	-117.0	147.01	0.3124	-0.2136	307.2	11 459	33 565	min		%	
-1 495c	19 495	33.36	74.42	-112.09	134.55	0.2908	-0.1997	303.5	12 462	33 566			%	
-1 500c	20 500	37.09	58.44	-106.44	121.43	0.2704	-0.1864	298.7	12 464	33 567			%	
-1 510c	22 510	45.26	23.9	-93.37	96.38	0.2349	-0.1623	284.3	13 469	33 569			%	
-1 519c	23 520	49.52	6.76	-86.32	86.58	0.2205	-0.152	274.4	14 471	34 570	Bm		%	
-1 529c	25 530	58.0	-23.98	-72.06	75.95	0.1992	-0.1348	251.5	15 475	34 573			%	
-1 539c	27 540	65.83	-46.7	-58.75	75.05	0.1868	-0.122	231.5	15 478	35 577			%	
-1 544c	28 545	69.38	-54.68	-52.68	75.93	0.1833	-0.117	223.9	15 479	35 579			%	
-1 549c	29 550	72.72	-60.59	-46.95	76.65	0.1812	-0.1126	217.7	16 480	36 582			%	
-1 554c	30 555	75.82	-64.5	-41.62	76.77	0.1803	-0.1088	212.8	16 481	36 584			%	
-1 560c	32 560	81.29	-66.96	-32.22	74.32	0.181	-0.1027	205.6	16 483	37 589			%	
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0					%	

rgb _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy _{ab} , abc _{AB} , ABC _{AB} , LabC _{ab} , h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																								
000, 001, ..., 089, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																								
no.	ab	Y	x	y	a	b	c	ab	A	B	C _{AB}	h _{AB}	Y	a*	b*	C*	ab	rgb _{ab}	ab	ab	ab	ab	ab	ab
000	40.7	0.443	0.255	1.735	-0.47	0.785	31.9	-1.4	32.0	357.4	70.0	82.3	-3.8	82.4	357.3	1.00	0.00	0.58	0.58	0.58	0.58	0.58	0.58	0.58
001	40.7	0.445	0.257	1.73	-0.459	0.78	31.7	-0.9	31.8	358.2	70.0	81.9	-2.6	81.9	358.1	1.00	0.00	0.55	0.55	0.55	0.55	0.55	0.55	0.55
002	40.7	0.448	0.259	1.725	-0.448	0.774	31.6	-0.5	31.6	359.0	70.0	81.5	-1.5	81.5	358.9	1.00	0.00	0.53	0.53	0.53	0.53	0.53	0.53	0.53
003	40.8	0.45	0.262	1.719	-0.438	0.769	31.4	-0.1	31.4	359.8	70.0	81.0	-0.2	81.0	359.7	1.00	0.00	0.51	0.51	0.51	0.51	0.51	0.51	0.51
004	40.8	0.453	0.264	1.714	-0.427	0.764	31.2	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.48	0.48	0.48	0.48	0.48	0.48	0.48
005	40.8	0.455	0.266	1.709	-0.416	0.759	31.0	0.7	31.0	1.4	70.0	80.1	2.2	80.2	1.5	1.00	0.00	0.46	0.46	0.46	0.46	0.46	0.46	0.46
006	40.8	0.458	0.268	1.704	-0.405	0.754	30.8	1.2	30.8	2.2	70.0	79.7	3.5	79.8	2.5	1.00	0.00	0.44	0.44	0.44	0.44	0.44	0.44	0.44
007	40.8	0.461	0.271	1.698	-0.394	0.749	30.6	1.6	30.6	3.4	70.0	79.2	4.8	79.4	3.4	1.00	0.00	0.42	0.42	0.42	0.42	0.42	0.42	0.42
008	40.8	0.463	0.273	1.693	-0.383	0.743	30.3	2.1	30.4	4.0	70.1	78.8	6.1	79.0	4.4	1.00	0.00	0.39	0.39	0.39	0.39	0.39	0.39	0.39
009	40.9	0.466	0.276	1.688	-0.372	0.74	30.1	2.5	30.3	4.8	70.1	78.3	7.5	78.4	5.4	1.00	0.00	0.37	0.37	0.37	0.37	0.37	0.37	0.37
010	40.9	0.469	0.278	1.683	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.9	8.9	78.4	6.5	1.00	0.00	0.35	0.35	0.35	0.35	0.35	0.35	0.35
011	40.9	0.471	0.281	1.677	-0.35	0.732	29.7	3.4	29.9	6.6	70.1	77.4	10.3	78.1	7.5	1.00	0.00	0.33	0.33	0.33	0.33	0.33	0.33	0.33
012	40.9	0.474	0.283	1.672	-0.34	0.728	29.5	3.9	29.8	7.5	70.1	76.9	11.7	77.8	8.6	1.00	0.00	0.3	0.3	0.3	0.3	0.3	0.3	0.3
013	40.9	0.477	0.286	1.667	-0.329	0.724	29.3	4.3	29.7	8.4	70.1	76.5	13.2	77.6	9.8	1.00	0.00	0.28	0.28	0.28	0.28	0.28	0.28	0.28
014	41.0	0.48	0.289	1.662	-0.318	0.721	29.1	4.7	29.5	9.3	70.1	76.0	14.7	77.4	10.9	1.00	0.00	0.26	0.26	0.26	0.26	0.26	0.26	0.26
015	41.0	0.483	0.291	1.656	-0.308	0.717	28.9	5.2	29.4	10.2	70.1	75.5	16.2	77.3	12.1	1.00	0.00	0.24	0.24	0.24	0.24	0.24	0.24	0.24
016	41.0	0.486	0.294	1.651	-0.297	0.714	28.7	5.6	29.3	11.1	70.2	75.1	17.7	77.2	13.2	1.00	0.00	0.22	0.22	0.22	0.22	0.22	0.22	0.22
017	41.0	0.489	0.297	1.646	-0.286	0.711	28.5	6.1	29.2	12.0	70.2	74.6	19.2	77.1	14.4	1.00	0.00	0.19	0.19	0.19	0.19	0.19	0.19	0.19
018	41.0	0.492	0.3	1.641	-0.276	0.709	28.3	6.5	29.1	12.9	70.2	74.2	20.8	77.1	15.7	1.00	0.00	0.17	0.17	0.17	0.17	0.17	0.17	0.17
019	41.0	0.495	0.302	1.636	-0.266	0.706	28.1	6.9	29.0	13.8	70.2	73.7	22.4	77.1	16.9	1.00	0.00	0.15	0.15	0.15	0.15	0.15	0.15	0.15
020	41.1	0.498	0.305	1.631	-0.256	0.704	27.9	7.3	28.9	14.7	70.2	73.3	24.1	77.1	18.1	1.00	0.00	0.12	0.12	0.12	0.12	0.12	0.12	0.12
021	41.1	0.501	0.308	1.626	-0.246	0.701	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.3	19.4	1.00	0.00	0.1	0.1	0.1	0.1	0.1	0.1	0.1
022	41.1	0.504	0.311	1.621	-0.236	0.699	27.5	8.1	28.7	16.5	70.2	72.4	27.4	77.4	20.7	1.00	0.00	0.08	0.08	0.08	0.08	0.08	0.08	0.08
023	41.1	0.507	0.314	1.616	-0.226	0.697	27.4	8.6	28.7	17.4	70.2	72.0	29.1	77.6	22.0	1.00	0.00	0.06	0.06	0.06	0.06	0.06	0.06	0.06
024	41.1	0.51	0.317	1.611	-0.216	0.696	27.2	9.0	28.6	18.3	70.3	71.5	30.8	77.7	23.3	1.00	0.00	0.03	0.03	0.03	0.03	0.03	0.03	0.03
025	41.1	0.514	0.319	1.606	-0.207	0.694	27.0	9.3	28.6	19.1	70.3	71.1	32.5	78.2	24.6	1.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01
026	41.2	0.517	0.322	1.601	-0.198	0.693	26.8	9.7	28.5	20.0	70.3	70.7	34.3	78.6	25.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
027	41.2	0.52	0.326	1.597	-0.187	0.692	26.6	10.2	28.5	20.9	70.3	70.3	36.4	79.2	27.4	1.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
028	41.2	0.525	0.329	1.593	-0.176	0.692	26.5	10.6	28.5	21.9	70.3	69.9	38.7	79.9	28.9	1.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
029	41.2	0.528	0.332	1.588	-0.165	0.693	26.3	11.1	28.6	22.8	70.3	69.5	40.9	80.7	30.4	1.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00
030	41.3	0.532	0.336	1.584	-0.155	0.693	26.2	11.5	28.6	23.8	70.3	69.1	43.2	81.5	31.9	1.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00
031	41.3	0.536	0.339	1.58	-0.145	0.693	26.0	11.9	28.6	24.6	70.4	68.8	45.5	82.5	33.4	1.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00
032	41.3	0.54	0.342	1.576	-0.136	0.694	25.8	12.3	28.7	25.5	70.4	68.4	47.8	83.5	34.9	1.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00
033	41.3	0.544	0.345	1.572	-0.127	0.694	25.7	12.7	28.7	26.3	70.4	68.1	50.1	84.5	36.3	1.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00
034	41.3	0.547	0.348	1.569	-0.118	0.695	25.6	13.1	28.7	27.1	70.4	67.7	52.4	85.6	37.7	1.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
035	41.4	0.55	0.351	1.565	-0.11	0.695	25.4	13.4	28.8	27.8	70.4	67.4	54.7	86.8	39.0	1.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00
036	41.4	0.554	0.354	1.561	-0.102	0.696	25.3	13.8	28.8	28.5	70.4	67.1	57.0	88.1	40.3	1.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00
037	41.4	0.557	0.357	1.558	-0.094	0.696	25.1	14.1	28.8	29.2	70.4	66.7	59.4	89.3	41.6	1.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00
038	41.4	0.56	0.36	1.554	-0.087	0.697	25.0	14.4	28.9	29.9	70.5	66.4	61.7	90.7	42.9	1.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00
039	41.5	0.563	0.363	1.55	-0.08	0.697	24.9	14.7	28.9	30.5	70.5	66.1	64.0	92.0	44.0	1.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00
040	41.5	0.566	0.365	1.547	-0.074	0.697	24.7	14.9	28.9	31.2	70.5	65.8	66.3	93.4	45.2	1.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00
041	41.5	0.568	0.368	1.544	-0.068	0.698	24.6	15.2	29.0	31.7	70.5	65.5	68.7	94.9	46.3	1.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
042	41.5	0.571	0.37	1.54	-0.062	0.698	24.5	15.4	29.0	32.2	70.5	65.2	71.0	96.4	47.4	1.00	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
043	41.5	0.573	0.372	1.537	-0.057	0.698	24.4	15.7	29.0	32.7	70.5	64.9	73.2	97.9	48.4	1.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00
044	41.6	0.575	0.375	1.534	-0.052	0.698	24.3	15.9	29.0	33.2	70.5	64.6	75.5	99.4	49.4	1.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00
045	41.6	0.577	0.377	1.531	-0.047	0.698	24.1	16.1	29.0	33.7	70.6	64.3	77.8	100.9	50.4	1.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
046	41.6	0.579	0.379	1.528	-0.043	0.698	24.0	16.3	29.0	34.1	70.6	64.0	80.0	102.5	51.3	1.00	0.3	0.00	0.00	0.00	0.00	0.00	0.00	0.00
047	41.6	0.581	0.381	1.525	-0.039	0.697	23.9	16.5	29.0	34.5	70.6	63.8</												

rgb* _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy, rgb* _{AB} , ABC _{AB} , LabC* _{ahb} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																								
0.901, ..., 179, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																								
no.	ab	Y	x	y	a	b	c	ab	A	B	C	ab	h _{AB}	L*	a*	b*	C*	ab	h _{AB}	rgb*	ab	Code	ab	
990	80.7	0.483	0.509	0.938	-0.005	0.43	-0.1	34.7	34.7	90.3	92.0	-0.3	143.4	143.4	90.1	1.00	0.96	0.00	0.00	0.96	0.00	R90Y	0.00	
991	81.9	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.5	143.0	143.0	91.0	1.00	0.97	0.00	0.00	0.97	0.00	R91Y	0.00	
992	83.5	0.474	0.516	0.919	-0.006	0.43	-2.6	35.8	35.9	94.1	93.2	-5.2	142.2	142.3	92.1	1.00	0.99	0.00	0.00	0.99	0.00	R92Y	0.00	
993	84.8	0.47	0.519	0.906	-0.007	0.43	-3.7	36.3	36.5	95.8	93.8	-7.4	140.8	141.0	93.0	0.99	1.00	0.00	0.00	1.00	0.00	R93Y	0.00	
994	86.0	0.466	0.522	0.893	-0.008	0.43	-4.8	36.7	37.0	97.5	94.3	-9.6	138.9	139.2	93.9	0.97	1.00	0.00	0.00	1.00	0.00	R94Y	0.00	
995	87.3	0.462	0.524	0.881	-0.009	0.431	-6.0	37.1	37.6	99.2	94.8	-11.9	136.8	137.3	94.9	0.96	1.00	0.00	0.00	1.00	0.00	R95Y	0.00	
996	88.6	0.457	0.526	0.868	-0.011	0.432	-7.2	37.5	38.2	100.9	95.4	-14.1	134.5	135.3	96.0	0.94	1.00	0.00	0.00	1.00	0.00	R96Y	0.00	
997	89.8	0.453	0.528	0.857	-0.013	0.432	-8.3	37.9	38.8	102.6	95.9	-16.3	132.3	133.3	97.0	0.93	1.00	0.00	0.00	1.00	0.00	R97Y	0.00	
998	91.3	0.448	0.530	0.846	-0.015	0.432	-9.5	38.2	39.4	104.4	96.4	-18.5	129.5	130.8	98.1	0.91	1.00	0.00	0.00	1.00	0.00	R98Y	0.00	
999	92.0	0.444	0.53	0.836	-0.018	0.432	-10.4	38.3	39.7	105.2	96.8	-20.2	126.4	128.0	99.0	0.9	1.00	0.00	0.00	1.00	0.00	R99Y	0.00	
100	93.8	0.445	0.526	0.846	-0.021	0.426	-9.8	38.8	40.0	104.1	97.5	-18.6	126.3	125.0	98.5	0.89	1.00	0.00	0.00	1.00	0.00	Y10G	0.00	
101	93.8	0.435	0.529	0.822	-0.026	0.429	-12.0	38.4	40.2	107.3	97.5	-23.0	119.1	121.3	100.9	0.87	1.00	0.00	0.00	1.00	0.00	Y11G	0.00	
102	93.4	0.432	0.532	0.813	-0.026	0.431	-12.8	38.2	40.2	108.5	97.3	-24.7	118.5	121.0	101.8	0.86	1.00	0.00	0.00	1.00	0.00	Y12G	0.00	
103	92.9	0.429	0.534	0.804	-0.027	0.434	-13.6	37.9	40.3	109.7	97.2	-26.2	117.9	120.8	102.6	0.84	1.00	0.00	0.00	1.00	0.00	Y13G	0.00	
104	92.5	0.426	0.536	0.794	-0.027	0.436	-14.4	37.9	40.4	110.8	97.0	-28.2	117.3	120.6	103.5	0.83	1.00	0.00	0.00	1.00	0.00	Y14G	0.00	
105	92.0	0.423	0.539	0.785	-0.027	0.44	-15.2	37.5	40.5	112.0	96.8	-30.0	116.7	120.5	104.4	0.81	1.00	0.00	0.00	1.00	0.00	Y15G	0.00	
106	91.5	0.421	0.541	0.775	-0.028	0.443	-16.0	37.2	40.6	113.2	96.6	-31.8	116.1	120.4	105.3	0.8	1.00	0.00	0.00	1.00	0.00	Y16G	0.00	
107	91.0	0.416	0.544	0.765	-0.028	0.447	-16.8	37.0	40.7	114.4	96.4	-33.8	115.4	120.3	106.3	0.79	1.00	0.00	0.00	1.00	0.00	Y17G	0.00	
108	90.5	0.412	0.547	0.754	-0.029	0.451	-17.7	36.8	40.8	115.7	96.2	-35.7	114.8	120.2	107.3	0.77	1.00	0.00	0.00	1.00	0.00	Y18G	0.00	
109	90.0	0.409	0.549	0.744	-0.029	0.455	-18.5	36.5	40.9	116.9	96.0	-37.7	114.2	120.2	108.3	0.76	1.00	0.00	0.00	1.00	0.00	Y19G	0.00	
110	89.5	0.405	0.552	0.733	-0.03	0.459	-19.4	36.2	41.1	118.1	95.8	-39.8	113.5	120.3	109.3	0.74	1.00	0.00	0.00	1.00	0.00	Y20G	0.00	
111	88.9	0.401	0.555	0.722	-0.03	0.464	-20.2	36.0	41.3	119.3	95.5	-41.9	112.8	120.4	110.3	0.73	1.00	0.00	0.00	1.00	0.00	Y21G	0.00	
112	88.4	0.397	0.558	0.712	-0.031	0.469	-21.0	35.7	41.5	120.5	95.3	-44.0	112.1	120.5	111.4	0.71	1.00	0.00	0.00	1.00	0.00	Y22G	0.00	
113	87.8	0.393	0.561	0.693	-0.031	0.474	-21.9	35.4	41.6	121.6	95.1	-46.1	111.5	120.6	112.4	0.7	1.00	0.00	0.00	1.00	0.00	Y23G	0.00	
114	87.2	0.389	0.564	0.69	-0.032	0.479	-22.7	35.2	41.8	122.8	94.8	-48.3	110.8	120.8	113.5	0.69	1.00	0.00	0.00	1.00	0.00	Y24G	0.00	
115	86.7	0.385	0.567	0.679	-0.032	0.485	-23.5	34.9	42.1	123.9	94.6	-50.5	110.1	121.1	114.6	0.67	1.00	0.00	0.00	1.00	0.00	Y25G	0.00	
116	86.1	0.381	0.57	0.668	-0.033	0.491	-24.3	34.6	42.3	125.0	94.3	-52.7	109.3	121.4	115.7	0.66	1.00	0.00	0.00	1.00	0.00	Y26G	0.00	
117	85.5	0.377	0.573	0.657	-0.034	0.497	-25.0	34.3	42.5	126.1	94.1	-54.9	108.6	121.7	116.8	0.64	1.00	0.00	0.00	1.00	0.00	Y27G	0.00	
118	84.9	0.372	0.577	0.646	-0.034	0.503	-25.8	34.0	42.7	127.1	93.8	-57.1	107.9	122.1	117.8	0.63	1.00	0.00	0.00	1.00	0.00	Y28G	0.00	
119	84.3	0.368	0.58	0.635	-0.035	0.509	-26.5	33.7	42.9	128.2	93.6	-59.3	107.2	122.5	118.9	0.61	1.00	0.00	0.00	1.00	0.00	Y29G	0.00	
120	83.8	0.364	0.583	0.624	-0.035	0.515	-27.3	33.4	43.2	129.2	93.3	-61.5	106.5	123.0	120.0	0.6	1.00	0.00	0.00	1.00	0.00	Y30G	0.00	
121	83.2	0.359	0.586	0.613	-0.036	0.522	-28.0	33.2	43.4	130.3	93.1	-63.8	105.7	123.5	121.0	0.59	1.00	0.00	0.00	1.00	0.00	Y31G	0.00	
122	82.6	0.355	0.589	0.603	-0.037	0.528	-28.7	32.9	43.6	131.4	93.0	-65.9	105.0	124.0	122.1	0.57	1.00	0.00	0.00	1.00	0.00	Y32G	0.00	
123	82.0	0.351	0.592	0.592	-0.037	0.535	-29.3	32.6	43.9	131.9	92.8	-68.2	104.3	124.6	123.1	0.56	1.00	0.00	0.00	1.00	0.00	Y33G	0.00	
124	81.4	0.346	0.595	0.582	-0.038	0.541	-30.0	32.3	44.1	132.8	92.3	-70.3	103.5	125.2	124.1	0.54	1.00	0.00	0.00	1.00	0.00	Y34G	0.00	
125	80.8	0.342	0.598	0.572	-0.039	0.548	-30.6	32.0	44.3	133.6	92.0	-72.5	102.8	125.8	125.0	0.53	1.00	0.00	0.00	1.00	0.00	Y35G	0.00	
126	80.3	0.338	0.601	0.561	-0.039	0.554	-31.2	31.7	44.5	134.4	91.8	-74.6	102.1	126.5	126.1	0.51	1.00	0.00	0.00	1.00	0.00	Y36G	0.00	
127	79.7	0.333	0.604	0.552	-0.04	0.561	-31.7	31.5	44.7	135.2	91.5	-76.7	101.3	127.1	127.1	0.5	1.00	0.00	0.00	1.00	0.00	Y37G	0.00	
128	79.2	0.329	0.607	0.542	-0.041	0.567	-32.3	31.2	44.9	135.9	91.3	-78.8	100.6	127.8	128.0	0.48	1.00	0.00	0.00	1.00	0.00	Y38G	0.00	
129	78.6	0.325	0.61	0.532	-0.042	0.574	-32.8	30.9	45.1	136.7	91.0	-81.0	99.8	128.6	128.0	0.47	1.00	0.00	0.00	1.00	0.00	Y39G	0.00	
130	78.1	0.32	0.613	0.523	-0.042	0.581	-33.5	30.6	45.3	137.5	90.8	-83.9	98.5	129.4	130.4	0.46	1.00	0.00	0.00	1.00	0.00	Y40G	0.00	
131	76.9	0.312	0.617	0.506	-0.045	0.591	-34.1	30.0	45.4	138.6	90.2	-86.7	97.2	139.2	137.7	0.44	1.00	0.00	0.00	1.00	0.00	Y41G	0.00	
132	76.1	0.307	0.62	0.494	-0.046	0.599	-34.6	29.6	45.6	139.5	89.9	-89.2	95.9	131.0	132.9	0.43	1.00	0.00	0.00	1.00	0.00	Y42G	0.00	
133	75.3	0.301	0.623	0.483	-0.048	0.606	-35.1	29.2	45.7	140.2	89.5	-91.6	94.7	131.8	134.0	0.41	1.00	0.00	0.00	1.00	0.00	Y43G	0.00	
134	74.6	0.296	0.625	0.473	-0.049	0.613	-35.5	28.8	45.7	141.0	89.2	-93.9	93.4	132.5	135.1	0.4	1.00	0.00	0.00	1.00	0.00	Y44G	0.00	
135	73.9	0.291	0.627	0.464	-0.051	0.619	-35.9	28.4	45.8	141.8	88.9	-96.0	92.2	133.1	136.1	0.38	1.00	0.00	0.00	1.00	0.00	Y45G	0.00	
136	73.3	0.286	0.629	0.455	-0.052	0.625	-36.2	28.0	45.8	142.2	88.5	-98.0	91.0	133.7	137.1	0.37	1.00	0.00	0.00	1.00	0.00	Y46G	0.00	
137	72.6	0.282	0.631	0.447	-0.054	0.631	-36.5	27.6	45.8	142.8	88.2	-100.9	90.0	134.3	138.0	0.36	1.00	0.00	0.00	1.00	0.00	Y47G	0.00	
138	72.0	0.278	0.632	0.439	-0.056	0.636	-36.8	27.3	45.8	143.4	87.9	-103.6	88.6	135										

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																										
Yxy, cab _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																										
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																										
180, 181, ..., 269, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																										
no.	ab	Y	x	y	a	b	c	cab	A	B	C	h _{ab}	L*	a*	b*	C _{ab}	h _{ab}	rgb _{cab}	Code	ab	Y	x	y	a	b	c
180	59.2	0.168	0.394	0.416	-0.423	0.534	-31.6	0.7	31.6	178.6	81.3	-100.9	0.5	199.9	179.0	0.00	1.00	0.32	G168	ab	Y	x	y	a	b	c
181	59.1	0.168	0.397	0.422	-0.436	0.538	-31.2	0.8	31.2	180.0	81.4	-99.4	0.0	99.4	189.0	0.00	1.00	0.34	G178	ab	Y	x	y	a	b	c
182	59.1	0.167	0.391	0.427	-0.449	0.522	-30.9	-0.8	30.9	181.5	81.3	-98.0	-1.7	98.0	181.0	0.00	1.00	0.36	G188	ab	Y	x	y	a	b	c
183	59.1	0.167	0.396	0.433	-0.462	0.517	-30.5	-1.6	30.5	183.0	81.3	-96.5	-3.4	96.6	182.0	0.00	1.00	0.38	G198	ab	Y	x	y	a	b	c
184	59.0	0.167	0.38	0.439	-0.476	0.512	-30.1	-2.4	30.2	184.5	81.3	-95.0	-5.0	95.2	183.0	0.00	1.00	0.39	G198	ab	Y	x	y	a	b	c
185	59.0	0.166	0.374	0.445	-0.489	0.507	-29.8	-3.2	29.9	186.1	81.3	-93.6	-6.7	93.8	184.0	0.00	1.00	0.41	G208	ab	Y	x	y	a	b	c
186	59.0	0.166	0.368	0.451	-0.503	0.503	-29.4	-4.0	29.7	187.7	81.3	-92.1	-8.3	92.5	185.1	0.00	1.00	0.43	G218	ab	Y	x	y	a	b	c
187	58.9	0.166	0.363	0.457	-0.517	0.495	-29.0	-4.8	29.4	189.0	81.2	-90.8	-9.9	91.2	182.2	0.00	1.00	0.45	G228	ab	Y	x	y	a	b	c
188	58.9	0.166	0.358	0.463	-0.531	0.496	-28.7	-5.6	29.2	191.1	81.2	-89.4	-11.5	89.7	181.0	0.00	1.00	0.47	G238	ab	Y	x	y	a	b	c
189	58.9	0.165	0.352	0.469	-0.545	0.493	-28.3	-6.4	29.0	192.8	81.2	-87.7	-13.0	88.7	180.4	0.00	1.00	0.49	G248	ab	Y	x	y	a	b	c
190	58.9	0.165	0.347	0.475	-0.559	0.49	-27.9	-7.3	28.8	194.6	81.2	-86.3	-14.5	87.5	189.5	0.00	1.00	0.5	G258	ab	Y	x	y	a	b	c
191	58.8	0.165	0.343	0.481	-0.573	0.488	-27.5	-8.1	28.7	196.3	81.2	-84.9	-16.0	86.4	190.7	0.00	1.00	0.52	G268	ab	Y	x	y	a	b	c
192	58.8	0.165	0.338	0.487	-0.587	0.487	-27.2	-8.9	28.6	198.1	81.2	-83.5	-17.5	85.3	191.8	0.00	1.00	0.54	G278	ab	Y	x	y	a	b	c
193	58.8	0.164	0.333	0.493	-0.6	0.485	-26.8	-9.7	28.5	199.8	81.1	-82.2	-18.9	84.3	192.9	0.00	1.00	0.56	G288	ab	Y	x	y	a	b	c
194	58.7	0.164	0.328	0.5	-0.616	0.485	-26.4	-10.6	28.4	201.8	81.1	-80.6	-20.5	83.2	194.2	0.00	1.00	0.58	G298	ab	Y	x	y	a	b	c
195	58.6	0.164	0.323	0.507	-0.631	0.484	-26.0	-11.5	28.4	203.8	81.1	-79.0	-22.1	82.0	195.6	0.00	1.00	0.6	G308	ab	Y	x	y	a	b	c
196	58.6	0.163	0.318	0.514	-0.646	0.483	-25.6	-12.4	28.4	205.8	81.1	-77.4	-24.2	80.4	196.8	0.00	1.00	0.61	G318	ab	Y	x	y	a	b	c
197	58.5	0.163	0.315	0.52	-0.66	0.485	-25.2	-13.1	28.4	207.6	81.0	-76.1	-24.9	80.1	198.1	0.00	1.00	0.63	G318	ab	Y	x	y	a	b	c
198	58.5	0.163	0.311	0.525	-0.673	0.486	-24.8	-13.9	28.4	209.2	81.0	-74.8	-26.1	79.2	199.2	0.00	1.00	0.65	G328	ab	Y	x	y	a	b	c
199	58.4	0.163	0.308	0.531	-0.685	0.488	-24.4	-14.6	28.5	210.8	80.9	-73.6	-27.3	78.5	200.3	0.00	1.00	0.67	G338	ab	Y	x	y	a	b	c
200	58.3	0.163	0.304	0.536	-0.697	0.489	-24.1	-15.2	28.5	212.3	80.9	-72.4	-28.3	77.8	201.3	0.00	1.00	0.69	G348	ab	Y	x	y	a	b	c
201	58.3	0.163	0.302	0.541	-0.707	0.491	-23.8	-15.8	28.6	213.6	80.9	-71.4	-29.3	77.1	202.3	0.00	1.00	0.71	G358	ab	Y	x	y	a	b	c
202	58.3	0.163	0.299	0.546	-0.716	0.492	-23.5	-16.3	28.7	214.8	80.9	-70.4	-30.1	76.6	203.4	0.00	1.00	0.72	G368	ab	Y	x	y	a	b	c
203	58.2	0.163	0.297	0.551	-0.725	0.493	-23.2	-16.8	28.7	216.0	80.8	-69.5	-30.9	76.1	204.5	0.00	1.00	0.74	G378	ab	Y	x	y	a	b	c
204	58.2	0.163	0.295	0.554	-0.734	0.495	-23.0	-17.2	28.7	217.1	80.8	-68.6	-31.7	75.4	205.6	0.00	1.00	0.76	G388	ab	Y	x	y	a	b	c
205	58.2	0.163	0.293	0.557	-0.738	0.496	-22.8	-17.6	28.9	217.6	80.8	-68.0	-32.1	75.2	205.3	0.00	1.00	0.78	G398	ab	Y	x	y	a	b	c
206	58.6	0.164	0.292	0.563	-0.741	0.493	-22.6	-17.9	28.9	218.3	81.1	-66.9	-32.5	74.3	205.9	0.00	1.00	0.8	G408	ab	Y	x	y	a	b	c
207	57.5	0.162	0.289	0.562	-0.756	0.503	-22.3	-18.4	28.9	219.6	80.4	-66.6	-33.6	74.6	206.7	0.00	1.00	0.82	G418	ab	Y	x	y	a	b	c
208	56.2	0.16	0.286	0.561	-0.773	0.515	-21.8	-19.0	28.9	221.0	79.7	-66.3	-34.8	74.9	207.7	0.00	1.00	0.83	G418	ab	Y	x	y	a	b	c
209	54.9	0.158	0.282	0.56	-0.792	0.528	-21.4	-19.6	29.0	222.5	78.9	-66.0	-36.2	75.3	208.7	0.00	1.00	0.85	G428	ab	Y	x	y	a	b	c
210	53.5	0.155	0.278	0.559	-0.813	0.543	-20.9	-20.2	29.0	224.0	78.1	-65.6	-37.6	75.6	209.7	0.00	1.00	0.87	G438	ab	Y	x	y	a	b	c
211	52.0	0.153	0.274	0.558	-0.835	0.55	-20.4	-20.8	29.1	225.6	77.3	-65.2	-39.0	76.0	210.8	0.00	1.00	0.89	G448	ab	Y	x	y	a	b	c
212	50.7	0.15	0.269	0.557	-0.858	0.569	-19.9	-21.4	29.2	227.1	76.4	-64.5	-40.4	76.6	212.0	0.00	1.00	0.91	G458	ab	Y	x	y	a	b	c
213	49.3	0.148	0.265	0.557	-0.881	0.594	-19.4	-22.0	29.3	228.5	75.6	-64.4	-41.8	76.8	213.0	0.00	1.00	0.92	G468	ab	Y	x	y	a	b	c
214	48.2	0.146	0.262	0.558	-0.902	0.609	-18.9	-22.5	29.4	229.9	74.9	-63.7	-43.0	76.9	214.0	0.00	1.00	0.94	G478	ab	Y	x	y	a	b	c
215	47.2	0.144	0.258	0.559	-0.921	0.623	-18.4	-22.9	29.4	231.2	74.3	-63.0	-44.2	76.9	215.0	0.00	1.00	0.96	G488	ab	Y	x	y	a	b	c
216	46.2	0.143	0.255	0.561	-0.94	0.637	-17.9	-23.3	29.4	232.3	73.7	-62.1	-45.2	76.9	216.0	0.00	1.00	0.98	G498	ab	Y	x	y	a	b	c
217	45.4	0.142	0.252	0.564	-0.958	0.65	-17.5	-23.7	29.5	233.5	73.1	-61.3	-46.2	76.7	216.9	0.00	0.99	1.00	G508	ab	Y	x	y	a	b	c
218	44.5	0.141	0.249	0.566	-0.976	0.662	-17.0	-24.0	29.5	234.6	72.6	-60.4	-47.1	76.6	217.9	0.00	0.99	1.00	G518	ab	Y	x	y	a	b	c
219	43.7	0.14	0.246	0.569	-0.993	0.675	-16.6	-24.4	29.5	235.6	72.0	-59.5	-48.0	76.5	218.8	0.00	0.99	1.00	G528	ab	Y	x	y	a	b	c
220	42.9	0.139	0.243	0.569	-1.011	0.687	-16.2	-24.8	29.6	236.7	71.4	-58.6	-48.9	76.4	219.7	0.00	0.99	1.00	G538	ab	Y	x	y	a	b	c
221	42.1	0.138	0.24	0.575	-1.031	0.703	-15.8	-25.1	29.6	237.8	71.0	-57.7	-49.9	76.3	220.8	0.00	0.99	1.00	G538	ab	Y	x	y	a	b	c
222	41.3	0.137	0.237	0.578	-1.05	0.718	-15.3	-25.4	29.7	238.8	70.4	-56.7	-50.8	76.2	221.8	0.00	0.99	1.00	G548	ab	Y	x	y	a	b	c
223	40.6	0.136	0.234	0.582	-1.07	0.734	-14.9	-25.8	29.8	239.9	69.9	-55.7	-51.7	76.0	222.9	0.00	0.88	1.00	G558	ab	Y	x	y	a	b	c
224	39.8	0.135	0.231	0.586	-1.091	0.75	-14.4	-26.1	29.8	240.9	69.3	-54.6	-52.7	75.9	223.9	0.00	0.86	1.00	G568	ab	Y	x	y	a	b	c
225	39.3	0.135	0.229	0.589	-1.105	0.761	-14.2	-26.3	29.9	241.6	68.8	-53.9	-53.3	75.8	224.6	0.00	0.85	1.00	G578	ab	Y	x	y	a	b	c
226	38.7	0.134	0.227	0.591	-1.12	0.773	-13.9	-26.5	30.0	242.3	68.6	-53.2	-54.0	75.8	225.4	0.00	0.83	1.00	G588	ab	Y	x	y	a	b	c
227	38.0	0.134	0.225	0.59	-1.136	0.786	-13.5	-26.8	30.0	243.3	68.2	-52.4	-54.5	75.7	226.2	0.00	0.81	1.00	G598	ab	Y	x	y	a	b	c
228	37.6	0.133	0.222	0.599	-1.154	0.8	-13.2	-27.0	30.1	243.9	67.7	-51.4	-55.4	75.6	227.1	0.00	0.79		G60							

rgb* _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, cab _{AB} , ABC _{AB} , LabC* _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																			
270, 271, ..., 360, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y*): 81.3 -3.0 71.8, 11 (G*): 52.2 -42.3 13.6, 12 (B*): 30.5 1.2 -46.3																			
no.	ab	Y	x	y	a	b	c	ab	A	B	C _{ab}	h _{ab}	L*	a*	b*	C* _{ab}	h _{ab}	rgb*	Code _{ab}
276	19	2	0.127	0.132	0.961	-2.238	1.893	0.2	-34.7	34.7	270.3	51.0	1.1	-83.8	83.8	270.7	0.00	0.02	1.00 % G98B
277	18	x	0.127	0.13	0.974	-2.272	1.837	0.4	-34.8	34.8	270.7	50.6	2.4	-84.4	84.4	271.6	0.00	0.0	1.00 % G98B
272	18	6	0.127	0.128	0.987	-2.307	1.817	0.6	-34.9	34.9	271.1	50.3	3.7	-84.4	85.0	272.4	0.0	0.00	1.00 % B09R
273	18	4	0.127	0.127	1.0	-2.341	1.906	0.9	-35.0	35.1	271.5	49.9	4.9	-85.5	85.6	273.3	0.02	0.00	1.00 % B01R
274	18	1	0.127	0.125	1.014	-2.375	1.94	1.1	-35.1	35.2	271.8	49.6	6.1	-86.6	86.2	274.1	0.04	0.00	1.00 % B02R
275	17	8	0.127	0.123	1.03	-2.419	1.985	1.4	-35.3	35.3	272.3	49.2	7.7	-86.7	87.1	275.0	0.06	0.00	1.00 % B03R
276	17	4	0.127	0.121	1.05	-2.471	2.038	1.7	-35.4	35.5	272.8	48.7	9.5	-87.5	88.0	276.1	0.07	0.00	1.00 % B05R
277	0	0.127	0.119	0.107	1.08	-2.521	2.093	2.0	-35.6	35.6	273.3	48.3	11.1	-88.2	88.9	277.2	0.09	0.00	1.00 % B08R
278	16	17	0.127	0.107	1.089	-2.581	2.139	2.3	-35.7	35.8	273.7	47.9	12.7	-89.2	89.7	278.1	0.11	0.00	1.00 % B10R
279	16	4	0.128	0.115	1.108	-2.618	2.188	2.6	-35.8	35.9	274.1	47.5	14.4	-89.6	90.7	279.1	0.13	0.00	1.00 % B06R
280	16	1	0.128	0.113	1.128	-2.667	2.238	2.8	-35.9	36.1	274.5	47.1	16.0	-90.3	91.7	280.0	0.14	0.00	1.00 % B07R
281	15	8	0.128	0.111	1.149	-2.717	2.29	3.1	-36.1	36.2	274.9	46.7	17.6	-90.9	92.6	280.9	0.16	0.00	1.00 % B08R
282	15	5	0.128	0.109	1.171	-2.769	2.344	3.4	-36.2	36.3	275.4	46.3	19.3	-91.6	93.6	281.9	0.18	0.00	1.00 % B09R
283	15	1	0.129	0.107	1.195	-2.826	2.403	3.7	-36.3	36.5	275.8	45.8	21.2	-92.3	94.7	282.9	0.2	0.00	1.00 % B10R
284	14	8	0.129	0.105	1.222	-2.888	2.468	4.0	-36.4	36.6	276.3	45.4	23.1	-93.0	95.9	283.9	0.21	0.00	1.00 % B18R
285	14	4	0.129	0.103	1.252	-2.96	2.542	4.3	-36.5	36.8	276.8	44.9	25.3	-93.9	97.2	285.0	0.23	0.00	1.00 % B11R
286	0	0.129	0.098	0.091	1.281	-3.038	2.618	4.6	-36.6	37.0	277.3	44.5	27.7	-94.8	99.0	286.1	0.26	0.00	1.00 % B12R
287	13	7	0.13	0.098	1.322	-3.121	2.712	5.0	-36.8	37.1	277.8	43.8	29.9	-95.7	100.2	287.3	0.27	0.00	1.00 % B13R
288	13	3	0.13	0.096	1.36	-3.21	2.804	5.4	-36.9	37.3	278.3	43.2	32.4	-96.6	101.9	288.5	0.28	0.00	1.00 % B14R
289	12	9	0.131	0.093	1.4	-3.303	2.902	5.8	-37.0	37.5	278.9	42.6	34.8	-97.5	103.6	289.6	0.3	0.00	1.00 % B15R
290	12	5	0.131	0.091	1.442	-3.401	3.005	6.1	-37.2	37.7	279.4	42.0	37.3	-98.5	105.3	290.7	0.32	0.00	1.00 % B16R
291	12	1	0.132	0.088	1.486	-3.503	3.114	6.5	-37.3	37.8	279.9	41.4	39.8	-99.4	107.1	291.8	0.34	0.00	1.00 % B17R
292	11	7	0.132	0.086	1.532	-3.609	3.226	6.8	-37.4	38.0	280.3	40.8	42.3	-100.4	108.9	292.8	0.35	0.00	1.00 % B18R
293	11	3	0.133	0.084	1.58	-3.723	3.349	7.2	-37.5	38.2	280.8	40.3	44.8	-101.3	110.8	293.8	0.37	0.00	1.00 % B25R
294	11	0	0.133	0.081	1.629	-3.833	3.465	7.5	-37.6	38.4	281.3	39.8	47.2	-102.2	112.6	294.9	0.39	0.00	1.00 % B19R
295	10	7	0.133	0.079	1.68	-3.95	3.589	7.8	-37.7	38.5	281.7	39.1	49.7	-103.1	114.5	295.7	0.41	0.00	1.00 % B20R
296	10	4	0.134	0.077	1.732	-4.069	3.716	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.42	0.00	1.00 % B21R
297	10	1	0.134	0.075	1.785	-4.19	3.846	8.4	-37.9	38.8	282.5	38.0	54.4	-104.9	118.2	297.4	0.44	0.00	1.00 % B22R
298	9	8	0.135	0.073	1.839	-4.312	3.977	8.7	-38.0	39.0	282.9	37.4	56.7	-105.8	120.0	298.2	0.46	0.00	1.00 % B23R
299	9	4	0.135	0.071	1.906	-4.465	4.141	9.0	-38.1	39.1	283.3	36.8	59.4	-106.8	122.2	299.1	0.48	0.00	1.00 % B24R
300	8	9	0.136	0.067	2.013	-4.707	4.401	9.5	-38.2	39.3	283.8	35.8	63.6	-108.3	125.6	300.4	0.49	0.00	1.00 % B24R
301	8	5	0.136	0.064	2.064	-4.925	4.637	9.9	-38.3	39.5	284.5	35.0	67.1	-109.5	128.4	301.4	0.51	0.00	1.00 % B25R
302	1	0.137	0.062	0.202	2.122	-5.123	4.852	10.2	-38.3	39.6	285.0	34.0	70.4	-110.6	131.2	302.5	0.53	0.00	1.00 % B26R
303	7	8	0.138	0.06	2.287	-5.31	5.055	10.5	-38.3	39.8	285.3	33.7	72.9	-111.5	133.2	303.1	0.55	0.00	1.00 % B27R
304	7	2	0.136	0.056	2.409	-5.715	5.477	10.6	-38.5	39.9	285.4	32.4	75.9	-113.5	136.5	303.7	0.56	0.00	1.00 % B28R
305	6	4	0.131	0.05	2.589	-6.422	6.297	10.5	-38.7	40.1	285.3	30.5	79.6	-116.5	141.1	304.3	0.58	0.00	1.00 % B29R
306	6	0	0.131	0.047	2.758	-6.887	6.7	10.8	-38.7	40.2	285.6	29.4	83.4	-118.2	144.7	305.2	0.6	0.00	1.00 % B30R
307	6	0	0.138	0.048	2.878	-6.779	6.629	11.7	-38.5	40.2	286.9	29.5	87.7	-117.6	146.7	306.7	0.62	0.00	1.00 % B31R
308	6	4	0.146	0.05	2.886	-6.338	6.212	12.5	-38.2	40.2	288.1	30.5	90.0	-115.7	146.6	307.8	0.63	0.00	1.00 % B32R
309	6	8	0.153	0.053	2.876	-6.951	5.844	13.2	-38.0	40.2	289.2	31.5	93.3	-114.0	146.1	308.7	0.65	0.00	1.00 % B33R
310	6	16	0.156	0.052	2.856	-7.564	5.467	14.0	-37.8	40.2	290.3	32.5	96.6	-112.2	145.6	309.7	0.67	0.00	1.00 % B34R
311	7	8	0.168	0.059	2.836	-5.207	5.13	14.8	-37.5	40.3	291.5	33.7	94.1	-118.2	145.0	310.5	0.69	0.00	1.00 % B34R
312	8	4	0.176	0.062	2.815	-4.857	4.799	15.7	-37.2	40.4	292.8	34.8	95.6	-108.2	144.3	311.4	0.7	0.00	1.00 % B35R
313	9	0	0.184	0.066	2.794	-4.527	4.487	16.6	-36.9	40.5	294.2	36.0	97.0	-106.0	143.7	312.4	0.72	0.00	1.00 % B36R
314	9	6	0.193	0.069	2.771	-4.215	4.196	17.6	-36.6	40.6	295.7	37.2	98.4	-103.8	143.1	313.4	0.74	0.00	1.00 % B37R
315	10	3	0.202	0.073	2.748	-3.925	3.925	18.6	-36.2	40.7	297.2	38.5	99.8	-101.6	142.4	314.4	0.76	0.00	1.00 % B38R
316	11	1	0.211	0.077	2.724	-3.654	3.675	19.7	-35.8	40.9	298.8	39.8	101.1	-99.3	141.8	315.5	0.77	0.00	1.00 % B38R
317	0	0.221	0.081	0.7	2.7	-3.405	3.446	20.9	-35.4	41.2	300.5	41.1	102.5	-97.0	141.1	316.5	0.77	0.00	1.00 % B39R
318	12	8	0.223	0.086	2.7	-3.174	3.237	22.1	-35.0	41.4	302.2	42.4	103.8	-94.4	140.5	317.6	0.81	0.00	1.00 % B40R
319	13	7	0.239	0.09	2.652	-2.963	3.047	23.3	-34.6	41.7	303.9	43.8	105.1	-92.2	139.9	318.7	0.83	0.00	1.00 % B41R
320	14	6	0.249	0.094	2.628	-2.769	2.874	24.5	-34.1	42.1	305.7	45.1	106.4	-89.8	139.3	319.8	0.84	0.00	1.00 % B42R
321	15	6	0.258	0.099	2.605	-2.592	2.718	25.8	-33.7	42.4	307.5	46.4	107.6	-87.5	138.7	320.8	0.86	0.00	1.00 % B43R
322	16	6	0.267	0.103	2.582	-2.431	2.578	27.1	-33.2	42.9	309.2	47.8	108.7	-85.1	138.1	321.9	0.88	0.00	1.00 % B44R
323	17	6	0.276	0.107	2.56	-2.284	2.515	28.4	-32.7	43.3	311.0	49.1	109.8	-82.8	137.5	322.9	0.9	0.00	1.00 % B45R
324	18	7	0.284	0.112	2.538	-2.151	2.337	29.8	-32.2	43.8	312.7	50.4	110.9	-80.4	137.0	324.0	0.91	0.00	1.00 % B45R
325	19	8	0.292	0.116	2.516	-2.03	2.235	31.1	-31.6	44.4	314.4	51.6	111.8	-78.2	136.5	325.0	0.93	0.00	1.00 % B46R
326	20	3	0.3	0.12	2.496	-1.922	2.143	32.4	-31.1	44.9	316.1	52.9	112.7	-76.0	136	326.0	0.95	0.00	1.00 % B47R
327	23	0	0.313	0.128	2.442	-1.739	1.981	34.4	-30.0	45.7	318.8	55.1	113.3	-71.9	134.2	327.6	0.97	0.00	1.00 % B48R
328	25	2	0.324	0.136	2.379	-1.582	1.832	36.0	-28.9	46.2	321.2	57.2	113.0	-67.9	131.9	329.0	0.98	0.00	1

Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, CIELAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	31 556	79.94	−66.31	−34.08	74.56	0.1807	−0.1034	207.2	15 476	37 585	Cm		%	
6 435	31 557	80.42	−82.6	−17.8	84.5	0.1724	−0.0949	192.1	16 480	44 621			%	
10 450	31 559	80.48	−108.29	14.97	109.32	0.1591	−0.078	172.1	18 491	−1 491c			%	
11 460	32 562	81.44	−111.37	27.39	114.69	0.1581	−0.0717	166.1	19 498	−1 498c			%	
12 465	33 565	82.34	−112.77	40.26	119.75	0.1579	−0.0653	160.3	21 506	−1 506c			%	
14 470	34 570	83.48	−109.79	65.41	127.8	0.1601	−0.053	149.2	24 522	−1 522c			%	
15 475	35 579	86.33	−94.64	81.3	124.77	0.169	−0.0462	139.3	26 533	−1 533c	Gm		%	
16 480	41 606	92.55	−53.33	102.14	115.22	0.1907	−0.0389	117.5	30 550	−1 550c			%	
16 485	−1 484c	96.94	−20.21	109.71	111.55	0.2063	−0.0374	100.4	32 560	10 454			%	
18 490	−1 490c	95.61	−14.83	124.45	125.34	0.2086	−0.0302	96.7	32 562	11 459	max		%	
19 495	−1 495c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461			%	
19 500	−1 499c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461			%	
22 510	−1 510c	91.28	2.92	142.55	142.58	0.2166	−0.0195	88.8	33 567	13 466			%	
23 520	−1 519c	89.77	8.54	144.07	144.32	0.2192	−0.0174	86.6	33 568	13 468	Ym		%	
26 530	−1 530c	84.06	27.32	142.33	144.93	0.2288	−0.0115	79.1	34 573	14 472			%	
27 540	−1 539c	81.79	33.86	139.63	143.68	0.2325	−0.0095	76.3	35 576	14 473			%	
28 545	−1 544c	79.35	40.37	136.19	142.05	0.2363	−0.0075	73.4	35 578	14 474			%	
29 550	−1 549c	76.75	46.79	132.12	140.16	0.2404	−0.0054	70.4	36 580	15 475			%	
31 555	−1 555c	71.13	58.79	122.64	136.0	0.2489	0.0	64.3	37 586	15 476			%	
32 560	10 451	69.5	84.42	−15.9	85.9	0.2645	−0.095	349.3	−1 492c	18 492			%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0					%	
Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, CIELAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code		%	
31 556	0 405	71.84	57.81	111.35	125.47	0.2481	−0.0221	62.5	37 585	15 476	Rm		%	
31 557	6 435	71.27	68.77	29.56	74.85	0.2546	−0.0689	23.2	44 621	16 480			%	
31 559	10 450	71.19	81.9	−15.15	83.29	0.2621	−0.0944	349.5	−1 491c	18 491			%	
32 562	11 460	69.98	86.63	−25.22	90.23	0.2655	−0.1003	343.7	−1 498c	19 498			%	
33 565	12 465	68.81	90.56	−33.85	96.68	0.2685	−0.1056	339.5	−1 506c	21 506			%	
34 570	14 470	67.22	93.6	−46.01	104.3	0.2714	−0.1132	333.8	−1 522c	24 522			%	
35 579	15 475	62.81	97.27	−56.68	112.58	0.2768	−0.1215	329.7	−1 533c	26 533	Mm		%	
41 606	16 480	49.57	94.8	−81.7	125.15	0.2874	−0.1477	319.2	−1 550c	30 550			%	
−1 484c	16 485	33.36	73.3	−109.63	131.88	0.2894	−0.1962	303.7	10 454	32 560			%	
−1 490c	18 490	39.48	47.93	−101.69	112.42	0.2584	−0.1769	295.2	11 459	32 562	min		%	
−1 495c	19 495	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563			%	
−1 499c	19 500	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563			%	
−1 510c	22 510	52.84	−7.33	−80.67	81.0	0.2099	−0.144	264.8	13 466	33 567			%	
−1 519c	23 520	56.28	−19.89	−74.95	77.55	0.2014	−0.1373	255.1	13 468	33 568	Bm		%	
−1 530c	26 530	66.39	−49.47	−57.84	76.11	0.1852	−0.1206	229.4	14 472	34 573			%	
−1 539c	27 540	69.54	−55.96	−52.46	76.71	0.1825	−0.1162	223.1	14 473	35 576			%	
−1 544c	28 545	72.53	−60.74	−47.32	77.0	0.1809	−0.1123	217.9	14 474	35 578			%	
−1 549c	29 550	75.38	−63.87	−42.44	76.68	0.1803	−0.1088	213.6	15 475	36 580			%	
−1 555c	31 555	80.53	−65.58	−33.56	73.67	0.1813	−0.103	207.1	15 476	37 586			%	
10 451	32 560	81.82	−103.91	14.76	104.95	0.1621	−0.0782	171.9	18 492	−1 492c			%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0					%	
1-001000-L0										VE490-7X				

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																									
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																									
Elementary hue circle with 4 intended elementary hues 9 angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, and 90 intended hue angles:																									
000, 001, ..., 099, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 -39.6 15.3, 12 (B): 33.6 -12.8 -39.9																									
no. _{ab} ,h _{ab}	x ₁₀	y ₁₀	a ₁₀	b ₁₀	C _{ab} ,10	A ₁₀	B ₁₀	C _{ab} ,10	h _{AB} ,10	L ₁₀	a*	b*	C _{ab} ,10	h _{AB} ,10	rgb _{cab} ,10	Code _{ab} ,10									
000	40.0	0.447	0.257	1.737	-0.458	0.789	31.5	-1.1	31.6	357.8	69.4	82.4	-3.2	82.4	357.7	1.00	0.00	0.48	0.00	0.00	0.48	0.00	0.00	0.48	0.00
001	40.0	0.45	0.259	1.734	-0.445	0.786	31.4	-0.6	31.4	358.8	69.4	82.2	-1.8	82.2	358.7	1.00	0.00	0.46	0.00	0.00	0.46	0.00	0.00	0.46	0.00
002	40.0	0.454	0.262	1.731	-0.432	0.783	31.3	-0.1	31.3	359.7	69.5	81.9	-0.3	81.9	359.7	1.00	0.00	0.44	0.00	0.00	0.44	0.00	0.00	0.44	0.00
003	40.0	0.457	0.264	1.728	-0.419	0.78	31.2	0.3	31.2	0.7	69.5	81.7	1.1	81.7	0.7	1.00	0.00	0.42	0.00	0.00	0.42	0.00	0.00	0.42	0.00
004	40.0	0.461	0.267	1.725	-0.406	0.778	31.1	0.9	31.1	1.6	69.5	81.4	2.6	81.4	1.8	1.00	0.00	0.4	0.00	0.00	0.4	0.00	0.00	0.4	0.00
005	40.0	0.464	0.269	1.722	-0.393	0.775	31.0	1.4	31.0	2.6	69.5	81.1	4.2	81.3	2.9	1.00	0.00	0.38	0.00	0.00	0.38	0.00	0.00	0.38	0.00
006	40.0	0.468	0.272	1.719	-0.38	0.773	30.9	1.9	30.9	3.6	69.5	80.9	5.7	81.1	4.0	1.00	0.00	0.36	0.00	0.00	0.36	0.00	0.00	0.36	0.00
007	40.0	0.472	0.275	1.716	-0.367	0.77	30.7	2.4	30.8	4.5	69.5	80.6	7.4	80.9	5.2	1.00	0.00	0.35	0.00	0.00	0.35	0.00	0.00	0.35	0.00
008	40.0	0.475	0.277	1.713	-0.354	0.768	30.6	2.9	30.8	5.5	69.5	80.3	9.0	80.8	6.4	1.00	0.00	0.33	0.00	0.00	0.33	0.00	0.00	0.33	0.00
009	40.1	0.479	0.28	1.709	-0.342	0.766	30.5	3.5	30.7	6.5	69.5	80.0	10.7	80.7	7.6	1.00	0.00	0.31	0.00	0.00	0.31	0.00	0.00	0.31	0.00
010	40.1	0.483	0.283	1.706	-0.329	0.764	30.4	4.0	30.6	7.5	69.5	79.7	12.4	80.7	8.8	1.00	0.00	0.29	0.00	0.00	0.29	0.00	0.00	0.29	0.00
011	40.1	0.487	0.286	1.702	-0.316	0.762	30.2	4.5	30.6	8.4	69.5	79.4	14.2	80.7	10.1	1.00	0.00	0.27	0.00	0.00	0.27	0.00	0.00	0.27	0.00
012	40.1	0.491	0.289	1.699	-0.304	0.761	30.1	5.0	30.5	9.4	69.5	79.1	15.9	80.7	11.4	1.00	0.00	0.25	0.00	0.00	0.25	0.00	0.00	0.25	0.00
013	40.1	0.494	0.291	1.695	-0.292	0.759	30.0	5.5	30.5	10.4	69.5	78.8	17.7	80.8	12.7	1.00	0.00	0.23	0.00	0.00	0.23	0.00	0.00	0.23	0.00
014	40.1	0.498	0.294	1.691	-0.279	0.758	29.8	6.0	30.4	11.3	69.5	78.5	19.6	80.9	14.0	1.00	0.00	0.22	0.00	0.00	0.22	0.00	0.00	0.22	0.00
015	40.2	0.502	0.297	1.687	-0.268	0.757	29.7	6.4	30.4	12.2	69.6	78.2	21.4	81.1	15.3	1.00	0.00	0.2	0.00	0.00	0.2	0.00	0.00	0.2	0.00
016	40.2	0.506	0.301	1.683	-0.256	0.756	29.6	6.9	30.4	13.2	69.6	77.8	23.3	81.3	16.6	1.00	0.00	0.18	0.00	0.00	0.18	0.00	0.00	0.18	0.00
017	40.2	0.51	0.303	1.68	-0.244	0.754	29.4	7.4	30.3	14.1	69.6	77.5	25.2	81.5	18.0	1.00	0.00	0.16	0.00	0.00	0.16	0.00	0.00	0.16	0.00
018	40.2	0.514	0.306	1.676	-0.233	0.753	29.3	7.8	30.3	15.0	69.6	77.2	27.1	81.8	19.3	1.00	0.00	0.14	0.00	0.00	0.14	0.00	0.00	0.14	0.00
019	40.2	0.517	0.309	1.672	-0.222	0.752	29.1	8.3	30.3	15.9	69.6	76.8	29.0	82.1	20.6	1.00	0.00	0.12	0.00	0.00	0.12	0.00	0.00	0.12	0.00
020	40.3	0.521	0.312	1.667	-0.211	0.752	29.0	8.7	30.3	16.8	69.6	76.5	30.9	82.5	22.0	1.00	0.00	0.1	0.00	0.00	0.1	0.00	0.00	0.1	0.00
021	40.3	0.525	0.315	1.663	-0.201	0.751	28.8	9.1	30.2	17.6	69.7	76.1	32.9	82.9	23.4	1.00	0.00	0.09	0.00	0.00	0.09	0.00	0.00	0.09	0.00
022	40.3	0.528	0.318	1.659	-0.191	0.75	28.7	9.6	30.2	18.5	69.7	75.8	34.9	83.4	24.7	1.00	0.00	0.08	0.00	0.00	0.08	0.00	0.00	0.08	0.00
023	40.3	0.532	0.321	1.655	-0.181	0.749	28.6	10.0	30.2	19.3	69.7	75.5	36.9	84.0	26.0	1.00	0.00	0.07	0.00	0.00	0.07	0.00	0.00	0.07	0.00
024	40.4	0.536	0.324	1.651	-0.171	0.748	28.4	10.4	30.2	20.1	69.7	75.0	38.9	84.5	27.4	1.00	0.00	0.06	0.00	0.00	0.06	0.00	0.00	0.06	0.00
025	40.4	0.539	0.327	1.646	-0.162	0.748	28.2	10.8	30.2	20.9	69.7	74.7	41.0	85.2	28.7	1.00	0.00	0.05	0.00	0.00	0.05	0.00	0.00	0.05	0.00
026	40.4	0.542	0.33	1.642	-0.152	0.747	28.1	11.1	30.2	21.7	69.8	74.3	43.0	85.9	30.0	1.00	0.00	0.0	0.00	0.00	0.0	0.00	0.00	0.0	0.00
027	40.5	0.546	0.333	1.638	-0.144	0.746	27.9	11.5	30.2	22.4	69.8	73.9	45.1	86.6	31.3	1.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	
028	40.5	0.549	0.336	1.633	-0.135	0.745	27.7	11.9	30.2	23.1	69.8	73.5	47.1	87.4	32.6	1.00	0.03	0.00	0.00	0.03	0.00	0.00	0.03	0.00	
029	40.5	0.552	0.339	1.629	-0.127	0.745	27.6	12.2	30.2	23.8	69.8	73.2	49.2	88.2	33.9	1.00	0.05	0.00	0.00	0.05	0.00	0.00	0.05	0.00	
030	40.5	0.555	0.342	1.624	-0.119	0.744	27.4	12.5	30.2	24.5	69.8	72.8	51.3	89.1	35.1	1.00	0.06	0.00	0.00	0.06	0.00	0.00	0.06	0.00	
031	40.6	0.558	0.344	1.62	-0.112	0.743	27.3	12.8	30.2	25.2	69.9	72.4	53.4	90.0	36.4	1.00	0.08	0.00	0.00	0.08	0.00	0.00	0.08	0.00	
032	40.6	0.561	0.347	1.615	-0.104	0.742	27.1	13.1	30.1	25.9	69.9	72.0	55.5	90.9	37.6	1.00	0.09	0.00	0.00	0.09	0.00	0.00	0.09	0.00	
033	40.7	0.564	0.35	1.611	-0.097	0.741	26.9	13.4	30.1	26.5	69.9	71.6	57.6	91.9	38.8	1.00	0.11	0.00	0.00	0.11	0.00	0.00	0.11	0.00	
034	40.7	0.566	0.352	1.606	-0.091	0.74	26.8	13.7	30.1	27.1	69.9	71.2	59.8	93.0	40.0	1.00	0.13	0.00	0.00	0.13	0.00	0.00	0.13	0.00	
035	40.7	0.569	0.355	1.602	-0.084	0.739	26.6	14.0	30.1	27.7	70.0	70.8	61.9	94.1	41.1	1.00	0.14	0.00	0.00	0.14	0.00	0.00	0.14	0.00	
036	40.8	0.571	0.357	1.597	-0.078	0.738	26.5	14.3	30.1	28.3	70.0	70.4	64.0	95.2	42.2	1.00	0.16	0.00	0.00	0.16	0.00	0.00	0.16	0.00	
037	40.8	0.573	0.36	1.592	-0.072	0.736	26.3	14.5	30.0	28.9	70.0	70.0	66.2	96.3	43.3	1.00	0.18	0.00	0.00	0.18	0.00	0.00	0.18	0.00	
038	40.9	0.576	0.362	1.588	-0.067	0.735	26.1	14.8	30.0	29.4	70.1	69.6	68.3	97.5	44.4	1.00	0.19	0.00	0.00	0.19	0.00	0.00	0.19	0.00	
039	40.9	0.578	0.365	1.583	-0.062	0.733	26.0	15.0	30.0	30.0	70.1	69.2	70.5	98.5	45.5	1.00	0.21	0.00	0.00	0.21	0.00	0.00	0.21	0.00	
040	40.9	0.58	0.367	1.579	-0.057	0.732	25.9	15.2	30.0	30.6	70.1	68.8	72.6	99.6	46.6	1.00	0.22	0.00	0.00	0.22	0.00	0.00	0.22	0.00	
041	41.0	0.581	0.369	1.574	-0.052	0.73	25.6	15.4	29.9	31.0	70.1	68.4	74.8	101.3	47.5	1.00	0.24	0.00	0.00	0.24	0.00	0.00	0.24	0.00	
042	41.0	0.583	0.371	1.569	-0.048	0.728	25.5	15.6	29.9	31.5	70.2	67.9	76.9	102.6	48.5	1.00	0.26	0.00	0.00	0.26	0.00	0.00	0.26	0.00	
043	41.1	0.584	0.373	1.564	-0.044	0.727	25.3	15.8	29.9	31.9	70.2	67.5	79.0	104.0	49.4	1.00	0.27	0.00	0.00	0.27	0.00	0.00	0.27	0.00	
044	41.1	0.586	0.375	1.56	-0.04	0.725	25.1	16.0	29.8	32.4	70.2	67.1	81.2	105.3	50.4	1.00	0.29	0.00	0.00	0.29	0.00	0.00	0.29	0.00	
045	41.2	0.587	0.377	1.555	-0.036	0.723	25.0	16.1	29.8	32.8	70.3	66.7	83.3	106.7	51.3	1.00	0.31	0.00	0.00	0.31	0.00	0.00	0.31	0.00	
046	41.2	0.588	0.379	1.55	-0.033	0.721	24.8																		

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																												
Yxy, cab _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																												
Elementary hue circle with 4 intended elementary hues angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, 90 intended hues angles:																												
090, 091, ..., 179, CIELAB data of CIE test colours 9 (R): 39.2, 45.5, 26.4, 10 (Y): 79.5, 3.2, 71.0, 11 (G): 52.3 – 39.6, 15, 12 (B): 33.6 – 12.8 – 39.9																												
no.	cab ₁₀	x ₁₀	y ₁₀	a ₁₀	b ₁₀	C _{ab} 10.9	A ₁₀	B ₁₀	C _{AB} 10.9	h _{AB} 10.9	L _Y	a*	b*	C _{ab} 10.9	h _{ab} 10.9	rgb _{ab} 10.9	Code _{ab} 10.9											
090	86.6	0.482	0.508	0.949	-0.006	0.423	0.0	34.1	34.1	89.8	91.9	0.1	140.3	140.3	89.9	0.96	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y03G
091	82.0	0.478	0.511	0.943	-0.007	0.422	-1.1	34.4	34.6	91.9	92.5	-2.3	138.2	138.2	89.9	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y05G
092	83.4	0.473	0.514	0.919	-0.009	0.421	-2.4	35.0	35.1	93.9	93.1	-4.8	136.0	136.1	92.0	0.93	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y06G
093	84.7	0.468	0.517	0.905	-0.01	0.422	-3.6	35.4	35.6	95.8	93.7	-7.2	133.9	134.1	93.0	0.92	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y07G
094	86.0	0.464	0.519	0.892	-0.012	0.42	-4.7	35.8	36.1	97.5	94.3	-9.4	131.9	132.3	94.0	0.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y09G
095	87.1	0.46	0.521	0.882	-0.013	0.42	-5.7	36.1	36.6	99.0	94.7	-11.3	130.2	130.7	94.9	0.89	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y10G
096	88.0	0.456	0.522	0.873	-0.015	0.42	-6.5	36.3	36.9	100.2	95.1	-12.9	127.8	128.5	95.7	0.87	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y12G
097	89.3	0.451	0.522	0.863	-0.019	0.418	-7.5	36.6	37.3	101.9	95.7	-14.8	123.7	124.6	96.8	0.86	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y14G
098	90.2	0.448	0.522	0.853	-0.023	0.417	-8.4	36.7	37.6	103.0	96.3	-15.1	119.7	120.7	97.2	0.85	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y16G
099	91.8	0.444	0.518	0.856	-0.028	0.411	-8.4	36.8	37.7	102.8	96.7	-16.2	115.5	116.7	97.9	0.83	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y16G
100	92.3	0.437	0.518	0.853	-0.033	0.409	-9.6	36.5	37.8	104.8	96.8	-18.6	111.4	112.9	99.4	0.82	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y17G
101	92.2	0.432	0.52	0.83	-0.035	0.41	-10.8	36.2	37.8	106.6	96.6	-20.9	109.4	111.4	108.0	0.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y19G
102	91.7	0.43	0.522	0.823	-0.036	0.412	-11.4	36.0	37.8	107.6	96.7	-22.3	109.0	111.3	101.5	0.79	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y20G
103	91.3	0.427	0.524	0.814	-0.036	0.414	-12.1	35.8	37.8	108.7	96.5	-23.8	108.6	111.2	102.3	0.78	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y21G
104	90.9	0.424	0.526	0.806	-0.036	0.417	-12.8	35.6	37.9	109.8	96.3	-25.4	108.2	111.1	103.2	0.76	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y23G
105	90.4	0.421	0.529	0.797	-0.037	0.42	-13.6	35.4	37.9	111.0	96.1	-27.1	107.8	111.1	104.1	0.75	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y24G
106	89.9	0.418	0.531	0.787	-0.037	0.423	-14.4	35.2	38.0	112.2	95.9	-28.8	105.4	111.2	105.0	0.73	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y26G
107	89.3	0.415	0.534	0.778	-0.037	0.427	-15.1	35.0	38.1	113.4	95.7	-30.6	107.0	111.3	105.9	0.72	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y27G
108	88.7	0.412	0.536	0.768	-0.037	0.431	-15.9	34.7	38.2	114.6	95.4	-32.5	106.6	111.5	106.9	0.71	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y28G
109	88.1	0.408	0.539	0.757	-0.037	0.435	-16.7	34.4	38.3	115.9	95.2	-34.5	106.3	111.7	107.9	0.69	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y30G
110	87.5	0.405	0.542	0.747	-0.038	0.439	-17.5	34.2	38.4	117.2	94.9	-36.5	105.9	112.0	109.0	0.68	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y31G
111	86.8	0.401	0.545	0.736	-0.038	0.444	-18.4	33.9	38.6	118.4	94.6	-38.5	105.5	112.3	110.0	0.66	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y33G
112	86.1	0.398	0.549	0.724	-0.038	0.45	-19.2	33.6	38.7	119.7	94.3	-40.7	105.0	112.6	111.1	0.65	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y34G
113	85.4	0.394	0.552	0.713	-0.038	0.455	-20.0	33.3	38.9	120.9	94.0	-42.8	104.6	113.0	112.2	0.64	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y36G
114	84.6	0.39	0.555	0.701	-0.039	0.461	-20.8	33.0	39.0	122.2	93.7	-45.1	104.1	113.3	113.1	0.62	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y37G
115	83.9	0.385	0.559	0.69	-0.039	0.467	-21.6	32.7	39.2	123.4	93.4	-47.3	103.6	113.9	114.5	0.61	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y38G
116	83.1	0.381	0.562	0.678	-0.039	0.474	-22.4	32.4	39.4	124.6	93.0	-49.6	103.0	114.4	115.7	0.59	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y40G
117	82.4	0.377	0.566	0.666	-0.04	0.48	-23.2	32.0	39.6	125.8	92.7	-51.9	102.4	114.9	116.8	0.58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y41G
118	81.6	0.372	0.569	0.655	-0.04	0.486	-23.9	31.7	39.7	127.0	92.4	-54.1	101.8	115.3	118.0	0.57	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y42G
119	81.0	0.368	0.571	0.645	-0.041	0.492	-24.5	31.4	39.8	127.9	92.1	-56.1	100.9	115.5	119.0	0.55	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y44G
120	80.3	0.364	0.574	0.634	-0.042	0.498	-25.1	31.1	40.0	128.9	91.8	-58.1	100.1	115.8	120.1	0.54	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y45G
121	79.7	0.36	0.577	0.624	-0.043	0.503	-25.7	30.7	40.1	129.9	91.5	-60.1	99.2	116.0	121.2	0.52	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y47G
122	79.0	0.356	0.579	0.614	-0.044	0.509	-26.3	30.4	40.2	130.9	91.2	-62.1	98.3	116.3	122.2	0.51	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y48G
123	78.4	0.352	0.582	0.604	-0.044	0.515	-26.9	30.1	40.4	131.7	90.9	-64.2	97.4	116.7	123.3	0.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y49G
124	77.7	0.347	0.584	0.594	-0.046	0.521	-27.4	29.8	40.5	132.6	90.6	-66.2	96.5	117.0	124.4	0.48	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y51G
125	77.1	0.343	0.587	0.584	-0.047	0.527	-28.0	29.4	40.6	133.5	90.3	-68.2	95.6	117.4	125.5	0.47	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y52G
126	76.4	0.339	0.589	0.574	-0.048	0.533	-28.5	29.1	40.7	134.4	90.0	-70.2	94.6	117.8	126.5	0.45	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y54G
127	75.8	0.334	0.592	0.565	-0.049	0.539	-29.0	28.8	40.9	135.2	89.7	-72.2	93.6	118.2	127.6	0.44	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y55G
128	75.1	0.33	0.594	0.555	-0.05	0.545	-29.5	28.4	41.0	136.0	89.4	-74.2	92.6	118.7	128.6	0.43	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y56G
129	74.5	0.325	0.596	0.545	-0.051	0.551	-29.9	28.1	41.1	136.8	89.1	-76.1	91.7	119.2	129.7	0.41	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y58G
130	73.9	0.321	0.598	0.536	-																							

rgb _{tab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy _{tab} , abc _{AB} , ABC _{AB} , LabC _{ab} , h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																								
Elementary hue circle with 4 intended elementary hues angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, and 90 intended hue angles:																								
180, 181, ..., 269, CIELAB data of CIE test colours 9 (R): 39.2, 54.5, 26.4, 10 (Y): 79.5, 32.7, 71.0, 11 (G): 52.3 -39.6, 15.3, 12 (B): 33.6 -12.8 -39.9																								
no. _{ab} , h ₁₀	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	c _{AB,10}	A ₁₀	B ₁₀	C _{AB,10}	h _{AB,10}	L ₁₀	a ₁₀ *	b ₁₀ *	C _{ab,10}	h _{ab,10}	rgb _{ab,10}	Code _{ab,10}								
180	41.9	0.557	0.353	1.577	-0.1	0.71	26.4	13.8	29.8	27.5	70.8	69.2	57.5	90.0	39.7	0.00	1.00	0.45	G22B	0.8				
181	41.9	0.557	0.352	1.579	-0.101	0.71	26.4	13.7	29.8	27.4	70.8	69.3	57.0	89.8	39.4	0.00	1.00	0.47	G23B	0.8				
182	41.9	0.556	0.352	1.58	-0.103	0.711	26.5	13.6	29.8	27.2	70.8	69.4	56.5	89.5	39.1	0.00	1.00	0.49	G24B	0.8				
183	41.9	0.555	0.351	1.581	-0.105	0.711	26.5	13.5	29.8	27.0	70.8	69.5	55.9	89.3	38.8	0.00	1.00	0.51	G25B	0.8				
184	41.9	0.555	0.35	1.582	-0.107	0.711	26.6	13.5	29.8	26.9	70.8	69.6	55.4	89.0	38.5	0.00	1.00	0.53	G26B	0.8				
185	41.9	0.554	0.35	1.583	-0.108	0.712	26.6	13.4	29.8	26.7	70.8	69.8	54.9	88.8	38.2	0.00	1.00	0.56	G28B	0.8				
186	41.8	0.553	0.349	1.585	-0.11	0.712	26.6	13.3	29.8	26.5	70.7	69.9	54.4	88.6	37.9	0.00	1.00	0.58	G29B	0.8				
187	41.8	0.553	0.348	1.586	-0.112	0.712	26.7	13.2	29.8	26.4	70.7	70.0	53.9	88.3	37.6	0.00	1.00	0.6	G30B	0.8				
188	41.8	0.552	0.348	1.587	-0.114	0.713	26.7	13.1	29.8	26.2	70.7	70.1	53.4	88.1	37.2	0.00	1.00	0.62	G31B	0.8				
189	41.8	0.551	0.347	1.588	-0.115	0.713	26.8	13.1	29.8	26.0	70.7	70.2	52.8	87.9	36.9	0.00	1.00	0.64	G32B	0.8				
190	41.8	0.551	0.346	1.59	-0.117	0.713	26.8	13.0	29.8	25.8	70.7	70.3	52.3	87.7	36.6	0.00	1.00	0.66	G33B	0.8				
191	41.8	0.55	0.345	1.591	-0.119	0.713	26.9	12.9	29.8	25.7	70.7	70.4	51.8	87.4	36.3	0.00	1.00	0.68	G34B	0.8				
192	41.8	0.549	0.345	1.592	-0.121	0.714	26.9	12.8	29.8	25.5	70.7	70.5	51.3	87.2	36.0	0.00	1.00	0.71	G35B	0.8				
193	41.7	0.549	0.344	1.593	-0.123	0.714	26.9	12.7	29.8	25.3	70.7	70.6	50.8	87.0	35.7	0.00	1.00	0.73	G36B	0.8				
194	41.7	0.548	0.343	1.595	-0.125	0.714	27.0	12.7	29.8	25.1	70.7	70.7	50.3	86.8	35.4	0.00	1.00	0.75	G37B	0.8				
195	41.7	0.547	0.343	1.596	-0.127	0.715	27.0	12.6	29.8	24.9	70.7	70.8	49.8	86.6	35.0	0.00	1.00	0.77	G38B	0.8				
196	41.7	0.546	0.342	1.597	-0.129	0.715	27.1	12.5	29.8	24.8	70.7	70.9	49.2	86.4	34.7	0.00	1.00	0.79	G39B	0.8				
197	41.7	0.546	0.341	1.598	-0.131	0.715	27.1	12.4	29.8	24.6	70.6	71.0	48.7	86.2	34.4	0.00	1.00	0.81	G40B	0.8				
198	41.7	0.545	0.34	1.599	-0.133	0.715	27.2	12.3	29.8	24.4	70.6	71.1	48.2	86.0	34.1	0.00	1.00	0.83	G41B	0.8				
199	41.7	0.544	0.34	1.601	-0.135	0.716	27.2	12.2	29.8	24.2	70.6	71.2	47.7	85.8	33.8	0.00	1.00	0.86	G43B	0.8				
200	41.7	0.543	0.339	1.602	-0.137	0.716	27.2	12.1	29.8	24.0	70.6	71.4	47.2	85.6	33.4	0.00	1.00	0.88	G44B	0.8				
201	41.6	0.543	0.338	1.603	-0.139	0.716	27.3	12.0	29.8	23.8	70.6	71.5	46.7	85.4	33.1	0.00	1.00	0.9	G45B	0.8				
202	41.6	0.542	0.337	1.604	-0.141	0.717	27.3	11.9	29.8	23.6	70.6	71.6	46.2	85.2	32.8	0.00	1.00	0.92	G46B	0.8				
203	41.6	0.541	0.337	1.605	-0.143	0.717	27.4	11.9	29.8	23.4	70.6	71.7	45.6	85.0	32.4	0.00	1.00	0.94	G47B	0.8				
204	41.6	0.54	0.336	1.607	-0.145	0.717	27.4	11.8	29.8	23.2	70.6	71.8	45.1	84.8	32.1	0.00	1.00	0.96	G48B	0.8				
205	41.6	0.54	0.335	1.608	-0.147	0.717	27.4	11.7	29.8	23.0	70.6	71.9	44.6	84.6	31.8	0.00	1.00	0.98	G49B	0.8				
206	41.6	0.539	0.335	1.609	-0.15	0.718	27.5	11.6	29.8	22.8	70.6	72.0	44.1	84.4	31.5	0.00	0.98	1.00	G50B	0.8				
207	41.6	0.538	0.334	1.61	-0.152	0.718	27.5	11.5	29.8	22.6	70.6	72.1	43.6	84.3	31.1	0.00	0.96	1.00	G51B	0.8				
208	41.5	0.537	0.333	1.612	-0.154	0.718	27.6	11.4	29.8	22.4	70.5	72.2	43.1	84.1	30.8	0.00	0.94	1.00	G52B	0.8				
209	41.5	0.536	0.332	1.613	-0.156	0.719	27.6	11.3	29.9	22.2	70.5	72.3	42.6	83.9	30.4	0.00	0.92	1.00	G53B	0.8				
210	41.5	0.536	0.332	1.614	-0.158	0.719	27.7	11.2	29.9	22.0	70.5	72.4	42.1	83.8	30.1	0.00	0.9	1.00	G54B	0.8				
211	41.5	0.535	0.331	1.615	-0.161	0.719	27.7	11.1	29.9	21.8	70.5	72.5	41.5	83.6	29.8	0.00	0.88	1.00	G55B	0.8				
212	41.5	0.534	0.33	1.617	-0.163	0.719	27.7	11.0	29.9	21.6	70.5	72.6	41.0	83.4	29.4	0.00	0.86	1.00	G56B	0.8				
213	41.5	0.533	0.329	1.618	-0.165	0.72	27.8	10.9	29.9	21.4	70.5	72.7	40.5	83.3	29.1	0.00	0.83	1.00	G58B	0.8				
214	41.5	0.532	0.328	1.619	-0.168	0.72	27.8	10.8	29.9	21.2	70.5	72.8	40.0	83.1	28.7	0.00	0.81	1.00	G59B	0.8				
215	41.5	0.531	0.328	1.62	-0.17	0.72	27.9	10.7	29.9	21.0	70.5	72.9	39.5	83.0	28.4	0.00	0.79	1.00	G60B	0.8				
216	41.4	0.531	0.327	1.622	-0.172	0.721	27.9	10.6	29.9	20.8	70.5	73.0	39.0	82.8	28.1	0.00	0.77	1.00	G61B	0.8				
217	41.4	0.53	0.326	1.623	-0.175	0.721	28.0	10.5	29.9	20.6	70.5	73.2	38.5	82.7	27.7	0.00	0.75	1.00	G62B	0.8				
218	41.4	0.529	0.325	1.624	-0.177	0.721	28.0	10.4	29.9	20.4	70.5	73.3	38.0	82.5	27.4	0.00	0.73	1.00	G63B	0.8				
219	41.4	0.528	0.325	1.625	-0.179	0.722	28.0	10.3	29.9	20.2	70.4	73.4	37.5	82.4	27.0	0.00	0.71	1.00	G64B	0.8				
220	41.4	0.527	0.324	1.626	-0.182	0.722	28.1	10.2	29.9	20.0	70.4	73.5	37.0	82.3	26.7	0.00	0.69	1.00	G65B	0.8				
221	41.4	0.526	0.323	1.628	-0.184	0.722	28.1	10.1	29.9	19.7	70.4	73.6	36.5	82.1	26.3	0.00	0.66	1.00	G66B	0.8				
222	41.4	0.525	0.322	1.629	-0.187	0.723	28.2	10.0	29.9	19.5	70.4	73.7	36.0	82.0	26.0	0.00	0.64	1.00	G67B	0.8				
223	41.4	0.525	0.322	1.63	-0.189	0.723	28.2	9.9	29.9	19.3	70.4	73.8	35.4	81.9	25.6	0.00	0.62	1.00	G68B	0.8				
224	41.3	0.524	0.321	1.631	-0.192	0.723	28.2	9.8	29.9	19.1	70.4	73.9	34.9	81.7	25.3	0.00	0.6	1.00	G69B	0.8				
225	41.3	0.523	0.32	1.633	-0.194	0.724	28.3	9.6	29.9	18.8	70.4	74.0	34.4	81.6	24.9	0.00	0.58	1.00	G70B	0.8				
226	41.3	0.522	0.319	1.634	-0.197	0.724	28.3	9.5	29.9	18.6	70.4	74.1	33.9	81.5	24.6	0.00	0.56	1.00	G71B	0.8				
227	41.3	0.521	0.318	1.635	-0.2	0.724	28.4	9.4	29.9	18.4	70.4	74.2	33.4	81.4	24.3	0.00	0.53	1.00	G72B	0.8				
228	41.3	0.52	0.318	1.636	-0.202	0.725	28.4	9.3	29.9	18.2	70.4	74.3	32.9	81.3	23.9	0.00	0.51	1.00	G74B	0.8				
229	41.3	0.519	0.317	1.637	-0.205	0.725	28.5	9.2	29.9	17.9	70.4	74.4	32.4	81.2	23.5	0.00	0.49	1.00	G75B	0.8				
230	41.3	0.518	0.316	1.639	-0.207	0.725	28.5	9.1	29.9	17.7	70.3	74.5	31.9	81.1	23.2	0.00	0.47	1.00	G76B	0.8				
231	41.2	0.518	0.315	1.64	-0.21	0.726	28.5	9.0	29.9	17.5	70.3	74.6	31.4	81.0	22.8	0.00	0.45	1.00	G77B	0.8				
232	41.2	0.517	0.3																					

rgb_{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65

Xyy, abc_{AB}, ABC_{AB}, LabC_{ab} at **h_{ab}** angles for relative spacing of elementary hue **h_{ab}** of CIELAB for CIE 10 degree observer

Elementary hue circle with 4 intended elementary hues (angles): **h_{ab}** = 25.9, 87.3, 158.8, 252.1 of CIELAB and 39.6 intended hue angles:

270, 271, ..., 360, CIELAB data of CIE test colours (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 39.6 15.3, 12 (B): 33.6 12.8 39.9

no.	ab	h _{ab}	x ₁₀	y ₁₀	q ₁₀	b ₁₀	C _{ab}	A ₁₀	B ₁₀	C _{ab}	h _{AB}	L _Y	a [*]	b [*]	C [*]	h _{ab}	rgb [*]	Code	
270	0.8	0.481	0.285	1.686	-0.326	0.745	30.1	4.1	30.4	7.9	70.0	78.4	12.9	79.5	9.3	0.26	0.00	1.00	% B13R
271	0.8	0.48	0.284	1.687	-0.329	0.745	30.1	4.0	30.4	7.6	70.0	78.5	12.4	79.5	9.0	0.28	0.00	1.00	% B14R
272	0.7	0.479	0.283	1.688	-0.333	0.746	30.2	3.9	30.4	7.4	70.0	78.6	12.0	79.5	8.6	0.29	0.00	1.00	% B14R
273	0.7	0.478	0.283	1.689	-0.336	0.747	30.2	3.7	30.4	7.1	70.0	78.7	11.5	79.5	8.3	0.31	0.00	1.00	% B15R
274	0.7	0.477	0.282	1.69	-0.339	0.747	30.2	3.6	30.4	6.8	70.0	78.8	11.1	79.6	8.0	0.32	0.00	1.00	% B16R
275	0.7	0.476	0.281	1.691	-0.342	0.748	30.3	3.5	30.5	6.6	70.0	78.9	10.6	79.6	7.7	0.34	0.00	1.00	% B17R
276	0.7	0.475	0.281	1.692	-0.346	0.749	30.3	3.3	30.5	6.3	70.0	79.0	10.2	79.6	7.3	0.35	0.00	1.00	% B17R
277	0.7	0.474	0.28	1.693	-0.349	0.75	30.3	3.2	30.5	6.1	69.9	79.1	9.8	79.7	7.0	0.37	0.00	1.00	% B18R
278	0.7	0.473	0.279	1.695	-0.352	0.75	30.4	3.1	30.5	5.8	69.9	79.2	9.3	79.7	6.7	0.38	0.00	1.00	% B19R
279	0.7	0.472	0.278	1.696	-0.356	0.751	30.4	2.9	30.6	5.5	69.9	79.3	8.9	79.7	6.4	0.4	0.00	1.00	% B20R
280	0.7	0.471	0.278	1.697	-0.359	0.752	30.4	2.8	30.6	5.3	69.9	79.3	8.5	79.8	6.1	0.41	0.00	1.00	% B20R
281	0.6	0.471	0.277	1.698	-0.362	0.753	30.5	2.7	30.6	5.0	69.9	79.4	8.0	79.8	5.8	0.43	0.00	1.00	% B21R
282	0.6	0.47	0.276	1.699	-0.366	0.753	30.5	2.5	30.6	4.8	69.9	79.5	7.6	79.9	5.4	0.44	0.00	1.00	% B22R
283	0.6	0.469	0.275	1.7	-0.369	0.754	30.5	2.4	30.6	4.5	69.9	79.6	7.2	79.9	5.1	0.46	0.00	1.00	% B23R
284	0.6	0.468	0.275	1.701	-0.372	0.755	30.6	2.2	30.7	4.2	69.9	79.7	6.7	80.0	4.8	0.47	0.00	1.00	% B23R
285	0.6	0.467	0.274	1.702	-0.376	0.756	30.6	2.1	30.7	4.0	69.9	79.8	6.3	80.0	4.5	0.49	0.00	1.00	% B24R
286	0.6	0.466	0.273	1.703	-0.379	0.757	30.7	2.0	30.7	3.7	69.9	79.8	5.9	80.0	4.2	0.5	0.00	1.00	% B25R
287	0.6	0.465	0.273	1.704	-0.382	0.758	30.7	1.8	30.7	3.5	69.9	79.9	5.5	80.1	3.9	0.52	0.00	1.00	% B26R
288	0.6	0.464	0.272	1.705	-0.386	0.758	30.7	1.7	30.8	3.2	69.9	80.0	5.1	80.2	3.6	0.53	0.00	1.00	% B26R
289	0.6	0.463	0.271	1.706	-0.389	0.759	30.8	1.6	30.8	2.9	69.9	80.1	4.7	80.2	3.3	0.55	0.00	1.00	% B27R
290	0.5	0.462	0.27	1.707	-0.393	0.76	30.8	1.4	30.8	2.7	69.9	80.2	4.2	80.3	3.0	0.56	0.00	1.00	% B28R
291	0.5	0.461	0.27	1.708	-0.396	0.761	30.8	1.3	30.9	2.4	69.8	80.3	3.8	80.4	2.7	0.58	0.00	1.00	% B29R
292	0.5	0.46	0.269	1.709	-0.399	0.762	30.9	1.1	30.9	2.2	69.8	80.4	3.4	80.4	2.4	0.59	0.00	1.00	% B29R
293	0.5	0.46	0.268	1.71	-0.403	0.763	30.9	1.0	30.9	1.9	69.8	80.4	3.0	80.5	2.1	0.61	0.00	1.00	% B30R
294	0.5	0.459	0.268	1.712	-0.406	0.764	30.9	0.9	30.9	1.7	69.8	80.5	2.6	80.5	1.8	0.62	0.00	1.00	% B31R
295	0.5	0.458	0.267	1.713	-0.41	0.765	31.0	0.7	31.0	1.4	69.8	80.6	2.2	80.6	1.5	0.64	0.00	1.00	% B32R
296	0.5	0.457	0.266	1.714	-0.413	0.766	31.0	0.6	31.0	1.1	69.8	80.7	1.8	80.7	1.3	0.65	0.00	1.00	% B32R
297	0.5	0.456	0.266	1.715	-0.416	0.767	31.0	0.5	31.0	0.9	69.8	80.8	1.4	80.8	1.0	0.67	0.00	1.00	% B33R
298	0.5	0.455	0.265	1.716	-0.42	0.768	31.1	0.3	31.1	0.6	69.8	80.9	1.0	80.9	0.7	0.68	0.00	1.00	% B34R
299	0.5	0.454	0.264	1.717	-0.423	0.769	31.1	0.2	31.1	0.4	69.8	80.9	0.6	80.9	0.4	0.7	0.00	1.00	% B35R
300	0.4	0.453	0.264	1.718	-0.427	0.77	31.1	0.0	31.1	0.1	69.8	81.0	0.2	81.0	0.1	0.71	0.00	1.00	% B35R
301	0.4	0.452	0.263	1.719	-0.43	0.771	31.2	0.0	31.2	0.0	69.9	81.1	-0.1	81.1	0.0	0.73	0.00	1.00	% B36R
302	0.4	0.452	0.262	1.72	-0.433	0.772	31.2	-0.1	31.2	0.0	69.9	81.2	-0.5	81.2	0.0	0.75	0.00	1.00	% B37R
303	0.4	0.451	0.262	1.721	-0.437	0.773	31.2	-0.3	31.2	0.0	69.9	81.3	-0.8	81.3	0.0	0.78	0.00	1.00	% B38R
304	0.4	0.45	0.261	1.722	-0.44	0.774	31.3	-0.4	31.3	0.0	69.9	81.4	-1.2	81.3	0.0	0.77	0.00	1.00	% B38R
305	0.4	0.449	0.26	1.723	-0.443	0.775	31.3	-0.5	31.3	0.0	69.9	81.4	-1.6	81.4	0.0	0.78	0.00	1.00	% B39R
306	0.4	0.448	0.26	1.723	-0.447	0.776	31.3	-0.7	31.3	0.0	69.9	81.5	-2.0	81.5	0.0	0.78	0.00	1.00	% B40R
307	0.4	0.447	0.259	1.724	-0.45	0.777	31.4	-0.8	31.4	0.0	69.9	81.6	-2.4	81.6	0.0	0.78	0.00	1.00	% B41R
308	0.4	0.446	0.258	1.725	-0.454	0.778	31.4	-1.0	31.4	0.0	69.9	81.6	-2.7	81.7	0.0	0.78	0.00	1.00	% B41R
309	0.4	0.446	0.258	1.726	-0.457	0.779	31.4	-1.1	31.4	0.0	69.9	81.7	-3.1	81.8	0.0	0.78	0.00	1.00	% B42R
310	0.3	0.445	0.257	1.727	-0.46	0.78	31.5	-1.2	31.5	0.0	69.9	81.7	-3.5	81.9	0.0	0.78	0.00	1.00	% B43R
311	0.3	0.444	0.257	1.728	-0.464	0.781	31.5	-1.4	31.5	0.0	69.9	81.9	-3.8	82.0	0.0	0.78	0.00	1.00	% B44R
312	0.3	0.443	0.256	1.729	-0.467	0.782	31.5	-1.5	31.5	0.0	69.9	82.0	-4.2	82.1	0.0	0.78	0.00	1.00	% B44R
313	0.3	0.442	0.255	1.73	-0.47	0.783	31.5	-1.6	31.6	0.0	69.9	82.1	-4.6	82.2	0.0	0.78	0.00	1.00	% B45R
314	0.3	0.442	0.255	1.731	-0.474	0.784	31.6	-1.8	31.6	0.0	69.9	82.2	-4.9	82.3	0.0	0.78	0.00	1.00	% B46R
315	0.3	0.441	0.254	1.732	-0.477	0.785	31.6	-1.9	31.7	0.0	69.9	82.2	-5.3	82.3	0.0	0.78	0.00	1.00	% B47R
316	0.3	0.441	0.254	1.733	-0.48	0.787	31.6	-2.0	31.7	0.0	69.9	82.2	-5.6	82.4	0.0	0.78	0.00	1.00	% B47R
317	0.3	0.439	0.253	1.734	-0.484	0.788	31.7	-2.2	31.7	0.0	69.9	82.3	-6.0	82.5	0.0	0.78	0.00	1.00	% B48R
318	0.3	0.438	0.252	1.735	-0.487	0.789	31.7	-2.3	31.8	0.0	69.9	82.4	-6.3	82.5	0.0	0.78	0.00	1.00	% B49R
319	0.3	0.438	0.252	1.736	-0.49	0.79	31.7	-2.4	31.8	0.0	69.9	82.5	-6.7	82.7	0.0	0.78	0.00	1.00	% B49R
320	0.2	0.437	0.251	1.737	-0.494	0.791	31.7	-2.6	31.8	0.0	69.9	82.5	-7.0	82.8	0.0	0.78	0.00	1.00	% B50R
321	0.2	0.436	0.251	1.737	-0.497	0.792	31.8	-2.7	31.9	0.0	69.9	82.6	-7.4	82.9	0.0	0.78	0.00	1.00	% B51R
322	0.2	0.435	0.25	1.738	-0.5	0.793	31.8	-2.8	31.9	0.0	69.9	82.7	-7.7	83.0	0.0	0.78	0.00	1.00	% B52R
323	0.2	0.434	0.25	1.739	-0.503	0.795	31.8	-3.0	32.0	0.0	69.9	82.7	-8.0	83.1	0.0	0.78	0.00	1.00	% B52R
324	0.2	0.434	0.249	1.74	-0.507	0.796	31.9	-3.1	32.0	0.0	69.9	82.8	-8.4	83.2	0.0	0.78	0.00	1.00	% B53R
325	0.2	0.433	0.248	1.741	-0.51	0.797	31.9	-3.2	32.0	0.0	69.9	82.9	-8.7	83.3	0.0	0.78	0.00	1.00	% B54R
326	0.2	0.432	0.248	1.742	-0.513	0.798	32.0	-3.3	32.1	0.0	69.9	83.0	-9.0	83.4	0.0	0.78	0.00	1.00	% B55R
327	0.2	0.431	0.247	1.743	-0.516	0.799	32.0	-3.5	32.1	0.0	69.9	83.0	-9.4	83.5	0.0	0.78	0.00	1.00	% B55R
328	0.2	0.431	0.247	1.743	-0.52	0.801	32.0	-3.6	32.2	0.0	69.9	83.1	-9.7	83.7	0.0	0.78	0.00	1.00	% B56R
329	0.2	0.43	0.246	1.744	-0.523	0.802	32.0	-3.7	32.2	0.0	69.9	83.2	-10.0	83.8	0.0	0.78	0.00	1.00	% B57R
330	0.2	0.429	0.246	1.745	-0.526	0.803	32.0	-3.9	32.2	0.0									