

see similar files: <http://130.149.60.45/~farbmetrik/VE59/VE59L0NP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

iimp=418, WI=WITT colour difference pairs %

im	ia	d_rangeLAB	LABmin,max,ave	STRESS
418	418	0.0 to 99	0.11 10.62 1.86	51.7
418	400	0.0 to 5.0	0.11 4.94 1.67	51.9
418	38	0.0 to 0.5	0.11 0.49 0.36	51.4
418	88	0.5 to 1.0	0.51 0.99 0.74	57.73
418	91	1.0 to 1.5	1.01 1.49 1.26	57.7
418	57	1.5 to 2.0	1.51 1.99 1.74	56.4
418	17	5.0 to 10	5.03 8.75 5.89	43.76
418	1	10 to 15	10.62 10.62 10.62	0.1
418	0	15 to 20		
418	0	20 to 25		
418	0	25 to 30		
418	0	30 to 99		

iimp=418, WI=WITT colour difference pairs %

im	ia	d_rangeC00	LABmin,max,ave	STRESS
418	418	0.0 to 99	0.11 10.62 1.86	51.7
418	418	0.0 to 5.0	0.11 10.62 1.86	51.7
418	83	0.0 to 0.5	0.11 1.21 0.58	58.69
418	123	0.5 to 1.0	0.44 3.69 1.26	56.75
418	107	1.0 to 1.5	0.76 4.45 2.09	57.27
418	69	1.5 to 2.0	1.17 5.72 2.98	59.43
418	0	5.0 to 10		
418	0	10 to 15		
418	0	15 to 20		
418	0	20 to 25		
418	0	25 to 30		
418	0	30 to 99		

iimp=418, WI=WITT colour difference pairs %

im	ia	d_rangeC85	LABmin,max,ave	STRESS
418	418	0.0 to 99	0.11 10.62 1.86	51.7
418	189	0.0 to 5.0	0.11 4.39 1.11	54.55
418	0	0.0 to 0.5		
418	8	0.5 to 1.0	0.11 0.56 0.31	12.65
418	18	1.0 to 1.5	0.23 1.03 0.61	45.82
418	20	1.5 to 2.0	0.24 1.12 0.72	49.39
418	132	5.0 to 10	0.59 6.68 2.3	57.18
418	71	10 to 15	1.08 10.62 2.54	59.89
418	16	15 to 20	1.84 7.51 3.27	41.47
418	6	20 to 25	2.12 4.25 2.95	14.27
418	4	25 to 30	2.64 5.67 3.92	12.35
418	0	30 to 99		

CMCmin,max,ave				STRESS				C94min,max,ave				STRESS				C00min,max,ave				STRESS				C85min,max,ave				STRESS			
0.08	4.7	1.25	39.56	0.08	3.72	1.07	31.69	0.08	3.75	1.09	33.72	0.55	29.71	6.85	55.15	0.08	4.7	1.19	38.82	0.08	3.72	1.02	31.92	0.08	3.75	1.04	33.82	0.55	29.71	6.63	55.77
0.08	0.72	0.32	33.84	0.08	0.47	0.28	29.12	0.08	0.62	0.29	22.78	0.55	4.44	2.0	52.41	0.27	1.53	0.64	37.82	0.23	0.99	0.55	33.1	0.23	1.42	0.58	30.3	0.79	8.71	3.56	55.46
0.42	2.15	1.06	37.75	0.34	1.49	0.91	32.99	0.34	1.86	0.92	30.21	1.45	13.86	6.02	55.24	0.78	2.77	1.44	34.96	0.62	1.92	1.26	28.54	0.63	2.82	1.3	23.61	2.34	15.67	8.34	53.63
2.02	3.38	2.55	29.08	1.69	2.66	2.14	28.88	1.63	2.83	2.17	24.88	6.98	26.87	11.5	41.57	4.07	4.07	4.07	0.1	3.18	3.18	3.18	0.1	3.43	3.43	3.43	0.1	14.9	14.9	14.9	0.1

CMCmin,max,ave				STRESS				C94min,max,ave				STRESS				C00min,max,ave				STRESS				C85min,max,ave				STRESS			
0.08	4.7	1.25	39.56					0.08	3.72	1.07	31.69					0.08	3.75	1.09	33.72					0.55	29.71	6.85	55.15				
0.08	4.7	1.25	39.56					0.08	3.72	1.07	31.69					0.08	3.75	1.09	33.72					0.55	29.71	6.85	55.15				
0.08	0.69	0.37	38.52					0.08	0.54	0.34	33.1					0.08	0.49	0.33	30.4					0.55	6.24	2.51	52.77				
0.42	1.5	0.84	41.96					0.44	1.34	0.75	33.84					0.5	0.99	0.74	32.41					1.08	12.7	4.99	57.84				
0.84	2.38	1.41	41.28					0.75	2.1	1.22	32.86					1.0	1.49	1.22	30.97					1.83	17.41	8.11	53.42				
1.2	2.96	2.01	38.84					1.15	2.94	1.7	32.48					1.5	1.99	1.71	29.4					2.47	25.7	10.36	51.98				

CMCmin,max,ave				STRESS				C94min,max,ave				STRESS				C00min,max,ave				STRESS				C85min,max,ave				STRESS			
0.08	4.7	1.25	39.56	0.08	3.72	1.07	31.69	0.08	3.75	1.09	33.72	0.55	29.71	6.85	55.15	0.08	2.75	0.83	40.08	0.08	1.88	0.64	33.2	0.08	2.82	0.7	32.96	0.55	4.97	2.91	57.99
0.08	0.3	0.2	12.37	0.08	0.24	0.17	12.31	0.08	0.27	0.19	11.05	0.55	0.88	0.76	11.1	0.13	0.82	0.42	30.1	0.13	0.52	0.33	29.92	0.13	0.78	0.37	25.67	1.08	1.49	1.34	43.63
0.2	1.43	0.62	30.49	0.19	0.92	0.45	30.32	0.17	1.35	0.55	25.5	1.5	1.99	1.72	46.96	0.43	4.51	1.54	42.46	0.49	2.51	1.24	34.69	0.45	3.75	1.27	33.77	5.01	9.74	7.03	59.52
0.78	4.7	1.58	39.31	0.95	3.31	1.54	33.28	0.81	3.43	1.47	30.59	10.0	14.94	12.38	51.84	1.22	3.2	1.92	27.33	1.39	2.52	1.93	27.11	1.36	2.61	1.8	23.23	15.0	19.58	16.71	39.22
1.69	2.23	1.87	13.95	1.86	2.94	2.28	13.94	1.56	2.28	2.02	12.99	20.36	23.8	21.7	13.2	2.14	2.96	2.45	12.16	2.34	3.72	2.85	12.13	1.96	2.73	2.46	11.52	25.7	29.71	27.26	11.44

see similar files: <http://130.149.60.45/~farbmetrik/VE59/VE59L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-VE59/VE59L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

iimp=312, RD=RIT_DUPONT colour difference pairs %

im	ia	d_rangeLAB	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
312	312	0.0 to 99	0.77 4.4	1.43 33.41	0.57 2.47	1.18 31.77	0.56 1.76	1.01 20.3	0.61 1.96	0.99 20.5	1.67 16.22	7.07 38.31
312	312	0.0 to 5.0	0.77 4.4	1.43 33.41	0.57 2.47	1.18 31.77	0.56 1.76	1.01 20.3	0.61 1.96	0.99 20.5	1.67 16.22	7.07 38.31
312	0	0.0 to 0.5										
312	48	0.5 to 1.0	0.77 0.99	0.92 32.37	0.57 1.5	0.89 27.36	0.64 0.97	0.84 16.83	0.63 1.25	0.86 19.13	1.87 10.99	6.82 38.37
312	148	1.0 to 1.5	1.0 1.49	1.23 30.58	0.66 2.37	1.15 32.32	0.56 1.34	0.97 19.78	0.61 1.54	0.96 21.3	1.67 12.42	6.88 38.36
312	84	1.5 to 2.0	1.5 1.94	1.67 30.51	0.86 2.47	1.33 27.34	0.75 1.76	1.1 16.47	0.75 1.96	1.04 18.81	2.97 15.16	7.52 38.54
312	0	5.0 to 10										
312	0	10 to 15										
312	0	15 to 20										
312	0	20 to 25										
312	0	25 to 30										
312	0	30 to 99										

iimp=312, RD=RIT_DUPONT colour difference pairs %

im	ia	d_rangeC00	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
312	312	0.0 to 99	0.77 4.4	1.43 33.41	0.57 2.47	1.18 31.77	0.56 1.76	1.01 20.3	0.61 1.96	0.99 20.5	1.67 16.22	7.07 38.31
312	312	0.0 to 5.0	0.77 4.4	1.43 33.41	0.57 2.47	1.18 31.77	0.56 1.76	1.01 20.3	0.61 1.96	0.99 20.5	1.67 16.22	7.07 38.31
312	0	0.0 to 0.5										
312	176	0.5 to 1.0	0.77 2.38	1.27 33.95	0.57 2.37	1.0 32.05	0.56 1.3	0.91 20.76	0.61 0.99	0.85 21.24	2.01 12.38	7.2 38.57
312	128	1.0 to 1.5	0.79 4.4	1.59 31.45	0.84 2.47	1.37 31.97	0.78 1.65	1.11 18.28	1.0 1.49	1.13 19.29	1.67 15.16	6.7 37.63
312	8	1.5 to 2.0	1.35 3.64	2.6 45.57	1.72 2.45	1.97 33.95	1.34 1.76	1.59 31.81	1.54 1.96	1.7 33.93	5.48 16.22	10.1 44.02
312	0	5.0 to 10										
312	0	10 to 15										
312	0	15 to 20										
312	0	20 to 25										
312	0	25 to 30										
312	0	30 to 99										

iimp=312, RD=RIT_DUPONT colour difference pairs %

im	ia	d_rangeC85	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
312	312	0.0 to 99	0.77 4.4	1.43 33.41	0.57 2.47	1.18 31.77	0.56 1.76	1.01 20.3	0.61 1.96	0.99 20.5	1.67 16.22	7.07 38.31
312	87	0.0 to 5.0	0.79 4.4	1.56 30.38	0.66 1.74	1.22 29.48	0.56 1.18	0.9 16.54	0.61 1.49	1.01 18.83	1.67 4.98	3.59 38.59
312	0	0.0 to 0.5										
312	0	0.5 to 1.0										
312	0	1.0 to 1.5										
312	4	1.5 to 2.0	0.86 1.02	0.94 19.76	1.18 1.49	1.34 18.94	0.82 1.0	0.92 19.62	1.19 1.49	1.35 21.34	1.67 1.89	1.78 41.29
312	171	5.0 to 10	0.77 3.64	1.33 33.74	0.57 2.47	1.11 31.82	0.57 1.76	0.99 20.84	0.63 1.96	0.95 21.34	5.04 9.93	7.39 38.66
312	50	10 to 15	0.93 2.87	1.49 32.19	0.8 2.42	1.32 27.18	0.93 1.65	1.22 16.61	0.72 1.74	1.03 19.01	10.05 13.01	11.35 37.7
312	4	15 to 20	1.73 3.21	2.47 19.76	1.37 1.87	1.61 18.94	1.21 1.6	1.4 19.62	1.08 1.7	1.36 21.34	15.06 16.22	15.63 41.29
312	0	20 to 25										
312	0	25 to 30										
312	0	30 to 99										

see similar files: <http://130.149.60.45/~farbmetrik/VE59/VE59L0NP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

iimp=307, LE=LEEDS colour difference pairs %

im	ia	d_rangeLAB	LABmin,max,ave	STRESS
307	307	0.0 to 99	0.39 4.73 1.63 40.09	0.36 2.94 1.25 28.36
307	307	0.0 to 5.0	0.39 4.73 1.63 40.09	0.36 2.94 1.25 28.36
307	3	0.0 to 0.5	0.39 0.42 0.4 36.37	0.36 0.4 0.37 28.99
307	49	0.5 to 1.0	0.52 0.99 0.81 44.77	0.36 1.47 0.85 41.83
307	89	1.0 to 1.5	1.0 1.49 1.25 44.9	0.59 2.1 1.23 36.43
307	91	1.5 to 2.0	1.5 1.99 1.75 45.54	0.82 2.19 1.28 36.33
307	0	5.0 to 10		
307	0	10 to 15		
307	0	15 to 20		
307	0	20 to 25		
307	0	25 to 30		
307	0	30 to 99		

iimp=307, LE=LEEDS colour difference pairs %

im	ia	d_rangeC00	LABmin,max,ave	STRESS
307	307	0.0 to 99	0.39 4.73 1.63 40.09	0.36 2.94 1.25 28.36
307	307	0.0 to 5.0	0.39 4.73 1.63 40.09	0.36 2.94 1.25 28.36
307	10	0.0 to 0.5	0.39 0.67 0.53 32.66	0.36 0.53 0.4 28.19
307	115	0.5 to 1.0	0.52 2.5 1.37 43.99	0.45 1.84 1.01 33.37
307	144	1.0 to 1.5	0.85 3.67 1.69 42.82	0.79 2.31 1.34 32.74
307	31	1.5 to 2.0	1.25 3.42 2.22 49.34	1.21 2.77 1.68 37.37
307	0	5.0 to 10		
307	0	10 to 15		
307	0	15 to 20		
307	0	20 to 25		
307	0	25 to 30		
307	0	30 to 99		

iimp=307, LE=LEEDS colour difference pairs %

im	ia	d_rangeC85	LABmin,max,ave	STRESS
307	307	0.0 to 99	0.39 4.73 1.63 40.09	0.36 2.94 1.25 28.36
307	86	0.0 to 5.0	0.39 2.5 1.39 45.39	0.36 2.31 1.2 36.99
307	0	0.0 to 0.5		
307	0	0.5 to 1.0		
307	0	1.0 to 1.5		
307	0	1.5 to 2.0		
307	94	5.0 to 10	0.52 3.67 1.49 46.0	0.42 2.11 1.14 36.61
307	68	10 to 15	0.92 2.94 1.6 46.85	0.78 1.79 1.08 39.95
307	42	15 to 20	1.34 3.66 1.98 47.8	1.17 2.29 1.48 44.95
307	12	20 to 25	1.89 4.73 2.85 36.88	1.56 2.94 2.03 33.64
307	5	25 to 30	2.38 3.21 2.58 34.46	1.99 2.77 2.46 24.88
307	0	30 to 99		

CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
0.36 2.94 1.25 28.36	0.36 2.94 1.25 28.36	0.32 2.91 1.19 30.49	0.32 2.91 1.19 30.49	0.3 2.73 1.12 21.47	0.3 2.73 1.12 21.47	2.17 27.92 9.59 45.13	2.17 27.92 9.59 45.13
0.36 2.94 1.25 28.36	0.36 2.94 1.25 28.36	0.32 2.91 1.19 30.49	0.32 2.91 1.19 30.49	0.3 2.73 1.12 21.47	0.3 2.73 1.12 21.47	2.17 27.92 9.59 45.13	2.17 27.92 9.59 45.13
0.36 0.4 0.37 28.99	0.36 0.4 0.37 28.99	0.32 0.4 0.37 35.24	0.32 0.4 0.37 35.24	0.3 0.39 0.34 27.29	0.3 0.39 0.34 27.29	2.52 3.61 2.89 37.59	2.52 3.61 2.89 37.59
0.36 1.47 0.85 41.83	0.36 1.47 0.85 41.83	0.4 0.96 0.77 29.24	0.4 0.96 0.77 29.24	0.39 1.41 0.8 26.78	0.39 1.41 0.8 26.78	2.61 10.7 6.15 36.13	2.61 10.7 6.15 36.13
0.59 2.1 1.23 36.43	0.59 2.1 1.23 36.43	0.48 1.48 1.07 27.87	0.48 1.48 1.07 27.87	0.5 1.77 1.03 24.55	0.5 1.77 1.03 24.55	2.17 16.99 8.22 39.67	2.17 16.99 8.22 39.67
0.82 2.19 1.28 36.33	0.82 2.19 1.28 36.33	0.69 1.96 1.32 28.57	0.69 1.96 1.32 28.57	0.68 1.8 1.19 24.7	0.68 1.8 1.19 24.7	2.59 21.69 10.61 40.34	2.59 21.69 10.61 40.34

CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
0.36 2.94 1.25 28.36	0.36 2.94 1.25 28.36	0.32 2.91 1.19 30.49	0.32 2.91 1.19 30.49	0.3 2.73 1.12 21.47	0.3 2.73 1.12 21.47	2.17 27.92 9.59 45.13	2.17 27.92 9.59 45.13
0.36 2.94 1.25 28.36	0.36 2.94 1.25 28.36	0.32 2.91 1.19 30.49	0.32 2.91 1.19 30.49	0.3 2.73 1.12 21.47	0.3 2.73 1.12 21.47	2.17 27.92 9.59 45.13	2.17 27.92 9.59 45.13
0.36 0.53 0.4 28.19	0.36 0.53 0.4 28.19	0.32 0.67 0.47 36.52	0.32 0.67 0.47 36.52	0.3 0.49 0.42 27.05	0.3 0.49 0.42 27.05	2.52 5.35 4.11 32.25	2.52 5.35 4.11 32.25
0.45 1.84 1.01 33.37	0.45 1.84 1.01 33.37	0.48 1.54 0.87 26.42	0.48 1.54 0.87 26.42	0.5 0.99 0.84 23.97	0.5 0.99 0.84 23.97	2.17 13.33 6.68 41.9	2.17 13.33 6.68 41.9
0.79 2.31 1.34 32.74	0.79 2.31 1.34 32.74	0.84 2.22 1.29 26.95	0.84 2.22 1.29 26.95	1.01 1.49 1.2 23.08	1.01 1.49 1.2 23.08	2.59 21.69 9.77 45.58	2.59 21.69 9.77 45.58
1.21 2.77 1.68 37.37	1.21 2.77 1.68 37.37	1.22 2.91 1.95 33.84	1.22 2.91 1.95 33.84	1.51 1.99 1.72 29.21	1.51 1.99 1.72 29.21	4.98 27.92 18.63 36.85	4.98 27.92 18.63 36.85

CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
0.36 2.94 1.25 28.36	0.36 2.94 1.25 28.36	0.32 2.91 1.19 30.49	0.32 2.91 1.19 30.49	0.3 2.73 1.12 21.47	0.3 2.73 1.12 21.47	2.17 27.92 9.59 45.13	2.17 27.92 9.59 45.13
0.36 2.31 1.2 36.99	0.36 2.31 1.2 36.99	0.32 1.24 0.88 27.76	0.32 1.24 0.88 27.76	0.3 1.65 0.94 25.02	0.3 1.65 0.94 25.02	2.17 4.98 3.94 37.88	2.17 4.98 3.94 37.88
0.42 2.11 1.14 36.61	0.42 2.11 1.14 36.61	0.51 1.44 0.97 28.43	0.51 1.44 0.97 28.43	0.48 1.77 0.97 24.57	0.48 1.77 0.97 24.57	5.06 9.95 7.0 40.66	5.06 9.95 7.0 40.66
0.78 1.79 1.08 39.95	0.78 1.79 1.08 39.95	0.84 2.03 1.29 28.22	0.84 2.03 1.29 28.22	0.77 1.64 1.1 26.46	0.77 1.64 1.1 26.46	10.11 14.84 12.29 38.67	10.11 14.84 12.29 38.67
1.17 2.29 1.48 44.95	1.17 2.29 1.48 44.95	1.16 2.22 1.7 30.54	1.16 2.22 1.7 30.54	1.02 2.12 1.47 27.46	1.02 2.12 1.47 27.46	15.19 19.83 17.06 36.56	15.19 19.83 17.06 36.56
1.56 2.94 2.03 33.64	1.56 2.94 2.03 33.64	1.89 2.91 2.36 34.12	1.89 2.91 2.36 34.12	1.46 2.73 2.02 26.78	1.46 2.73 2.02 26.78	20.64 24.28 21.85 33.44	20.64 24.28 21.85 33.44
1.99 2.77 2.46 24.88	1.99 2.77 2.46 24.88	1.97 2.47 2.33 37.09	1.97 2.47 2.33 37.09	1.82 2.46 1.97 26.72	1.82 2.46 1.97 26.72	25.38 27.92 26.78 35.48	25.38 27.92 26.78 35.48

TUB registration: 20140801-VE59/VE59L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/VE59/VE59L0NP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

iimp=2776, BF=BFD_ALL colour difference pairs %

im	ia	d_rangeLAB	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
2776	2776	0.0 to 99	0.03 18.2 3.0	42.44	0.02 12.81 2.09	32.68	0.02 10.82 1.8	33.7	0.02 11.44 1.79	31.07	0.15 97.82 12.25	52.94
2776	2325	0.0 to 5.0	0.03 4.99 2.14	42.51	0.02 6.36 1.63	32.63	0.02 4.96 1.4	33.67	0.02 5.73 1.4	31.04	0.15 53.93 9.38	52.88
2776	253	0.0 to 0.5	0.03 0.49 0.32	43.94	0.02 0.73 0.26	32.08	0.02 0.48 0.23	23.69	0.02 0.67 0.23	21.64	0.15 4.9 1.76	37.31
2776	293	0.5 to 1.0	0.5 0.99 0.72	46.67	0.2 1.82 0.62	34.1	0.17 0.96 0.52	27.11	0.17 1.35 0.54	27.39	0.88 10.56 3.6	49.31
2776	266	1.0 to 1.5	1.0 1.49 1.26	47.12	0.49 2.62 1.17	34.07	0.31 1.45 0.93	27.37	0.34 2.02 1.01	27.87	1.33 15.49 5.64	49.25
2776	342	1.5 to 2.0	1.5 1.99 1.75	47.85	0.49 3.49 1.47	34.11	0.33 1.98 1.22	26.96	0.35 2.58 1.26	26.85	0.96 19.76 7.52	48.93
2776	389	5.0 to 10	5.0 9.91 6.65	47.06	1.62 9.42 4.1	34.2	1.07 9.24 3.6	26.25	1.09 9.22 3.49	26.41	3.14 97.82 26.12	47.78
2776	53	10 to 15	10.05 14.69 11.63	37.03	3.62 8.98 6.17	21.38	2.61 8.56 5.34	21.91	2.65 10.14 5.26	19.46	8.39 85.01 32.41	29.83
2776	9	15 to 20	15.11 18.2 16.53	20.36	5.69 12.81 8.89	16.42	4.41 10.82 7.41	16.8	4.85 11.44 7.44	15.56	24.84 49.61 35.36	19.36
2776	0	20 to 25										
2776	0	25 to 30										
2776	0	30 to 99										

iimp=2776, BF=BFD_ALL colour difference pairs %

im	ia	d_rangeC00	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
2776	2776	0.0 to 99	0.03 18.2 3.0	42.44	0.02 12.81 2.09	32.68	0.02 10.82 1.8	33.7	0.02 11.44 1.79	31.07	0.15 97.82 12.25	52.94
2776	2705	0.0 to 5.0	0.03 16.07 2.81	42.44	0.02 7.86 1.96	32.68	0.02 6.2 1.68	33.7	0.02 4.99 1.67	31.07	0.15 62.44 11.32	52.95
2776	412	0.0 to 0.5	0.03 2.09 0.47	47.15	0.02 1.17 0.33	34.23	0.02 0.68 0.29	26.63	0.02 0.49 0.28	26.51	0.15 7.41 2.17	47.87
2776	395	0.5 to 1.0	0.35 3.77 1.34	46.98	0.4 2.62 0.9	34.15	0.35 1.34 0.75	26.21	0.5 0.99 0.75	26.37	1.01 13.87 5.04	47.73
2776	579	1.0 to 1.5	0.81 6.06 2.24	39.64	0.8 3.49 1.5	27.67	0.68 2.22 1.24	25.48	1.0 1.49 1.25	22.66	2.17 24.07 7.53	47.25
2776	436	1.5 to 2.0	1.1 7.84 2.9	47.33	1.2 4.4 2.04	33.67	1.03 3.02 1.7	28.27	1.5 1.99 1.72	26.23	2.44 25.76 10.75	51.42
2776	68	5.0 to 10	3.61 18.15 9.97	39.69	4.23 9.82 6.64	24.36	3.51 9.39 6.35	22.84	5.0 9.22 6.16	21.67	7.24 97.82 47.77	30.11
2776	3	10 to 15	12.4 18.2 15.78	19.34	8.92 12.81 11.18	19.3	8.17 10.82 9.66	19.71	10.14 11.44 10.75	19.03	39.09 50.15 45.35	22.41
2776	0	15 to 20										
2776	0	20 to 25										
2776	0	25 to 30										
2776	0	30 to 99										

iimp=2776, BF=BFD_ALL colour difference pairs %

im	ia	d_rangeC85	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
2776	2776	0.0 to 99	0.03 18.2 3.0	42.44	0.02 12.81 2.09	32.68	0.02 10.82 1.8	33.7	0.02 11.44 1.79	31.07	0.15 97.82 12.25	52.94
2776	851	0.0 to 5.0	0.03 6.06 1.09	40.28	0.02 2.97 0.79	27.88	0.02 2.08 0.62	26.4	0.02 3.05 0.67	22.5	0.15 4.99 2.89	47.48
2776	12	0.0 to 0.5	0.03 0.33 0.14	22.11	0.02 0.32 0.11	16.35	0.02 0.21 0.08	15.16	0.02 0.31 0.1	15.84	0.15 0.48 0.34	20.2
2776	53	0.5 to 1.0	0.05 1.5 0.3	37.03	0.04 0.49 0.2	21.38	0.05 0.33 0.16	21.91	0.05 0.38 0.18	19.46	0.5 0.99 0.78	29.83
2776	92	1.0 to 1.5	0.11 1.72 0.41	37.78	0.07 0.78 0.29	23.38	0.1 0.54 0.24	21.65	0.1 0.76 0.26	20.57	1.01 1.48 1.24	30.12
2776	82	1.5 to 2.0	0.17 2.57 0.57	38.59	0.12 1.03 0.4	23.85	0.15 0.66 0.32	21.77	0.15 0.92 0.34	20.81	1.5 1.98 1.76	29.49
2776	799	5.0 to 10	0.55 12.92 2.66	40.24	0.4 5.64 1.9	27.9	0.47 3.84 1.46	26.47	0.45 5.73 1.56	22.65	5.0 9.99 7.23	46.76
2776	392	10 to 15	0.93 14.39 3.87	47.02	0.8 7.68 2.6	34.18	0.9 5.19 2.06	26.24	0.72 5.34 2.09	26.4	10.01 14.99 12.19	47.78
2776	225	15 to 20	1.45 13.66 4.0	41.98	1.09 8.72 2.81	31.95	1.16 6.95 2.38	21.17	1.07 6.04 2.34	19.3	15.0 19.98 17.33	33.25
2776	152	20 to 25	2.0 17.75 4.47	40.8	1.53 9.82 3.04	28.95	1.62 9.33 2.82	21.38	1.48 7.98 2.66	20.11	20.03 24.97 22.43	33.22
2776	103	25 to 30	2.45 16.17 5.21	38.27	1.91 8.89 3.54	23.27	2.31 6.6 3.36	21.86	1.98 6.94 3.13	20.21	25.01 29.94 27.17	31.09
2776	254	30 to 99	2.64 18.2 6.44	44.41	2.23 12.81 4.44	32.27	2.39 10.82 4.68	24.04	2.0 11.44 4.23	22.17	30.06 97.82 42.8	39.62

see similar files: <http://130.149.60.45/~farbmetrik/VE59/VE59L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-VE59/VE59L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

iimp=446, SS=BIGC_SSG colour difference pairs %

im	ia	d_rangeLAB	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
446	446	0.0 to 99	0.17 7.97 3.03	42.17	0.12 7.99 2.05	33.26	0.1 5.47 1.63	28.73	0.11 6.61 1.69	28.8	0.87 33.72 9.84	45.85
446	385	0.0 to 5.0	0.17 4.96 2.57	42.29	0.12 7.41 1.83	34.33	0.1 4.86 1.46	29.14	0.11 4.84 1.49	29.32	0.87 33.72 8.88	46.46
446	7	0.0 to 0.5	0.17 0.48 0.38	33.59	0.12 0.66 0.3	37.4	0.1 0.48 0.28	33.98	0.11 0.63 0.3	34.57	0.87 4.06 2.21	35.91
446	30	0.5 to 1.0	0.57 0.96 0.79	32.17	0.31 1.41 0.62	36.69	0.28 0.94 0.58	33.48	0.26 1.06 0.59	33.1	1.43 9.9 4.44	34.92
446	41	1.0 to 1.5	1.0 1.49 1.26	31.11	0.5 2.23 1.02	35.46	0.41 1.47 0.8	31.99	0.41 2.15 0.86	31.26	2.42 10.68 4.31	36.03
446	52	1.5 to 2.0	1.5 1.99 1.74	29.52	0.71 2.85 1.27	34.75	0.6 1.92 1.12	29.78	0.58 1.85 1.09	29.29	2.44 19.61 7.77	34.7
446	61	5.0 to 10	5.0 7.97 5.93	30.14	1.76 7.99 3.44	34.37	1.26 5.47 2.73	28.76	1.32 6.61 2.92	28.5	4.83 31.68 15.93	35.45
446	0	10 to 15										
446	0	15 to 20										
446	0	20 to 25										
446	0	25 to 30										
446	0	30 to 99										

iimp=446, SS=BIGC_SSG colour difference pairs %

im	ia	d_rangeC00	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
446	446	0.0 to 99	0.17 7.97 3.03	42.17	0.12 7.99 2.05	33.26	0.1 5.47 1.63	28.73	0.11 6.61 1.69	28.8	0.87 33.72 9.84	45.85
446	443	0.0 to 5.0	0.17 7.97 3.01	42.1	0.12 7.41 2.02	33.1	0.1 5.47 1.61	28.53	0.11 4.94 1.66	28.63	0.87 33.72 9.79	45.86
446	22	0.0 to 0.5	0.17 1.35 0.71	35.97	0.12 0.61 0.4	39.47	0.1 0.66 0.37	35.97	0.11 0.49 0.37	36.76	0.87 4.76 2.67	38.81
446	83	0.5 to 1.0	0.48 3.2 1.58	39.8	0.51 1.44 0.93	34.65	0.47 1.13 0.79	28.33	0.53 0.99 0.79	28.55	2.09 11.33 5.14	35.13
446	120	1.0 to 1.5	0.83 5.15 2.5	49.21	0.94 2.21 1.47	32.57	0.82 2.14 1.28	27.88	1.0 1.49 1.24	28.26	2.58 19.61 8.3	37.95
446	85	1.5 to 2.0	1.67 6.65 3.38	40.5	1.32 3.1 2.12	33.61	1.32 2.17 1.7	27.83	1.5 1.99 1.74	27.72	4.05 30.48 11.02	34.1
446	3	5.0 to 10	5.35 7.13 6.19	19.6	5.0 7.99 6.33	16.01	4.0 5.27 4.69	10.77	5.2 6.61 6.0	11.41	15.15 20.68 18.09	8.24
446	0	10 to 15										
446	0	15 to 20										
446	0	20 to 25										
446	0	25 to 30										
446	0	30 to 99										

iimp=446, SS=BIGC_SSG colour difference pairs %

im	ia	d_rangeC85	LABmin,max,ave	STRESS	CMCmin,max,ave	STRESS	C94min,max,ave	STRESS	C00min,max,ave	STRESS	C85min,max,ave	STRESS
446	446	0.0 to 99	0.17 7.97 3.03	42.17	0.12 7.99 2.05	33.26	0.1 5.47 1.63	28.73	0.11 6.61 1.69	28.8	0.87 33.72 9.84	45.85
446	90	0.0 to 5.0	0.17 5.15 1.44	43.41	0.12 2.23 1.02	32.07	0.1 1.58 0.75	26.58	0.11 2.15 0.82	27.1	0.87 4.95 3.43	33.19
446	0	0.0 to 0.5										
446	1	0.5 to 1.0	0.41 0.41 0.41	0.1	0.19 0.19 0.19	0.1	0.14 0.14 0.14	0.1	0.14 0.14 0.14	0.1	0.87 0.87 0.87	0.1
446	3	1.0 to 1.5	0.17 0.84 0.6	19.6	0.12 0.51 0.36	16.01	0.1 0.42 0.29	10.77	0.11 0.46 0.32	11.41	1.02 1.49 1.31	8.24
446	3	1.5 to 2.0	0.43 0.81 0.68	19.6	0.22 0.61 0.38	16.01	0.24 0.39 0.3	10.77	0.22 0.48 0.32	11.41	1.62 1.86 1.78	8.24
446	173	5.0 to 10	0.65 7.27 2.97	47.64	0.53 4.35 1.89	34.74	0.51 2.53 1.42	28.7	0.53 2.99 1.49	29.61	5.08 9.97 7.29	40.7
446	111	10 to 15	1.45 7.94 3.37	48.77	0.94 5.81 2.41	32.73	0.78 3.88 1.98	28.07	0.78 4.71 2.0	28.14	10.01 14.89 12.0	37.88
446	43	15 to 20	1.63 7.13 3.99	31.13	1.23 7.99 2.89	35.56	1.14 5.27 2.45	31.87	1.02 6.61 2.57	31.2	15.02 19.97 17.08	36.16
446	15	20 to 25	2.7 7.89 5.26	36.53	2.22 5.0 3.44	41.18	2.18 4.0 3.05	36.29	2.1 5.2 3.13	36.98	20.0 24.64 22.62	36.3
446	8	25 to 30	3.65 6.72 5.92	31.06	2.07 4.54 3.82	33.71	1.95 4.6 3.22	30.67	1.77 4.14 3.27	31.16	25.24 29.74 28.12	33.86
446	6	30 to 99	4.37 7.97 5.96	36.1	2.32 5.37 3.3	41.67	2.11 5.47 2.96	37.5	1.97 4.94 2.77	38.26	30.48 33.72 31.52	35.64