

http://130.149.60.45/~farbmtrik/VG32/VG32L0N1.TXT /PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 1/1

Ostwald-Optimalfarben (o) von maximalem (m) C _{AB} für D65, Y _w =100, Y _m =520...770, CIELAB-Daten																			
i ₁	λ ₁	i ₂	λ ₂	L*	100	a*	100	b*	100	C _{ab}	a'	b'	h _{ab}	i _d	λ _d	i _c	λ _c	Code	%
0	405	32	561	80.85	-67.55	-32.54	74.98	0.1805	-0.1029	205.7	16	483	37	589	Cm				%
6	435	32	562	81.18	-81.89	-19.25	84.12	0.1732	-0.096	193.2	17	486	42	610				%	%
10	450	32	563	81.52	-109.06	11.34	109.66	0.1595	-0.0803	174.0	19	496	-1	496c				%	%
12	460	33	565	82.01	-120.74	33.26	125.23	0.1538	-0.0692	164.5	21	505	-1	505c				%	%
12	465	33	567	82.73	-118.76	34.5	123.67	0.1552	-0.0687	163.8	21	506	-1	506c				%	%
14	470	33	569	83.3	-123.47	57.53	136.22	0.1532	-0.0572	155.0	24	520	-1	520c				%	%
15	475	34	573	84.63	-118.73	70.39	138.03	0.1564	-0.0512	149.3	25	528	-1	528c	Gm			%	%
16	480	34	580	86.98	-107.21	84.2	136.33	0.1633	-0.0452	141.8	27	537	-1	537c				%	%
17	485	39	595	91.12	-80.53	100.07	128.45	0.1758	-0.0394	128.8	29	548	-1	548c				%	%
18	490	-1	490c	97.55	-23.15	119.05	121.28	0.2052	-0.0337	101.0	33	565	11	459	max			%	%
19	495	-1	495c	96.94	-20.63	125.42	127.1	0.2062	-0.0306	99.3	33	566	12	462				%	%
20	500	-1	500c	96.17	-17.33	131.15	132.29	0.2076	-0.0277	97.5	33	567	12	464				%	%
22	510	-1	510c	94.0	-8.24	140.17	140.41	0.2116	-0.0224	93.3	33	569	13	469				%	%
23	520	-1	519c	92.57	-2.53	142.99	143.01	0.2142	-0.0202	91.0	34	570	14	471	Ym			%	%
25	530	-1	529c	88.94	10.79	144.39	144.79	0.2205	-0.0165	85.7	34	573	15	475				%	%
27	540	-1	539c	84.43	25.54	141.4	143.69	0.2281	-0.0134	79.7	35	577	15	478				%	%
28	545	-1	544c	81.91	33.35	138.34	142.24	0.2322	-0.0121	76.5	35	579	15	479				%	%
29	550	-1	549c	79.2	40.58	134.51	140.5	0.2367	-0.0111	73.2	36	582	16	480				%	%
30	555	-1	554c	76.32	47.96	130.1	138.66	0.2413	-0.0103	69.7	36	584	16	481				%	%
32	560	-1	560c	70.18	61.63	120.13	135.02	0.2511	-0.0093	62.8	37	589	16	483				%	%
380	770	100.0	0.0	0.0	0.0	0.0	0.0	0.2154	-0.0861	0.0									%

Ostwald-Optimalfarben (o) von maximalem (m) C _{AB} für D65, Y _w =100, Y _m =770...520, CIELAB komplementär																		
i ₁	λ ₁	i ₂	λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d	λ _d	i _c	λ _c	Code	%		
32	561	0	405	70.73	60.88	110.08	125.79	0.2505	-0.022	61.0	37	589	16	483	Rm	%		
32	562	6	435	70.32	70.58	34.83	78.71	0.2562	-0.0659	26.2	42	610	17	486	%	%		
32	563	10	450	69.88	85.85	-12.65	86.78	0.2653	-0.0935	35.1	-1	496c	19	496	%	%		
33	565	12	460	69.24	92.89	-29.55	97.48	0.2698	-0.1035	34.2	-1	505c	21	505	%	%		
33	567	12	465	68.27	94.84	-31.22	99.85	0.2716	-0.1046	34.1	-1	506c	21	506	%	%		
33	569	14	470	67.49	99.24	-42.98	108.15	0.2748	-0.1119	33.6	-1	520c	24	520	%	%		
34	573	15	475	65.52	102.87	-49.85	114.31	0.2784	-0.1167	33.4	-1	528c	25	528	Mm	%		
36	580	16	480	61.69	107.96	-59.02	123.05	0.2848	-0.1241	31.3	-1	537c	27	537	%	%		
39	595	17	485	53.22	112.99	-57.47	135.88	0.297	-0.1406	32.6	-1	548c	29	548	%	%		
-1	490c	18	490	29.91	89.01	-117.0	147.01	0.3124	-0.2136	30.7	12	459	33	565	min	%		
-1	495c	19	495	33.36	74.42	-112.09	134.55	0.2908	-0.1997	30.5	12	462	33	566	%	%		
-1	500c	20	500	37.09	58.44	-106.44	121.43	0.2704	-0.1864	29.8	12	464	33	567	%	%		
-1	510c	22	510	45.26	23.9	-93.37	96.38	0.2349	-0.1623	28.4	13	469	33	569	%	%		
-1	519c	23	520	49.52	6.76	-86.32	86.58	0.2205	-0.152	27.4	14	471	34	570	Bm	%		
-1	529c	25	530	58.0	-23.98	-72.06	75.95	0.1992	-0.1348	25.15	15	475	34	573	%	%		
-1	539c	27	540	65.83	-46.7	-58.75	75.05	0.1868	-0.122	23.15	15	478	35	577	%	%		
-1	544c	28	545	69.38	-54.68	-52.68	75.93	0.1833	-0.117	22.39	15	479	35	579	%	%		
-1	549c	29	550	72.72	-60.59	-46.95	76.65	0.1812	-0.1126	21.7	16	480	36	582	%	%		
-1	554c	30	555	75.82	-64.5	-41.62	76.77	0.1803	-0.1088	21.2	16	481	36	584	%	%		
-1	560c	32	560	81.29	-66.96	-32.22	74.32	0.181	-0.1027	20.5	16	483	37	589	%	%		
380	770	100.0	0.0	0.0	0.0	0.0	0.0	0.2154	-0.0861	0.0						%		

Ostwald-Optimalfarben (o) von maximalem (m) C _{AB} für D65, Y _w =100, Y _m =520..770, CIELAB-Daten																			%
i ₁	λ ₁	i ₂	λ ₂	L*	a*	b*	C _{ab}	a'	b'	h _{ab}	i _d	λ _d	i _c	λ _c	Code	%			
0	405	31	556	79.94	-66.31	-34.08	74.56	0.1807	-0.1034	207.2	15	476	37	585	Cm	%			
6	435	31	557	80.42	-82.6	-17.8	84.5	0.1724	-0.0949	192.1	16	480	44	621		%			
10	450	31	559	80.48	-108.29	14.97	109.32	0.1591	-0.078	172.1	18	491	-1	491c		%			
11	460	32	562	81.44	-111.37	27.39	114.69	0.1581	-0.0717	166.1	19	498	-1	498c		%			
12	465	33	565	82.34	-112.77	40.26	119.75	0.1579	-0.0653	160.3	21	506	-1	506c		%			
14	470	34	570	83.48	-109.79	65.41	127.8	0.1601	-0.053	149.2	24	522	-1	522c		%			
15	475	35	579	86.33	-94.64	81.3	124.77	0.169	-0.0462	139.3	26	533	-1	533c	Gm	%			
16	480	41	606	92.55	-53.33	102.14	115.22	0.1907	-0.0389	117.5	30	550	-1	550c		%			
16	485	-1	484c	96.94	-20.21	109.71	111.55	0.2063	-0.0374	100.4	32	560	10	454		%			
18	490	-1	490c	95.61	-14.83	124.45	125.34	0.2086	-0.0302	96.7	32	562	11	459	max	%			
19	495	-1	495c	94.76	-11.22	130.34	130.82	0.2101	-0.0271	94.9	32	563	12	461		%			
19	500	-1	499c	94.76	-11.22	130.34	130.82	0.2101	-0.0271	94.9	32	563	12	461		%			
22	510	-1	510c	91.28	2.92	142.55	142.58	0.2166	-0.0195	88.8	33	567	13	466		%			
23	520	-1	519c	89.77	8.54	144.07	144.32	0.2192	-0.0174	86.6	33	568	13	468	Ym	%			
26	530	-1	530c	84.06	27.32	142.33	144.93	0.2288	-0.0115	79.1	34	573	14	472		%			
27	540	-1	539c	81.79	33.86	139.63	143.68	0.2325	-0.0095	76.3	35	576	14	473		%			
28	545	-1	544c	79.35	40.37	136.19	143.05	0.2363	-0.0075	73.4	35	578	14	474		%			
29	550	-1	549c	76.75	46.79	132.12	140.16	0.2404	-0.0054	70.4	36	580	15	475		%			
31	555	-1	555c	71.13	58.79	122.64	136.0	0.2489	0.0	64.3	37	586	15	476		%			
32	560	10	451	69.5	84.42	-15.9	85.9	0.2645	-0.095	34.93	-1	492c	18	492		%			
380	770	100.0	0.0	0.0	0.0	0.0	0.0	0.2152	-0.0857	0.0						%			

Ostwald-Optimalfarben (o) von maximalem (m) C _{AB} für D65, Y _w =100, Y _m =770-520, CIELAB komplementär																			
i ₁	λ ₁	i ₂	λ ₂	L*	a*	b*	100	C _{ab}	a'	b'	h _{ab}	i _d	λ _d	i _c	λ _c	Code	%		
31	556	0	405	71.84	57.81	111.35	125.47	0.2481	-0.0221	62.5	37	585	15	476	Rm	%	%		
31	557	6	435	71.27	68.77	29.56	74.85	0.2546	-0.0689	23.2	44	621	16	480		%	%		
31	559	10	450	71.19	81.9	-15.15	83.29	0.2621	-0.0944	34.95	-1	491c	18	491		%	%		
32	562	11	460	69.98	86.63	-25.22	90.23	0.2655	-0.1003	34.37	-1	498c	19	498		%	%		
33	565	12	465	68.81	90.56	-33.85	96.68	0.2685	-0.1056	33.95	-1	506c	21	506		%	%		
34	570	14	470	67.22	93.6	-46.01	104.3	0.2714	-0.1132	33.88	-1	522c	24	522		%	%		
35	579	15	475	62.81	97.27	-56.68	112.58	0.2768	-0.1215	32.97	-1	533c	26	533	Mm	%	%		
41	606	16	480	49.57	94.8	-81.7	125.15	0.2874	-0.1477	31.92	-1	550c	30	550		%	%		
1	484c	16	485	33.36	73.3	-109.63	131.88	0.2894	-0.1962	30.7	10	454	32	560		%	%		
1	490c	18	490	39.48	47.93	-101.69	112.42	0.2584	-0.1769	29.52	10	459	32	562	min	%	%		
1	495c	19	495	42.69	34.2	-96.93	102.79	0.2443	-0.1679	28.94	12	461	32	563		%	%		
1	499c	19	500	42.69	34.2	-96.93	102.79	0.2443	-0.1679	28.94	12	461	32	563		%	%		
1	510c	22	510	52.84	-7.33	-80.67	81.0	0.2099	-0.144	26.48	13	466	33	567		%	%		
1	519c	23	520	56.28	-19.89	-74.95	77.55	0.2014	-0.1373	25.51	13	468	33	568	Bm	%	%		
1	530c	26	530	66.39	-49.47	-57.84	76.11	0.1852	-0.1206	22.94	14	472	34	573		%	%		
1	539c	27	540	69.54	-55.96	-52.46	76.71	0.1825	-0.1162	22.31	14	473	35	576		%	%		
1	544c	28	545	72.53	-60.74	-47.72	77.0	0.1809	-0.1123	21.79	14	474	35	578		%	%		
1	549c	29	550	75.38	-63.87	-42.44	76.68	0.1803	-0.1088	21.36	15	476	36	580		%	%		
1	555c	31	555	80.53	-65.58	-33.58	73.67	0.1813	-0.103	20.71	15	475	37	586		%	%		
10	451	32	560	81.82	-103.91	14.76	104.95	0.1621	-0.0882	17.19	18	492	-1	492c		%	%		
380	770	100.0	0.0	0.0	0.0	0.0	0.0	0.2152	-0.0857	0.0						%	%		