

Farbreize für gerade unterscheidbare Farb-Schwellen (p=50%) in 2 Richtungen

Nummer Farb- Serie	Farbreize Normfarbwerte			Farbreiz-Differenzen an der Schwelle				Bemerkungen Experiment- Serie
	Y	x	y	Δx _TM	Δy _TM	Δx _BY	Δy _BY	
0 GDV	17.42	0.2192	0.6811	-0.0064	0.0066	-0.0029	-0.0064	_TM, _BY graues Umfeld CIE-Daten Nr. 05 mit weissem Rand
1 GDV	16.9	0.2577	0.5648	-0.005	0.0044	-0.0025	-0.004	
2 GDV	16.4	0.2875	0.4664	-0.0025	0.0019	-0.0022	-0.0028	
3 GDV	16.91	0.3051	0.4122	-0.0023	0.0016	-0.002	-0.0022	
4 GDV	16.7	0.3165	0.3791	-0.002	0.0013	-0.0018	-0.0018	
5 GDV	16.51	0.3234	0.3568	-0.0017	0.0011	-0.0017	-0.0015	
6 GDV	15.06	0.3311	0.3322	-0.0021	0.0011	-0.0021	-0.0017	
7 GDV	14.17	0.3387	0.301	-0.002	0.001	-0.002	-0.0013	
8 GDV	14.06	0.344	0.2792	-0.002	0.0009	-0.0021	-0.0013	
9 GDV	13.57	0.3482	0.2641	-0.002	0.0008	-0.0021	-0.0013	
10 GDV	13.26	0.3515	0.2516	-0.0019	0.0008	-0.002	-0.0012	
11 RDC	16.44	0.6152	0.3414	-0.0013	0.0017	-0.0035	-0.0017	_TM, _BY graues Umfeld CIE-Daten Nr. 16 mit weissem Rand
12 RDC	15.81	0.5421	0.3436	-0.0018	0.0018	-0.0034	-0.0018	
13 RDC	16.2	0.4549	0.3285	-0.0015	0.0012	-0.0029	-0.0018	
14 RDC	16.72	0.4097	0.3512	-0.0017	0.0012	-0.0025	-0.0018	
15 RDC	16.79	0.362	0.3542	-0.0017	0.0011	-0.002	-0.0017	
16 RDC	16.64	0.3222	0.3567	-0.0015	0.0009	-0.0017	-0.0013	
17 RDC	16.05	0.2876	0.3649	-0.0021	0.0012	-0.0016	-0.0016	
18 RDC	16.69	0.2386	0.3769	-0.0025	0.0014	-0.0017	-0.0017	
19 RDC	17.71	0.213	0.3831	-0.0027	0.0014	-0.0013	-0.0018	
20 RDC	18.02	0.1875	0.3897	-0.0029	0.0016	-0.0012	-0.0019	
21 RDC	18.33	0.1664	0.3949	-0.0037	0.0019	-0.0012	-0.002	
				_TM	_TM	_BY	_BY	
22 TDM	14.99	0.1234	0.3945	-0.0061	0.003	-0.0012	-0.0022	_TM, _BY graues Umfeld CIE-Daten Nr. 27 mit weissem Rand
23 TDM	15.03	0.1843	0.3826	-0.005	0.0026	-0.0015	-0.0019	
24 TDM	15.74	0.2443	0.3717	-0.0037	0.0021	-0.0013	-0.0016	
25 TDM	16.79	0.28	0.3647	-0.0026	0.0014	-0.0014	-0.0015	
26 TDM	17.27	0.3052	0.3598	-0.002	0.0012	-0.0016	-0.0015	
27 TDM	16.55	0.3219	0.3572	-0.0017	0.001	-0.0016	-0.0013	
28 TDM	15.78	0.3818	0.3081	-0.0021	0.0013	-0.0019	-0.0012	
29 TDM	15.97	0.4335	0.2633	-0.002	0.0011	-0.0023	-0.001	
30 TDM	16.99	0.4606	0.2384	-0.0022	0.0011	-0.0022	-0.001	
31 TDM	17.14	0.477	0.2226	-0.0019	0.0009	-0.0024	-0.001	
32 TDM	17.21	0.4858	0.2117	-0.002	0.0009	-0.0026	-0.001	
33 BDY	17.32	0.2507	0.2911	-0.0018	0.0008	-0.0011	-0.0009	_TM, _BY graues Umfeld CIE-Daten Nr. 38 mit weissem Rand
34 BDY	16.9	0.2694	0.306	-0.0016	0.0007	-0.0015	-0.0012	
35 BDY	17.28	0.2886	0.3253	-0.0017	0.0009	-0.0013	-0.0011	
36 BDY	17.43	0.302	0.3385	-0.0017	0.0008	-0.0013	-0.0011	
37 BDY	17.5	0.315	0.3493	-0.0017	0.0009	-0.0015	-0.0012	
38 BDY	16.48	0.3239	0.3589	-0.0016	0.001	-0.0014	-0.0013	
39 BDY	16.22	0.362	0.3875	-0.0018	0.0012	-0.0024	-0.0019	
40 BDY	19.93	0.4057	0.4273	-0.002	0.0017	-0.002	-0.0018	
41 BDY	17.74	0.4346	0.4517	-0.002	0.0019	-0.0026	-0.0024	
42 BDY	18.07	0.4634	0.4757	-0.0021	0.0025	-0.003	-0.0027	
43 BDY	18.48	0.4848	0.4952	-0.002	0.0025	-0.0037	-0.0032	

Muster: Grün (G, Nr. 00), Violett V (Nr. 10), Rot (R, Nr. 11), Cyan (C, Nr. 21)
Türkis (T, Nr. 22), Magenta (M, Nr. 32), Blau (B, Nr. 33), Gelb (Y, no. 43)
Quelle: BAM-Forschungsbericht Nr. 115 (1985), Tabellen 5.40;1 bis 11