

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=128, OS=OSA colour difference pairs %

ia	d_rangeLAB	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
128 128	0.0 to <99	7.33 21.63 14.32 24.5		3.56 22.81 11.49 32.8		2.67 14.8 8.75 21.6		2.87 15.55 8.89 22.7		14.18 152.11 44.66 44.2	%
128 0	0.0 to <5.0 %										
128 0	0.0 to <0.5 %										
128 0	0.5 to <1.0 %										
128 0	1.0 to <1.5 %										
128 0	1.5 to <2.0 %										
128 0	2.0 to <5.0 %										
128 9	5.0 to <10	7.33 9.86 8.71 10.0		3.56 12.1 7.63 8.7		2.67 6.98 4.94 11.3		2.87 8.34 5.29 12.5		14.18 40.41 25.32 15.6	%
128 69	10 to <15	10.2 14.98 12.98 24.1		5.1 22.81 11.8 31.2		3.72 12.76 8.6 23.4		4.05 15.55 9.09 23.8		18.48 130.5 44.25 28.1	%
128 46	15 to <20	15.04 19.7 16.86 22.0		6.23 20.28 11.58 26.1		5.08 13.57 9.54 23.8		5.15 13.81 9.19 22.2		22.23 124.11 47.3 28.2	%
128 4	20 to <25	20.01 21.63 20.85 3.8		9.66 20.42 13.83 12.6		8.32 14.8 10.8 15.7		7.07 14.01 10.26 16.8		26.36 152.11 64.8 20.5	%
128 0	25 to <30 %										
128 0	30 to <99 %										

iimp=128, OS=OSA colour difference pairs %

ia	d_rangeC00	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
128 128	0.0 to <99	7.33 21.63 14.32 24.5		3.56 22.81 11.49 32.8		2.67 14.8 8.75 21.6		2.87 15.55 8.89 22.7		14.18 152.11 44.66 44.2	%
128 6	0.0 to <5.0 %	7.33 14.28 9.61 9.9		3.56 7.53 5.05 10.6		2.67 4.43 3.68 13.4		2.87 4.75 3.75 15.0		15.39 29.69 22.56 19.1	%
128 0	0.0 to <0.5 %										
128 0	0.5 to <1.0 %										
128 0	1.0 to <1.5 %										
128 0	1.5 to <2.0 %										
128 6	2.0 to <5.0 %	7.33 14.28 9.61 9.9		3.56 7.53 5.05 10.6		2.67 4.43 3.68 13.4		2.87 4.75 3.75 15.0		15.39 29.69 22.56 19.1	%
128 83	5.0 to <10	8.75 21.63 14.43 24.4		5.78 22.81 10.51 31.8		4.67 12.14 7.99 23.7		5.15 9.87 7.88 23.3		14.18 130.5 37.18 28.2	%
128 38	10 to <15	10.63 20.68 14.9 21.4		9.59 20.42 14.39 23.7		8.13 14.8 11.17 23.6		10.13 14.25 11.75 20.6		26.16 152.11 64.9 28.3	%
128 1	15 to <20	11.98 11.98 11.98 0.1		20.91 20.91 20.91 0.1		10.79 10.79 10.79 0.1		15.55 15.55 15.55 0.1		28.79 28.79 28.79 0.1	%
128 0	20 to <25 %										
128 0	25 to <30 %										
128 0	30 to <99 %										

iimp=128, OS=OSA colour difference pairs %

ia	d_rangeC85	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
128 116	0.0 to <99	7.33 21.63 14.23 23.8		3.56 22.81 11.41 32.4		2.67 12.85 8.39 22.1		2.87 15.55 8.61 23.3		14.18 82.27 37.02 37.1	%
128 0	0.0 to <5.0 %										
128 0	0.0 to <0.5 %										
128 0	0.5 to <1.0 %										
128 0	1.0 to <1.5 %										
128 0	1.5 to <2.0 %										
128 0	2.0 to <5.0 %										
128 0	5.0 to <10 %										
128 1	10 to <15	9.01 9.01 9.01 0.1		6.28 6.28 6.28 0.1		5.18 5.18 5.18 0.1		5.97 5.97 5.97 0.1		14.18 14.18 14.18 0.1	%
128 3	15 to <20	7.33 10.69 9.14 4.3		3.56 9.47 5.63 4.3		2.67 5.83 3.76 9.0		2.87 7.07 4.3 12.2		15.39 18.48 17.01 22.3	%
128 13	20 to <25	8.39 15.33 11.92 13.6		4.78 14.48 9.57 15.3		3.72 7.89 6.15 15.9		3.98 9.11 6.73 16.6		20.28 24.8 22.93 13.7	%
128 26	25 to <30	7.51 21.63 14.66 20.0		5.45 20.91 10.47 22.6		4.21 10.79 7.59 21.3		3.87 15.55 7.87 19.9		25.12 29.72 27.71 27.5	%
128 73	30 to <99	8.94 21.07 14.77 24.0		6.23 22.81 12.38 30.9		5.08 12.85 9.31 24.2		5.72 14.25 9.42 24.0		30.08 82.27 43.98 28.6	%

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=844, MU=MUNSELL colour difference pairs %

ia	d_rangeLAB	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
844 844	0.0 to <99	4.17 22.59 10.05	17.2	3.37 17.95 8.26	31.3	2.71 12.3 7.35	31.3	2.55 16.22 6.84	30.2	7.56 128.5 54.17	54.8 %
844 17	0.0 to <5.0	4.17 4.97 4.63	22.7	3.67 8.5 6.27	19.1	3.14 3.96 3.58	21.6	2.89 5.02 3.56	35.0	7.56 24.08 17.73	22.6 %
844 0	0.0 to <0.5 %										
844 0	0.5 to <1.0 %										
844 0	1.0 to <1.5 %										
844 0	1.5 to <2.0 %										
844 17	2.0 to <5.0	4.17 4.97 4.63	22.7	3.67 8.5 6.27	19.1	3.14 3.96 3.58	21.6	2.89 5.02 3.56	35.0	7.56 24.08 17.73	22.6 %
844 411	5.0 to <10	5.01 9.99 8.58	18.5	3.37 12.89 6.82	25.0	2.71 9.92 6.14	26.5	2.55 9.56 5.67	25.1	9.23 86.67 39.97	54.8 %
844 389	10 to <15	10.0 14.94 11.33	19.0	4.55 16.69 9.55	24.7	3.41 10.86 8.63	26.6	3.23 12.5 7.99	25.5	10.66 128.5 72.02	55.7 %
844 23	15 to <20	15.18 19.34 16.72	20.8	5.63 17.95 12.8	24.3	4.32 11.77 9.18	19.9	3.95 15.5 9.9	32.8	17.38 76.22 35.55	23.6 %
844 4	20 to <25	20.81 22.59 21.89	26.7	12.73 14.91 13.48	18.9	11.32 12.3 11.75	27.1	10.59 16.22 12.17	43.8	33.19 52.0 38.12	16.6 %
844 0	25 to <30 %										
844 0	30 to <99 %										

iimp=844, MU=MUNSELL colour difference pairs %

ia	d_rangeC00	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
844 844	0.0 to <99	4.17 22.59 10.05	17.2	3.37 17.95 8.26	31.3	2.71 12.3 7.35	31.3	2.55 16.22 6.84	30.2	7.56 128.5 54.17	54.8 %
844 230	0.0 to <5.0	4.17 15.18 8.58	22.9	3.37 11.17 5.71	24.2	2.71 5.51 4.26	20.6	2.55 4.99 4.01	27.0	7.56 49.51 25.68	29.0 %
844 0	0.0 to <0.5 %										
844 0	0.5 to <1.0 %										
844 0	1.0 to <1.5 %										
844 0	1.5 to <2.0 %										
844 230	2.0 to <5.0	4.17 15.18 8.58	22.9	3.37 11.17 5.71	24.2	2.71 5.51 4.26	20.6	2.55 4.99 4.01	27.0	7.56 49.51 25.68	29.0 %
844 527	5.0 to <10	4.74 19.17 10.37	16.5	5.28 16.76 9.03	26.0	3.85 10.86 8.22	24.8	5.02 9.71 7.47	23.1	12.0 128.5 61.08	49.5 %
844 84	10 to <15	10.12 22.59 11.77	20.6	9.09 17.95 10.17	24.5	7.47 11.79 10.13	17.8	10.01 13.83 10.31	27.3	19.37 114.41 89.03	27.3 %
844 3	15 to <20	18.57 20.81 19.57	29.8	13.6 14.91 14.19	21.4	11.48 12.3 11.85	30.2	15.06 16.22 15.59	43.4	42.96 52.0 47.58	1.1 %
844 0	20 to <25 %										
844 0	25 to <30 %										
844 0	30 to <99 %										

iimp=844, MU=MUNSELL colour difference pairs %

ia	d_rangeC85	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
844 701	0.0 to <99	4.17 22.59 9.95	15.9	3.37 17.95 7.68	30.5	2.71 12.3 6.72	29.7	2.55 16.22 6.37	28.3	7.56 98.82 42.07	50.8 %
844 0	0.0 to <5.0 %										
844 0	0.0 to <0.5 %										
844 0	0.5 to <1.0 %										
844 0	1.0 to <1.5 %										
844 0	1.5 to <2.0 %										
844 0	2.0 to <5.0 %										
844 2	5.0 to <10	4.69 5.26 4.97	24.4	4.15 4.79 4.47	18.8	3.14 3.58 3.36	24.8	3.54 4.08 3.81	34.0	7.56 9.23 8.4	1.2 %
844 27	10 to <15	4.5 14.85 8.18	19.9	3.7 9.16 6.03	23.3	3.14 7.08 4.56	19.1	2.95 8.23 5.19	32.6	10.27 14.92 13.31	24.3 %
844 106	15 to <20	4.42 15.18 9.06	21.7	3.37 11.15 6.52	25.0	2.71 7.52 4.85	18.8	2.55 10.45 5.1	27.5	15.03 19.95 17.82	28.1 %
844 115	20 to <25	4.17 14.75 9.31	24.1	3.68 13.27 7.28	25.5	3.1 8.17 5.36	21.7	2.89 10.59 5.53	29.9	20.0 24.96 22.29	27.1 %
844 102	25 to <30	5.39 17.87 10.68	21.7	3.74 16.41 8.38	24.7	3.14 9.8 6.18	18.7	2.93 11.82 6.15	27.6	25.13 29.75 27.34	27.4 %
844 349	30 to <99	6.19 22.59 10.38	20.0	3.54 17.95 8.12	24.4	2.85 12.3 8.08	26.5	2.68 16.22 7.2	26.4	30.08 98.82 62.67	56.6 %

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=1308, PO=POINTER colour difference pairs %

ia	d_rangeLAB	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
1308 1308	0.0 to <99	0.87 26.19 8.9	29.6	0.5 29.0 7.68	38.5	0.47 19.18 6.12	30.6	0.43 21.25 6.45	34.0	2.44 144.82 38.31	40.0 %
1308 268	0.0 to <5.0	0.87 4.99 3.36	25.7	0.5 7.12 2.83	32.6	0.47 4.44 2.39	26.1	0.43 6.45 2.47	31.1	2.44 47.47 16.75	34.3 %
1308 0	0.0 to <0.5 %										
1308 1	0.5 to <1.0	0.87 0.87 0.1		0.5 0.5 0.5	0.1	0.51 0.51 0.51	0.1	0.52 0.52 0.52	0.1	3.89 3.89 3.89	0.1 %
1308 8	1.0 to <1.5	1.12 1.48 1.36	25.4	0.72 1.65 1.12	40.2	0.74 1.31 1.04	28.7	0.79 1.46 1.01	34.8	3.6 10.5 6.63	24.9 %
1308 24	1.5 to <2.0	1.5 1.91 1.69	32.6	0.56 2.3 1.37	39.7	0.47 1.8 1.26	31.1	0.43 2.39 1.34	39.0	2.77 15.44 8.6	25.5 %
1308 235	2.0 to <5.0	2.0 4.99 3.61	26.3	0.89 7.12 3.04	33.9	0.62 4.44 2.56	26.5	0.72 6.45 2.64	31.9	2.44 47.47 17.98	34.6 %
1308 567	5.0 to <10	5.01 9.99 7.44	24.7	2.15 14.79 6.32	32.9	1.65 9.27 5.12	24.8	1.76 12.02 5.39	28.9	8.48 79.77 31.98	35.7 %
1308 324	10 to <15	10.02 14.98 12.23	25.0	4.16 24.13 10.69	31.8	3.16 14.09 8.39	25.3	3.5 18.09 8.99	30.2	16.1 108.79 50.58	33.1 %
1308 136	15 to <20	15.01 19.87 16.68	26.1	8.02 25.66 14.35	32.9	6.31 17.67 11.3	26.1	5.68 18.39 11.68	31.3	28.52 125.54 71.37	36.2 %
1308 10	20 to <25	20.02 24.26 21.85	24.1	13.26 29.0 21.24	37.7	10.13 18.81 15.21	28.3	9.0 21.25 15.92	33.1	66.12 144.82 103.8	25.6 %
1308 3	25 to <30	25.47 26.19 25.83	19.6	25.23 27.33 26.38	29.6	17.74 19.18 18.59	25.6	17.48 21.22 19.86	27.7	94.53 133.49 120.2	28.4 %
1308 0	30 to <99 %										

iimp=1308, PO=POINTER colour difference pairs %

ia	d_rangeC00	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
1308 1308	0.0 to <99	0.87 26.19 8.9	29.6	0.5 29.0 7.68	38.5	0.47 19.18 6.12	30.6	0.43 21.25 6.45	34.0	2.44 144.82 38.31	40.0 %
1308 549	0.0 to <5.0	0.87 12.69 5.2	24.6	0.5 9.87 3.87	32.7	0.47 6.37 3.23	24.8	0.43 4.98 3.19	28.9	2.44 64.3 22.28	35.6 %
1308 1	0.0 to <0.5	1.67 1.67 0.1		0.56 0.56 0.56	0.1	0.47 0.47 0.47	0.1	0.43 0.43 0.43	0.1	2.77 2.77 2.77	0.1 %
1308 9	0.5 to <1.0	0.87 2.19 1.48	24.7	0.5 1.19 0.9	38.9	0.51 1.3 0.83	28.8	0.52 0.97 0.81	34.1	2.44 10.5 5.12	25.9 %
1308 35	1.0 to <1.5	1.36 3.95 1.97	32.8	0.96 1.98 1.35	39.2	0.91 1.51 1.25	31.8	1.02 1.48 1.24	39.6	3.11 15.44 9.34	28.8 %
1308 56	1.5 to <2.0	1.59 5.57 3.04	32.0	1.37 3.97 2.19	39.0	1.17 2.64 1.85	32.4	1.5 1.98 1.78	38.9	4.39 27.75 14.39	32.0 %
1308 448	2.0 to <5.0	1.5 12.69 5.8	24.1	1.6 9.87 4.34	32.3	1.46 6.37 3.61	24.7	2.0 4.98 3.57	28.8	3.36 64.3 24.67	33.0 %
1308 535	5.0 to <10	4.12 20.02 10.2	24.4	4.43 18.71 8.47	32.5	3.81 11.38 6.91	24.6	5.0 9.99 7.19	28.7	9.54 108.79 44.58	35.6 %
1308 188	10 to <15	7.82 21.07 14.24	25.5	8.67 23.03 14.09	34.2	6.91 15.36 10.67	26.3	10.0 14.73 11.9	31.7	16.27 125.54 59.73	34.5 %
1308 33	15 to <20	12.78 25.81 17.58	33.4	12.32 25.66 20.11	38.6	10.87 17.88 14.45	30.9	15.04 18.74 16.43	38.8	28.52 144.82 72.97	26.2 %
1308 3	20 to <25	24.26 26.19 25.31	19.6	26.56 29.0 27.63	29.6	18.81 19.18 18.95	25.6	20.87 21.25 21.11	27.7	127.97 133.49 131.4	28.4 %
1308 0	25 to <30 %										
1308 0	30 to <99 %										

iimp=1308, PO=POINTER colour difference pairs %

ia	d_rangeC85	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
1308 1283	0.0 to <99	0.87 25.81 8.7	29.4	0.5 25.66 7.47	38.4	0.47 17.88 5.96	30.5	0.43 18.39 6.3	34.0	2.44 98.43 36.86	39.9 %
1308 16	0.0 to <5.0	0.87 2.94 1.71	34.4	0.5 2.31 1.3	43.3	0.47 2.05 0.99	34.7	0.43 2.16 1.12	40.7	2.44 4.75 3.67	29.7 %
1308 0	0.0 to <0.5 %										
1308 0	0.5 to <1.0 %										
1308 0	1.0 to <1.5 %										
1308 0	1.5 to <2.0 %										
1308 16	2.0 to <5.0	0.87 2.94 1.71	34.4	0.5 2.31 1.3	43.3	0.47 2.05 0.99	34.7	0.43 2.16 1.12	40.7	2.44 4.75 3.67	29.7 %
1308 52	5.0 to <10	1.12 7.58 3.13	32.4	0.72 5.93 2.45	39.4	0.89 4.27 1.96	33.1	0.83 6.45 2.21	39.5	5.16 9.96 8.23	30.1 %
1308 116	10 to <15	1.31 9.26 4.47	26.7	0.84 9.7 3.51	33.6	1.13 6.58 2.81	26.1	0.97 9.85 3.13	31.9	10.03 14.96 12.95	37.1 %
1308 143	15 to <20	1.71 10.26 5.26	25.9	1.28 11.77 4.2	32.5	1.37 8.47 3.39	25.8	1.2 12.02 3.7	30.9	15.1 19.94 17.46	36.4 %
1308 112	20 to <25	2.11 12.69 7.09	27.0	1.6 13.32 5.83	33.9	1.96 9.62 4.66	26.4	1.54 13.2 5.08	32.2	20.1 24.99 22.56	37.4 %
1308 130	25 to <30	2.84 15.89 7.8	26.6	2.05 19.21 6.62	33.4	2.51 12.46 5.29	26.5	1.79 17.0 5.75	31.4	25.04 29.99 27.29	36.2 %
1308 714	30 to <99	3.3 25.81 11.06	25.8	2.82 25.66 9.69	35.3	2.64 17.88 7.72	26.6	2.1 18.39 8.04	30.7	30.02 98.43 51.44	36.4 %

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=292, GU=GUAN colour difference pairs %

ia	d_range	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
292 292	0.0 to <99	4.79 20.86 11.42 24.9		2.78 27.8 9.2 34.3		2.3 13.98 8.0 18.8		2.29 15.35 8.19 19.5		7.6 130.36 52.2 42.6 %	
292 1	0.0 to <5.0	4.79 4.79 4.79 0.1		2.78 2.78 2.78 0.1		2.5 2.5 2.5 0.1		2.65 2.65 2.65 0.1		20.02 20.02 20.02 0.1 %	
292 0	0.0 to <0.5 %										
292 0	0.5 to <1.0 %										
292 0	1.0 to <1.5 %										
292 0	1.5 to <2.0 %										
292 1	2.0 to <5.0	4.79 4.79 4.79 0.1		2.78 2.78 2.78 0.1		2.5 2.5 2.5 0.1		2.65 2.65 2.65 0.1		20.02 20.02 20.02 0.1 %	
292 95	5.0 to <10	5.33 9.97 8.64 15.1		2.86 17.18 6.85 30.0		2.3 9.82 6.4 21.8		2.29 11.12 6.55 22.9		7.6 103.49 48.87 27.5 %	
292 172	10 to <15	10.01 14.83 12.27 17.8		4.99 22.6 10.02 30.2		3.99 13.98 8.67 23.1		3.9 15.35 8.84 23.5		14.3 130.36 54.64 29.1 %	
292 23	15 to <20	15.05 18.64 16.44 14.1		6.14 27.8 13.1 22.9		5.03 13.35 9.84 17.1		4.66 15.33 10.26 20.7		24.73 116.99 48.38 12.1 %	
292 1	20 to <25	20.86 20.86 20.86 0.1		9.35 9.35 9.35 0.1		8.7 8.7 8.7 0.1		9.83 9.83 9.83 0.1		67.31 67.31 67.31 0.1 %	
292 0	25 to <30 %										
292 0	30 to <99 %										

iimp=292, GU=GUAN colour difference pairs %

ia	d_range	C00min,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
292 292	0.0 to <99	4.79 20.86 11.42 24.9		2.78 27.8 9.2 34.3		2.3 13.98 8.0 18.8		2.29 15.35 8.19 19.5		7.6 130.36 52.2 42.6 %	
292 35	0.0 to <5.0	4.79 15.27 9.73 13.7		2.78 7.38 5.12 21.4		2.3 5.12 4.04 17.5		2.29 4.99 4.04 18.8		7.6 29.69 19.76 13.5 %	
292 0	0.0 to <0.5 %										
292 0	0.5 to <1.0 %										
292 0	1.0 to <1.5 %										
292 0	1.5 to <2.0 %										
292 35	2.0 to <5.0	4.79 15.27 9.73 13.7		2.78 7.38 5.12 21.4		2.3 5.12 4.04 17.5		2.29 4.99 4.04 18.8		7.6 29.69 19.76 13.5 %	
292 186	5.0 to <10	6.31 20.86 11.14 17.9		4.87 17.59 8.93 29.7		4.19 10.8 7.55 22.6		5.01 9.99 7.63 23.3		14.3 105.73 47.66 30.3 %	
292 68	10 to <15	9.25 18.64 12.89 15.0		8.43 22.6 11.64 30.8		7.42 13.98 11.11 23.6		10.21 14.81 11.54 24.8		23.68 130.36 81.48 22.4 %	
292 3	15 to <20	13.81 17.77 15.45 18.7		13.02 27.8 18.6 20.0		10.79 13.35 12.07 17.6		15.07 15.35 15.25 22.1		41.55 56.2 48.27 6.2 %	
292 0	20 to <25 %										
292 0	25 to <30 %										
292 0	30 to <99 %										

iimp=292, GU=GUAN colour difference pairs %

ia	d_range	C85min,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
292 242	0.0 to <99	4.79 20.86 11.37 23.1		2.78 27.8 9.24 33.5		2.3 13.35 7.3 20.2		2.29 15.35 7.65 21.4		7.6 97.42 40.27 45.3 %	
292 0	0.0 to <5.0 %										
292 0	0.0 to <0.5 %										
292 0	0.5 to <1.0 %										
292 0	1.0 to <1.5 %										
292 0	1.5 to <2.0 %										
292 0	2.0 to <5.0 %										
292 1	5.0 to <10	7.57 7.57 7.57 0.1		3.29 3.29 3.29 0.1		2.33 2.33 2.33 0.1		2.42 2.42 2.42 0.1		7.6 7.6 7.6 0.1 %	
292 7	10 to <15	5.33 11.61 8.51 15.8		2.96 8.48 5.08 18.9		2.5 5.94 3.94 17.3		2.41 7.22 4.18 22.1		11.71 14.94 13.86 7.5 %	
292 27	15 to <20	6.31 14.0 9.44 14.1		2.86 9.63 6.24 22.7		2.3 6.18 4.51 16.8		2.29 7.76 4.95 19.7		15.37 19.85 17.91 13.5 %	
292 43	20 to <25	4.79 15.1 10.88 13.9		2.78 13.62 7.77 25.1		2.5 9.16 5.89 18.5		2.65 14.29 6.62 20.6		20.02 24.79 22.29 14.0 %	
292 36	25 to <30	6.13 16.83 12.19 13.7		3.92 16.47 9.35 21.3		3.3 9.62 6.78 17.3		3.82 10.45 7.24 18.8		25.0 29.93 27.36 14.6 %	
292 128	30 to <99	7.16 20.86 11.89 17.1		5.65 27.8 10.61 30.7		4.57 13.35 8.72 23.4		5.01 15.35 8.92 23.9		30.03 97.42 56.35 29.0 %	

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=144, ZH=ZHU colour difference pairs %		LABmin,max,mean STRESS				CMCmin,max,mean STRESS				C94min,max,mean STRESS				C00min,max,mean STRESS				C85min,max,mean STRESS			
ia	d_rangeLAB	LABmin	max	mean	STRESS	CMCmin	max	mean	STRESS	C94min	max	mean	STRESS	C00min	max	mean	STRESS	C85min	max	mean	STRESS
144 144	0.0 to <99	4.85	19.79	9.91	26.3	3.16	27.5	7.96	47.1	2.58	19.55	6.38	34.5	2.44	15.53	5.8	30.9	9.55	121.76	41.71	36.7 %
144 3	0.0 to <5.0	4.85	4.96	4.91	12.3	3.24	3.82	3.44	35.0	3.35	3.43	3.39	12.3	3.39	3.69	3.5	4.6	10.61	23.15	18.87	12.9 %
144 0	0.0 to <0.5 %																				
144 0	0.5 to <1.0 %																				
144 0	1.0 to <1.5 %																				
144 0	1.5 to <2.0 %																				
144 3	2.0 to <5.0	4.85	4.96	4.91	12.3	3.24	3.82	3.44	35.0	3.35	3.43	3.39	12.3	3.39	3.69	3.5	4.6	10.61	23.15	18.87	12.9 %
144 70	5.0 to <10	5.0	9.98	7.4	27.7	3.16	14.13	5.87	47.6	2.58	9.23	4.86	33.8	2.44	9.85	4.74	32.5	9.55	91.06	31.38	29.7 %
144 62	10 to <15	10.02	14.59	11.92	29.6	4.0	21.98	8.82	48.2	2.81	14.12	6.98	34.8	2.64	12.49	6.15	33.2	13.08	121.76	49.61	31.4 %
144 9	15 to <20	15.55	19.79	17.2	23.6	5.69	27.5	19.71	40.0	3.99	19.55	15.06	24.7	3.89	15.53	12.34	16.6	54.01	117.36	75.2	33.0 %
144 0	20 to <25 %																				
144 0	25 to <30 %																				
144 0	30 to <99 %																				
iimp=144, ZH=ZHU colour difference pairs %		LABmin,max,mean STRESS				CMCmin,max,mean STRESS				C94min,max,mean STRESS				C00min,max,mean STRESS				C85min,max,mean STRESS			
ia	d_rangeC00	LABmin	max	mean	STRESS	CMCmin	max	mean	STRESS	C94min	max	mean	STRESS	C00min	max	mean	STRESS	C85min	max	mean	STRESS
144 144	0.0 to <99	4.85	19.79	9.91	26.3	3.16	27.5	7.96	47.1	2.58	19.55	6.38	34.5	2.44	15.53	5.8	30.9	9.55	121.76	41.71	36.7 %
144 73	0.0 to <5.0	4.85	16.42	8.06	27.2	3.16	10.19	4.93	48.4	2.58	5.71	4.15	34.0	2.44	4.98	4.05	32.8	9.55	65.5	29.18	29.1 %
144 0	0.0 to <0.5 %																				
144 0	0.5 to <1.0 %																				
144 0	1.0 to <1.5 %																				
144 0	1.5 to <2.0 %																				
144 73	2.0 to <5.0	4.85	16.42	8.06	27.2	3.16	10.19	4.93	48.4	2.58	5.71	4.15	34.0	2.44	4.98	4.05	32.8	9.55	65.5	29.18	29.1 %
144 60	5.0 to <10	6.3	16.88	11.11	30.1	4.62	21.98	9.28	47.9	4.58	11.96	7.42	34.4	5.02	9.85	6.59	32.1	15.64	121.76	51.25	32.0 %
144 9	10 to <15	10.34	19.79	15.11	23.6	9.41	27.31	19.48	40.0	10.14	19.55	14.97	24.7	10.58	14.57	12.49	16.6	32.12	117.36	73.39	33.0 %
144 2	15 to <20	17.12	19.13	18.13	0.1	26.21	27.5	26.85	4.8	16.93	18.9	17.91	0.1	15.49	15.53	15.51	5.5	67.57	72.73	70.15	11.7 %
144 0	20 to <25 %																				
144 0	25 to <30 %																				
144 0	30 to <99 %																				
iimp=144, ZH=ZHU colour difference pairs %		LABmin,max,mean STRESS				CMCmin,max,mean STRESS				C94min,max,mean STRESS				C00min,max,mean STRESS				C85min,max,mean STRESS			
ia	d_rangeC85	LABmin	max	mean	STRESS	CMCmin	max	mean	STRESS	C94min	max	mean	STRESS	C00min	max	mean	STRESS	C85min	max	mean	STRESS
144 141	0.0 to <99	4.85	19.79	9.82	26.1	3.16	27.5	7.85	47.4	2.58	19.55	6.22	34.5	2.44	15.53	5.71	30.9	9.55	95.98	40.08	36.7 %
144 0	0.0 to <5.0 %																				
144 0	0.0 to <0.5 %																				
144 0	0.5 to <1.0 %																				
144 0	1.0 to <1.5 %																				
144 0	1.5 to <2.0 %																				
144 0	2.0 to <5.0 %																				
144 1	5.0 to <10	7.55	7.55	7.55	0.1	3.16	3.16	3.16	0.1	2.58	2.58	2.58	0.1	2.44	2.44	2.44	0.1	9.55	9.55	9.55	0.1 %
144 18	10 to <15	4.85	11.06	6.44	32.9	3.37	7.47	4.63	41.0	2.71	4.6	3.66	28.6	2.55	4.98	3.88	26.6	10.61	14.98	12.63	39.8 %
144 13	15 to <20	5.42	12.61	9.14	30.2	3.82	10.27	6.01	42.2	2.81	6.76	4.61	29.1	2.64	7.25	4.67	27.1	15.01	19.43	17.44	37.8 %
144 15	20 to <25	4.92	12.99	8.42	30.3	3.24	12.09	6.31	41.4	3.39	6.68	4.78	28.5	3.39	7.82	5.18	26.8	20.29	24.92	22.69	38.5 %
144 12	25 to <30	6.16	10.52	8.03	30.4	4.02	13.72	7.22	40.6	4.25	8.97	5.87	28.2	3.9	9.85	5.68	19.9	25.87	29.9	27.57	37.6 %
144 82	30 to <99	5.46	19.79	11.22	26.2	3.19	27.5	9.28	48.8	3.11	19.55	7.39	34.1	2.9	15.53	6.42	32.7	30.66	95.98	55.08	28.1 %

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=238, BA=BADU_P colour difference pairs %

ia	d_range	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
238 238	0.0 to <99	4.11 35.78 11.74	30.6	2.89 22.67 9.42	32.4	2.94 14.94 7.65	20.1	3.28 18.02 7.92	19.2	10.78 124.47 47.7	39.6 %
238 8	0.0 to <5.0	4.11 4.92 4.63	10.7	2.89 6.01 4.64	19.2	3.81 4.8 4.45	10.7	3.4 4.61 3.89	20.0	22.01 54.79 40.72	6.6 %
238 0	0.0 to <0.5 %										
238 0	0.5 to <1.0 %										
238 0	1.0 to <1.5 %										
238 0	1.5 to <2.0 %										
238 8	2.0 to <5.0	4.11 4.92 4.63	10.7	2.89 6.01 4.64	19.2	3.81 4.8 4.45	10.7	3.4 4.61 3.89	20.0	22.01 54.79 40.72	6.6 %
238 33	5.0 to <10	5.0 9.96 7.09	28.1	3.22 13.11 6.61	13.9	3.02 9.6 5.49	24.7	3.57 12.13 5.95	16.5	11.02 94.29 34.05	55.6 %
238 174	10 to <15	10.11 14.94 11.99	24.8	4.21 22.67 9.88	34.2	2.94 14.64 7.8	20.2	3.28 15.35 8.07	19.4	10.78 124.47 45.71	42.1 %
238 17	15 to <20	15.17 19.3 16.48	30.7	6.54 18.06 11.96	16.3	5.02 14.94 11.65	28.5	5.68 15.78 11.49	22.0	23.86 120.42 101.15	1.8 %
238 4	20 to <25	20.19 24.47 22.85	5.2	6.46 11.28 9.36	15.7	4.41 9.22 6.85	5.2	4.9 11.0 8.12	9.3	17.05 47.72 29.77	6.1 %
238 1	25 to <30	29.29 29.29 29.29	0.1	9.38 9.38 9.38	0.1	6.39 6.39 6.39	0.1	7.47 7.47 7.47	0.1	27.58 27.58 27.58	0.1 %
238 1	30 to <99	35.78 35.78 35.78	0.1	18.15 18.15 18.15	0.1	14.89 14.89 14.89	0.1	18.02 18.02 18.02	0.1	84.67 84.67 84.67	0.1 %

iimp=238, BA=BADU_P colour difference pairs %

ia	d_range	C00min,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
238 238	0.0 to <99	4.11 35.78 11.74	30.6	2.89 22.67 9.42	32.4	2.94 14.94 7.65	20.1	3.28 18.02 7.92	19.2	10.78 124.47 47.7	39.6 %
238 37	0.0 to <5.0	4.11 20.19 8.24	26.6	2.89 8.71 5.24	13.8	2.94 6.41 4.51	24.4	3.28 4.98 4.22	16.4	10.78 63.28 32.05	54.4 %
238 0	0.0 to <0.5 %										
238 0	0.5 to <1.0 %										
238 0	1.0 to <1.5 %										
238 0	1.5 to <2.0 %										
238 37	2.0 to <5.0	4.11 20.19 8.24	26.6	2.89 8.71 5.24	13.8	2.94 6.41 4.51	24.4	3.28 4.98 4.22	16.4	10.78 63.28 32.05	54.4 %
238 150	5.0 to <10	5.12 29.29 11.67	23.5	4.87 22.67 9.33	29.6	3.9 12.04 7.23	19.4	5.0 9.97 7.42	17.7	13.77 124.47 40.6	42.2 %
238 47	10 to <15	9.83 24.38 13.99	25.8	8.56 18.09 12.39	13.6	7.51 14.64 10.89	24.0	10.02 14.68 11.73	15.9	23.56 120.42 78.62	55.5 %
238 4	15 to <20	14.44 35.78 20.08	5.2	12.47 18.15 16.5	15.7	13.0 14.94 14.25	5.2	15.08 18.02 16.06	9.3	84.67 102.67 95.72	6.1 %
238 0	20 to <25 %										
238 0	25 to <30 %										
238 0	30 to <99 %										

iimp=238, BA=BADU_P colour difference pairs %

ia	d_range	C85min,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS
238 212	0.0 to <99	4.11 35.78 11.38	27.5	2.89 22.67 9.08	33.9	2.94 14.89 7.14	19.4	3.28 18.02 7.49	19.2	10.78 98.22 39.97	40.1 %
238 0	0.0 to <5.0 %										
238 0	0.0 to <0.5 %										
238 0	0.5 to <1.0 %										
238 0	1.0 to <1.5 %										
238 0	1.5 to <2.0 %										
238 0	2.0 to <5.0 %										
238 0	5.0 to <10 %										
238 12	10 to <15	5.12 12.64 8.36	19.1	4.21 7.77 5.83	17.9	2.94 5.32 3.92	19.1	3.28 7.18 4.77	21.5	10.78 14.67 12.83	8.6 %
238 16	15 to <20	5.38 20.19 10.58	30.8	4.47 8.65 6.8	17.4	3.54 6.52 4.98	27.3	3.55 6.87 5.74	23.0	15.66 19.84 18.23	37.1 %
238 41	20 to <25	4.7 17.39 11.15	26.1	4.29 12.15 8.19	13.0	3.52 8.83 6.0	23.3	3.92 12.13 6.79	15.3	20.01 24.96 22.98	54.1 %
238 29	25 to <30	10.58 29.29 13.38	30.9	5.56 15.91 9.69	14.6	4.7 10.47 6.83	26.4	4.26 12.09 7.69	17.5	25.14 29.96 27.34	54.8 %
238 114	30 to <99	4.11 35.78 11.39	20.8	2.89 22.67 9.91	27.8	4.11 14.89 8.26	18.5	3.4 18.02 8.21	17.6	30.27 98.22 55.21	41.7 %

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=80, RL=RICHTER_L colour difference pairs %

ia		d_rangeLAB	LABmin,max,mean				STRESS				CMCmin,max,mean				STRESS				C94min,max,mean				STRESS				C00min,max,mean				STRESS				C85min,max,mean				STRESS			
80	80	0.0 to <99	1.38	36.6	11.11	47.4	1.04	51.53	7.57	66.5	1.35	34.83	6.49	56.2	1.34	22.9	6.19	53.8	7.4	129.45	36.33	52.8	%																			
80	13	0.0 to <5.0	1.38	4.93	3.27	27.0	1.04	5.06	2.59	45.8	1.35	4.91	2.85	45.3	1.34	4.21	2.7	39.5	9.34	55.21	27.61	42.5	%																			
80	0	0.0 to <0.5	%																																							
80	0	0.5 to <1.0	%																																							
80	2	1.0 to <1.5	1.38	1.39	1.38	10.6	1.04	1.11	1.07	4.1	1.35	1.38	1.37	4.0	1.34	1.36	1.35	4.7	12.74	13.71	13.22	7.5	%																			
80	0	1.5 to <2.0	%																																							
80	11	2.0 to <5.0	2.31	4.93	3.62	32.3	1.74	5.06	2.86	46.7	1.55	4.91	3.12	46.0	1.64	4.21	2.95	42.9	9.34	55.21	30.23	47.1	%																			
80	27	5.0 to <10	5.14	9.99	7.54	37.1	2.6	13.79	5.7	50.6	2.02	9.55	4.91	49.6	2.0	11.27	4.95	48.6	7.4	91.51	30.97	39.7	%																			
80	17	10 to <15	10.1	14.05	11.63	33.1	4.56	14.92	8.59	42.9	3.47	11.3	6.97	40.7	3.85	13.18	7.41	36.3	12.23	105.28	38.52	38.7	%																			
80	16	15 to <20	15.22	19.9	17.21	31.3	4.91	19.7	9.34	43.1	3.35	19.89	9.11	41.0	3.12	13.1	8.03	36.5	23.49	129.45	48.14	39.0	%																			
80	5	20 to <25	20.07	24.29	21.37	36.7	6.43	13.24	9.2	45.0	4.43	11.58	7.23	42.8	4.87	9.75	7.18	45.8	18.0	52.43	30.61	33.7	%																			
80	1	25 to <30	26.36	26.36	26.36	0.1	25.27	25.27	25.27	0.1	13.97	13.97	13.97	0.1	13.51	13.51	13.51	0.1	55.67	55.67	55.67	0.1	%																			
80	1	30 to <99	36.6	36.6	36.6	0.1	51.53	51.53	51.53	0.1	34.83	34.83	34.83	0.1	22.9	22.9	22.9	0.1	77.35	77.35	77.35	0.1	%																			

iimp=80, RL=RICHTER_L colour difference pairs %

ia		d_rangeC00	LABmin,max,mean				STRESS				CMCmin,max,mean				STRESS				C94min,max,mean				STRESS				C00min,max,mean				STRESS				C85min,max,mean				STRESS			
80	80	0.0 to <99	1.38	36.6	11.11	47.4					1.04	51.53	7.57	66.5					1.35	34.83	6.49	56.2					1.34	22.9	6.19	53.8					7.4	129.45	36.33	52.8	%			
80	34	0.0 to <5.0	1.38	20.07	7.45	41.3					1.04	6.61	3.78	50.3					1.35	5.53	3.33	50.4					1.34	4.94	3.19	47.8					7.4	58.37	23.47	40.4	%			
80	0	0.0 to <0.5 %																																								
80	0	0.5 to <1.0 %																																								
80	2	1.0 to <1.5	1.38	1.39	1.38	10.6					1.04	1.11	1.07	4.1					1.35	1.38	1.37	4.0					1.34	1.36	1.35	4.7					12.74	13.71	13.22	7.5	%			
80	2	1.5 to <2.0	2.31	2.54	2.42	10.6					1.85	1.89	1.87	4.1					1.55	1.62	1.59	4.0					1.64	1.76	1.7	4.7					9.34	10.96	10.15	7.5	%			
80	30	2.0 to <5.0	2.51	20.07	8.19	40.0					1.74	6.61	4.09	51.7					2.02	5.53	3.57	51.9					2.0	4.94	3.41	49.1					7.4	58.37	25.04	41.3	%			
80	33	5.0 to <10	6.44	24.29	12.62	41.6					4.16	14.92	8.27	50.7					4.6	11.58	6.85	50.8					5.0	9.75	6.74	48.2					15.64	96.23	39.04	40.8	%			
80	12	10 to <15	9.99	26.36	15.23	29.4					7.8	25.27	12.72	47.8					7.54	19.89	12.09	47.6					10.28	13.51	11.81	42.9					23.57	129.45	61.9	46.1	%			
80	0	15 to <20 %																																								
80	1	20 to <25	36.6	36.6	36.6	0.1					51.53	51.53	51.53	0.1					34.83	34.83	34.83	0.1					22.9	22.9	22.9	0.1					77.35	77.35	77.35	0.1	%			
80	0	25 to <30 %																																								
80	0	30 to <99 %																																								

iimp=80, RL=RICHTER_L colour difference pairs %

ia		d_rangeC85	LABmin,max,mean				STRESS				CMCmin,max,mean				STRESS				C94min,max,mean				STRESS				C00min,max,mean				STRESS				C85min,max,mean				STRESS			
80	76	0.0 to <99	1.38	36.6	10.81	47.9					1.04	51.53	7.47	66.8					1.35	34.83	5.94	56.4					1.34	22.9	5.94	53.8					7.4	96.23	31.97	51.5 %				
80	0	0.0 to <5.0 %																																								
80	0	0.0 to <0.5 %																																								
80	0	0.5 to <1.0 %																																								
80	0	1.0 to <1.5 %																																								
80	0	1.5 to <2.0 %																																								
80	0	2.0 to <5.0 %																																								
80	4	5.0 to <10	2.31	7.44	5.14	26.6					1.85	3.35	2.67	15.7					1.55	2.81	2.27	16.8					1.64	2.65	2.19	16.1					7.4	9.86	8.69	27.2 %				
80	10	10 to <15	1.38	13.64	7.09	36.8					1.04	5.45	3.28	44.0					1.35	4.77	2.86	41.0					1.34	4.24	2.69	40.4					10.96	14.99	13.1	46.1 %				
80	10	15 to <20	3.68	20.72	8.87	36.8					2.45	9.11	5.19	44.0					2.14	7.42	4.16	41.0					2.23	6.85	4.3	40.4					15.11	19.95	17.49	46.1 %				
80	11	20 to <25	2.51	21.64	12.36	32.3					1.74	9.46	6.89	46.7					2.51	7.88	5.49	46.0					2.25	12.13	6.09	42.9					20.31	24.74	22.88	47.1 %				
80	7	25 to <30	2.78	17.35	11.11	24.1					2.01	14.16	7.46	27.9					2.78	9.94	5.58	25.4					2.61	13.18	6.01	24.4					25.41	29.42	26.63	19.9 %				
80	34	30 to <99	3.74	36.6	12.57	41.3					2.83	51.53	10.13	50.3					3.47	34.83	8.02	50.4					3.66	22.9	7.75	47.8					30.31	96.23	48.56	40.4 %				

Güte (STRESS-Werte) für grosse (large) Farbdifferenzdaten (LCD)

iimp=624, KL=KITTELMANN_L colour difference pairs %

ia		d_range	LAB	min,max,mean	STRESS	CMC	min,max,mean	STRESS	C94	min,max,mean	STRESS	C00	min,max,mean	STRESS	C85	min,max,mean	STRESS
624	624	0.0 to <99	1.91	43.77	21.21 25.0	1.46	59.86	17.04 43.1	1.89	43.77	15.48 33.1	1.89	34.08	14.25 28.8	13.94	387.09	118.63 6.5 %
624	6	0.0 to <5.0	1.91	4.88	3.23 14.1	1.46	3.0	2.12 14.0	1.89	3.5	2.52 14.1	1.89	3.29	2.41 11.8	19.66	32.12	23.94 5.3 %
624	0	0.0 to <0.5 %															
624	0	0.5 to <1.0 %															
624	0	1.0 to <1.5 %															
624	1	1.5 to <2.0	1.91	1.91	1.91 0.1	1.46	1.46	1.46 0.1	1.89	1.89	1.89 0.1	1.89	1.89	1.89 0.1	19.66	19.66	19.66 0.1 %
624	5	2.0 to <5.0	2.02	4.88	3.49 14.1	1.55	3.0	2.25 14.0	2.0	3.5	2.64 14.1	2.0	3.29	2.52 12.1	20.88	32.12	24.79 5.3 %
624	68	5.0 to <10	5.02	9.99	8.08 17.7	2.4	14.22	5.4 24.8	2.09	9.75	5.51 17.6	1.99	8.79	5.33 17.6	13.94	101.73	49.42 36.2 %
624	112	10 to <15	10.0	14.93	12.74 16.1	4.88	21.09	9.64 20.3	4.13	14.13	8.95 15.9	4.27	13.45	8.73 16.8	26.45	159.44	73.7 32.8 %
624	99	15 to <20	15.02	19.95	17.26 16.2	6.36	28.82	13.05 21.3	5.03	19.24	12.82 16.2	4.83	17.55	12.21 16.3	21.96	200.88	109.13 4.2 %
624	102	20 to <25	20.06	24.99	23.01 16.2	8.68	34.92	19.1 21.0	8.06	24.49	17.29 16.1	7.61	22.5	15.87 16.3	34.67	241.56	131.82 3.8 %
624	132	25 to <30	25.03	29.97	27.63 17.7	10.31	43.47	21.58 27.8	8.26	29.18	19.46 22.9	7.81	25.86	17.95 21.5	38.27	304.86	152.33 3.4 %
624	105	30 to <99	30.0	43.77	33.68 16.3	13.73	59.86	29.36 20.8	11.88	43.77	25.42 16.2	11.42	34.08	22.31 16.5	41.86	387.09	170.84 3.6 %

iimp=624, KL=KITTELMANN_L colour difference pairs %

ia		d_range	C00	LABmin,max,mean	STRESS	CMCmin,max,mean	STRESS	C94min,max,mean	STRESS	C00min,max,mean	STRESS	C85min,max,mean	STRESS				
624	624	0.0 to <99	1.91	43.77	21.21 25.0	1.46	59.86	17.04 43.1	1.89	43.77	15.48 33.1	1.89	34.08	14.25 28.8	13.94	387.09	118.63 6.5 %
624	42	0.0 to <5.0	1.91	15.72	8.18 20.6	1.46	8.65	4.28 30.6	1.89	5.68	3.89 20.4	1.89	4.95	3.68 18.1	13.94	54.25	31.21 37.4 %
624	0	0.0 to <0.5 %															
624	0	0.5 to <1.0 %															
624	0	1.0 to <1.5 %															
624	2	1.5 to <2.0	1.91	6.39	4.15 16.2	1.46	2.62	2.04 16.2	1.89	2.09	1.99 16.2	1.89	1.99	1.94 17.3	13.94	19.66	16.8 7.5 %
624	40	2.0 to <5.0	2.02	15.72	8.38 20.4	1.55	8.65	4.39 30.6	2.0	5.68	3.99 20.3	2.0	4.95	3.77 18.2	14.28	54.25	31.94 36.9 %
624	140	5.0 to <10	5.68	29.88	12.74 17.9	4.17	21.35	8.34 29.0	4.83	11.77	7.65 23.6	5.02	9.92	7.4 21.9	20.69	120.96	61.82 33.2 %
624	161	10 to <15	10.79	38.32	19.74 19.7	8.51	30.91	13.82 31.9	8.26	19.92	12.99 27.5	10.0	14.97	12.5 25.3	36.7	180.79	106.42 3.2 %
624	142	15 to <20	15.95	41.13	25.73 18.2	13.0	43.47	20.57 29.6	11.88	28.92	18.54 24.2	15.02	19.86	17.34 22.4	50.5	285.33	143.63 3.3 %
624	109	20 to <25	23.23	41.4	29.84 16.3	17.93	59.86	28.63 20.6	16.19	39.78	25.49 16.1	20.0	24.91	22.12 16.8	69.25	304.86	184.14 3.3 %
624	27	25 to <30	29.87	40.1	33.36 15.0	22.65	43.62	34.02 29.7	20.04	37.5	30.32 14.8	25.12	29.55	26.73 17.2	78.67	387.09	214.49 3.1 %
624	3	30 to <99	39.56	43.77	41.07 12.7	31.28	35.03	33.24 12.6	22.29	43.77	35.03 12.7	31.12	34.08	32.17 11.5	90.76	319.49	236.27 0.9 %

iimp=624, KL=KITTELMANN_L colour difference pairs %

ia		d_range	C85	LABmin,max,mean	STRESS		CMCmin,max,mean	STRESS		C94min,max,mean	STRESS		C00min,max,mean	STRESS		C85min,max,mean	STRESS
624	273	0.0 to <99		1.91 41.4 16.6 22.3			1.46 59.86 11.94 37.7			1.89 39.78 9.81 31.4			1.89 31.12 9.65 26.6			13.94 97.73 59.18 34.9 %	
624	0	0.0 to <5.0 %															
624	0	0.0 to <0.5 %															
624	0	0.5 to <1.0 %															
624	0	1.0 to <1.5 %															
624	0	1.5 to <2.0 %															
624	0	2.0 to <5.0 %															
624	0	5.0 to <10 %															
624	2	10 to <15		6.39 8.58 7.49 16.2			2.62 3.77 3.2 16.2			2.09 3.06 2.57 16.2			1.99 3.05 2.52 17.3			13.94 14.28 14.11 7.5 %	
624	4	15 to <20		1.91 7.98 5.85 13.4			1.46 3.56 2.66 13.3			1.89 2.99 2.44 13.4			1.89 2.99 2.39 11.4			16.3 19.66 17.77 5.9 %	
624	11	20 to <25		2.02 15.16 6.44 15.6			1.55 6.98 3.6 33.8			2.0 5.72 3.43 15.6			2.0 5.64 3.3 17.6			20.21 24.77 21.87 39.4 %	
624	8	25 to <30		8.54 15.72 12.55 18.4			5.4 8.07 6.51 18.3			4.7 7.95 5.49 18.4			4.34 7.21 5.23 16.6			26.45 29.82 28.17 11.2 %	
624	248	30 to <99		4.66 41.4 17.43 22.0			3.0 59.86 12.71 36.9			3.02 39.78 10.41 31.0			2.92 31.12 10.25 26.9			30.65 97.73 62.86 34.0 %	