

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	X0	Y0	Z0	L*0	a*0ab	b*0	X1	Y1	Z1ab	L*1	a*1ab	b*1	CODE	VIM	iia	inr	%	
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=114, colour difference pairs VA_LC114=VIK_ADJACENT, xchart=0, xchart4=0 %																													
1	3	1	2	3	0	0	W	CW	C	0	0	43.07	51.42	77.39	76.9	-16.5	-18.2	81.89	87.15	84.89	94.8	-1.8	6.9	CW_W	0.433	0	51000001	%	
2	3	7	8	9	0	0	W	VW	V	0	0	30.85	28.28	46.11	60.1	15.4	-18.9	19.34	27.47	69.83	59.4	-30.9	-42.4	CW-C	0.0	1	51000001	%	
																		81.86	87.13	84.76	94.7	-1.8	7.0	VW-W	0.452	2	51000002	%	
3	3	13	14	15	0	0	W	MW	M	0	0	53.92	42.7	46.58	71.3	37.3	0.0	7.8	5.15	22.36	27.1	31.2	-43.5	VW-V	0.0	3	51000002	%	
																		81.95	87.17	85.29	94.8	-1.7	6.7	MW-W	0.429	4	51000003	%	
4	3	19	20	21	0	0	W	OW	O	0	0	52.07	43.5	24.32	71.8	30.2	30.1	33.13	17.03	21.98	48.2	74.7	-6.4	MW-M	0.0	5	51000003	%	
																		82.02	87.21	85.66	94.8	-1.6	6.4	OW_W	0.43	6	51000004	%	
5	3	25	26	27	0	0	W	YW	Y	0	0	71.92	80.69	32.04	91.9	-9.8	53.1	30.66	17.1	2.67	48.3	65.3	52.9	OW-O	0.0	7	51000004	%	
																		82.01	87.27	85.07	94.8	-1.8	6.9	YW-W	0.473	8	51000005	%	
6	3	31	32	33	0	0	W	LW	L	0	0	32.29	44.66	29.33	72.6	-33.3	23.7	66.66	73.8	6.99	88.8	-7.6	100.6	YW-Y	0.0	9	51000005	%	
																		81.97	87.24	84.96	94.8	-1.8	6.9	LW-W	0.48	10	51000006	%	
7	3	37	38	39	0	0	C	CN	N	0	0	8.52	10.95	21.14	39.5	-15.4	-20.0	9.71	20.83	6.41	52.7	-62.6	40.7	LW-L	0.0	11	51000006	%	
																		19.77	27.96	70.59	59.8	-30.7	-42.2	CN-C	0.542	12	51000007	%	
8	3	43	44	45	0	0	V	VN	N	0	0	5.28	4.23	10.25	24.4	16.5	-21.2	2.98	3.09	3.08	20.4	0.6	1.8	CN-N	0.0	13	51000007	%	
																		8.21	5.47	23.25	28.0	31.2	-43.5	VN-V	0.602	14	51000008	%	
9	3	49	50	51	0	0	M	MN	N	0	0	12.27	8.03	9.32	34.0	36.9	-1.8	3.08	3.18	3.17	20.7	1.0	1.8	VN-N	0.0	15	51000008	%	
																		32.53	16.54	21.19	47.6	75.2	-6.1	MN-M	0.515	16	51000009	%	
10	3	55	56	57	0	0	O	ON	N	0	0	11.57	7.96	2.63	33.9	32.7	28.1	2.84	2.94	2.96	19.8	0.7	1.6	MN-N	0.0	17	51000009	%	
																		30.31	16.86	2.49	48.0	65.3	53.7	ON-O	0.52	18	51000010	%	
11	3	61	62	63	0	0	Y	YN	N	0	0	20.09	22.16	4.76	54.2	-4.7	50.5	2.9	3.01	2.99	20.0	0.6	1.8	ON-N	0.0	19	51000010	%	
																		66.79	74.09	7.44	88.9	-7.9	99.2	YN-Y	0.487	20	51000011	%	
12	3	67	68	69	0	0	L	LN	N	0	0	5.36	8.94	4.48	35.8	-31.8	20.3	3.03	3.11	3.07	20.5	1.2	2.0	YN-N	0.0	21	51000011	%	
																		10.24	21.55	6.75	53.5	-61.8	40.7	LN-L	0.513	22	51000012	%	
13	3	209	210	211	0	0	W	C	N	0	0	18.97	27.01	69.41	58.9	-30.9	-42.8	3.14	3.22	3.18	20.9	1.3	2.0	LN-N	0.0	23	51000012	%	
																		81.9	87.16	84.9	94.8	-1.8	6.9	C-W	0.451	24	51000013	%	
14	3	215	216	217	0	0	W	V	N	0	0	7.46	4.89	21.98	26.4	31.2	-44.1	2.71	2.82	2.88	19.3	0.4	1.3	C-N	0.0	25	51000013	%	
																		81.87	87.12	84.91	94.7	-1.8	6.9	V-W	0.622	26	51000014	%	
15	3	221	222	223	0	0	W	M	N	0	0	32.65	16.67	21.39	47.8	74.9	-6.1	2.73	2.85	2.9	19.4	0.4	1.3	V-N	0.0	27	51000014	%	
																		81.94	87.19	85.03	94.8	-1.8	6.8	M-W	0.457	28	51000015	%	
16	3	227	228	229	0	0	W	O	N	0	0	30.21	16.81	2.56	48.0	65.2	53.0	2.83	2.94	3.01	19.8	0.5	1.2	W-N	0.0	29	51000015	%	
																		81.96	87.2	85.25	94.8	-1.7	6.7	O-W	0.464	30	51000016	%	
17	3	233	234	235	0	0	W	Y	N	0	0	66.73	73.83	7.17	88.8	-7.5	99.9	2.84	2.95	3.07	19.8	0.6	0.9	O-N	0.0	31	51000016	%	
																		82.0	87.31	84.7	94.8	-1.9	7.2	Y-W	0.346	32	51000017	%	
18	3	239	240	241	0	0	W	L	N	0	0	9.33	20.32	6.4	52.2	-63.2	39.8	2.67	2.78	2.85	19.1	0.4	1.1	Y-N	0.0	33	51000017	%	
																		81.86	87.15	84.58	94.8	-1.8	7.1	L-W	0.499	34	51000018	%	
19	3	245	246	247	0	0	C	V	M	0	0	7.64	5.03	22.24	26.8	31.2	-43.9	2.71	2.82	2.88	19.3	0.4	1.3	L-N	0.0	35	51000018	%	
																		19.13	27.14	69.68	59.1	-30.7	-42.8	V-C	0.506	36	51000019	%	
20	3	251	252	253	0	0	M	O	Y	0	0	30.19	16.79	2.54	47.9	65.2	53.1	32.77	16.79	21.38	47.9	74.7	-5.9	V-M	0.0	37	51000019	%	
																		32.74	16.74	21.47	47.9	74.9	-6.1	O-M	0.375	38	51000020	%	
21	3	257	258	259	0	0	Y	L	C	0	0	9.23	20.19	6.39	52.0	-63.4	39.5	66.63	73.82	7.5	88.8	-7.7	98.7	O-Y	0.0	39	51000020	%	
																		66.64	73.75	7.32	88.8	-7.5	99.3	L-Y	0.517	40	51000021	%	
22	3	263	264	265	0	0	V	C	L	0	0	18.93	26.93	69.28	58.9	-30.9	-42.8	18.96	26.97	69.34	58.9	-30.9	-42.8	L-C	0.0	41	51000021	%	
																		7.53	4.95	21.87	26.6	31.1	-43.6	C-V	0.517	42	51000022	%	
23	3	269	270	271	0	0	L	Y	O	0	0	66.61	73.78	7.37	88.8	-7.6	99.2	9.3	20.22	6.42	52.0	-63.0	39.5	C-L	0.0	43	51000022	%	
																		9.55	20.6	6.52	52.5	-62.8	39.8	Y-L	0.509	44	51000023	%	
24	3	275	276	277	0	0	O	M	V	0	0	32.75	16.75	21.34	47.9	74.8	-5.9	30.05	16.67	2.5	47.8	65.4	53.1	Y-O	0.0	45	51000023	%	
																		30.17	16.78	2.55	47.9	65.2	53.0	M-O	0.396	46	51000024	%	
25	5	89	90	91	92	93	W	Wc	CW	Cw	C	61.41	68.76	83.1	86.3	-9.0	-6.2	7.66	5.06	22.19	26.9	31.0	-43.7	M-V	0.0	47	51000024	%	
																		81.96	87.19	85.24	94.8	-1.7	6.7	W-Wc	0.206	50	51000025	%	
26	5	99	100	101	102	103	W	Wv	CW	Vw	V	53.77	53.72	66.4	78.3	7.0	-7.0	42.84	51.17	77.72	76.7	-16.5	-18.7	Wc-CW	0.428	49	51000025	%	
																		42.84	51.17	77.72	76.7	-16.5	-18.7	CW-Cw	0.643	1	51000025	%	
																			19.11	27.16	69.75	59.1	-30.8	-42.8	Cw-C	0.0	51	51000025	%
																			81.67	86.84	85.23	94.6	-1.6	6.5	W-Wv	0.236	54	51000026	%
																			31.0	28.44	46.98	60.2	15.3	-19.5	Wv-Vw	0.474	53	51000026	%
																			31.0	28.44	46.98	60.2	15.3	-19.5	Vw-Vw	0.695	1	51000026	%
																		7.72	5.09	22.44	27.0	31.1	-43.9	Vw-V	0.0	55	51000026	%	
1-003030-L0																													
XE490-7R_0_0																													

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	X0	Y0	Z0	L*0	a*0ab	b*0	X1	Y1	Z1ab	L*1	a*1ab	b*1	CODE	VIM	iaa	inr	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=114, colour difference pairs VA	LC114=VIK	ADJACENT,	xchart3=0,	xchart4=0	%																							
27	5	109	110	111	112	113	W	Wm	CW	Mw	M	68.55	64.01	66.22	83.9	17.4	2.9	82.01	87.21	85.53	94.8	-1.7	6.5	W-Wm	0.231	58	51000027	%
																		54.22	42.96	47.36	71.5	37.3	-0.6	Wm-MW	0.469	57	51000027	%
																		54.22	42.96	47.36	71.5	37.3	-0.6	MW-Mw	0.69	1	51000027	%
																		32.94	16.85	21.83	48.0	74.9	-6.5	Mw-M	0.0	59	51000027	%
28	5	119	120	121	122	123	W	Wo	CW	Ow	O	64.91	61.74	48.22	82.7	14.5	17.8	81.89	87.15	84.58	94.8	-1.8	7.1	W-Wo	0.223	62	51000028	%
																		51.43	42.5	23.75	71.2	31.5	29.9	Wo-OW	0.452	61	51000028	%
																		51.43	42.5	23.75	71.2	31.5	29.9	OW-OW	0.678	1	51000028	%
																		30.15	16.71	2.43	47.9	65.5	53.7	OW-O	0.0	63	51000028	%
29	5	129	130	131	132	133	W	Wy	CW	Yw	Y	75.93	83.22	55.28	93.1	-6.3	28.5	81.99	87.23	85.07	94.8	-1.7	6.9	W-Wy	0.175	66	51000029	%
																		72.08	80.77	32.95	92.0	-9.6	51.9	Wy-YW	0.488	65	51000029	%
																		72.08	80.77	32.95	92.0	-9.6	51.9	YW-Yw	0.732	1	51000029	%
																		66.78	74.0	7.58	88.9	-7.7	98.6	Yw-Y	0.0	67	51000029	%
30	5	139	140	141	142	143	W	Wl	CW	Lw	L	54.95	65.26	54.93	84.6	-17.1	14.2	81.89	87.08	85.31	94.7	-1.7	6.6	W-Wl	0.232	70	51000030	%
																		32.6	44.92	30.62	72.8	-32.9	22.1	Wl-LW	0.471	69	51000030	%
																		32.6	44.92	30.62	72.8	-32.9	22.1	LW-Lw	0.698	1	51000030	%
																		9.86	21.11	6.73	53.0	-62.7	39.9	Lw-L	0.0	71	51000030	%
31	5	149	150	151	152	153	C	Cn	CN	Nc	N	12.81	17.46	40.6	48.8	-23.0	-32.1	19.27	27.35	69.61	59.3	-30.8	-42.4	C-Cn	0.268	74	51000031	%
																		8.05	10.39	20.66	38.5	-15.5	-20.8	Cn-CN	0.502	73	51000031	%
																		8.05	10.39	20.66	38.5	-15.5	-20.8	CN-Nc	0.748	1	51000031	%
																		2.73	2.84	2.93	19.4	0.5	1.0	Nc-N	0.0	75	51000031	%
32	5	159	160	161	162	163	V	Vn	VN	Nv	N	6.16	4.41	15.59	25.0	24.1	-33.9	7.63	5.0	22.14	26.7	31.4	-43.9	V-Vn	0.267	78	51000032	%
																		4.84	3.85	9.87	23.1	16.4	-22.2	Vn-VN	0.53	77	51000032	%
																		4.84	3.85	9.87	23.1	16.4	-22.2	VN-Nv	0.796	1	51000032	%
																		2.82	2.93	2.97	19.7	0.7	1.4	Nv-N	0.0	79	51000032	%
33	5	169	170	171	172	173	M	Mn	MN	Nm	N	20.06	11.21	14.29	39.9	56.6	-5.2	32.8	16.75	21.46	47.9	75.0	-6.1	M-Mn	0.268	82	51000033	%
																		12.45	8.16	9.7	34.3	37.0	-2.5	Mn-MN	0.5	81	51000033	%
																		12.45	8.16	9.7	34.3	37.0	-2.5	MN-Nm	0.723	1	51000033	%
																		2.95	3.05	3.07	20.2	0.8	1.6	Nm-N	0.0	83	51000033	%
34	5	179	180	181	182	183	O	On	ON	No	N	18.78	11.34	2.51	40.1	49.1	39.9	30.13	16.7	2.46	47.8	65.5	53.5	O-On	0.262	86	51000034	%
																		11.28	7.75	2.62	33.4	32.5	27.4	On-ON	0.49	85	51000034	%
																		11.28	7.75	2.62	33.4	32.5	27.4	ON-No	0.719	1	51000034	%
																		2.74	2.86	2.95	19.5	0.3	1.1	No-N	0.0	87	51000034	%
35	5	189	190	191	192	193	Y	Yn	YN	Ny	N	39.43	44.28	6.44	72.4	-8.1	74.5	66.65	73.85	7.56	88.8	-7.7	98.5	Y-Yn	0.248	90	51000035	%
																		19.74	21.83	4.83	53.8	-5.0	49.6	Yn-YN	0.492	89	51000035	%
																		19.74	21.83	4.83	53.8	-5.0	49.6	YN-Ny	0.705	1	51000035	%
																		2.81	2.92	2.97	19.7	0.5	1.4	Ny-N	0.0	91	51000035	%
36	5	199	200	201	202	203	L	Ln	LN	Nl	N	7.15	13.85	5.36	44.0	-47.5	30.2	9.8	21.03	6.73	52.9	-62.9	39.8	L-Ln	0.258	94	51000036	%
																		5.09	8.6	4.49	35.2	-32.2	19.1	Ln-LN	0.5	93	51000036	%
																		5.09	8.6	4.49	35.2	-32.2	19.1	LN-Nl	0.722	1	51000036	%
																		2.99	3.1	3.12	20.4	0.7	1.6	Nl-N	0.0	95	51000036	%
37	3	281	282	283	0	0	C	CV	V	0	0	12.12	12.75	40.67	42.3	0.0	-43.3	19.06	27.08	69.26	59.0	-30.8	-42.5	CV-C	0.462	96	51000037	%
																		7.37	4.81	21.6	26.2	31.3	-43.8	CV-V	0.0	97	51000037	%
38	3	283	284	285	0	0	V	MV	M	0	0	16.05	8.94	20.74	35.8	52.7	-25.6	7.37	4.81	21.6	26.2	31.3	-43.8	VM-V	0.554	98	51000038	%
																		32.5	16.55	21.02	47.6	75.1	-5.7	VM-M	0.0	99	51000038	%
39	3	291	292	293	0	0	M	MO	O	0	0	31.56	16.8	8.9	48.0	70.3	23.5	32.47	16.54	20.95	47.6	75.0	-5.6	MO-M	0.565	100	51000039	%
																		30.15	16.75	2.52	47.9	65.3	53.2	MO-O	0.0	101	51000039	%
40	3	293	294	295	0	0	O	YO	Y	0	0	46.53	39.4	4.83	69.0	27.5	75.8	30.15	16.75	2.52	47.9	65.3	53.2	YO-O	0.46	102	51000040	%
																		66.7	73.9	7.49	88.8	-7.7	98.8	YO-Y	0.0	103	51000040	%
41	3	301	302	303	0	0	Y	YL	L	0	0	28.03	40.71	7.17	69.9	-37.7	67.4	66.7	73.92	7.6	88.8	-7.7	98.4	YL-Y	0.438	104	51000041	%
																		9.66	20.82	6.75	52.7	-62.9	39.3	YL-L	0.0	105	51000041	%

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	X0	Y0	Z0	L*0	a*0ab	b*0	X1	Y1	Z1ab	L*1	a*1ab	b*1	CODE	VIM	iia	inr	%	
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=114, colour difference pairs KA_LC114=KIT_ADJACENT, xchart=0, xchart4=1 %																													
1	3	1	2	3	0	0	W	CW	C	0	0	43.07	51.42	77.39	76.9	-16.5	-18.2	81.89	87.15	84.89	94.8	-1.8	6.9	CW_W	0.523	0	52000001	%	
2	3	7	8	9	0	0	W	VW	V	0	0	30.85	28.28	46.11	60.1	15.4	-18.9	19.34	27.47	69.83	59.4	-30.9	-42.4	CW-C	0.0	1	52000001	%	
																		81.86	87.13	84.76	94.7	-1.8	7.0	VW-W	0.454	2	52000002	%	
3	3	13	14	15	0	0	W	MW	M	0	0	53.92	42.7	46.58	71.3	37.3	0.0	7.8	5.15	22.36	27.1	31.2	-43.5	VW-V	0.0	3	52000002	%	
																		81.95	87.17	85.29	94.8	-1.7	6.7	MW-W	0.45	4	52000003	%	
4	3	19	20	21	0	0	W	OW	O	0	0	52.07	43.5	24.32	71.8	30.2	30.1	33.13	17.03	21.98	48.2	74.7	-6.4	MW-M	0.0	5	52000003	%	
																		82.02	87.21	85.66	94.8	-1.6	6.4	OW_W	0.4	6	52000004	%	
5	3	25	26	27	0	0	W	YW	Y	0	0	71.92	80.69	32.04	91.9	-9.8	53.1	30.66	17.1	2.67	48.3	65.3	52.9	OW-O	0.0	7	52000004	%	
																		82.01	87.27	85.07	94.8	-1.8	6.9	YW-W	0.429	8	52000005	%	
6	3	31	32	33	0	0	W	LW	L	0	0	32.29	44.66	29.33	72.6	-33.3	23.7	66.66	73.8	6.99	88.8	-7.6	100.6	YW-Y	0.0	9	52000005	%	
																		81.97	87.24	84.96	94.8	-1.8	6.9	LW-W	0.501	10	52000006	%	
7	3	37	38	39	0	0	C	CN	N	0	0	8.52	10.95	21.14	39.5	-15.4	-20.0	9.71	20.83	6.41	52.7	-62.6	40.7	LW-L	0.0	11	52000006	%	
																		19.77	27.96	70.59	59.8	-30.7	-42.2	CN-C	0.541	12	52000007	%	
8	3	43	44	45	0	0	V	VN	N	0	0	5.28	4.23	10.25	24.4	16.5	-21.2	2.98	3.09	3.08	20.4	0.6	1.8	CN-N	0.0	13	52000007	%	
																		8.21	5.47	23.25	28.0	31.2	-43.5	VN-V	0.497	14	52000008	%	
9	3	49	50	51	0	0	M	MN	N	0	0	12.27	8.03	9.32	34.0	36.9	-1.8	3.08	3.18	3.17	20.7	1.0	1.8	VN-N	0.0	15	52000008	%	
																		32.53	16.54	21.19	47.6	75.2	-6.1	MN-M	0.526	16	52000009	%	
10	3	55	56	57	0	0	O	ON	N	0	0	11.57	7.96	2.63	33.9	32.7	28.1	2.84	2.94	2.96	19.8	0.7	1.6	MN-N	0.0	17	52000009	%	
																		30.31	16.86	2.49	48.0	65.3	53.7	ON-O	0.529	18	52000010	%	
11	3	61	62	63	0	0	Y	YN	N	0	0	20.09	22.16	4.76	54.2	-4.7	50.5	2.9	3.01	2.99	20.0	0.6	1.8	ON-N	0.0	19	52000010	%	
																		66.79	74.09	7.44	88.9	-7.9	99.2	YN-Y	0.452	20	52000011	%	
12	3	67	68	69	0	0	L	LN	N	0	0	5.36	8.94	4.48	35.8	-31.8	20.3	3.03	3.11	3.07	20.5	1.2	2.0	YN-N	0.0	21	52000011	%	
																		10.24	21.55	6.75	53.5	-61.8	40.7	LN-L	0.438	22	52000012	%	
13	3	209	210	211	0	0	W	C	N	0	0	18.97	27.01	69.41	58.9	-30.9	-42.8	3.14	3.22	3.18	20.9	1.3	2.0	LN-N	0.0	23	52000012	%	
																		81.9	87.16	84.9	94.8	-1.8	6.9	C-W	0.454	24	52000013	%	
14	3	215	216	217	0	0	W	V	N	0	0	7.46	4.89	21.98	26.4	31.2	-44.1	2.71	2.82	2.88	19.3	0.4	1.3	C-N	0.0	25	52000013	%	
																		81.87	87.12	84.91	94.7	-1.8	6.9	V-W	0.714	26	52000014	%	
15	3	221	222	223	0	0	W	M	N	0	0	32.65	16.67	21.39	47.8	74.9	-6.1	2.73	2.85	2.9	19.4	0.4	1.3	V-N	0.0	27	52000014	%	
																		81.94	87.19	85.03	94.8	-1.8	6.8	M-W	0.435	28	52000015	%	
16	3	227	228	229	0	0	W	O	N	0	0	30.21	16.81	2.56	48.0	65.2	53.0	2.83	2.94	3.01	19.8	0.5	1.2	W-N	0.0	29	52000015	%	
																		81.96	87.2	85.25	94.8	-1.7	6.7	O-W	0.479	30	52000016	%	
17	3	233	234	235	0	0	W	Y	N	0	0	66.73	73.83	7.17	88.8	-7.5	99.9	2.84	2.95	3.07	19.8	0.6	0.9	O-N	0.0	31	52000016	%	
																		82.0	87.31	84.7	94.8	-1.9	7.2	Y-W	0.304	32	52000017	%	
18	3	239	240	241	0	0	W	L	N	0	0	9.33	20.32	6.4	52.2	-63.2	39.8	2.67	2.78	2.85	19.1	0.4	1.1	Y-N	0.0	33	52000017	%	
																		81.86	87.15	84.58	94.8	-1.8	7.1	L-W	0.505	34	52000018	%	
19	3	245	246	247	0	0	C	V	M	0	0	7.64	5.03	22.24	26.8	31.2	-43.9	2.71	2.82	2.88	19.3	0.4	1.3	L-N	0.0	35	52000018	%	
																		19.13	27.14	69.68	59.1	-30.7	-42.8	V-C	0.479	36	52000019	%	
20	3	251	252	253	0	0	M	O	Y	0	0	30.19	16.79	2.54	47.9	65.2	53.1	32.77	16.79	21.38	47.9	74.7	-5.9	V-M	0.0	37	52000019	%	
																		32.74	16.74	21.47	47.9	74.9	-6.1	O-M	0.329	38	52000020	%	
21	3	257	258	259	0	0	Y	L	C	0	0	9.23	20.19	6.39	52.0	-63.4	39.5	66.63	73.82	7.5	88.8	-7.7	98.7	O-Y	0.0	39	52000020	%	
																		66.64	73.75	7.32	88.8	-7.5	99.3	L-Y	0.604	40	52000021	%	
22	3	263	264	265	0	0	V	C	L	0	0	18.93	26.93	69.28	58.9	-30.9	-42.8	18.96	26.97	69.34	58.9	-30.9	-42.8	L-C	0.0	41	52000021	%	
																		7.53	4.95	21.87	26.6	31.1	-43.6	C-V	0.587	42	52000022	%	
23	3	269	270	271	0	0	L	Y	O	0	0	66.61	73.78	7.37	88.8	-7.6	99.2	9.3	20.22	6.42	52.0	-63.0	39.5	C-L	0.0	43	52000022	%	
																		9.55	20.6	6.52	52.5	-62.8	39.8	Y-L	0.552	44	52000023	%	
24	3	275	276	277	0	0	O	M	V	0	0	32.75	16.75	21.34	47.9	74.8	-5.9	30.05	16.67	2.5	47.8	65.4	53.1	Y-O	0.0	45	52000023	%	
																		30.17	16.78	2.55	47.9	65.2	53.0	M-O	0.347	46	52000024	%	
25	5	89	90	91	92	93	W	Wc	CW	Cw	C	61.41	68.76	83.1	86.3	-9.0	-6.2	7.66	5.06	22.19	26.9	31.0	-43.7	M-V	0.0	47	52000024	%	
																		81.96	87.19	85.24	94.8	-1.7	6.7	W-Wc	0.22	50	52000025	%	
26	5	99	100	101	102	103	W	Wv	CW	Vw	V	53.77	53.72	66.4	78.3	7.0	-7.0	42.84	51.17	77.72	76.7	-16.5	-18.7	Wc-CW	0.455	49	52000025	%	
																		42.84	51.17	77.72	76.7	-16.5	-18.7	CW-Cw	0.664	1	52000025	%	
																			19.11	27.16	69.75	59.1	-30.8	-42.8	Cw-C	0.0	51	52000025	%
																			81.67	86.84	85.23	94.6	-1.6	6.5	W-Wv	0.232	54	52000026	%
																			31.0	28.44	46.98	60.2	15.3	-19.5	Wv-Vw	0.444	53	52000026	%
																			31.0	28.44	46.98	60.2	15.3	-19.5	Vw-Vw	0.659	1	52000026	%
																			7.72	5.09	22.44	27.0	31.1	-43.9	Vw-V	0.0	55	52000026	%
1-003230-L0																													
XE490-7R_0_0																													

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	X0	Y0	Z0	L*0	a*0ab	b*0	X1	Y1	Z1ab	L*1	a*1ab	b*1	CODE	VIM	iaa	inr	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
%1000	*(CIEXYZ	& DV)	for all colours (a) of experiment, iimp=114, colour difference pairs KA_LC114=KIT_ADJACENT, xchart3=0, xchart4=1 %																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
27	5	109	110	111	112	113	W	Wm	CW	Mw	M	68.55	64.01	66.22	83.9	17.4	2.9	82.01	87.21	85.53	94.8	-1.7	6.5	W-Wm	0.255	58	52000027	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
28	5	119	120	121	122	123	W	Wo	CW	Ow	O	64.91	61.74	48.22	82.7	14.5	17.8	54.22	42.96	47.36	71.5	37.3	-0.6	Wm-MW	0.473	57	52000027	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		54.22	42.96	47.36	71.5	37.3	-0.6	MW-Mw	0.708	1	52000027	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		32.94	16.85	21.83	48.0	74.9	-6.5	Mw-M	0.0	59	52000027	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		81.89	87.15	84.58	94.8	-1.8	7.1	W-Wo	0.226	62	52000028	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		51.43	42.5	23.75	71.2	31.5	29.9	Wo-OW	0.447	61	52000028	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
29	5	129	130	131	132	133	W	Wy	CW	Yw	Y	75.93	83.22	55.28	93.1	-6.3	28.5	51.43	42.5	23.75	71.2	31.5	29.9	OW-OW	0.689	1	52000028	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		30.15	16.71	2.43	47.9	65.5	53.7	OW-O	0.0	63	52000028	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		81.99	87.23	85.07	94.8	-1.7	6.9	W-Wy	0.235	66	52000029	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		72.08	80.77	32.95	92.0	-9.6	51.9	Wy-YW	0.46	65	52000029	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		72.08	80.77	32.95	92.0	-9.6	51.9	YW-Yw	0.718	1	52000029	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
30	5	139	140	141	142	143	W	Wl	CW	Lw	L	54.95	65.26	54.93	84.6	-17.1	14.2	66.78	74.0	7.58	88.9	-7.7	98.6	Yw-Y	0.0	67	52000029	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		81.89	87.08	85.31	94.7	-1.7	6.6	W-Wl	0.251	70	52000030	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		32.6	44.92	30.62	72.8	-32.9	22.1	Wl-LW	0.463	69	52000030	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		32.6	44.92	30.62	72.8	-32.9	22.1	LW-Lw	0.695	1	52000030	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		9.86	21.11	6.73	53.0	-62.7	39.9	Lw-L	0.0	71	52000030	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
31	5	149	150	151	152	153	C	Cn	CN	Nc	N	12.81	17.46	40.6	48.8	-23.0	-32.1	19.27	27.35	69.61	59.3	-30.8	-42.4	C-Cn	0.285	74	52000031	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		8.05	10.39	20.66	38.5	-15.5	-20.8	Cn-CN	0.511	73	52000031	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		8.05	10.39	20.66	38.5	-15.5	-20.8	CN-Nc	0.763	1	52000031	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		2.73	2.84	2.93	19.4	0.5	1.0	Nc-N	0.0	75	52000031	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		7.63	5.0	22.14	26.7	31.4	-43.9	V-Vn	0.217	78	52000032	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
32	5	159	160	161	162	163	V	Vn	VN	Nv	N	6.16	4.41	15.59	25.0	24.1	-33.9	4.84	3.85	9.87	23.1	16.4	-22.2	Vn-VN	0.482	77	52000032	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		4.84	3.85	9.87	23.1	16.4	-22.2	VN-Nv	0.785	1	52000032	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		2.82	2.93	2.97	19.7	0.7	1.4	Nv-N	0.0	79	52000032	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		32.8	16.75	21.46	47.9	75.0	-6.1	M-Mn	0.291	82	52000033	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		12.45	8.16	9.7	34.3	37.0	-2.5	Mn-MN	0.521	81	52000033	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
33	5	169	170	171	172	173	M	Mn	MN	Nm	N	20.06	11.21	14.29	39.9	56.6	-5.2	12.45	8.16	9.7	34.3	37.0	-2.5	MN-Nm	0.714	1	52000033	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		2.95	3.05	3.07	20.2	0.8	1.6	Nm-N	0.0	83	52000033	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		30.13	16.7	2.46	47.8	65.5	53.5	O-On	0.284	86	52000034	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		11.28	7.75	2.62	33.4	32.5	27.4	On-ON	0.482	85	52000034	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		11.28	7.75	2.62	33.4	32.5	27.4	ON-No	0.72	1	52000034	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
34	5	179	180	181	182	183	O	On	ON	No	N	18.78	11.34	2.51	40.1	49.1	39.9	2.74	2.86	2.95	19.5	0.3	1.1	No-N	0.0	87	52000034	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		66.65	73.85	7.56	88.8	-7.7	98.5	Y-Yn	0.273	90	52000035	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		19.74	21.83	4.83	53.8	-5.0	49.6	Yn-YN	0.491	89	52000035	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		19.74	21.83	4.83	53.8	-5.0	49.6	YN-Ny	0.679	1	52000035	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		2.81	2.92	2.97	19.7	0.5	1.4	Ny-N	0.0	91	52000035	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
35	5	189	190	191	192	193	Y	Yn	YN	Ny	N	39.43	44.28	6.44	72.4	-8.1	74.5	9.8	21.03	6.73	52.9	-62.9	39.8	L-Ln	0.27	94	52000036	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		5.09	8.6	4.49	35.2	-32.2	19.1	Ln-LN	0.46	93	52000036	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		5.09	8.6	4.49	35.2	-32.2	19.1	LN-Nl	0.735	1	52000036	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																		2.99	3.1	3.12	20.4	0.7	1.6	Nl-N	0.0	95	52000036	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							