

see similar files: <http://130.149.60.45/~farbmetrik/XE65/XE65L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	dS*DV	dE*DV	dE*DVrdE	dVrdE	dVmdE	dVmn	no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs VA_EV098=VIK_ADJACENT_EV, ioutn=0, iouts=0 %																												
0095050	0100000	0108900	0043074	0051427	00777399	0081895	0087159	0084892	0015888	03661	03661	1.0	0.434	0.0	0.566	65000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%	
0095050	0100000	0108900	0043074	0051427	00777399	0019343	0027473	0069838	0020721	03661	00000	0.0	0.566	1.0	0.434	65000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%	
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0016547	03661	03661	1.0	0.452	0.0	0.548	65000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%	
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0020062	03661	00000	0.0	0.548	1.0	0.452	65000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%	
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0015742	03661	03661	1.0	0.43	0.0	0.57	65000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%	
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0020867	03661	00000	0.0	0.57	1.0	0.43	65000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%	
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0015778	03661	03661	1.0	0.431	0.0	0.569	65000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%	
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0020831	03661	00000	0.0	0.569	1.0	0.431	65000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%	
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0017353	03661	03661	1.0	0.474	0.0	0.525	65000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%	
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0066995	0019256	03661	00000	0.0	0.525	1.0	0.474	65000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%	
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0017572	03661	03661	1.0	0.48	0.0	0.52	65000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%	
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0019037	03661	00000	0.0	0.52	1.0	0.48	65000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%	
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0019879	03661	03661	1.0	0.543	0.0	0.456	65000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%	
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0003099	0003081	0016730	03661	00000	0.0	0.456	1.0	0.543	65000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%	
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0022039	03661	03661	1.0	0.602	0.0	0.397	65000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%	
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0014570	03661	00000	0.0	0.397	1.0	0.602	65000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%	
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0018854	03661	03661	1.0	0.515	0.0	0.484	65000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%	
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0017755	03661	00000	0.0	0.484	1.0	0.515	65000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%	
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0019037	03661	03661	1.0	0.52	0.0	0.479	65000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%	
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0017572	03661	00000	0.0	0.479	1.0	0.52	65000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%	
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0017829	03661	03661	1.0	0.487	0.0	0.513	65000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%	
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0018780	03661	00000	0.0	0.513	1.0	0.487													

see similar files: <http://130.149.60.45/~farbmetrik/XE65/XE65L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	dS*DV	dE*DV	dE*DvrdE	dVrdE	dVmdE	dVm no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%	
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %imp=98, colour difference pairs VA_EV098=VIK_ADJACENT_EV, ioutn=0, iouts=0 %																												
0095050	0100000	0108900	0053773	0053723	0066406	0081677	0086843	0085230	0018195	03661	03661	1.0	0.497	0.0	0.503	65000051	78	7	-7	9	315	95	-1	6	6	104	(Wv-W)%	
0095050	0100000	0108900	0053773	0053723	0066406	0031007	0028449	0046980	0018414	03661	00000	0.0	0.503	1.0	0.496	65000052	78	7	-7	9	315	60	15	-19	24	308	(Wv-VW)%	
0095050	0100000	0108900	0068553	0064010	0066228	0082016	0087216	0085531	0018012	03661	03661	1.0	0.492	0.0	0.508	65000053	84	17	2	17	9	95	-1	6	6	104	(Wm-W)%	
0095050	0100000	0108900	0068553	0064010	0066228	0054225	0042964	0047363	0018597	03661	00000	0.0	0.508	1.0	0.491	65000054	84	17	2	17	9	72	37	0	37	359	(Wm-MW)%	
0095050	0100000	0108900	0064913	0061743	0048224	0081898	0087155	0084581	0018048	03661	03661	1.0	0.493	0.0	0.506	65000055	83	14	17	23	50	95	-1	7	7	104	(Wo-W)%	
0095050	0100000	0108900	0064913	0061743	0048224	0051433	0042502	0023758	0018561	03661	00000	0.0	0.506	1.0	0.493	65000056	83	14	17	23	50	71	31	29	43	43	(Wo-OW)%	
0095050	0100000	0108900	0075935	0083223	0055281	0081998	0087239	0085073	0013106	03661	03661	1.0	0.358	0.0	0.641	65000057	93	-6	28	29	102	95	-1	6	7	104	(Wy-W)%	
0095050	0100000	0108900	0075935	0083223	0055281	0072081	0080771	0032956	0023503	03661	00000	0.0	0.641	1.0	0.358	65000058	93	-6	28	29	102	92	-9	51	52	100	(Wy-YW)%	
0095050	0100000	0108900	0054957	0065264	0054935	0081892	0087084	0085314	0018012	03661	03661	1.0	0.492	0.0	0.508	65000059	85	-17	14	22	140	95	-1	6	6	104	(Wl-W)%	
0095050	0100000	0108900	0054957	0065264	0054935	0032602	0044922	0030627	0018597	03661	00000	0.0	0.508	1.0	0.491	65000060	85	-17	14	22	140	73	-32	22	39	146	(Wl-LW)%	
0095050	0100000	0108900	0030129	0038759	0074364	0042846	0051178	0077724	0013728	03661	03661	1.0	0.375	0.0	0.625	65000061	69	-23	-30	38	232	77	-16	-18	25	228	(Cw-CW)%	
0095050	0100000	0108900	0030129	0038759	0074364	0019117	0027166	0069759	0022881	03661	00000	0.0	0.625	1.0	0.375	65000062	69	-23	-30	38	232	59	-30	-42	52	234	(Cw-C)%	
0095050	0100000	0108900	0017140	0013979	0033873	0031007	0028449	0046980	0015376	03661	03661	1.0	0.42	0.0	0.58	65000063	44	22	-31	39	305	60	15	-19	24	308	(Vw-VW)%	
0095050	0100000	0108900	0017140	0013979	0033873	0007724	0050509	0022445	0021233	03661	00000	0.0	0.58	1.0	0.42	65000064	44	22	-31	39	305	27	31	-43	53	305	(Vw-V)%	
0095050	0100000	0108900	0043132	0028245	0033517	0054225	0042964	0047363	0015229	03661	03661	1.0	0.416	0.0	0.584	65000065	60	56	-3	56	356	72	37	0	37	359	(Mw-MW)%	
0095050	0100000	0108900	0043132	0028245	0033517	0032941	0016859	0021835	0021380	03661	00000	0.0	0.584	1.0	0.416	65000066	60	56	-3	56	356	48	74	-6	75	354	(Mw-M)%	
0095050	0100000	0108900	0039728	0027280	0009052	0051433	0042502	0023758	0015083	03661	03661	1.0	0.412	0.0	0.587	65000067	59	49	42	65	40	71	31	29	43	43	(Ow-OW)%	
0095050	0100000	0108900	0039728	0027280	0009052	0030153	0067116	0020439	0021526	03661	00000	0.0	0.587	1.0	0.412	65000068	59	49	42	65	40	48	65	53	84	39	(Ow-O)%	
0095050	0100000	0108900	0069109	0077892	0016272	0072081	0080771	0032956	0017426	03661	03661	1.0	0.476	0.0	0.524	65000069	91	-10	77	78	97	92	-9	51	52	100	(Yw-YW)%	
0095050	0100000	0108900	0069109	0077892	0016272	0066785	0074005	0007581	0019183	03661	00000	0.0	0.524	1.0	0.476	65000070	91	-10	77	78	97	89	-7	98	98	94	(Yw-Y)%	
0095050	0100000	0108900	0019612	0032347	0016223	0032602	0044922	0030627	0015705	03661	03661	1.0	0.429	0.0	0.571	65000071	64	-4										

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	dS*DV	dE*DV	dE*DVrd	E*DVrd	E*DVmd	E*DVm	no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
-----	----	----	----	----	----	----	----	----	-------	-------	-------	---------	--------	--------	-------	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	------	---

%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %imp=98, colour difference pairs VA_EV098=VIK_ADJACENT_EV, ioutn=0, iouts=0 %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 2.22, CIELAB_STRESSa = 53.36

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 2.22, CIELCHSTRESSa = 53.36

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 1.29, C94LCHSTRESSa = 52.39

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 1.38, CMCLCHSTRESSa = 51.31

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 1.24, C00LCHSTRESSa = 53.08

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 10.0, C85LCHSTRESSa = 51.43

see similar files: <http://130.149.60.45/~farbmetrik/XE65/XE65L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%CIE LAB data for all colour (a) of experiment, , %iimp=98, colour difference pairs VA_EV098=VIK_ADJACENT_EV, ioutn=0, iouts=0 %																												
76.94	-16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	15.88	34.22	26.08	27.49	24.57	157.5	65000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%	
76.94	-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	20.72	33.16	22.13	18.63	17.27	196.5	65000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%	
60.15	15.41	-18.9	24.39	309.2	94.8	-1.84	7.05	7.28	104.6	16.54	46.6	40.38	36.7	34.4	274.9	65000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%	
60.15	15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	20.06	44.07	35.81	35.06	32.51	390.3	65000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%	
71.36	37.37	-0.08	37.37	359.8	94.81	-1.74	6.7	6.92	104.5	15.74	46.11	30.75	31.95	30.23	184.1	65000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%	
71.36	37.37	-0.08	37.37	359.8	48.31	74.74	-6.46	75.02	355.0	20.86	44.36	27.13	23.93	23.04	225.1	65000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%	
71.9	30.26	30.19	42.75	44.9	94.83	-1.67	6.45	6.67	104.5	15.77	45.93	27.97	31.72	28.31	187.3	65000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%	
71.9	30.26	30.19	42.75	44.9	48.4	65.36	52.84	84.04	38.9	20.83	47.92	27.68	24.9	23.54	229.5	65000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%	
91.99	-9.86	53.16	54.07	100.5	94.86	-1.81	6.92	7.16	104.6	17.35	47.02	13.98	23.19	19.84	92.1	65000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%	
91.99	-9.86	53.16	54.07	100.5	88.83	-7.61	100.6	100.89	94.3	19.25	47.6	14.67	15.84	11.5	45.6	65000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%	
72.67	-33.3	23.7	40.87	144.5	94.84	-1.83	6.98	7.22	104.6	17.57	41.97	26.16	26.11	24.48	174.4	65000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%	
72.67	-33.3	23.7	40.87	144.5	52.77	-62.6	40.69	74.67	146.9	19.03	39.28	23.23	20.49	19.33	184.5	65000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%	
39.52	-15.42	-20.08	25.32	232.4	59.86	-30.71	-42.29	52.26	234.0	19.87	33.76	23.92	22.17	22.57	207.0	65000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%	
39.52	-15.42	-20.08	25.32	232.4	20.47	0.6	1.87	1.96	72.1	16.73	33.2	24.16	32.01	24.77	232.3	65000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%	
24.45	16.55	-21.26	26.94	307.8	28.07	31.19	-43.56	53.58	305.6	22.03	26.91	12.61	12.53	10.12	113.9	65000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%	
24.45	16.55	-21.26	26.94	307.8	20.81	1.05	1.84	2.12	60.1	14.57	28.06	14.8	21.73	19.63	130.4	65000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%	
34.07	36.95	-1.84	36.99	357.1	47.69	75.24	-6.1	75.49	355.3	18.85	40.86	19.88	19.98	16.32	153.0	65000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%	
34.07	36.95	-1.84	36.99	357.1	19.86	0.75	1.61	1.78	64.8	17.75	39.03	20.25	29.75	25.17	173.5	65000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%	
33.92	32.74	28.13	43.17	40.6	48.09	65.37	53.64	84.56	39.3	19.03	43.76	19.98	20.55	16.57	156.6	65000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%	
33.92	32.74	28.13	43.17	40.6	20.13	0.68	1.82	1.95	69.3	17.57	43.7	19.84	30.74	24.46	179.3	65000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%	
54.21	-4.7	50.5	50.72	95.3	88.97	-7.91	99.17	99.48	94.5	17.82	59.89	37.8	31.22	28.64	263.4	65000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%	
54.21	-4.7	50.5	50.72	95.3	20.55	1.21	2.03	2.37	59.1	18.78	59.3	36.94	45.06	36.56	331.1	65000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%	
35.9	-31.79	20.36	37.75	147.3	53.55	-61.81	40.72	74.02	146.6	18.81	40.34	22.19	21.86	19.59	181.6	65000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%	
35.9	-31.79	20.36	37.75	147.3	20.95	1.31	2.0	2.39	56.8	17.79	40.69	21.66	31.39	27.19	181.6	65000024	36	-31	20	37								

see similar files: <http://130.149.60.45/~farbmetrik/XE65/XE65L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%									
%CIELAB	data for all colour (a) of experiment,				, %iimp=98, colour difference											pairs VA_EV098=VIK_ADJACENT_EV, ioutn=0, iouts=0											%										
78.3	7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	18.19	22.95	21.47	21.55	18.66	125.9	65000051	78	7	-7	9	315	95	-1	6	6	104	(Wv-W)%										
78.3	7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	18.41	23.46	20.81	17.2	16.65	162.4	65000052	78	7	-7	9	315	60	15	-19	24	308	(Wv-VW)%										
83.97	17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	18.01	22.34	17.83	32.91	22.37	82.9	65000053	84	17	2	17	9	95	-1	6	6	104	(Wm-W)%										
83.97	17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	18.59	23.73	16.97	14.13	13.11	104.4	65000054	84	17	2	17	9	72	37	0	37	359	(Wm-MW)%										
82.78	14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	18.04	22.94	16.71	20.73	19.45	94.3	65000055	83	14	17	23	50	95	-1	7	7	104	(Wo-W)%										
82.78	14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	18.56	23.82	15.59	13.74	12.08	101.7	65000056	83	14	17	23	50	71	31	29	43	43	(Wo-OW)%										
93.11	-6.36	28.57	29.27	102.5	94.84	-1.77	6.9	7.13	104.4	13.1	22.21	9.71	14.11	12.32	52.2	65000057	93	-6	28	29	102	95	-1	6	7	104	(Wy-W)%										
93.11	-6.36	28.57	29.27	102.5	92.03	-9.68	51.97	52.86	100.5	23.5	23.65	10.28	10.14	8.36	38.4	65000058	93	-6	28	29	102	92	-9	51	52	100	(Wy-YW)%										
84.62	-17.15	14.27	22.31	140.2	94.77	-1.7	6.61	6.83	104.4	18.01	20.01	13.97	14.93	15.23	78.4	65000059	85	-17	14	22	140	95	-1	6	6	104	(Wl-W)%										
84.62	-17.15	14.27	22.31	140.2	72.84	-32.92	22.13	39.67	146.0	18.59	21.19	14.79	12.32	11.24	97.1	65000060	85	-17	14	22	140	73	-32	22	39	146	(Wl-LW)%										
68.58	-23.63	-30.29	38.42	232.0	76.79	-16.56	-18.75	25.02	228.5	13.72	15.82	9.64	9.12	8.32	87.7	65000061	69	-23	-30	38	232	77	-16	-18	25	228	(Cw-CW)%										
68.58	-23.63	-30.29	38.42	232.0	59.13	-30.86	-42.86	52.82	234.2	22.88	17.31	10.87	9.7	9.2	112.1	65000062	69	-23	-30	38	232	59	-30	-42	52	234	(Cw-C)%										
44.21	22.97	-31.7	39.15	305.9	60.3	15.34	-19.57	24.87	308.0	15.37	21.53	16.91	16.01	16.97	180.8	65000063	44	22	-31	39	305	60	15	-19	24	308	(Vw-VW)%										
44.21	22.97	-31.7	39.15	305.9	27.04	31.13	-43.94	53.85	305.3	21.23	22.61	17.98	20.05	15.04	230.9	65000064	44	22	-31	39	305	27	31	-43	53	305	(Vw-V)%										
60.11	56.15	-3.8	56.28	356.1	71.53	37.39	-0.61	37.39	359.0	15.22	22.19	12.67	11.96	11.17	108.4	65000065	60	56	-3	56	356	72	37	0	37	359	(Mw-MW)%										
60.11	56.15	-3.8	56.28	356.1	48.09	74.97	-6.57	75.26	354.9	21.38	22.5	13.18	12.48	12.51	127.2	65000066	60	56	-3	56	356	48	74	-6	75	354	(Mw-M)%										
59.24	49.55	42.4	65.21	40.5	71.22	31.5	29.96	43.48	43.5	15.08	24.97	13.26	12.84	11.81	116.1	65000067	59	49	42	65	40	71	31	29	43	43	(Ow-OW)%										
59.24	49.55	42.4	65.21	40.5	47.91	65.55	53.73	84.76	39.3	21.52	22.64	12.39	11.96	11.86	120.3	65000068	59	49	42	65	40	48	65	53	84	39	(Ow-O)%										
90.73	-10.44	77.87	78.57	97.6	92.03	-9.68	51.97	52.86	100.5	17.42	25.94	6.0	9.11	6.82	28.2	65000069	91	-10	77	78	97	92	-9	51	52	100	(Yw-YW)%										
90.73	-10.44	77.87	78.57	97.6	88.92	-7.75	98.59	98.9	94.4	19.18	20.97	5.31	6.8	4.93	18.9	65000070	91	-10	77	78	97	89	-7	98	98	94	(Yw-Y)%										
63.63	-47.75	31.25	57.07	146.7	72.84	-32.92	22.13	39.67	146.0	15.7	19.69	10.42	10.01	9.11	85.2	65000071	64	-47	31	57	146	73	-32	22	39	146	(Lw-LW)%										
63.63	-47.75	31.25	57.07	146.7	53.08	-62.72	39.96	74.36	147.4	20.9	20.27	11.61	10.77	10.46	103.2	65000072	64	-47	31	57	146	53	-62	39	74	147	(Lw-L)%										
48.84	-23.06	-32.15	39.56	234.3	59.31	-30.82	-42.44	52.45	234.0	19.51	16.6	11.44	10.6	10.89	103.6	65000073	49	-23	-32	39	234	59	-30	-42	52	234	(Cn-C)%										
48.84	-23.06	-32.15	39.56	234.3	38.56	-15.5	-20.87	25.99	233.3	17.09	17.																										

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
------	-----	-----	-------	------	-----	-----	-----	-------	------	----	-------	-------	-------	-------	-------	----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	--------

%CIELAB data for all colour (a) of experiment, , %imp=98, colour difference pairs VA_EV098=VIK_ADJACENT_EV, ioutn=0, iouts=0 %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 2.22, CIELAB_STRESSa = 53.36

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 2.22, CIELCHSTRESSa = 53.36

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 1.29, C94LCHSTRESSa = 52.39

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 1.38, CMCLCHSTRESSa = 51.31

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 1.24, C00LCHSTRESSa = 53.08

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 10.0, C85LCHSTRESSa = 51.43