

http://130.149.60.45/~farbmatrik/XG35/XG35L0N1.TXT /PS; Start-Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 1/1

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmatrik/XG35/XG35L0N1.TXT /PS>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmatrik>

M	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	X0	Y0	Z0	L*0	a*0	b*0	X1	Y1	Z1	L*1	a*1	b*1	VIM	no.	inr	%
1	3	1	2	3	0	0	W	W	V	0	0	30.85	28.28	46.11	60.1	15.4	-18.9	81.89	87.15	84.89	94.8	-1.8	6.9	0.433	0	51000001	1
2	3	7	8	9	0	0	W	VW	V	0	0	30.85	28.28	46.11	60.1	15.4	-18.9	81.86	87.13	84.76	94.7	-1.8	7.0	0.452	2	51000002	1
3	3	13	14	15	0	0	W	MW	M	0	0	53.92	42.7	46.58	71.3	37.3	0.0	81.95	87.17	85.29	94.8	-1.7	6.7	0.429	4	51000003	1
4	3	19	20	21	0	0	W	OW	O	0	0	52.07	43.5	24.32	71.8	30.2	30.1	82.92	87.21	85.66	94.8	-1.6	6.4	0.43	6	51000004	1
5	3	25	26	27	0	0	W	YW	Y	0	0	71.92	80.69	32.04	91.9	-9.8	53.1	30.66	17.1	2.67	48.3	65.3	52.9	0.0	7	51000005	1
6	3	31	32	33	0	0	W	LW	L	0	0	32.29	44.66	29.33	72.6	-33.3	23.7	81.97	87.24	84.96	94.8	-1.8	6.9	0.48	10	51000006	1
7	3	37	38	39	0	0	C	CN	N	0	0	8.52	10.95	21.14	39.5	-15.4	-20.0	19.77	27.96	70.59	59.8	-30.7	-42.2	0.542	12	51000007	1
8	3	43	44	45	0	0	V	VN	N	0	0	5.28	4.23	10.25	24.4	16.5	-21.2	2.98	3.89	3.88	20.4	0.6	1.8	0.0	13	51000008	1
9	3	49	50	51	0	0	M	MN	N	0	0	12.27	8.03	9.32	34.0	36.9	-1.8	8.21	5.47	23.25	28.0	31.2	-43.5	0.602	14	51000009	1
10	3	55	56	57	0	0	O	ON	N	0	0	11.57	7.96	2.63	33.9	32.7	28.1	3.08	3.18	3.18	20.7	1.0	1.8	0.0	15	51000010	1
11	3	61	62	63	0	0	Y	YN	N	0	0	20.09	22.16	4.76	54.2	-4.7	50.5	32.53	16.54	21.19	47.6	75.2	-6.1	0.515	16	51000011	1
12	3	67	68	69	0	0	L	LN	N	0	0	5.36	8.94	4.48	35.8	-31.8	20.3	2.84	2.94	2.96	19.0	0.7	1.6	0.0	17	51000012	1
13	3	209	210	211	0	0	W	C	N	0	0	18.97	27.01	69.41	58.9	-30.9	-42.8	30.31	3.11	3.07	20.5	-1.2	2.0	0.0	21	51000013	1
14	3	215	216	217	0	0	W	V	N	0	0	7.46	4.89	21.98	26.4	31.2	-44.1	81.9	87.16	84.9	94.8	-1.8	6.9	0.451	24	51000014	1
15	3	221	222	223	0	0	W	M	N	0	0	32.65	16.67	21.39	47.8	74.9	-6.1	81.87	87.12	84.91	94.7	-1.8	6.9	0.622	26	51000015	1
16	3	227	228	229	0	0	W	O	N	0	0	30.21	16.81	2.56	48.0	65.2	53.0	2.73	2.85	2.9	19.4	0.4	1.3	0.0	27	51000016	1
17	3	233	234	235	0	0	W	Y	N	0	0	66.73	73.83	7.17	88.8	-7.5	99.9	81.96	87.2	85.25	94.8	-1.7	6.7	0.464	30	51000017	1
18	3	239	240	241	0	0	W	L	N	0	0	9.33	20.32	6.4	52.2	-63.2	39.8	2.84	2.94	3.01	19.8	0.5	1.2	0.0	31	51000018	1
19	3	245	246	247	0	0	C	V	M	0	0	7.64	5.03	22.24	26.8	31.2	-43.9	81.96	87.2	85.25	94.8	-1.7	6.7	0.464	30	51000019	1
20	3	251	252	253	0	0	M	O	Y	0	0	30.19	16.79	2.54	47.9	65.2	53.1	2.73	2.85	2.9	19.4	0.4	1.3	0.0	31	51000020	1
21	3	257	258	259	0	0	Y	L	C	0	0	9.23	20.19	6.39	52.0	-63.4	39.5	66.63	73.82	7.5	88.8	-7.7	98.7	0.0	39	51000021	1
22	3	263	264	265	0	0	V	C	L	0	0	18.93	26.93	69.28	58.9	-30.9	-42.8	66.64	73.75	7.32	88.8	-7.5	99.3	0.517	40	51000022	1
23	3	269	270	271	0	0	L	Y	O	0	0	66.61	73.78	7.37	88.8	-7.6	99.2	18.96	26.97	69.34	58.9	-30.9	-42.8	0.0	41	51000023	1
24	3	275	276	277	0	0	O	M	V	0	0	32.75	16.75	21.34	47.9	74.8	-5.9	7.53	4.95	21.87	26.6	31.1	-43.6	0.517	42	51000024	1
25	5	89	90	91	92	93	W	Wc	CW	Cw	C	61.41	68.76	83.1	86.3	-9.0	-6.2	9.3	20.22	6.42	52.0	-63.0	39.5	0.0	43	51000025	1
26	5	99	100	101	102	103	W	Wv	CW	Vw	V	53.77	53.72	66.4	78.3	7.0	-7.0	9.55	20.6	6.52	52.5	-62.8	39.8	0.509	44	51000026	1
																		30.95	16.67	2.5	47.8	65.4	53.1	0.0	45	51000027	1
																		30.17	16.78	2.55	47.7	65.2	53.0	0.396	46	51000028	1
																		7.66	5.06	22.19	26.9	31.0	-43.7	0.0	47	51000029	1
																		81.96	87.19	85.03	94.8	-1.7	6.7	0.206	50	51000030	1
																		42.84	51.17	77.72	76.7	-16.5	-18.7	0.428	49	51000031	1
																		42.84	51.17	77.72	76.7	-16.5	-18.7	0.643	1	51000032	1
																		19.11	27.16	69.75	59.1	-30.8	-42.8	0.0	51	51000033	1
																		81.67	86.84	85.23	94.6	-1.6	6.5	0.236	54	51000034	1
																		31.0	28.44	46.98	60.2	15.3	-19.5	0.474	53	51000035	1
																		31.0	28.44	46.98	60.2	15.3	-19.5	0.695	1	51000036	1
																		7.72	5.09	22.44	27.0	31.1	-43.9	0.0	55	51000037	1

TUB-Prüfvorlage XG35; Farbabstände und -Formeln Eingabe: w/r/g/b/cmyk -> (w/r/g/b/cmyk)
VA_LC114=Vik_ADJACENT, Differenz-Experimente, Anker-Differenz: CIELAB, 000

TUB-Registrierung: 20140801-XG35/XG35L0N1.TXT /PS
Anwendung für Messung von Display- oder Drucker-Ausgabe

TUB-Material: Code=th4ta