

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG41/XG41L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	dS*DV	dE*DV	dE*DvrdE*DvrdE*DvmdE*Dvm	no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%		
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=98, colour difference pairs Va_EW098=VIK_ADJACENT_EW, ioutn=1, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	00777399	0081895	0087159	0084892	0001098	00253	0.999	0.434	0.0	0.566	41000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%	
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0001433	00253	0.000	0.0	0.566	1.0	0.434	41000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0001144	00253	0.999	0.452	0.0	0.548	41000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%	
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0001387	00253	0.000	0.0	0.548	1.0	0.452	41000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0001088	00253	0.999	0.43	0.0	0.57	41000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%	
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0001443	00253	0.000	0.0	0.57	1.0	0.43	41000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0001091	00253	0.999	0.431	0.0	0.569	41000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%	
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0001440	00253	0.000	0.0	0.569	1.0	0.431	41000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0001200	00253	0.999	0.474	0.0	0.525	41000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%	
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0060995	0001331	00253	0.000	0.0	0.525	1.0	0.474	41000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0001215	00253	0.999	0.48	0.0	0.52	41000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%	
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0001316	00253	0.000	0.0	0.52	1.0	0.48	41000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0001374	00253	0.999	0.543	0.0	0.456	41000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%	
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0003099	0003081	0001157	00253	0.000	0.0	0.456	1.0	0.543	41000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0001524	00253	0.999	0.602	0.0	0.397	41000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%	
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0001007	00253	0.000	0.0	0.397	1.0	0.602	41000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0001304	00253	0.999	0.515	0.0	0.484	41000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%	
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0001228	00253	0.000	0.0	0.484	1.0	0.515	41000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0001316	00253	0.999	0.52	0.0	0.479	41000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%	
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0001215	00253	0.000	0.0	0.479	1.0	0.52	41000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0001233	00253	0.999	0.487	0.0	0.513	41000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%	
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0001298	00253	0.000	0.0	0.513	1.0	0.487	41000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0001301	00253	0.999	0.514	0.0	0.486	41000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%	
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0001230	00253	0.000	0.0	0.486	1.0	0.514	41000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0001141	00253	0.999	0.451	0.0	0.548	41000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%	
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0002829	0002886	0001390	00253	0.000	0.0	0.548	1.0	0.451	41000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0001574	00253	0.999	0.622	0.0	0.377	41000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%	
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0000957	00253	0.000	0.0	0.377	1.0	0.622	41000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0001157	00253	0.999	0.457	0.0	0.543	41000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%	
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0001374	00253	0.000	0.0	0.543	1.0	0.457	41000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0001174	00253	0.999	0.464	0.0	0.536	41000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%	
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0001357	00253	0.000	0.0	0.536	1.0	0.464	41000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0000876	00253	0.999	0.346	0.0	0.654	41000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%	
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0001656	00253	0.000	0.0	0.654	1.0	0.346	41000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0001263	00253	0.999	0.499	0.0	0.501	41000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%	
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0001268	00253	0.000	0.0	0.501	1.0	0.499	41000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0001281	00253	0.999	0.506	0.0	0.493	41000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C)%	
0095050	0100000	0108900	0007648	0005037	0022249	0032775	0016792	0021389	0001250	00253	0.000	0.0	0.493	1.0	0.506.												

%Xn Yn Zn X0 Y0 Z0 X1 Y1 Z1 DV*DV dS*DV dE*DV dVrDE*DVrDE*DVmde*DVmde no. L*a*0 b*0 c*0 h0 L*1 a*1 b*1 c*1 h1 CODE %

Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 43.38

iai+1 = 98, CIELAB_Fa = 37.85, CIELAB_STRESSa = 46.12

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 43.39

iai+1 = 98, CIELCHFa = 37.85, CIELCHSTRESSa = 46.12

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 24.73

iai+1 = 98, C94LCHFa = 21.59, C94LCHSTRESSa = 47.2

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 26.19

iai+1 = 98, CMCLCHFa = 22.81, CMCLCHSTRESSa = 47.24

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 23.67

iai+1 = 98, C00LCHFa = 20.65, C00LCHSTRESSa = 48.1

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 188.97

iai+1 = 98, C85LCHFa = 166.25, C85LCHSTRESSa = 45.89

http://130.149.60.45/~farbmatrik/XG41/XG41L0NP.PDF /PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 4/6

SCIELAB data for all colour (a)	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab		L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %						
										EW098-VIK	EW										de*CM	de*W				
16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	1.09	33.12	22.08	27.49	24.57	157.5	41000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	1.43	34.12	26.13	18.63	17.27	196.5	41000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
16.53	-18.9	24.39	309.2	94.8	-1.84	7.05	7.28	104.6	1.14	46.6	40.38	36.7	34.4	274.9	41000003	60	15	-18	24	309	95	-1	7	7	104	(VM-W)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60	15	-18	24	309	27	31	-43	53	305	(VM-V)%
15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.38	44.07	35.81	35.06	32.51	390.3	41000004	60										

Eingabe: w/rgb/cmyk -> (w/rgb/cmyk)

1

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG41/XG41.HTM>

Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	
data for all colour (a) of experiment, iimp=98, colour difference pairs Va_EW098=VIK_ADJACENT_EW, ioutn=1, iouts=0																											
-23.63	-30.29	38.42	232.0	76.79	-16.56	-18.75	25.02	228.5	0.54	15.82	9.64	9.12	8.32	87.7	41000051	69	-23	-30	38	232	77	-16	-18	25	228	(W-V)W)%	
-23.63	-30.29	38.42	232.0	59.13	-30.86	-42.86	52.82	234.2	0.9	17.31	10.87	9.7	9.2	112.1	41000052	69	-23	-30	38	232	59	-30	-42	52	234	(W-V)W)%	
7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	0.59	22.95	21.47	21.55	18.66	125.9	41000053	78	7	-7	9	315	95	-1	6	104	(W-M)W)%		
7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	0.6	23.46	20.81	17.2	16.65	162.4	41000054	78	7	-7	9	315	60	15	-19	24	308	(W-M)W)%	
22.97	-31.7	39.15	305.9	60.3	15.34	-19.57	24.87	308.0	0.55	21.53	16.91	16.01	16.97	180.8	41000055	44	22	-31	39	305	60	15	-19	24	308	(W-O)W)%	
22.97	-31.7	39.15	305.9	27.04	31.13	-43.94	53.85	305.3	0.77	22.61	17.98	20.05	15.04	230.9	41000056	44	22	-31	39	305	27	31	-43	53	305	(W-O)W)%	
17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	0.58	22.34	17.83	32.91	22.37	82.9	41000057	84	17	2	17	9	95	-1	6	104	(W-V)W)%		
17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	0.6	23.73	16.97	14.13	13.11	104.4	41000058	84	17	2	17	9	72	37	0	37	359	(W-V)W)%	
56.15	-3.8	56.28	356.1	71.53	37.39	-0.61	37.39	359.0	0.55	22.19	12.67	11.96	11.17	108.4	41000059	60	56	-3	56	356	72	37	0	37	359	(W-L)W)%	
56.15	-3.8	56.28	356.1	48.09	74.97	-6.57	75.26	354.9	0.78	22.5	13.18	12.48	12.51	127.2	41000060	60	56	-3	56	356	48	74	-6	75	354	(W-L)W)%	
14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	0.56	22.94	16.71	20.73	19.45	94.3	41000061	83	14	17	23	50	95	-1	7	104	(Cn-C)C)%		
14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	0.57	23.82	15.59	13.74	12.08	101.7	41000062	83	14	17	23	50	71	31	29	43	43	(Cn-C)W)%	
49.55	42.4	65.21	40.5	71.22	31.5	29.96	43.48	43.5	0.57	24.97	13.26	12.84	11.81	116.1	41000063	59	49	42	65	40	71	31	29	43	43	(Vn-V)W)%	
49.55	42.4	65.21	40.5	47.91	65.55	53.73	84.76	39.3	0.81	22.64	12.39	11.96	11.86	120.3	41000064	59	49	42	65	40	48	65	53	84	39	(Vn-V)W)%	
-6.36	28.57	29.27	102.5	94.84	-1.77	6.9	7.13	104.4	0.44	22.21	9.71	14.11	12.32	52.2	41000065	93	-6	28	29	102	95	-1	6	104	(Mn-M)M)%		
-6.36	28.57	29.27	102.5	92.03	-9.68	51.97	52.86	100.5	0.79	23.65	10.28	10.14	8.36	38.4	41000066	93	-6	28	29	102	92	-9	51	52	100	(Mn-M)W)%	
-10.44	77.87	78.57	97.6	92.03	-9.68	51.97	52.86	100.5	0.61	25.94	6.0	9.11	6.82	28.2	41000067	91	-10	77	78	97	92	-9	51	52	100	(On-O)W)%	
-10.44	77.87	78.57	97.6	88.92	-9.75	98.59	98.9	94.4	0.67	20.97	5.31	6.8	4.93	18.9	41000068	91	-10	77	78	97	89	-7	98	98	94	(On-O)W)%	
-17.15	14.27	22.31	140.2	94.77	-1.7	6.61	6.83	104.4	0.58	20.01	13.97	14.93	15.23	78.4	41000069	85	-17	14	22	140	95	-1	6	104	(Yn-Y)W)%		
-17.15	14.27	22.31	140.2	72.84	-32.92	22.13	39.67	146.0	0.6	21.19	14.79	12.32	11.24	97.1	41000070	85	-17	14	22	140	73	-32	22	39	146	(Yn-Y)W)%	
-47.75	31.25	57.07	146.7	72.84	-32.92	22.13	39.67	146.0	0.57	19.69	10.42	10.01	9.11	85.2	41000071	64	-47	31	57	146	73	-32	22	39	146	(Ln-L)W)%	
-47.75	31.25	57.07	146.7	53.08	-62.72	39.96	74.36	147.4	0.76	20.27	11.61	10.77	10.46	103.2	41000072	64	-47	31	57	146	53	-62	22	39	147	(Ln-L)W)%	
-23.06	-32.15	39.56	234.3	59.31	-30.82	-42.44	52.45	234.0	0.67	16.6	11.44	10.6	10.89	103.6	41000073	49	-23	-32	39	234	59	-30	-42	52	234	(Wn-W)W)%	
-23.06	-32.15	39.56	234.3	38.56	-15.5	-20.87	25.99	233.3	1.85	17.03	11.39	12.05	11.01	114.2	41000074	49	-23	-32	39	234	39	-15	-20	25	233	(Wn-W)W)%	
24.12	-33.9	41.61	305.4	26.77	31.43	-43.88	53.97	305.6	0.67	12.49	4.64	5.46	4.1	47.7	41000075	25	24	-33	41	305	27	31	-43	53	305	(CV-C)W)%	
24.12	-33.9	41.61	305.4	23.23	16.42	-22.23	27.64	306.4	1.85	14.09	5.2	6.99	5.73	60.5	41000076	25	24	-33	41	305	23	16	-22	27	306	(CV-C)W)%	
56.6	-5.2	56.84	354.7	47.96	75.02	-6.12	75.27	355.3	0.67	20.1	9.54	10.14	8.79	86.4	41000077	40	56	-5	56	354	48	75	-6	75	355	(W-V)W)%	
56.6	-5.2	56.84	354.7	34.33	37.05	-2.58	37.14	356.0	1.85	20.51	7.9	10.0	7.93	69.7	41000078	40	56	-5	56	354	34	37	-2	37	356	(W-V)W)%	
49.15	39.85	63.27	39.0	47.89	65.54	53.53	84.62	39.2	0.66	22.7	9.5	10.36	8.73	83.7	41000079	40	49	39	63	39	48	65	53	84	39	(Mn-M)M)%	
49.15	39.85	63.27	39.0	33.47	32.53	27.42	42.55	40.1	1.86	21.8	8.6	10.78	8.35	79.0	41000080	40	49	39	63	39	32	27	42	40	()		
8.18	74.48	74.93	96.2	88.85	-7.73	98.52	98.82	94.4	0.62	29.12	17.36	14.2	12.38	123.5	41000081	72	-8	74	74	96	89	-7	98	98	94	()	
8.18	74.48	74.93	96.2	53.86	-4.99	49.58	49.83	95.7	1.9	31.21	19.42	17.57	16.97	161.5	41000082	72	-8	74	74	96	54	-4	49	49	95	()	
-47.55	30.17	56.32	147.6	53.0	-62.87	39.82	74.42	147.6	0.65	20.2	10.32	10.45	10.01	91.7	41000083	44	-47	30	56	147	53	-62	39	74	147	()	
-47.55	30.17	56.32	147.6	35.23	-32.23	19.13	37.48	149.3	1.87	20.83	10.32	11.94	9.83	97.8	41000084	44	-47	30	56	147	35	-32	19	74	149	()	
-0.18	4.3	4.31	92.4	94.78	-1.84	6.95	7.19	104.8	1.2	37.43	37.39	28.22	27.07	269.5	41000085	57	0	4	4	92	95	-1	6	7	104	()	
-0.18	4.3	4.31	92.4	19.89	0.65	2.05	2.15	72.2	1.32	37.66	37.64	40.01	32.55	339.4	41000086	57	0	4	4	92	20	0	2	2	72	()	
-0.02	-43.34	43.34	269.9	59.06	-30.83	-42.58	52.58	234.0	1.16	35.03	24.59	23.6	23.52	178.5	41000087	42	0	-43	43	269	59	-30	-42	52	234	()	
-0.02	-43.34	43.34	269.9	26.23	31.3	-43.84	53.87	305.5	1.36	35.26	24.37	27.6	24.85	210.0	41000088	42	0	-43	43	269	26	31	-43	53	305	()	
52.72	-25.61	58.61	334.0	26.23	31.3	-43.84	53.87	305.5	1.4	29.74	17.68	19.15	16.87	175.5	41000089	36	52	-25	58	334	26	31	-43	53	305	()	
52.72	-25.61	58.61	334.0	47.7	75.08	-5.76	75.3	355.6	1.12	32.14	18.29	17.59	15.27	176.5	41000090	36	52	-25	58	334	48	75	-5	75	355	()	
70.32	23.52	74.15	18.4	47.69	75.03	-5.67	75.25	355.6	1.43	29.58	14.0	12.78	14.39	107.1	41000091	48	70	23	74	18	48	75	-5	75	355	()	
70.32	23.52	74.15	18.4	47.96	65.36	53.14	84.24	39.1	1.1	30.02	13.59	17.21	14.47	46.2	41000092	48	70										

%L*	a*	b*	C*	ab0	hab0	L*	a*	b*	C*	ab1	hab1	DV	de*ab	de*94	de*CM	de*00	de*85	NR	L*	a*	b*	C*	0	h0	L*	a*	b*	C*	1	h1	CODE	%
-----	----	----	----	-----	------	----	----	----	----	-----	------	----	-------	-------	-------	-------	-------	----	----	----	----	----	---	----	----	----	----	----	---	----	------	---

%CIELAB data for all colour (a) of experiment, iimp=98, colour difference pairs Va_EW098=VTK_ADJACENT_EW, ioutn=1, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1	= 98,	d_CIELABmina	= 12.49,	d_CIELABmaxa	= 121.09,	d_CIELABavea	= 43.38
iai+1	= 98,	CIELAB_Fa	= 37.85,	CIELAB_STRESSa	= 46.12		
iai+1	= 98,	d_CIELCHmina	= 12.49,	d_CIELCHmaxa	= 121.11,	d_CIELCHavea	= 43.39
iai+1	= 98,	CIELCHFa	= 37.85,	CIELCHSTRESSa	= 46.12		
iai+1	= 98,	d_C94LCHmina	= 4.64,	d_C94LCHmaxa	= 72.88,	d_C94LCHavea	= 24.73
iai+1	= 98,	C94LCHFa	= 21.59,	C94LCHSTRESSa	= 47.2		
iai+1	= 98,	d_CMCLCHmina	= 5.46,	d_CMCLCHmaxa	= 72.5,	d_CMCLCHavea	= 26.19
iai+1	= 98,	CMCLCHFa	= 22.81,	CMCLCHSTRESSa	= 47.24		
iai+1	= 98,	d_C00LCHmina	= 4.1,	d_C00LCHmaxa	= 73.48,	d_C00LCHavea	= 23.67
iai+1	= 98,	C00LCHFa	= 20.65,	C00LCHSTRESSa	= 48.1		
iai+1	= 98,	d_C85LCHmina	= 18.94,	d_C85LCHmaxa	= 583.86,	d_C85LCHavea	= 188.97
iai+1	= 98,	C85LCHFa	= 166.25,	C85LCHSTRESSa	= 45.89		