

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG43/XG43L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	dS*DV	dE*DV	dE*DVrdE*DVrdE*DVmdE*DVm	no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%		
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=98, colour difference pairs Ks_EW098=KIT_SEPARATE_EW, ioutn=1, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	0077399	0081895	0087159	0084892	0001250	00253	00253	0.999	0.494	0.0	0.505	43000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0001281	00253	00000	0.0	0.505	1.0	0.494	43000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0001116	00253	00253	0.999	0.441	0.0	0.559	43000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0001415	00253	00000	0.0	0.559	1.0	0.441	43000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0001174	00253	00253	0.999	0.464	0.0	0.536	43000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0001357	00253	00000	0.0	0.536	1.0	0.464	43000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0001174	00253	00253	0.999	0.464	0.0	0.536	43000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0001357	00253	00000	0.0	0.536	1.0	0.464	43000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0001243	00253	00253	0.999	0.491	0.0	0.508	43000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0066995	0001288	00253	00000	0.0	0.508	1.0	0.491	43000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0001197	00253	00253	0.999	0.473	0.0	0.526	43000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0001334	00253	00000	0.0	0.526	1.0	0.473	43000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0001235	00253	00253	0.999	0.488	0.0	0.511	43000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0030999	0003081	0001296	00253	00000	0.0	0.511	1.0	0.488	43000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0001258	00253	00253	0.999	0.497	0.0	0.503	43000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0001273	00253	00000	0.0	0.503	1.0	0.496	43000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0001354	00253	00253	0.999	0.535	0.0	0.464	43000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0001177	00253	00000	0.0	0.464	1.0	0.535	43000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0001271	00253	00253	0.999	0.502	0.0	0.497	43000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0001261	00253	00000	0.0	0.497	1.0	0.502	43000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0001182	00253	00253	0.999	0.467	0.0	0.533	43000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0001349	00253	00000	0.0	0.533	1.0	0.467	43000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0001086	00253	00253	0.999	0.429	0.0	0.571	43000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0001445	00253	00000	0.0	0.571	1.0	0.429	43000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0001159	00253	00253	0.999	0.458	0.0	0.541	43000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0002829	0002886	0001372	00253	00000	0.0	0.541	1.0	0.458	43000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0001823	00253	00253	0.999	0.72	0.0	0.279	43000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0000708	00253	00000	0.0	0.279	1.0	0.72	43000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0001086	00253	00253	0.999	0.429	0.0	0.571	43000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0001445	00253	00000	0.0	0.571	1.0	0.429	43000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0001271	00253	00253	0.999	0.502	0.0	0.497	43000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0001261	00253	00000	0.0	0.497	1.0	0.502	43000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0000863	00253	00253	0.999	0.341	0.0	0.659	43000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0001668	00253	00000	0.0	0.659	1.0	0.341	43000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0001286	00253	00253	0.999	0.508	0.0	0.491	43000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0001245	00253	00000	0.0	0.491	1.0	0.508	43000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0001278	00253	00253	0.999	0.505	0.0	0.495	43000037	27	31	-43	53	305	59	-30	-42			

TUB-Registrierung: 20140801-XG43/XG43L0NA.TXT /PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

TUB-Material: Code=rha4ta

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%	
EM98=KIT SEPARATE EW, ioutn=1, iouts=0																												
-16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	1.25	34.22	26.08	27.49	24.57	157.5	43000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%		
-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	1.28	33.16	22.13	18.63	17.27	196.5	43000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%		
60.15	-18.9	24.39	309.2	94.8	-1.84	7.05	7.28	104.6	1.11	46.6	40.38	36.7	34.4	274.9	43000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%		
60.15	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	1.41	44.07	35.81	35.06	32.51	390.3	43000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%		
37.37	-0.08	37.37	359.8	94.81	-1.74	6.7	6.92	104.5	1.17	46.11	30.75	31.95	30.23	184.1	43000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%		
37.37	-0.08	37.37	359.8	48.31	74.74	-6.46	75.02	355.0	1.35	44.36	27.13	23.93	23.04	225.1	43000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%		
30.26	30.19	42.75	44.9	94.83	-1.67	6.45	6.67	104.5	1.17	45.93	27.97	31.72	28.31	187.3	43000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%		
30.26	30.19	42.75	44.9	48.4	65.36	52.84	84.04	38.9	1.35	47.92	27.68	24.9	23.54	229.5	43000008	72	30	30	42	44	95	-1	6	6	104	(OW-O)%		
91.99	-9.86	53.16	54.07	100.5	94.86	-1.81	6.92	7.16	104.6	1.24	47.02	13.98	23.19	19.84	92.1	43000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%	
91.99	-9.86	53.16	54.07	100.5	88.83	-7.61	100.6	100.89	94.3	1.28	47.6	14.67	15.84	11.5	45.6	43000010	92	-9	53	54	100	89	-7	100	100	94	(YW-V)%	
72.67	-33.3	23.7	40.87	144.5	94.84	-1.83	6.98	7.22	104.6	1.19	41.97	26.16	26.11	24.48	174.4	43000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%	
72.67	-33.3	23.7	40.87	144.5	52.77	-62.6	40.69	74.67	146.9	1.33	39.28	23.23	20.49	19.33	184.5	43000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%	
39.52	-15.42	-20.08	25.32	232.4	59.86	-30.71	-42.29	52.26	234.0	1.23	33.76	23.92	22.17	22.57	207.0	43000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%	
39.52	-15.42	-20.08	25.32	232.4	20.47	0.6	1.87	1.96	72.1	1.29	33.2	24.16	32.01	24.77	232.3	43000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%	
24.45	16.55	-21.26	26.94	307.8	28.07	31.19	-43.56	53.58	305.6	1.25	26.91	12.61	12.53	10.12	113.9	43000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%	
24.45	16.55	-21.26	26.94	307.8	20.81	1.05	1.84	2.12	60.1	1.27	28.06	14.8	21.73	19.63	130.4	43000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%	
34.07	36.95	-1.84	36.99	357.1	19.86	0.75	1.61	1.78	64.8	1.17	39.03	20.25	29.75	25.17	173.5	43000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%	
34.07	36.95	-1.84	36.99	357.1	40.6	48.09	65.37	53.64	84.56	1.35	40.86	19.88	19.98	16.32	153.0	43000018	34	36	-1	36	357	48	75	-6	75	355	(MN-N)%	
33.92	32.74	28.13	43.17	40.6	20.13	0.68	1.82	1.95	69.3	1.27	43.76	19.98	20.55	16.57	156.6	43000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%	
33.92	32.74	28.13	43.17	40.6	20.13	0.68	1.82	1.95	69.3	1.26	43.7	19.84	30.74	24.46	179.3	43000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%	
54.21	-4.7	50.5	50.72	95.3	88.97	-7.91	99.17	99.48	94.5	1.18	59.89	37.8	31.22	28.64	263.1	43000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%	
54.21	-4.7	50.5	50.72	95.3	20.55	1.21	2.03	2.37	59.1	1.34	59.3	36.94	45.06	36.56	331.4	43000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%	
35.9	-31.79	20.36	37.75	147.3	53.55	-61.81	40.72	74.02	146.6	1.08	40.34	22.19	21.86	19.59	181.6	43000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%	
35.9	-31.79	20.36	37.75	147.3	20.95	1.31	2.0	2.39	56.8	1.44	40.69	21.66	31.29	27.19	181.6	43000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%	
58.99	-30.95	-42.83	52.84	234.1	94.81	-1.82	6.97	7.21	104.6	1.15	67.91	43.05	42.26	39.84	345.3	43000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%	
58.99	-30.95	-42.83	52.84	234.1	19.39	0.46	1.31	1.39	70.4	1.37	67.11	43.47	50.99	43.16	400.8	43000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%	
26.46	31.17	-44.12	54.02	305.2	94.79	-1.8	6.93	7.16	104.5	1.82	91.44	72.88	66.4	67.82	583.8	43000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%	
26.46	31.17	-44.12	54.02	305.2	19.48	0.48	1.32	1.41	69.7	0.7	55.28	18.89	30.95	26.65	243.6	43000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%	
47.86	74.93	-6.17	75.18	355.2	94.82	-1.8	6.89	7.12	104.6	1.08	90.9	52.54	51.61	47.55	375.4	43000029	48	74	-6	75	355	20	0	1	1	67	(M-W)%	
47.86	74.93	-6.17	75.18	355.2	19.88	0.53	1.27	1.38	67.0	1.44	79.83	33.13	46.36	36.13	310.1	43000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%	
48.04	65.24	53.02	84.07	39.1	94.82	-1.77	6.74	6.97	104.7	1.27	93.92	50.83	52.84	47.55	382.2	43000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%	
48.04	65.24	53.02	84.07	39.1	19.91	0.68	0.98	1.19	55.1	1.26	87.56	33.05	47.55	36.52	320.7	43000032	48	65	53	84	39	20	0	0	1	55	(O-N)%	
88.84	-7.51	99.94	100.22	94.2	94.87	-1.9	7.23	7.47	104.7	0.86	93.07	17.98	35.33	27.52	134.7	43000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%	
88.84	-7.51	99.94	100.22	94.2	19.2	0.45	1.19	1.27	69.2	1.66	121.0971	94.72	5	73.48	464.9	43000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%	
52.21	-63.24	39.78	74.72	147.8	94.8	-1.88	7.19	7.44	104.7	1.28	81.49	46.03	44.51	40.75	333.8	43000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%	
52.21	-63.24	39.78	74.72	147.8	19.37	0.46	1.3	1.39	70.3	1.24	81.35	37.37	49.56	39.42	335.0	43000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%	
26.86	31.17	-43.9	53.84	305.3	59.11	-30.71	-42.84	52.71	234.3	1.27	69.79	47.03	50.52	48.93	359.8	43000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C)%	
26.86	31.17	-43.9	53.84	305.3	48.01	74.74	-5.91	74.97	355.4	1.25	61.54	37.02	35.74	30.48	348.8	43000038	27	31	-43	53	305	48	74	-5	74	355	(V-M)%	
48.01	65.27	53.13	84.16	39.1	47.94	74.93	-6.19	75.19	355.2	0.83	60.1	26.33	25.21	27.24	155.6	43000039	48	65	53	84	39	48	74	-6	75	355	(O-M)%	
48.01	65.27	53.13	84.16	39.1	88.84	-7.71	98.71	99.01	94.4	1.69	95.24	55.5	66.66	56.76	343.2	43000040	48	65	53	84	39	89	-7	98	99	94	(O-Y)%	
52.06	-63.42	39.55	74.75	148.0	88.81	-7.56	99.34	99.63	94.3	1.48	89.69	52.27	44.45															

TUB-Registrierung: 20140801-XG43/XG43L0NA.TXT /PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

TUB-Material: Code=rha4ta

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*00	DE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE	%		
EM98=KIT_SEPARATE_EW, ioutcn=1, iouts=0																											
-23.63	-30.29	38.42	232.0	76.79	-16.56	-18.75	25.02	228.5	0.52	15.82	9.64	9.12	8.32	87.7	43000051	69	-23	-30	38	232	77	-16	-18	25	228	(W-W)%	
-23.63	-30.29	38.42	232.0	59.13	-30.86	-42.86	52.82	234.2	0.79	17.31	10.87	9.7	9.2	112.1	43000052	69	-23	-30	38	232	59	-30	-42	52	234	(W-V)%	
7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	0.52	22.95	21.47	21.55	18.66	125.9	43000053	78	7	-7	9	315	95	-1	6	6	104	(W-M)%	
7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	0.66	23.46	20.81	17.2	16.65	162.4	43000054	78	7	-7	9	315	60	15	-19	24	308	(W-Mn)%	
22.97	-31.7	39.15	305.9	60.3	15.34	-19.57	24.87	308.0	0.61	21.53	16.91	16.01	16.97	180.8	43000055	44	22	-31	39	305	60	15	-19	24	308	(W-O)%	
22.97	-31.7	39.15	305.9	27.04	31.13	-43.94	53.85	305.3	0.72	22.61	17.98	20.05	15.04	230.9	43000056	44	22	-31	39	305	27	31	-43	53	305	(W-Ow)%	
17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	0.56	22.34	17.83	32.91	22.37	82.9	43000057	84	17	2	17	9	95	-1	6	6	104	(W-Ww)%	
17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	0.63	23.73	16.97	14.13	13.11	104.4	43000058	84	17	2	17	9	72	37	0	37	359	(WY-Ww)%	
56.15	-3.8	56.28	356.1	71.53	37.39	-0.61	37.39	359.0	0.55	22.19	12.67	11.96	11.17	108.4	43000059	60	56	-3	56	356	72	37	0	37	359	(W1-Ww)%	
60.11	56.15	-3.8	56.28	356.1	48.09	74.97	-6.57	75.26	354.9	0.78	22.5	13.18	12.48	12.51	127.2	43000060	60	56	-3	56	356	48	74	-6	75	354	(W1-Lw)%
14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	0.61	22.94	16.71	20.73	19.45	94.3	43000061	83	14	17	23	50	95	-1	7	7	104	(Cn-C)%	
14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	0.57	23.82	15.59	13.74	12.08	101.7	43000062	83	14	17	23	50	71	31	29	43	43	(Cn-CN)%	
49.55	42.4	65.21	40.5	71.22	31.5	29.96	43.48	43.5	0.55	24.97	13.26	12.84	11.81	116.1	43000063	59	49	42	65	40	71	31	29	43	43	(Vn-V)%	
49.55	42.4	65.21	40.5	47.91	65.55	53.73	84.76	39.3	0.79	22.64	12.39	11.96	11.86	120.3	43000064	59	49	42	65	40	48	65	53	84	39	(Vn-VN)%	
-6.36	28.57	29.27	102.5	94.84	-1.77	6.9	7.13	104.4	0.61	22.21	9.71	14.11	12.32	52.2	43000065	93	-6	28	29	102	95	-1	6	7	104	(Mn-M)%	
-6.36	28.57	29.27	102.5	92.03	-9.68	51.97	52.86	100.5	0.67	23.65	10.28	10.14	8.36	38.4	43000066	93	-6	28	29	102	92	-9	51	52	100	(Mn-MN)%	
-10.44	77.87	78.57	97.6	92.03	-9.68	51.97	52.86	100.5	0.76	25.94	6.0	9.11	6.82	28.2	43000067	91	-10	77	78	97	92	-9	51	52	100	(On-O)%	
-10.44	77.87	78.57	97.6	88.92	-9.68	51.97	52.86	98.9	94.4	0.47	20.97	5.31	6.8	4.93	18.9	43000068	91	-10	77	78	97	89	-7	98	94	(On-ON)%	
-17.15	14.27	22.31	140.2	94.77	-1.7	6.61	6.83	104.4	0.54	20.01	13.97	14.93	15.23	78.4	43000069	85	-17	14	22	140	95	-1	6	6	104	(Yn-Y)%	
-17.15	14.27	22.31	140.2	72.84	-32.92	22.13	39.67	146.0	0.59	21.19	14.79	12.32	11.24	97.1	43000070	85	-17	14	22	140	73	-32	22	39	146	(Yn-YN)%	
-47.75	31.25	57.07	146.7	72.84	-32.92	22.13	39.67	146.0	0.62	19.69	10.42	10.01	9.11	85.2	43000071	64	-47	31	57	146	73	-32	22	39	146	(Ln-L)%	
-47.75	31.25	57.07	146.7	53.08	-62.72	39.96	74.36	147.4	0.76	20.27	11.61	10.77	10.46	103.2	43000072	64	-47	31	57	146	53	-62	39	74	147	(Ln-LN)%	
-23.06	-32.15	39.56	234.3	59.31	-30.82	-42.44	52.45	234.0	0.69	16.6	11.44	10.6	10.89	103.6	43000073	49	-23	-32	39	234	59	-30	-42	52	234	(Wn-W)%	
-23.06	-32.15	39.56	234.3	38.56	-15.5	-20.87	25.99	233.3	0.57	17.03	11.39	12.05	11.01	114.2	43000074	49	-23	-32	39	234	39	-15	-20	25	233	(Wn-N)%	
-8.71	-9.93	13.21	228.7	38.56	-15.5	-20.87	25.99	233.3	0.64	16.27	12.84	13.98	10.72	120.0	43000075	29	-8	-9	13	228	39	-15	-20	25	233	(CV-C)%	
-8.71	-9.93	13.21	228.7	19.44	0.57	1.06	1.21	61.6	0.61	17.07	13.59	19.72	14.92	117.1	43000076	29	-8	-9	13	228	19	0	1	61	(CV-V)%		
-25.04	24.12	-33.9	41.61	305.4	26.77	31.43	-43.88	53.97	305.6	0.43	12.49	4.64	5.46	4.1	47.7	43000077	25	24	-33	41	305	27	31	-43	53	305	(WV-V)%
-25.04	24.12	-33.9	41.61	305.4	23.23	16.42	-22.23	27.64	306.4	0.81	14.09	5.2	6.99	5.73	60.5	43000078	25	24	-33	41	305	23	16	-22	27	306	(WV-M)%
8.2	-9.86	12.83	309.7	23.23	16.42	-22.23	27.64	306.4	0.86	14.93	9.57	9.32	8.23	68.4	43000079	22	8	-9	12	309	23	16	-22	27	306	(MO-M)%	
21.59	8.2	-9.86	12.83	309.7	19.8	0.76	1.39	1.59	61.1	0.42	13.61	9.65	14.0	12.07	62.6	43000080	22	8	-9	12	309	20	0	1	1	61	()
39.95	56.6	-5.2	56.84	354.7	47.96	75.02	-6.12	75.27	355.3	0.71	20.1	9.54	10.14	8.79	86.4	43000081	40	56	-5	56	354	48	75	-6	75	355	()
39.95	56.6	-5.2	56.84	354.7	34.33	37.05	-2.58	37.14	356.0	0.55	20.51	7.9	10.0	7.93	69.7	43000082	40	56	-5	56	354	34	37	-2	37	356	()
27.14	19.88	0.09	19.88	0.2	34.33	37.05	-2.58	37.14	356.0	0.58	18.8	11.71	12.52	9.71	87.4	43000083	27	19	0	19	0	34	37	-2	37	356	()
27.14	19.88	0.09	19.88	0.2	20.32	0.86	1.64	1.85	62.3	0.67	20.26	12.66	19.8	17.63	87.2	43000084	27	19	0	19	0	34	37	-2	37	356	()
40.17	49.15	39.85	63.27	39.0	47.89	65.54	53.53	84.62	39.2	0.71	22.7	9.5	10.36	8.73	83.7	43000085	40	49	39	63	39	48	65	53	84	39	()
40.17	49.15	39.85	63.27	39.0	33.47	32.53	27.42	42.55	40.1	0.5	21.8	8.6	10.78	8.35	79.0	43000086	40	49	39	63	39	33	32	27	42	40	()
17.98	15.0	23.41	39.8	33.47	32.53	27.42	42.55	40.1	0.57	20.33	11.57	12.47	9.4	84.4	43000087	27	17	15	23	39	33	32	27	42	40	()	
17.98	15.0	23.41	39.8	19.55	0.34	1.14	1.19	73.0	0.73	23.53	13.1	20.74	17.99	98.6	43000088	27	17	15	23	39	30	0	1	1	73	()	
74.78	74.48	74.93	96.2	88.85	-7.73	98.52	98.82	94.4	0.75	29.12	17.36	14.2	12.38	123.5	43000089	72	-8	74	74	96	89	-7	98	98	94	()	
74.78	74.48	74.93	96.2	53.86	-4.99	49.58	49.83	95.7	0.5	31.21	19.42	17.57	16.97	161.5	43000090	72	-8	74	74	96	54	-4	49	49	95	()	
26.01	26.1	26.1	94.7	53.86	-4.99	49.58	49.83	95.7	0.51	28.89	19.76	19.08	18.03	168.5	43000091	37	-2	26	26	94	54	-4	49	49	95	()	
26.01	26.1	26.1	94.7	19.78	0.58	1.39	1.51	67.2	0.75	30.39	21.03	29.02	20.54	202.0	43000092												

%*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, iimp=98, colour difference pairs Ks_EW098=KIT_SEPARATE_EW, ioutn=1, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 44.26, CIELAB_STRESSa = 36.98

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 44.27, CIELCHSTRESSa = 36.98

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 25.62, C94LCHSTRESSa = 35.84

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 27.39, CMCLCHSTRESSa = 34.72

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 24.67, C00LCHSTRESSa = 36.6

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 197.89, C85LCHSTRESSa = 34.86