

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG46/XG46L0NA.TXT> /.PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	dS*DV	dE*DV	dE*DVrdE*DVrdE*DVmdE*DVm	no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%		
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=98, colour difference pairs Ka_EV098=KIT_ADJACENT_EV, ioutn=1, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	0077399	0081895	0087159	0084892	0019147	03661	03661	1.0	0.523	0.0	0.477	46000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0017462	03661	00000	0.0	0.477	1.0	0.523	46000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0016620	03661	03661	1.0	0.454	0.0	0.546	46000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0019989	03661	00000	0.0	0.546	1.0	0.454	46000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0016474	03661	03661	1.0	0.45	0.0	0.549	46000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0020135	03661	00000	0.0	0.549	1.0	0.45	46000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0014644	03661	03661	1.0	0.4	0.0	0.6	46000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0021966	03661	00000	0.0	0.6	1.0	0.399	46000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0015705	03661	03661	1.0	0.429	0.0	0.571	46000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0066995	0020904	03661	00000	0.0	0.571	1.0	0.429	46000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0018341	03661	03661	1.0	0.501	0.0	0.498	46000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0018268	03661	00000	0.0	0.498	1.0	0.501	46000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0019806	03661	03661	1.0	0.541	0.0	0.459	46000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0003099	0003081	0016803	03661	00000	0.0	0.459	1.0	0.541	46000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0018195	03661	03661	1.0	0.497	0.0	0.503	46000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0018414	03661	00000	0.0	0.503	1.0	0.496	46000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0019256	03661	03661	1.0	0.526	0.0	0.473	46000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0017353	03661	00000	0.0	0.473	1.0	0.526	46000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0019366	03661	03661	1.0	0.529	0.0	0.47	46000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0017243	03661	00000	0.0	0.47	1.0	0.529	46000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0016547	03661	03661	1.0	0.452	0.0	0.548	46000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0020062	03661	00000	0.0	0.548	1.0	0.452	46000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0016035	03661	03661	1.0	0.438	0.0	0.562	46000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0020574	03661	00000	0.0	0.562	1.0	0.438	46000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0016620	03661	03661	1.0	0.454	0.0	0.546	46000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0002829	0002886	0019989	03661	00000	0.0	0.546	1.0	0.454	46000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0026139	03661	03661	1.0	0.714	0.0	0.285	46000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0010470	03661	00000	0.0	0.285	1.0	0.714	46000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0015925	03661	03661	1.0	0.435	0.0	0.564	46000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0020684	03661	00000	0.0	0.564	1.0	0.435	46000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0017536	03661	03661	1.0	0.479	0.0	0.52	46000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0019073	03661	00000	0.0	0.52	1.0	0.479	46000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0011129	03661	03661	1.0	0.304	0.0	0.696	46000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0025480	03661	00000	0.0	0.696	1.0	0.304	46000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0018488	03661	03661	1.0	0.505	0.0	0.495	46000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0018121	03661	00000	0.0	0.495	1.0	0.505	46000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0017536	03661	03661	1.0	0.479	0.0	0.52	46000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C)%
0095050	0100000	01089																									

%Xn Yn Zn X0 Y0 Z0 X1 Y1 Z1 DV*DV dS*DV dE*DV dVrDE*DVrDE*DVmde*DVm no. L*a*b*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14
iai+1 = 98, CIELAB_Fa = 3.02, CIELAB_STRESSa = 38.46
iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15
iai+1 = 98, CIELCHFa = 3.02, CIELCHSTRESSa = 38.46
iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66
iai+1 = 98, C94LCHFa = 1.75, C94LCHSTRESSa = 37.09
iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47
iai+1 = 98, CMCLCHFa = 1.87, CMCLCHSTRESSa = 35.69
iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81
iai+1 = 98, C00LCHFa = 1.68, C00LCHSTRESSa = 37.86
iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 593.86, d_C85LCHavea = 182.82
iai+1 = 98, C85LCHFa = 13.56, C85LCHSTRESSa = 35.61

TUB-Registrierung: 20140801-XG46/XG46L0NA.TXT /PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

TUB-Material: Code=rha4ta

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%	
data for all colour (a) of experiment, iimp=98, colour difference pairs Ka_EV098=KIT_ADJACENT_EV, ioutn=1, iouts=0																												
-16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	19.14	34.22	26.08	27.49	24.57	157.5	46000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%		
-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	17.46	33.16	22.13	18.63	17.27	196.5	46000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%		
60.15	-18.9	24.39	309.2	94.8	-1.84	7.05	7.28	104.6	16.62	46.6	40.38	36.7	34.4	274.9	46000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%		
60.15	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	19.98	44.07	35.81	35.06	32.51	390.3	46000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%		
71.36	37.37	359.8	94.81	-1.74	6.7	6.46	75.02	355.0	20.13	44.36	27.13	23.93	23.04	225.1	46000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%		
71.36	37.37	359.8	48.31	74.74	-6.46	75.02	6.67	104.5	14.64	45.93	27.97	31.72	28.31	187.3	46000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%		
30.26	30.19	42.75	44.9	94.83	-1.67	6.45	6.67	104.5	21.96	47.92	27.68	24.9	23.54	229.5	46000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%		
30.26	30.19	42.75	44.9	48.4	65.36	52.84	84.04	38.9	15.7	47.02	13.98	23.19	19.84	92.1	46000008	72	30	30	42	44	95	-1	6	6	104	(OW-O)%		
91.99	-9.86	53.16	54.07	100.5	94.86	-1.81	6.92	7.16	104.6	20.9	47.6	14.67	15.84	11.5	45.6	46000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%	
91.99	-9.86	53.16	54.07	100.5	88.83	-7.61	100.6	100.89	94.3	15.9	47.6	14.67	15.84	11.5	45.6	46000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%	
72.67	-33.3	23.7	40.87	144.5	94.84	-1.83	6.98	7.22	104.6	18.34	41.97	26.16	26.11	24.48	174.4	46000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%	
72.67	-33.3	23.7	40.87	144.5	52.77	-62.6	40.69	74.67	146.9	18.26	39.28	23.23	20.49	19.33	184.5	46000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%	
39.52	-15.42	-20.08	25.32	232.4	59.86	-30.71	-42.29	52.26	234.0	19.8	33.76	23.92	22.17	22.57	207.0	46000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%	
39.52	-15.42	-20.08	25.32	232.4	20.47	0.6	1.87	1.96	72.1	16.8	33.2	24.16	32.01	24.77	232.3	46000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%	
24.45	16.55	-21.26	26.94	307.8	28.07	31.19	-43.56	53.58	305.6	18.19	26.91	12.61	12.53	10.12	113.9	46000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%	
24.45	16.55	-21.26	26.94	307.8	20.81	1.05	1.84	2.12	60.1	18.41	28.06	14.8	21.73	19.63	130.4	46000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%	
36.95	-1.84	36.99	357.1	19.86	75.24	-6.1	75.49	355.3	19.25	40.86	19.88	19.98	16.32	153.0	46000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%		
36.95	-1.84	36.99	357.1	47.69	0.75	1.61	1.78	64.8	17.35	39.03	20.25	29.75	25.17	173.5	46000018	34	36	-1	36	357	48	75	-6	75	355	(MN-N)%		
33.92	32.74	43.17	40.6	48.09	65.37	53.64	84.56	39.3	19.36	43.76	19.98	20.55	16.57	156.6	46000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%		
33.92	32.74	28.13	43.17	20.13	0.68	1.82	1.95	69.3	17.24	43.7	19.84	30.74	24.46	179.3	46000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%		
54.21	-4.7	50.5	50.72	95.3	88.97	-7.91	99.17	99.48	94.5	16.54	59.89	37.8	31.22	28.64	263.4	46000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%	
54.21	-4.7	50.5	50.72	95.3	20.55	1.21	2.03	2.37	59.1	20.06	59.3	36.94	45.06	36.56	331.1	46000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%	
35.9	-31.79	20.36	37.75	147.3	53.55	-61.81	40.72	74.02	146.6	16.03	40.34	22.19	21.86	19.59	181.6	46000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%	
35.9	-31.79	20.36	37.75	147.3	20.95	1.31	2.0	2.39	56.8	20.57	40.69	21.66	31.9	27.19	181.6	46000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%	
58.99	-30.95	-42.83	52.84	234.1	94.81	-1.82	6.97	7.21	104.6	16.62	67.91	43.05	42.26	39.84	345.3	46000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%	
58.99	-30.95	-42.83	52.84	19.39	0.46	1.31	1.39	70.4	19.98	67.11	43.47	50.99	43.16	400.8	46000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%		
26.46	31.17	-44.12	54.02	305.2	94.79	-1.8	6.93	7.16	104.5	26.13	91.44	72.88	66.4	67.82	583.8	46000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%	
26.46	31.17	-44.12	54.02	305.2	19.48	0.48	1.32	1.41	69.7	10.47	55.28	18.89	30.95	26.65	243.6	46000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%	
47.86	74.93	-6.17	75.18	355.2	94.82	-1.8	6.89	7.12	104.6	15.92	90.9	52.54	51.61	47.55	375.4	46000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%	
47.86	74.93	-6.17	75.18	355.2	19.88	0.53	1.27	1.38	67.0	20.68	79.83	33.13	46.36	36.13	310.1	46000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%	
48.04	65.24	53.02	84.07	39.1	94.82	-1.77	6.74	6.97	104.7	17.53	93.92	50.83	52.84	47.55	382.2	46000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%	
48.04	65.24	53.02	84.07	39.1	19.91	0.68	0.98	1.19	55.1	19.07	87.56	33.05	47.55	36.52	320.7	46000032	48	65	53	84	39	20	0	0	1	55	(O-N)%	
88.84	-7.51	99.94	100.22	94.2	94.87	-1.9	7.23	7.47	104.7	11.12	93.07	17.98	35.33	27.52	134.7	46000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%	
88.84	-7.51	99.94	100.22	94.2	19.2	0.45	1.19	1.27	69.2	25.48	121.0971	94.72	5	73.48	464.9	46000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%	
52.21	-63.24	39.78	74.72	147.8	94.8	-1.88	7.19	7.44	104.7	18.48	81.49	46.03	44.51	40.75	333.8	46000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%	
52.21	-63.24	39.78	74.72	147.8	19.37	0.46	1.3	1.39	70.3	18.12	81.35	37.37	49.56	39.42	335.0	46000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%	
26.86	31.17	-43.9	53.84	305.3	59.11	-30.71	-42.84	52.71	234.3	17.53	69.79	47.03	50.52	48.93	359.8	46000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C)%	
26.86	31.17	-43.9	53.84	305.3	48.01	74.74	-5.91	74.97	355.4	19.07	61.54	37.02	35.74	30.48	348.8	46000038	27	31	-43	53	305	48	74	-5	74	355	(V-M)%	
48.01	65.27	53.13	84.16	39.1	47.94	74.93	-6.19	75.19	355.2	12.04	60.1	26.33	25.21	27.24	155.6	46000039	48	65	53	84	39	48	74	-6	75	355	(O-M)%	
48.01	65.27	53.13	84.16	39.1	88.84	-7.71	98.71	99.01	94.4	24.56	95.24	55.5	66.66	56.76	343.2	46000040	48	65	53	84	39	89	-7	98	99	94	(O-Y)%	
52.06	-63.42	39.55	74.75	148.0	88.81	-7.56	99.34	99.63	94.3																			

TUB-Registrierung: 20140801-XG46/XG46L0NA.TXT /PS TUB-Material: Code=rha4ta
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*00	dE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE			
%CIELAB data for all colour (a) of experiment, iimp=98, colour difference pairs Ka_EV098=KIT_ADJACENT_EV, ioutcn=1, ioutss=0																											
-23.63	-30.29	38.42	232.0	76.79	-16.56	-18.75	25.02	228.5	7.65	15.82	9.64	9.12	8.32	87.7	46000051	69	-23	-30	38	232	77	-16	-18	25	228	(W-W)%	
-23.63	-30.29	38.42	232.0	59.13	-30.86	-42.86	52.82	234.2	12.3	17.31	10.87	9.7	9.2	112.1	46000052	69	-23	-30	38	232	59	-30	-42	52	234	(W-V)%	
7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	8.49	22.95	21.47	21.55	18.66	125.9	46000053	78	7	-7	9	315	95	-1	6	104	(W-M)%		
7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	7.76	23.46	20.81	17.2	16.65	162.4	46000054	78	7	-7	9	315	60	15	-19	24	308	(W-M)%	
22.97	-31.7	39.15	305.9	60.3	15.34	-19.57	24.87	308.0	7.87	21.53	16.91	16.01	16.97	180.8	46000055	44	22	-31	39	305	60	15	-19	24	308	(W-W)%	
22.97	-31.7	39.15	305.9	27.04	31.13	-43.94	53.85	305.3	12.48	22.61	17.98	20.05	15.04	230.9	46000056	44	22	-31	39	305	27	31	-43	53	305	(W-O)%	
17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	9.33	22.34	17.83	32.91	22.37	82.9	46000057	84	17	2	17	9	95	-1	6	104	(W-W)%		
17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	7.98	23.73	16.97	14.13	13.11	104.4	46000058	84	17	2	17	9	72	37	0	37	359	(W-Y)%	
56.15	-3.8	56.28	356.1	71.53	37.39	-0.61	37.39	359.0	8.6	22.19	12.67	11.96	11.17	108.4	46000059	60	56	-3	56	356	72	37	0	37	359	(W-W)%	
60.11	56.15	-3.8	56.28	356.1	48.09	74.97	-6.57	75.26	354.9	10.69	22.5	13.18	12.48	12.51	127.2	46000060	60	56	-3	56	356	48	74	-6	75	354	(W-L)%
82.78	14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	8.27	22.94	16.71	20.73	19.45	94.3	46000061	83	14	17	23	50	95	-1	7	104	(C-C)%	
82.78	14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	8.09	23.82	15.59	13.74	12.08	101.7	46000062	83	14	17	23	50	71	31	29	43	43	(C-M)%
59.24	49.55	42.4	65.21	40.5	71.22	31.5	29.96	43.48	43.5	8.85	24.97	13.26	12.84	11.81	116.1	46000063	59	49	42	65	40	71	31	29	43	43	(V-V)%
59.24	49.55	42.4	65.21	40.5	47.91	65.55	53.73	84.76	39.3	11.38	22.64	12.39	11.96	11.86	120.3	46000064	59	49	42	65	40	48	65	53	84	39	(V-M)%
93.11	-6.36	28.57	29.27	102.5	94.84	-1.77	6.9	7.13	104.4	8.6	22.21	9.71	14.11	12.32	52.2	46000065	93	-6	28	29	102	95	-1	6	104	(M-M)%	
93.11	-6.36	28.57	29.27	102.5	92.03	-9.68	51.97	52.86	100.5	8.23	23.65	10.28	10.14	8.36	38.4	46000066	93	-6	28	29	102	92	-9	51	52	100	(M-M)%
90.73	-10.44	77.87	78.57	97.6	92.03	-9.68	51.97	52.86	100.5	9.44	25.94	6.0	9.11	6.82	28.2	46000067	91	-10	77	78	97	92	-9	51	52	100	(O-O)%
90.73	-10.44	77.87	78.57	97.6	88.92	-9.68	51.97	52.86	94.4	10.32	20.97	5.31	6.8	4.93	18.9	46000068	91	-10	77	78	97	89	-7	98	98	94	(O-M)%
84.62	-17.15	14.27	22.31	140.2	94.77	-1.7	6.61	6.83	104.4	9.18	20.01	13.97	14.93	15.23	78.4	46000069	85	-17	14	22	140	95	-1	6	104	(Y-Y)%	
84.62	-17.15	14.27	22.31	140.2	72.84	-32.92	22.13	39.67	146.0	7.76	21.19	14.79	12.32	11.24	97.1	46000070	85	-17	14	22	140	73	-32	22	39	146	(Y-M)%
63.63	-47.75	31.25	57.07	146.7	72.84	-32.92	22.13	39.67	146.0	8.49	19.69	10.42	10.01	9.11	85.2	46000071	64	-47	31	57	146	73	-32	22	39	146	(L-L)%
63.63	-47.75	31.25	57.07	146.7	53.08	-62.72	39.96	74.36	147.4	11.16	20.27	11.61	10.77	10.46	103.2	46000072	64	-47	31	57	146	53	-62	39	74	147	(L-L)%
48.84	-23.06	-32.15	39.56	234.3	59.31	-30.82	-42.44	52.45	234.0	10.43	16.6	11.44	10.6	10.89	103.6	46000073	49	-23	-32	39	234	59	-30	-42	52	234	(W-W)%
48.84	-23.06	-32.15	39.56	234.3	38.56	-15.5	-20.87	25.99	233.3	8.27	17.03	11.39	12.05	11.01	114.2	46000074	49	-23	-32	39	234	39	-15	-20	25	233	(W-N)%
8.71	-9.93	13.21	228.7	38.56	-15.5	-20.87	25.99	233.3	9.22	16.27	12.84	13.98	10.72	120.0	46000075	29	-8	-9	13	228	39	-15	-20	25	233	(C-C)%	
8.71	-9.93	13.21	228.7	19.44	0.57	1.06	1.21	61.6	8.67	17.07	13.59	19.72	14.92	117.1	46000076	29	-8	-9	13	228	19	0	1	61	(C-V)%		
25.04	24.12	-33.9	41.61	305.4	26.77	31.43	-43.88	53.97	305.6	7.94	12.49	4.64	5.46	4.1	47.7	46000077	25	24	-33	41	305	27	31	-43	53	305	(W-V)%
25.04	24.12	-33.9	41.61	305.4	23.23	16.42	-22.23	27.64	306.4	9.7	14.09	5.2	6.99	5.73	60.5	46000078	25	24	-33	41	305	23	16	-22	27	306	(W-M)%
21.59	8.2	-9.86	12.83	309.7	23.23	16.42	-22.23	27.64	306.4	11.09	14.93	9.57	9.32	8.23	68.4	46000079	22	8	-9	12	309	23	16	-22	27	306	(M-M)%
21.59	8.2	-9.86	12.83	309.7	19.8	0.76	1.39	1.59	61.1	7.87	13.61	9.65	14.0	12.07	62.6	46000080	22	8	-9	12	309	20	0	1	61	()	
39.95	56.6	-5.2	56.84	354.7	47.96	75.02	-6.12	75.27	355.3	10.65	20.1	9.54	10.14	8.79	86.4	46000081	40	56	-5	56	354	48	75	-6	75	355	()
39.95	56.6	-5.2	56.84	354.7	34.33	37.05	-2.58	37.14	356.0	8.42	20.51	7.9	10.0	7.93	69.7	46000082	40	56	-5	56	354	34	37	-2	37	356	()
27.14	19.88	0.09	19.88	0.2	34.33	37.05	-2.58	37.14	356.0	7.06	18.8	11.71	12.52	9.71	87.4	46000083	27	19	0	19	0	34	37	-2	37	356	()
27.14	19.88	0.09	19.88	0.2	20.32	0.86	1.64	1.85	62.3	10.47	20.26	12.66	19.8	17.63	87.2	46000084	27	19	0	19	0	34	37	-2	37	356	()
40.17	49.15	39.85	63.27	39.0	47.89	65.54	53.53	84.62	39.2	10.39	22.7	9.5	10.36	8.73	83.7	46000085	40	49	39	63	39	48	65	53	84	39	()
40.17	49.15	39.85	63.27	39.0	33.47	32.53	27.42	42.55	40.1	7.24	21.8	8.6	10.78	8.35	79.0	46000086	40	49	39	63	39	33	32	27	42	40	()
17.98	15.0	23.41	39.8	33.47	32.53	27.42	42.55	40.1	8.71	20.33	11.57	12.47	9.4	84.4	46000087	27	17	15	23	39	33	32	27	42	40	()	
17.98	15.0	23.41	39.8	19.55	0.34	1.14	1.19	73.0	10.25	23.51	13.1	20.74	17.99	98.6	46000088	27	17	15	23	20	0	1	1	73	()		
72.42	-8.18	74.48	74.93	96.2	88.85	-7.73	98.52	98.82	94.4	9.99	29.12	17.36	14.2	12.38	123.5	46000089	72	-8	74	74	96	89	-7	98	98	94	()
72.42	-8.18	74.48	74.93	96.2	53.86	-4.99	49.58	49.83	95.7	7.98	31.21	19.42	17.57	16.97	161.5	46000090	72	-8	74	74	96	54	-4	49	49	95	()
37.38	-2.16	26.01	26.1	94.7	53.86	-4.99	49.58	49.83	95.7	6.88	28.89	19.76	19.08	18.03	168.5	46000091	37	-2	26	26	94	54	-4	49	49	95	

%*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, iimp=98, colour difference pairs Ka_EV098=KIT_ADJACENT_EV, ioutn=1, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 41.14
iai+1 = 98, CIELAB_Fa = 3.02, CIELAB_STRESSa = 38.46

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15
iai+1 = 98, CIELCHFa = 3.02, CIELCHSTRESSa = 38.46

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66
iai+1 = 98, C94LCHFa = 1.75, C94LCHSTRESSa = 37.09

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47
iai+1 = 98, CMCLCHFa = 1.87, CMCLCHSTRESSa = 35.69

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81
iai+1 = 98, C00LCHFa = 1.68, C00LCHSTRESSa = 37.86

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 593.86, d_C85LCHavea = 182.82
iai+1 = 98, C85LCHFa = 13.56, C85LCHSTRESSa = 35.61