

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG51/XG51L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	dS*ab	dE*ab	dE*abrdE*ab	dVrdE*ab	dE*abmdE*ab	DVm no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs VA_EC098=VIK_ADJACENT_EC, ioutn=0, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	00777399	0081895	0087159	0084892	0029250	06739	03422	0.507	0.434	0.492	0.566	51000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
0095050	0100000	0108900	0043074	0051427	00777399	0019343	0027473	0069838	0038146	06739	03316	0.492	0.566	0.507	0.434	51000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0040990	09068	04660	0.513	0.452	0.486	0.548	51000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0049695	09068	04407	0.486	0.548	0.513	0.452	51000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0038905	09047	04611	0.509	0.43	0.49	0.57	51000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0051572	09047	04436	0.49	0.57	0.509	0.43	51000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0040452	09385	04593	0.489	0.431	0.51	0.569	51000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0053405	09385	04792	0.51	0.569	0.489	0.431	51000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0044850	09462	04702	0.496	0.474	0.503	0.525	51000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0060695	0049770	09462	04760	0.503	0.525	0.496	0.474	51000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0039004	08125	04197	0.516	0.48	0.483	0.52	51000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0042254	08125	03928	0.483	0.52	0.516	0.48	51000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0036364	06696	03376	0.504	0.543	0.495	0.456	51000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0030999	00303081	0030605	06696	03320	0.495	0.456	0.504	0.543	51000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0033098	05498	02691	0.489	0.602	0.51	0.397	51000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0021882	05498	02806	0.51	0.397	0.489	0.602	51000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0041149	07990	04086	0.511	0.515	0.488	0.484	51000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0038752	07990	03903	0.488	0.484	0.511	0.515	51000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0045486	08747	04376	0.5	0.52	0.499	0.479	51000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0041987	08747	04370	0.499	0.479	0.5	0.52	51000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0058048	11919	05989	0.502	0.487	0.497	0.513	51000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0061147	11919	05930	0.497	0.513	0.502	0.487	51000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0041654	08103	04034	0.497	0.514	0.502	0.486	51000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0039384	08103	04069	0.502	0.486	0.497	0.514	51000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0060898	13502	06791	0.502	0.451	0.497	0.548	51000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%
0095050	0100000	0108900	0018978	0027010	0069411	0008274	0008289	0002886	0074130	13502	06711	0.497	0.548	0.502	0.451	51000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0091267	14673	09144	0.623	0.622	0.376	0.377	51000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0055464	14673	05528	0.376	0.377	0.623	0.622	51000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0078028	17074	09090	0.532	0.457	0.467	0.543	51000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0092712	17074	07983	0.467	0.543	0.532	0.457	51000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0084211	18148	09392	0.517	0.464	0.482	0.536	51000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0097278	18148	08756	0.482	0.536	0.517	0.464	51000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0074105	21417	09307	0.434	0.346	0.565	0.654	51000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0140071	21417	12109	0.565	0.654	0.434	0.346	51000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0081261	16284	08149	0.5	0.499	0.499	0.501	51000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0081587	16284	08135	0.499	0.501	0.5	0.499	51000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0066461	13134	06979	0.531															

<http://130.149.60.45/~farbmatrik/XG51/XG51LONP.PDF> /PS; Transfer Ausgabe N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 2/6

TUTB-Prüfvorlage XG51; Farbabstände und -Formeln Eingabe: w/rgb/cmyk -> (w/rgb/cmyk)
VA EC098=VIK ADJACENT EC, Farbdifferenz-Experimente

Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	ds*ab	de*ab	de*abrdE*DVrde*abmdE*DVm no.	L*a*b*			C*u	h0	L*1a*1	b*1	C*1	h1	CODE					
													a	b	0												
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs VA_EC098=VIK_ADJACENT_EC, ioutn=0, iouts=0 %																											
0095050	0100000	0108900	0053773	0053723	0066406	0081677	0086843	0085230	0023071	04642	02295	0.494	0.497	0.505	5.10000051	78	7	-7	9	315	95	-1	6	6	104	(WV-W)*%	
0095050	0100000	0108900	0053773	0053723	0066406	0081677	0086843	0085230	0023071	04642	02295	0.494	0.497	0.505	5.10000051	78	7	-7	9	315	60	-15	-19	24	308	(WV-V)*%	
0095050	0100000	0108900	0068553	0064010	0066228	0082016	0078721	0085531	0022672	04608	02234	0.505	0.503	0.494	0.496	510000052	84	17	2	17	9	95	-1	6	6	104	(WM-W)*%
0095050	0100000	0108900	0068553	0064010	0066228	0082016	0078721	0085531	0022672	04608	02234	0.484	0.492	0.515	0.508	510000053	84	17	2	17	9	72	37	0	37	359	(WM-M)*%
0095050	0100000	0108900	0064913	0061743	0048224	0081898	0087155	0083955	004676	02294	0.49	0.493	0.509	0.506	510000055	83	14	17	23	50	95	-1	7	7	104	(WO-W)*%	
0095050	0100000	0108900	0064913	0061743	0048224	0081898	0087155	0083955	004676	02294	0.49	0.493	0.509	0.506	510000055	83	14	17	23	50	71	31	29	43	43	(WO-O)*%	
0095050	0100000	0108900	0075935	0083223	0055281	0081998	0087239	0085073	0016423	04587	02221	0.484	0.358	0.515	0.641	510000057	93	-6	28	29	102	95	-1	6	7	104	(WY-W)*%
0095050	0100000	0108900	0075935	0083223	0055281	0081998	0087239	0085073	0016423	04587	02221	0.484	0.358	0.515	0.641	510000057	93	-6	28	29	102	92	-9	51	52	100	(WY-V)*%
0095050	0100000	0108900	0054957	0065264	0054935	0081892	0087084	0085314	0020275	04120	02001	0.485	0.492	0.514	0.508	510000059	85	-17	14	22	140	95	-1	6	6	104	(WL-W)*%
0095050	0100000	0108900	0054957	0065264	0054935	0081892	0087084	0085314	0020275	04120	02001	0.477	0.375	0.522	0.625	510000061	69	-23	-30	38	232	77	-16	-18	25	228	(CW-C)*%
0095050	0100000	0108900	0039129	0038759	0074364	0042846	0051178	0077724	0012427	03313	01582	0.514	0.508	0.485	0.491	510000060	85	-17	14	22	140	73	-32	29	146	(WL-L)*%	
0095050	0100000	0108900	0030129	0038759	0074364	0042846	0051178	0077724	0012427	03313	01582	0.514	0.508	0.485	0.491	510000060	85	-17	14	22	140	73	-32	29	146	(WL-L)*%	
0095050	0100000	0108900	0039129	0038759	0074364	0042846	0051178	0077724	0012427	03313	01582	0.514	0.508	0.485	0.491	510000060	85	-17	14	22	140	73	-32	29	146	(WL-L)*%	
0095050	0100000	0108900	0039129	0038759	0074364	0042846	0051178	0077724	0012427	03313	01582	0.514	0.508	0.485	0.491	510000060	85	-17	14	22	140	73	-32				

%Xn Yn Zn X0 Y0 Z0 X1 Y1 Z1 DV*ab dS*ab dE*ab dVrde*abndE*Dvm no. L*a*0 b*0 c*0 h0 L*1 a*1 b*1 c*1 h1 CODE %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 0.98, CIELAB_STRESSa = 10.77

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 0.98, CIELCHSTRESSa = 10.77

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 25.2

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 22.89

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 22.69

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 593.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 4.2, C85LCHSTRESSa = 29.58

http://130.149.60.45/~farbmatrik/XG51/XG51L0NP.PDF /PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 4/6

Eingabe: w/rgb/cmyk → (w/rgb/cmyk)

[illegible]

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG51/XG51.HTM>

Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*00	dE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %				
data for all colour (a) of experiment, , %imp=98, colour difference pairs VA_EC098=VIK_ADJACENT_EC, ioutn=0, ioutn=0																												
7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	23.07	22.95	21.47	21.55	18.66	125.9	51000051	78	7	-7	9	315	95	-1	6	104	(W-V-W)%			
7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	23.35	23.46	20.81	17.2	16.65	162.4	51000052	78	7	-7	9	315	60	15	-19	24	308	(W-V-W)%		
17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	22.67	22.34	17.83	32.91	22.37	82.9	51000053	84	17	2	17	9	95	-1	6	104	(Wm-W)%			
17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	23.4	23.73	16.97	14.13	13.11	104.4	51000054	84	17	2	17	9	72	37	0	37	359	(Wm-W)%		
14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	23.05	22.94	16.71	20.73	19.45	94.3	51000055	83	14	17	23	50	95	-1	7	104	(W0-W)%			
14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	23.71	23.82	15.59	13.74	12.08	101.7	51000056	83	14	17	23	50	71	31	29	43	43	(W0-W)%		
14.55	17.85	23.03	50.8	94.84	-1.77	6.9	7.13	104.4	16.42	22.21	9.71	14.11	12.32	52.2	51000057	93	-6	28	29	102	95	-1	6	104	(W-V-W)%			
14.55	17.85	23.03	50.8	94.84	-1.77	6.9	7.13	104.4	16.42	22.21	9.71	14.11	12.32	52.2	51000057	93	-6	28	29	102	95	-1	6	104	(W-V-W)%			
14.55	17.85	23.03	50.8	72.84	-32.92	22.13	39.67	146.0	20.93	21.19	14.79	12.32	11.24	97.1	51000060	85	-17	14	22	140	73	-32	29	146	(W-L-W)%			
14.55	17.85	23.03	50.8	72.84	-32.92	22.13	39.67	146.0	20.93	21.19	14.79	12.32	11.24	97.1	51000060	85	-17	14	22	140	73	-32	29	146	(W-L-W)%			
14.55	17.85	23.03	50.8	59.13	-30.86	-42.86	52.82	234.2	20.71	17.31	10.87	9.7	9.2	112.1	51000062	69	-23	-30	38	232	77	-16	-18	25	228	(W-C-W)%		
14.55	17.85	23.03	50.8	59.13	-30.86	-42.86	52.82	234.2	20.71	17.31	10.87	9.7	9.2	112.1	51000062	69	-23	-30	38	232	59	-30	-42	52	234	(W-C-W)%		
14.55	17.85	23.03	50.8	60.3	15.34	-19.57	24.87	308.0	18.54	21.53	16.91	16.01	16.97	180.8	51000063	44	22	-31	39	305	60	15	-19	24	308	(V-W-V)%		
14.55	17.85	23.03	50.8	60.3	15.34	-19.57	24.87	308.0	18.54	21.53	16.91	16.01	16.97	180.8	51000063	44	22	-31	39	305	60	15	-19	24	308	(V-W-V)%		
14.55	17.85	23.03	50.8	77.04	31.13	-43.94	53.85	305.3	25.6	22.61	17.98	20.05	15.04	230.9	51000064	44	22	-31	39	305	27	31	-43	53	305	(V-W-V)%		
14.55	17.85	23.03	50.8	77.04	31.13	-43.94	53.85	305.3	25.6	22.61	17.98	20.05	15.04	230.9	51000064	44	22	-31	39	305	27	31	-43	53	305	(V-W-V)%		
14.55	17.85	23.03	50.8	71.53	37.39	-0.61	37.39	359.0	18.59	22.19	12.67	11.96	11.17	108.4	51000065	60	56	-3	56	356	72	37	0	37	359	(M-W-M)%		
14.55	17.85	23.03	50.8	71.53	37.39	-0.61	37.39	359.0	18.59	22.19	12.67	11.96	11.17	108.4	51000065	60	56	-3	56	356	72	37	0	37	359	(M-W-M)%		
14.55	17.85	23.03	50.8	48.09	74.97	-6.57	75.26	354.9	26.1	22.5	13.18	12.48	12.51	127.2	51000066	60	56	-3	56	356	48	74	-6	75	354	(M-W-M)%		
14.55	17.85	23.03	50.8	48.09	74.97	-6.57	75.26	354.9	26.1	22.5	13.18	12.48	12.51	127.2	51000066	60	56	-3	56	356	48	74	-6	75	354	(M-W-M)%		
14.55	17.85	23.03	50.8	40.5	71.22	31.5	29.96	43.48	43.5	19.61	24.97	13.26	12.84	11.81	116.1	51000067	59	49	42	65	40	71	31	29	43	43	(O-W-O)%	
14.55	17.85	23.03	50.8	40.5	71.22	31.5	29.96	43.48	43.5	19.61	24.97	13.26	12.84	11.81	116.1	51000067	59	49	42	65	40	71	31	29	43	43	(O-W-O)%	
14.55	17.85	23.03	50.8	47.91	65.55	53.73	84.76	39.3	28.0	22.64	12.39	11.96	11.86	120.3	51000068	59	49	42	65	40	48	65	53	84	39	39	(O-W-O)%	
14.55	17.85	23.03	50.8	47.91	65.55	53.73	84.76	39.3	28.0	22.64	12.39	11.96	11.86	120.3	51000068	59	49	42	65	40	48	65	53	84	39	39	(O-W-O)%	
14.55	17.85	23.03	50.8	92.03	-9.68	51.97	52.86	100.5	22.33	25.94	6.0	9.11	6.82	28.2	51000069	91	-10	77	78	97	92	-9	51	52	100	100	(Y-W-Y)%	
14.55	17.85	23.03	50.8	92.03	-9.68	51.97	52.86	100.5	22.33	25.94	6.0	9.11	6.82	28.2	51000069	91	-10	77	78	97	92	-9	51	52	100	100	(Y-W-Y)%	
14.55	17.85	23.03	50.8	88.92	-7.75	98.59	98.9	94.4	24.58	20.97	5.31	6.8	4.93	18.9	51000070	91	-10	77	78	97	89	-7	98	98	94	94	94	(Y-W-Y)%
14.55	17.85	23.03	50.8	88.92	-7.75	98.59	98.9	94.4	24.58	20.97	5.31	6.8	4.93	18.9	51000070	91	-10	77	78	97	89	-7	98	98	94	94	94	(Y-W-Y)%
14.55	17.85	23.03	50.8	72.84	-32.92	22.13	39.67	146.0	17.14	19.69	10.42	10.01	9.11	85.2	51000071	64	-47	31	57	146	73	-32	29	146	146	146	146	(L-W-L)%
14.55	17.85	23.03	50.8	72.84	-32.92	22.13	39.67	146.0	17.14	19.69	10.42	10.01	9.11	85.2	51000071	64	-47	31	57	146	73	-32	29	146	146	146	146	(L-W-L)%
14.55	17.85	23.03	50.8	53.08	-62.72	39.96	74.36	147.4	22.82	20.27	11.61	10.77	10.46	103.2	51000072	64	-47	31	57	146	53	-62	39	147	147	147	147	(L-W-L)%
14.55	17.85	23.03	50.8	53.08	-62.72	39.96	74.36	147.4	22.82	20.27	11.61	10.77	10.46	103.2	51000072	64	-47	31	57	146	53	-62	39	147	147	147	147	(L-W-L)%
14.55	17.85	23.03	50.8	59.31	-30.82	-42.44	52.45	234.0	17.93	16.6	11.44	10.6	10.89	103.6	51000073	49	-23	-32	39	234	59	-30	-42	52	234	234	234	(C-W-C)%
14.55	17.85	23.03	50.8	59.31	-30.82	-42.44	52.45	234.0	17.93	16.6	11.44	10.6	10.89	103.6	51000073	49	-23	-32	39	234	59	-30	-42	52	234	234	234	(C-W-C)%
14.55	17.85	23.03	50.8	38.56	-15.5	-20.87	25.99	233.3	15.71	17.03	11.39	12.05	11.01	114.2	51000074	49	-23	-32	39	234	39	-15	-20	25	233	233	233	(C-W-C)%
14.55	17.85	23.03	50.8	38.56	-15.5	-20.87	25.99	233.3	15.71	17.03	11.39	12.05	11.01	114.2	51000074	49	-23	-32	39	234	39	-15	-20	25	233	233	233	(C-W-C)%
14.55	17.85	23.03	50.8	26.77	31.43	-43.88	53.97	305.6	13.37	12.49	4.64	5.46	4.1	47.7	51000075	25	24	-33	41	305	27	31	-43	53	305	305	305	(V-W-V)%
14.55	17.85	23.03	50.8	26.77	31.43	-43.88	53.97	305.6	13.37	12.49	4.64	5.46	4.1	47.7	51000075	25	24	-33	41	305	27	31	-43	53	305	305	305	(V-W-V)%
14.55	17.85	23.03	50.8	23.23	16.42	-22.23	27.64	306.4	13.21	14.09	5.2	6.99	5.73	60.5	51000076	25	24	-33	41	305	23	16	-22	27	306	306	306	(V-W-V)%
14.55	17.85	23.03	50.8	23.23	16.42	-22.23	27.64	306.4	13.21	14.09	5.2	6.99	5.73	60.5	51000076	25	24	-33	41	305	23	16	-22	27	306	306	306	(V-W-V)%
14.55	17.85	23.03	50.8	47.96	75.02	-6.12	75.27	355.3	21.73	20.1	9.54	10.14	8.79	86.4	51000077	40	56	-5	56	354	48	75	-6	75	355	355	355	(M-W-M)%
14.55	17.85	23.03	50.8	47.96	75.02	-6.12	75.27	355.3	21.73	20.1	9.54	10.14	8.79	86.4	51000077	40	56	-5	56	354	48	75	-6	75	355	355	355	(M-W-M)%
14.55	17.85	23.03	50.8	34.33	37.05	-2.58	37.14	356.0	18.88	20.51	7.9	10.0	7.93	69.7	51000078	40	56	-5	56	354	34	37	-2	37	356	356	356	(M-W-M)%
14.55	17.85	23.03	50.8	34.33	37.05	-2.58	37.14	356.0	18.88	20.51	7.9	10.0	7.93	69.7	51000078	40	56	-5	56	354	34	37	-2	37	356	356	356	(M-W-M)%
14.55	17.85	23.03	50.																									

%*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, , %imp=98, colour difference pairs VA_EC098=VIK_ADJACENT_EC, ioutn=0, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14
iai+1 = 98, CIELAB_Fa = 0.98, CIELAB_STRESSa = 10.77

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15
iai+1 = 98, CIELCHFa = 0.98, CIELCHSTRESSa = 10.77

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66
iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 25.2

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47
iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 22.89

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81
iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 22.69

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 593.86, d_C85LCHavea = 182.82
iai+1 = 98, C85LCHFa = 4.2, C85LCHSTRESSa = 29.58