

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG53/XG53L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	dS*ab	dE*ab	dE*abrdE	DVrdE	abmdE	DVm no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs KS_EC098=KIT_SEPARATE_EC, ioutn=0, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	00777399	0081895	0087159	0084892	0033294	06739	03422	0.507	0.494	0.492	0.505	53000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0034102	06739	03316	0.492	0.505	0.507	0.494	53000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0039992	09068	04660	0.513	0.441	0.486	0.559	53000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0050693	09068	04407	0.486	0.559	0.513	0.441	53000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0041981	09047	04611	0.509	0.464	0.49	0.536	53000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0048496	09047	04436	0.49	0.536	0.509	0.464	53000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0043550	09385	04593	0.489	0.464	0.51	0.536	53000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0050307	09385	04792	0.51	0.536	0.489	0.464	53000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0046459	09462	04702	0.496	0.491	0.503	0.508	53000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0066995	0048162	09462	04760	0.503	0.508	0.496	0.491	53000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0038435	08125	04197	0.516	0.473	0.483	0.526	53000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0042823	08125	03928	0.483	0.526	0.516	0.473	53000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0032681	06696	03376	0.504	0.488	0.495	0.511	53000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0030999	00303081	0034288	06696	03320	0.495	0.511	0.504	0.488	53000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0027325	05498	02691	0.489	0.497	0.51	0.503	53000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0027655	05498	02806	0.51	0.503	0.489	0.496	53000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0042747	07990	04086	0.511	0.535	0.488	0.464	53000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0037154	07990	03903	0.488	0.464	0.511	0.535	53000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0043911	08747	04376	0.5	0.502	0.499	0.497	53000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0043561	08747	04370	0.499	0.497	0.5	0.502	53000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0055664	11919	05989	0.502	0.467	0.497	0.533	53000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0063531	11919	05930	0.497	0.533	0.502	0.467	53000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0034765	08103	04034	0.497	0.429	0.502	0.571	53000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0046273	08103	04069	0.502	0.571	0.497	0.429	53000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0061843	13502	06791	0.502	0.458	0.497	0.541	53000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0008289	0002886	0073185	13502	06711	0.497	0.541	0.502	0.458	53000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0105646	14673	09144	0.623	0.72	0.376	0.279	53000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0041084	14673	05528	0.376	0.279	0.623	0.72	53000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0073248	17074	09090	0.532	0.429	0.467	0.571	53000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0097493	17074	07983	0.467	0.571	0.532	0.429	53000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0091107	18148	09392	0.517	0.502	0.482	0.497	53000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0090381	18148	08756	0.482	0.497	0.517	0.502	53000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0073034	21417	09307	0.434	0.341	0.565	0.659	53000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0141142	21417	12109	0.565	0.659	0.434	0.341	53000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0082727	16284	08149	0.5	0.508	0.499	0.491	53000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0080121	16284	08135	0.499	0.491	0.5	0.508	53000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0066330	13134	06979	0.531	0.505	0.													

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	ds*ab	de*ab	de*abrdE*DVrde*abmde*DVm no.	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE
Minimum, maximum and average colour difference value																					
STRESS constant F and STRESS value S																					
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14																					
iai+1 = 98, CIELAB_Fa = 0.97, CIELAB_STRESSa = 13.65																					
iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15																					
iai+1 = 98, CIELCHFa = 0.97, CIELCHSTRESSa = 13.66																					
iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66																					
iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 24.12																					
iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47																					
iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 21.98																					
iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81																					
iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 21.96																					
iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82																					
iai+1 = 98, C85LCHFa = 4.18, C85LCHSTRESSa = 29.29																					

TUB-Registrierung: 20140801-XG53/XG53L0NA.TXT /PS TUB-Material: Code=rha4ta
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*AT	DE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %			
data for all colour (a) of experiment, , %imp=98, colour difference pairs KS_EC098=KIT_SEPARATE_EC, ioutn=0, iouts=0																											
7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	20.51	22.95	21.47	21.55	18.66	125.9	53000051	78	7	-7	9	315	95	-1	6	104	(W-V-W)%		
7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	25.9	23.46	20.81	17.2	16.65	162.4	53000052	78	7	-7	9	315	60	15	-19	24	308	(W-V-W)%	
78.3	17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	21.7	22.34	17.83	32.91	22.37	82.9	53000053	84	17	2	17	9	95	-1	6	104	(W-V-W)%	
83.97	17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	24.37	23.73	16.97	14.13	13.11	104.4	53000054	84	17	2	17	9	72	37	0	37	359	(W-V-W)%
82.78	14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	24.27	22.94	16.71	20.73	19.45	94.3	53000055	83	14	17	23	50	95	-1	7	104	(W-V-W)%	
82.78	14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	22.49	23.82	15.59	13.74	12.08	101.7	53000056	83	14	17	23	50	71	31	29	43	43	(W-V-W)%
93.11	-6.36	28.57	29.27	102.5	94.84	-1.77	6.9	7.13	104.4	21.74	22.21	9.71	14.11	12.32	52.2	53000057	93	-6	28	29	102	95	-1	6	104	(W-V-W)%	
93.11	-6.36	28.57	29.27	102.5	92.03	-9.68	51.97	52.86	100.5	24.13	23.65	10.28	10.14	8.36	38.4	53000058	93	-6	28	29	102	92	-9	51	52	100	(W-V-W)%
84.62	-17.15	14.27	22.31	140.2	94.77	-1.7	6.61	6.83	104.4	19.82	20.01	13.97	14.93	15.23	78.4	53000059	85	-17	14	22	140	95	-1	6	104	(W-V-W)%	
84.62	-17.15	14.27	22.31	140.2	72.84	-32.92	22.13	39.67	146.0	21.38	21.19	14.79	12.32	11.24	97.1	53000060	85	-17	14	22	140	73	-32	29	146	(W-V-W)%	
68.58	-23.63	-30.29	38.42	232.0	67.79	-16.56	-18.75	25.02	228.5	13.18	15.82	9.64	9.12	8.32	87.7	53000061	69	-23	-30	38	232	77	-16	-18	25	228	(W-V-W)%
68.58	-23.63	-30.29	38.42	232.0	59.13	-30.86	-42.86	52.82	234.2	19.94	17.31	10.87	9.7	9.2	112.1	53000062	69	-23	-30	38	232	59	-30	-42	52	234	(W-V-W)%
44.21	22.97	-31.7	39.15	305.9	60.3	15.34	-19.57	24.87	308.0	20.3	21.53	16.91	16.01	16.97	180.8	53000063	44	22	-31	39	305	60	15	-19	24	308	(W-V-W)%
44.21	22.97	-31.7	39.15	305.9	27.04	31.13	-43.94	53.85	305.3	23.84	22.61	17.98	20.05	15.04	230.9	53000064	44	22	-31	39	305	27	31	-43	53	305	(W-V-W)%
60.11	56.15	-3.8	56.28	356.1	71.53	37.39	-0.61	37.39	359.0	18.46	22.19	12.67	11.96	11.17	108.4	53000065	60	56	-3	56	356	72	37	0	37	359	(W-V-W)%
60.11	56.15	-3.8	56.28	356.1	48.09	74.97	-6.57	75.26	354.9	26.23	22.5	13.18	12.48	12.51	127.2	53000066	60	56	-3	56	356	48	74	-6	75	354	(W-V-W)%
59.24	49.55	42.4	65.21	40.5	71.22	31.5	29.96	43.48	43.5	19.57	24.97	13.26	12.84	11.81	116.1	53000067	59	49	42	65	40	71	31	29	43	43	(W-V-W)%
59.24	49.55	42.4	65.21	40.5	47.91	65.55	53.73	84.76	39.3	28.04	22.64	12.39	11.96	11.86	120.3	53000068	59	49	42	65	40	48	65	53	84	39	(W-V-W)%
90.73	-10.44	77.87	78.57	97.6	92.03	-9.68	51.97	52.86	100.5	28.85	25.94	6.0	9.11	6.82	28.2	53000069	91	-10	77	78	97	92	-9	51	52	100	(W-V-W)%
90.73	-10.44	77.87	78.57	97.6	88.92	-7.75	98.59	98.9	94.4	18.06	20.97	5.31	6.8	4.93	18.9	53000070	91	-10	77	78	97	89	-7	98	94	94	(W-V-W)%
63.63	-47.75	31.25	57.07	146.7	72.84	-32.92	22.13	39.67	146.0	17.9	19.69	10.42	10.01	9.11	85.2	53000071	64	-47	31	57	146	73	-32	29	146	146	(W-V-W)%
63.63	-47.75	31.25	57.07	146.7	53.08	-62.72	39.96	74.36	147.4	22.06	20.27	11.61	10.77	10.46	103.2	53000072	64	-47	31	57	146	53	-62	39	147	147	(W-V-W)%
48.84	-23.06	-32.15	39.56	234.3	59.31	-30.82	-42.44	52.45	234.0	18.36	16.6	11.44	10.6	10.89	103.6	53000073	49	-23	-32	39	234	59	-30	-42	52	234	(W-V-W)%
48.84	-23.06	-32.15	39.56	234.3	38.56	-15.5	-20.87	25.99	233.3	15.27	17.03	11.39	12.05	11.01	114.2	53000074	49	-23	-32	39	234	39	-15	-20	25	233	(W-V-W)%
25.04	24.12	-33.9	41.61	305.4	26.77	31.43	-43.88	53.97	305.6	9.17	12.49	4.64	5.46	4.1	47.7	53000075	25	24	-33	41	305	27	31	-43	53	305	(W-V-W)%
25.04	24.12	-33.9	41.61	305.4	23.23	16.42	-22.23	27.64	306.4	17.41	14.09	5.2	6.99	5.73	60.5	53000076	25	24	-33	41	305	23	16	-22	27	306	(W-V-W)%
39.95	56.6	-5.2	56.84	354.7	47.96	75.02	-6.12	75.27	355.3	22.86	20.1	9.54	10.14	8.79	86.4	53000077	40	56	-5	56	354	48	75	-6	75	355	(W-V-W)%
39.95	56.6	-5.2	56.84	354.7	34.33	37.05	-2.58	37.14	356.0	17.75	20.51	7.9	10.0	7.93	69.7	53000078	40	56	-5	56	354	34	37	-2	37	356	(W-V-W)%
40.17	49.15	39.85	63.27	39.0	47.89	65.54	53.53	84.62	39.2	26.03	22.7	9.5	10.36	8.73	83.7	53000079	40	49	39	63	39	48	65	53	84	39	(W-V-W)%
72.42	-8.18	74.48	74.93	96.2	88.85	-7.73	98.52	98.82	94.4	36.02	29.12	17.36	14.2	12.38	123.5	53000081	72	-8	74	74	96	89	-7	98	94	94	(W-V-W)%
72.42	-8.18	74.48	74.93	96.2	53.86	-4.99	49.58	49.83	95.7	24.31	31.21	19.42	17.57	16.97	161.5	53000082	72	-8	74	74	96	54	-4	49	95	95	(W-V-W)%
44.04	-47.55	30.17	56.32	147.6	53.0	-62.87	39.82	74.42	147.6	24.74	20.2	10.32	10.45	10.01	91.7	53000083	44	-47	30	56	147	53	-62	39	147	147	(W-V-W)%
44.04	-47.55	30.17	56.32	147.6	35.23	-32.23	19.13	37.48	149.3	16.29	20.83	10.32	11.94	9.83	97.8	53000084	44	-47	30	56	147	35	-32	19	149	149	(W-V-W)%
28.6	-8.71	-9.93	13.21	228.7	38.56	-15.5	-20.87	25.99	233.3	17.03	16.27	12.84	13.98	10.72	120.0	53000085	29	-8	-9	13	228	39	-15	-20	25	233	(W-V-W)%
28.6	-8.71	-9.93	13.21	228.7	19.44	0.57	1.06	1.21	61.6	16.3	17.07	13.59	19.72	14.92	117.1	53000086	29	-8	-9	13	228	19	0	1	61	61	(W-V-W)%
21.59	8.2	-9.86	12.83	309.7	23.23	16.42	-22.23	27.64	306.4	19.16	14.93	9.57	9.32	8.23	68.4	53000087	22	8	-9	12	309	23	16	-22	27	306	(W-V-W)%
21.59	8.2	-9.86	12.83	309.7	19.8	0.76	1.39	1.59	61.1	9.39	13.61	9.65	14.0	12.07	62.6	53000088	22	8	-9	12	309	20	0	1	61	61	(W-V-W)%
27.14	19.88	0.09	19.88	0.2	34.33	37.05	-2.58	37.14	356.0	18.09	18.8	11.71	12.52	9.71	87.4	53000089	27	19	0	19	0	34	37	-2	37	356	(W-V-W)%
27.14	19.88	0.09	19.88	0.2	20.32	0.86	1.64	1.85	62.3	20.98	20.26	12.66	19.8	17.63	87.2	53000090	27	19	0	19	0	20	0	1	62	62	(W-V-W)%
26.6	17.98	15.0	23.41	39.8	33.47	32.53	27.42	42.55	40.1	19.29	20.33	11.57	12.47	9.4	84.4	53000091	27	17	15	23	39	33	32	27	42	40	(W-V-W)%
26.6	17.98	15.0	23.41	39.8	19.55	0.34	1.14	1.19	73.0	24.55	23.51	13.1	20.74	17.99	98.6	53000092	27	17	15	23	39	20	0	1	73	73	(W-V-W)%
37.38	-2.16	26.01	26.1	94.7	53.86	-4.99	49.58	49.83	95.7	23.89	28.89	19.76	19.08	18.03	168.5	53000093	37	-2	26	26	94	54	-4	49	95	95	(W-V-W)%
37.38	-2.16	26.01	26.1	94.7	19.78	0.58	1.39	1.51	67.2	35.39	30.39	21.03	29.02	20.54	202.0	53000094	37	-2	26	26	94	20	0	1	67	67	(W-V-W)%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG53/XG53.HTM>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

TUB-Prüfvorlage XG53; Farbabstände und -Formeln Eingabe: w/rgb/cmyk -> (w/rgb/cmyk)
KS_EC098=KIT_SEPARATE_EC, Farbdifferenz-Experimente

%*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, , %imp=98, colour difference pairs KS_EC098=KIT_SEPARATE_EC, ioutn=0, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 0.97, CIELAB_STRESSa = 13.65

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 0.97, CIELCHSTRESSa = 13.66

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 24.12

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 21.98

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 21.96

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 4.18, C85LCHSTRESSa = 29.29