

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG53/XG53L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	dS*ab	dE*ab	dE*abrdE*	DVrdE*	abmdE*	DVm no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs KS_EC098=KIT_SEPARATE_EC, ioutn=0, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	00777399	0081895	0087159	0084892	0033294	06739	03422	0.507	0.494	0.492	0.505	53000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0034102	06739	03316	0.492	0.505	0.507	0.494	53000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0039992	09068	04660	0.513	0.441	0.486	0.559	53000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0050693	09068	04407	0.486	0.559	0.513	0.441	53000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0041981	09047	04611	0.509	0.464	0.49	0.536	53000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0048496	09047	04436	0.49	0.536	0.509	0.464	53000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0043550	09385	04593	0.489	0.464	0.51	0.536	53000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0050307	09385	04792	0.51	0.536	0.489	0.464	53000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0046459	09462	04702	0.496	0.491	0.503	0.508	53000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0066995	0048162	09462	04760	0.503	0.508	0.496	0.491	53000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0038435	08125	04197	0.516	0.473	0.483	0.526	53000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0042823	08125	03928	0.483	0.526	0.516	0.473	53000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0032681	06696	03376	0.504	0.488	0.495	0.511	53000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0030999	00303081	0034288	06696	03320	0.495	0.511	0.504	0.488	53000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0027325	05498	02691	0.489	0.497	0.51	0.503	53000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0027655	05498	02806	0.51	0.503	0.489	0.496	53000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0042747	07990	04086	0.511	0.535	0.488	0.464	53000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0037154	07990	03903	0.488	0.464	0.511	0.535	53000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0043911	08747	04376	0.5	0.502	0.499	0.497	53000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0043561	08747	04370	0.499	0.497	0.5	0.502	53000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0055664	11919	05989	0.502	0.467	0.497	0.533	53000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0063531	11919	05930	0.497	0.533	0.502	0.467	53000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0034765	08103	04034	0.497	0.429	0.502	0.571	53000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0046273	08103	04069	0.502	0.571	0.497	0.429	53000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0061843	13502	06791	0.502	0.458	0.497	0.541	53000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0008289	0002886	0073185	13502	06711	0.497	0.541	0.502	0.458	53000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0105646	14673	09144	0.623	0.72	0.376	0.279	53000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0041084	14673	05528	0.376	0.279	0.623	0.72	53000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0073248	17074	09090	0.532	0.429	0.467	0.571	53000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0097493	17074	07983	0.467	0.571	0.532	0.429	53000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0091107	18148	09392	0.517	0.502	0.482	0.497	53000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0090381	18148	08756	0.482	0.497	0.517	0.502	53000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0073034	21417	09307	0.434	0.341	0.565	0.659	53000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0141142	21417	12109	0.565	0.659	0.434	0.341	53000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0082727	16284	08149	0.5	0.508	0.499	0.491	53000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0080121	16284	08135	0.499	0.491	0.5	0.508	53000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0066330	13134	06979	0.531	0.505	0.460													

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	dv*ab	ds*ab	de*ab	dv*abde*DVm no.	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %imp=98, colour difference pairs KS_EC098=KIT_SEPARATE_EC, iout=0, iouts=0																					
0095050	0100000	0108900	0053773	0053723	0066406	0081677	0086843	0085230	0020518	04642	02295	0.494	0.442	0.505	0.557	53000051	78	7	-7	9	315 95
0095050	0100000	0108900	0053773	0053723	0066406	0081677	0086843	0085230	0020518	04642	02295	0.494	0.442	0.505	0.557	53000052	78	7	-7	9	315 60
0095050	0100000	0108900	0053773	0053723	0066406	0081677	0086843	0085230	0020518	04642	02295	0.494	0.442	0.505	0.557	53000053	84	17	2	17	9 95
0095050	0100000	0108900	0068553	0064010	0066228	0082016	0087216	0085531	0021170	04608	02234	0.484	0.471	0.515	0.529	53000054	84	17	2	17	9 72
0095050	0100000	0108900	0068553	0064010	0066228	0082016	0087216	0085531	0021170	04608	02234	0.484	0.471	0.515	0.529	53000055	83	14	17	23	50 95
0095050	0100000	0108900	0064913	0061743	0048224	0081898	0087155	0084581	0024271	04676	02294	0.49	0.519	0.509	0.48	53000056	83	14	17	23	50 71
0095050	0100000	0108900	0064913	0061743	0048224	0081898	0087155	0084581	0024271	04676	02294	0.49	0.519	0.509	0.48	53000057	83	14	17	23	50 95
0095050	0100000	0108900	0075935	0083223	0055281	0081998	0087239	0085073	0021175	04587	02221	0.484	0.474	0.515	0.525	53000058	93	-6	28	29	102 95
0095050	0100000	0108900	0075935	0083223	0055281	0081998	0087239	0085073	0021175	04587	02221	0.484	0.474	0.515	0.525	53000059	93	-6	28	29	102 92
0095050	0100000	0108900	0054957	0065264	0054935	0081892	0087084	0085314	0021175	04587	02221	0.484	0.474	0.515	0.525	53000060	85	-17	14	22	140 95
0095050	0100000	0108900	0054957	0065264	0054935	0081892	0087084	0085314	0021175	04587	02221	0.484	0.474	0.515	0.525	53000061	85	-17	14	22	140 73
0095050	0100000	0108900	0030129	0038759	0074364	0042846	0051178	0077724	0013189	03313	01582	0.477	0.398	0.522	0.602	53000062	69	-23	-30	38	232 77
0095050	0100000	0108900	0030129	0038759	0074364	0042846	0051178	0077724	0013189	03313	01582	0.477	0.398	0.522	0.602	53000063	69	-23	-30	38	232 59
0095050	0100000	0108900	0017140	0013979	0033873	0033107	0028449	0022445	0023069	04415	02261	0.512	0.539	0.487	0.46	53000064	44	22	-31	39	305 27
0095050	0100000	0108900	0017140	0013979	0033873	0033107	0028449	0022445	0023069	04415	02261	0.512	0.539	0.487	0.46	53000065	60	56	-3	56	356 72
0095050	0100000	0108900	0043132	0028245	0033517	0054225	0042964	0047363	0018460	04469	02219	0.496	0.413	0.503	0.587	53000066	60	56	-3	56	356 48
0095050	0100000	0108900	0043132	0028245	0033517	0054225	0042964	0047363	0018460	04469	02219	0.496	0.413	0.503	0.587	53000067	59	49	42	65	40 71
0095050	0100000	0108900	0039728	0027280	0009052	0051433	0042502	0023758	0019571	04761	02497	0.524	0.411	0.475	0.589	53000068	59	49	42	65	40 48
0095050	0100000	0108900	0039728	0027280	0009052	0051433	0042502	0023758	0019571	04761	02497	0.524	0.411	0.475	0.589	53000069	91	-10	77	78	97 92
0095050	0100000	0108900	0069109	0077892	0016272	0066785	0074005	0007581	0018063	04691	02097	0.447	0.385	0.552	0.615	53000070	91	-10	77	78	97 89
0095050	0100000	0108900	0019612	0032347	0016223	0032620	0044922	0030627	0017906	03397	01969	0.492	0.448	0.507	0.552	53000071	64	-47	31	57	146 73
0095050	0100000	0108900	0019612	0032347	0016223	0032620	0044922	0030627	0017906	03397	01969	0.492	0.448	0.507	0.552	53000072	64	-47	31	57	146 53
0095050	0100000	0108900	0012815	0017460	0040601	0019274	0027357	0069614	0018369	03364	01660	0.493	0.546	0.506	0.454	53000073	49	-23	-32	39	234 59
0095050	0100000	0108900	0012815	0017460	0040601	0019274	0027357	0069614	0018369	03364	01660	0.493	0.546	0.506	0.454	53000074	49	-23	-32	39	234 39
0095050	0100000	0108900	0012815	0017460	0040601	0019274	0027357	0069614	0018369	03364	01660	0.493	0.546	0.506	0.454	53000075	25	24	-33	41	305 27
0095050	0100000	0108900	0006167	0004418	0011557	0007633	0005004	0022145	0009172	02558	01249	0.469	0.345	0.655	0.345	53000076	25	24	-33	41	305 23
0095050	0100000	0108900	0006167	0004418	0011557	0007633	0005004	0022145	0009172	02558	01249	0.469	0.345	0.655	0.345	53000077	40	56	-5	56	354 48
0095050	0100000	0108900	0020068	0011211	0014294	0032800	0016758	0021462	0022868	04061	02010	0.494	0.563	0.505	0.436	53000078	40	56	-5	56	354 34
0095050	0100000	0108900	0020068	0011211	0014294	0032800	0016758	0021462	0022868	04061	02010	0.494	0.563	0.505	0.436	53000079	40	56	-5	56	354 34
0095050	0100000	0108900	0018784	0011347	0002510	0030131	0016704	0002461	0026035	04450	02270	0.51	0.585	0.489	0.414	53000080	40	49	39	63	39 33
0095050	0100000	0108900	0039436	0042424	0006442	0066658	0073857	0007567	0036026	06034	02912	0.482	0.597	0.517	0.403	53000081	72	-8	74	96	89
0095050	0100000	0108900	0039436	0042424	0006442	0066658	0073857	0007567	0036026	06034	02912	0.482	0.597	0.517	0.403	53000082	72	-8	74	96	89
0095050	0100000	0108900	0007159	0013858	0005360	0009802	0021038	0004738	0024747	04104	02020	0.492	0.603	0.507	0.396	53000083	44	-47	30	56	147 53
0095050	0100000	0108900	0007159	0013858	0005360	0009802	0021038	0004738	0024747	04104	02020	0.492	0.603	0.507	0.396	53000084	44	-47	30	56	147 35
0095050	0100000	0108900	0004691	0005674	0008904	0008051	0010396	0020660	0017037	03334	01627	0.487	0.511	0.512	0.488	53000085	29	-8	-9	13	228 39
0095050	0100000	0108900	0004691	0005674	0008904	0008051	0010396	0020660	0017037	03334	01627	0.487	0.511	0.512	0.488	53000086	29	-8	-9	13	228 19
0095050	0100000	0108900	0003743	0003394	0005660	0004846	0003858	0009872	0019160	02855	01493	0.523	0.671	0.476	0.321	53000087	22	8	-9	12	309 23
0095050	0100000	0108900	0003743	0003394	0005660	0004846	0003858	0009872	0019160	02855	01493	0.523	0.671	0.476	0.321	53000088	22	8	-9	12	309 20
0095050	0100000	0108900	0006621	0005133	0005569	0012454	0008161	0009708	0001934	02855	01361	0.476	0.329	0.523	0.619	53000089	27	19	0	19	0 34
0095050	0100000	0108900	0006621	0005133	0005569	0012454	0008161	0009708	0001934	02855	01361	0.476	0.329	0.523	0.619	53000090	27	19	0	19	0 20
0095050	0100000	0108900	0006222	0004944	0002707	0011283	0007750	0002628	0019299	04384	02033	0.463	0.44	0.536	0.559	53000091	27	17	15	23	39 33
0095050	0100000	0108900	0006222	0004944	0002707	0011283	0007750	0002628	0019299	04384	02033	0.463	0.44	0.536	0.559	53000092	27	17	15	23	39 20
0095050	0100000	0108900	0008996	0009737	0003907	0019741	0021839	0004835	0023892	05928	02899	0.487	0.403	0.512	0.597	53000093	37	-2	26	26	94 54
0095050	0100000	0108900	0008996	0009737	0003907	0019741	0021839	0004835	0023892	05928	02899	0.487	0.403	0.512	0.597	53000094	37	-2	26	26	94 20
0095050	0100000	0108900	0003682	0005086	0003618	0005090	0008604	0004498	0018473	04016	02042	0.508	0.46	0.491	0.539	53000095	27	-16	9	18	148 35
0095050	0100000	0108900	0003682	0005086	0003618	0005090	0008604	0004498	0018473	04016	02042	0.508	0.46	0.491	0.539	53000096	27	-16	9	18	148 21
0095050	0100000	0108900	0024110	0025411	0024944	0081840	0087107	0084872	0034847	07510	03743	0.498	0.464	0.501	0.536	53000097	57	0	4	4	92 95
0095050	0100000	0108900	0024110	0025411	0024944	0081840	0087107	0084872	0034847	07510	03743	0.498	0.464	0.501	0.536	53000098	57	0	4	4	92 20

%Xn Yn Zn X0 Y0 Z0 X1 Y1 Z1 DV*ab dE*ab dE*abrdE*DVrdE*abmdE*DVm no. L*a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 0.97, CIELAB_STRESSa = 13.65

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 0.97, CIELCHSTRESSa = 13.66

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 24.12

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 21.98

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 21.96

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 4.18, C85LCHSTRESSa = 29.29

SCIELAB data for all colour (a) of experiment, , %imp=98, colour difference pairs KS_EC098=KIT_SEPARATE_EC, ioutn=0, iouts=0 %																									CODE %	
a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	
-16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	33.29	34.22	26.08	27.49	24.57	157.5	53000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	34.1	33.16	22.13	18.63	17.27	196.5	53000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
-16.53	-18.24	24.62	227.8	94.8	-1.84	7.05	7.28	104.6	39.99	46.6	40.38	36.7	34.4	274.9	53000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%
-15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	50.69	44.07	35.81	35.06	32.51	390.3	53000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
-15.41	-18.9	24.39	309.2	94.81	-1.74	6.7	6.92	104.5	41.98	46.11	30.75	31.95	30.23	184.1	53000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%
-15.41	-18.9	24.39	309.2	48.31	74.74	-6.46	75.02	355.0	48.49	44.36	27.13	23.93	23.04	225.1	53000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
-15.41	-18.9	24.39	309.2	94.83	-1.67	6.45	6.67	104.5	43.55	45.93	27.97	31.72	28.31	187.3	53000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%
-15.41	-18.9	24.39	309.2	48.4	65.36	52.84	84.04	38.9	50.3	47.92	27.68	24.9	23.54	229.5	53000008	72	30	30	42	44	85	52	84	38	(OW-O)%	
-15.41	-18.9	24.39	309.2	94.86	-1.81	6.92	7.16	104.6	46.45	47.02	13.97	15.84	11.5	45.6	53000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%
-15.41	-18.9	24.39	309.2	88.83	-7.61	100.6	100.89	94.3	48.16	47.6	14.67	15.84	11.5	45.6	53000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
-15.42	-20.08	25.32	232.4	59.86	-30.71	-42.29	52.26	234.0	32.68	33.76	23.92	22.17	22.57	207.0	53000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
-15.42	-20.08	25.32	232.4	20.47	0.6	1.87	1.96	72.1	34.28	33.2	24.16	32.01	24.77	232.3	53000012	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
-15.42	-20.08	25.32	232.4	28.07	31.19	-43.56	53.58	305.6	27.32	26.91	12.61	12.53	10.12	113.9	53000013	24	16	-21	26	307	28	31	-43	53	305	(CN-N)%
-16.55	-21.26	26.94	307.8	20.81	1.05	1.84	2.12	60.1	27.65	28.06	14.8	21.73	19.63	130.4	53000014	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
-16.55	-21.26	26.94	307.8	48.09	65.37	53.64	84.56	39.3	43.91	43.76	19.98	20.55	16.57	156.6	53000015	34	36	-1	36	357	20	0	-1	64	357	(MN-M)%
-16.55	-21.26	26.94	307.8	20.13	0.68	1.82	1.95	69.3	43.56	43.7	19.84	30.74	24.46	179.3	53000016	34	32	28	43	40	48	65	53	84	39	(ON-O)%
-16.55	-21.26	26.94	307.8	20.55	1.21	2.03	2.37	59.1	63.53	59.3	36.94	45.06	36.56	331.1	53000017	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
-16.55	-21.26	26.94	307.8	20.95	1.31	2.0	2.39	56.8	46.27	40.69	21.66	31.39	27.19	181.6	53000018	34	-4	50	50	95	21	1	2	2	59	(YN-Y)%
-16.55	-21.26	26.94	307.8	94.81	-1.82	6.97	7.21	104.6	61.84	67.91	43.05	42.26	39.84	345.3	53000019	34	-31	20	37	147	54	-61	40	74	146	(LN-L)%
-16.55	-21.26	26.94	307.8	19.39	0.46	1.31	1.39	70.4	73.18	67.11	43.47	50.99	43.16	400.8	53000020	59	-30	-42	52	234	95	-1	6	7	104	(LN-N)%
-16.55	-21.26	26.94	307.8	94.79	-1.8	6.93	7.16	104.5	105.6491	44.4	72.88	66.4	67.82	583.8	53000021	26	31	-44	54	305	95	-1	6	7	104	(C-W)%
-16.55	-21.26	26.94	307.8	19.48	0.48	1.32	1.41	69.7	41.08	55.28	18.89	30.95	26.65	243.6	53000022	26	31	-44	54	305	19	0	1	1	69	(C-N)%
-16.55	-21.26	26.94	307.8	94.82	-1.8	6.89	7.12	104.6	73.24	90.9	52.54	51.61	47.55	375.4	53000023	48	74	-6	75	355	95	-1	6	7	104	(V-W)%
-16.55	-21.26	26.94	307.8	19.88	0.53	1.27	1.38	67.0	97.49	79.83	33.13	46.36	36.13	310.1	53000024	48	74	-6	75	355	20	0	1	1	67	(V-N)%
-16.55	-21.26	26.94	307.8	94.82	-1.77	6.74	6.97	104.7	91.1	93.92	50.83	52.84	47.55	382.2	53000025	48	65	53	84	39	95	-1	6	6	104	(M-W)%
-16.55	-21.26	26.94	307.8	19.91	0.68	0.98	1.19	55.1	90.38	87.56	33.05	47.55	36.52	320.7	53000026	48	65	53	84	39	20	0	0	1	55	(M-N)%
-16.55	-21.26	26.94	307.8	94.87	-1.9	7.23	7.47	104.7	73.03	93.07	17.98	35.33	27.52	134.7	53000027	89	-7	99	100	94	95	-1	7	7	104	(O-W)%
-16.55	-21.26	26.94	307.8	19.2	0.45	1.19	1.27	69.2	141.1421	0971.94	72.5	73.48	464.9	53000028	89	-7	99	100	94	19	0	1	1	69	(O-N)%	
-16.55	-21.26	26.94	307.8	94.8	-1.88	7.19	7.44	104.7	82.72	81.49	46.03	44.51	40.75	333.8	53000029	52	-63	39	74	147	95	-1	7	7	104	(Y-W)%
-16.55	-21.26	26.94	307.8	19.37	0.46	1.3	1.39	70.3	80.12	81.35	37.37	49.56	39.42	335.0	53000030	52	-63	39	74	147	19	0	1	1	70	(Y-N)%
-16.55	-21.26	26.94	307.8	59.11	-30.71	-42.84	52.71	234.3	66.33	69.79	47.03	50.52	48.93	359.8	53000031	27	31	-43	53	305	59	-30	-42	52	234	(L-W)%
-16.55	-21.26	26.94	307.8	48.01	74.74	-5.91	74.97	355.4	65.01	61.54	37.02	35.74	30.48	348.8	53000032	27	31	-43	53	305	48	74	-5	74	355	(V-C)%
-16.55	-21.26	26.94	307.8	47.94	74.93	-6.19	75.19	355.2	51.11	60.1	26.33	25.21	27.24	155.6	53000033	48	65	53	84	39	48	74	-6	75	355	(V-M)%
-16.55	-21.26	26.94	307.8	88.84	-7.71	98.71	99.01	94.4	104.2495	24.55	5.66	66.76	64.32	53000034	48	65	53	84	39	89	-7	98	99	94	(O-M)%	
-16.55	-21.26	26.94	307.8	88.81	-7.56	99.34	99.63	94.3	104.4489	69.52	27.44	42.8	291.6	53000035	48	65	53	84	39	89	-7	99	99	94	(O-Y)%	
-16.55	-21.26	26.94	307.8	58.96	-30.89	-42.83	52.81	234.1	74.09	88.41	41.34	40.73	45.86	309.9	53000036	52	-63	39	74	148	89	-7	99	99	94	(L-Y)%
-16.55	-21.26	26.94	307.8	58.96	-30.89	-42.83	52.81	234.1	74.09	88.41	41.34	40.73	45.86	309.9	53000037	52	-63	39	74	148	59	-30	-42	52	234	(L-C)%
-16.55	-21.26	26.94	307.8	26.63	31.07	-43.64	53.57	305.4	88.3	69.88	47.3	50.66	49.01	360.1	53000038	27	31	-43	53	305	27	31	-43	53	305	(C-V)%
-16.55	-21.26	26.94	307.8	52.09	-62.99	39.51	74.36	147.9	70.23	88.65	48.73	40.71	45.86	309.7	53000039	48	65	53	84	39	52	-62	39	74	147	(Y-L)%
-16.55	-21.26	26.94	307.8	47.86	65.4	53.11	84.25	39.0	90.15	95.6	53.38	66.88	56.91	344.2	53000040	89	-7	99	99	94	53	-62	39	74	147	(Y-O)%
-16.55	-21.26	26.94	307.8	48.0	65.24	53.02	84.07	39.0	45.23	59.72	27.83	25.06	27.06	154.1	53000041	48	74	-5	75	355	48	65	53	84	39	(Y-O)%
-16.55	-21.26	26.94	307.8	26.94	31.05	-43.68																				

%*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, , %imp=98, colour difference pairs KS_EC098=KIT_SEPARATE_EC, ioutn=0, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 0.97, CIELAB_STRESSa = 13.65

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 0.97, CIELCHSTRESSa = 13.66

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 24.12

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 21.98

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 21.96

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 4.18, C85LCHSTRESSa = 29.29