




Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG54/XG54L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	dS*ab	dE*ab	dE*abrdE	DVrdE	abmdE	DVm no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs MA_EC098=MEL_ADJACENT_EC, ioutn=0, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	00777399	0081895	0087159	0084892	0034035	06739	03422	0.507	0.505	0.492	0.495	54000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%
0095050	0100000	0108900	0043074	0051427	00777399	0019343	0027473	0069838	0033361	06739	03316	0.492	0.495	0.507	0.505	54000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0047700	09068	04660	0.513	0.526	0.486	0.473	54000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0042985	09068	04407	0.486	0.473	0.513	0.526	54000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0045872	09047	04611	0.509	0.507	0.49	0.492	54000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0044605	09047	04436	0.49	0.492	0.509	0.507	54000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0043643	09385	04593	0.489	0.465	0.51	0.534	54000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0050213	09385	04792	0.51	0.534	0.489	0.465	54000008	72	30	30	42	44	48	65	52	84	38	(OW-O)%
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0053366	09462	04702	0.496	0.564	0.503	0.436	54000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0060695	0041255	09462	04760	0.503	0.436	0.496	0.564	54000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)%
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0041523	08125	04197	0.516	0.511	0.483	0.488	54000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0039735	08125	03928	0.483	0.488	0.516	0.511	54000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0037569	06696	03376	0.504	0.561	0.495	0.438	54000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0030399	0003081	0029399	06696	03320	0.495	0.438	0.504	0.561	54000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0028315	05498	02691	0.489	0.515	0.51	0.484	54000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0026665	05498	02806	0.51	0.484	0.489	0.515	54000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0040909	07990	04086	0.511	0.512	0.488	0.487	54000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0038992	07990	03903	0.488	0.487	0.511	0.512	54000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)%
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0045398	08747	04376	0.5	0.519	0.499	0.48	54000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0042074	08747	04370	0.499	0.48	0.5	0.519	54000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0063412	11919	05989	0.502	0.532	0.497	0.468	54000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0055783	11919	05930	0.497	0.468	0.502	0.532	54000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0041410	08103	04034	0.497	0.511	0.502	0.488	54000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0039628	08103	04069	0.502	0.488	0.497	0.511	54000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0060627	13502	06791	0.502	0.449	0.497	0.551	54000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0002829	0002886	0074400	13502	06711	0.497	0.551	0.502	0.449	54000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0086718	14673	09144	0.623	0.591	0.376	0.408	54000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0060013	14673	05528	0.376	0.408	0.623	0.591	54000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0074101	17074	09090	0.532	0.434	0.467	0.566	54000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)%
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0096639	17074	07983	0.467	0.566	0.532	0.434	54000030	48	74	-6	75	355	20	0	1	1	67	(M-N)%
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0086207	18148	09392	0.517	0.475	0.482	0.525	54000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0095281	18148	08756	0.482	0.525	0.517	0.475	54000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0078816	21417	09307	0.434	0.368	0.565	0.632	54000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0135359	21417	12109	0.565	0.632	0.434	0.368	54000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)%
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0072142	16284	08149	0.5	0.443	0.499	0.557	54000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0090707	16284	08135	0.499	0.557	0.5	0.443	54000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0066986	13134	06979	0.531	0.51	0.													



%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	ds*ab	de*ab	de*abrdE*DVrdE*abmdE*DVm no.	L*0 a*0 b*0	C*0 h0	L*1 a*1 b*1	C*1 h1	CODE %
Minimum, maximum and average colour difference value																	
STRESS constant F and STRESS value S																	
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14																	
iai+1 = 98, CIELAB_Fa = 0.99, CIELAB_STRESSa = 9.47																	
iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15																	
iai+1 = 98, CIELCHFa = 0.99, CIELCHSTRESSa = 9.48																	
iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66																	
iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 26.23																	
iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47																	
iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 22.91																	
iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81																	
iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 22.51																	
iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82																	
iai+1 = 98, C85LCHFa = 4.18, C85LCHSTRESSa = 31.74																	



TUB-Registrierung: 20140801-XG54/XG54L0NA.TXT /PS

TUB-Material: Code=rha4ta

Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
LAB data for all colour (a) of experiment, , %imp=98, colour difference pairs MA_EC098=MEL_ADJACENT_EC, ioutn=0, iout=0																											
-16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	34.03	34.22	26.08	27.49	24.57	157.5	54000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)%	
-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	33.36	33.16	22.13	18.63	17.27	196.5	54000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)%	
60.15	-18.9	24.39	309.2	94.8	-1.84	7.05	7.28	104.6	47.7	46.6	40.38	36.7	34.4	274.9	54000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)%	
60.15	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	42.98	44.07	35.81	35.06	32.51	390.3	54000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)%	
71.36	37.37	359.8	94.81	-1.74	6.7	6.92	104.5	104.5	45.87	46.11	30.75	31.95	30.23	184.1	54000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)%	
71.36	37.37	359.8	48.31	74.74	-6.46	75.02	355.0	355.0	44.6	44.36	27.13	23.93	23.04	225.1	54000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)%	
71.9	30.26	42.75	44.9	94.83	-1.67	6.45	6.67	104.5	43.64	45.93	27.97	31.72	28.31	187.3	54000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)%	
71.9	30.26	42.75	44.9	48.4	65.36	52.84	84.04	38.9	50.21	47.92	27.68	24.9	23.54	229.5	54000008	72	30	30	42	44	95	-1	6	6	104	(OW-O)%	
91.99	-9.86	54.07	100.5	94.86	-1.81	6.92	7.16	104.6	53.36	47.02	13.98	23.19	19.84	92.1	54000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)%	
91.99	-9.86	54.07	100.5	88.83	-7.61	100.6	100.89	94.3	41.25	47.6	14.67	15.84	11.5	45.6	54000010	92	-9	53	54	100	89	-7	100	100	94	(YW-V)%	
72.67	-33.3	23.7	40.87	144.5	94.84	-1.83	6.98	7.22	104.6	41.52	41.97	26.16	26.11	24.48	174.4	54000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)%
72.67	-33.3	23.7	40.87	144.5	52.77	-62.6	40.69	74.67	146.9	39.73	39.28	23.23	20.49	19.33	184.5	54000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)%
39.52	-15.42	-20.08	25.32	232.4	59.86	-30.71	-42.29	52.26	234.0	37.56	33.76	23.92	22.17	22.57	207.0	54000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)%
39.52	-15.42	-20.08	25.32	232.4	20.47	0.6	1.87	1.96	72.1	29.39	33.2	24.16	32.01	24.77	232.3	54000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)%
24.45	16.55	-21.26	26.94	307.8	28.07	31.19	-43.56	53.58	305.6	28.31	26.91	12.61	12.53	10.12	113.9	54000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)%
24.45	16.55	-21.26	26.94	307.8	20.81	1.05	1.84	2.12	60.1	26.66	28.06	14.8	21.73	19.63	130.4	54000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)%
36.95	-1.84	36.99	357.1	19.86	0.75	1.61	1.78	64.8	38.99	40.03	20.25	29.75	25.17	173.5	54000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)%	
36.95	-1.84	36.99	357.1	47.69	75.24	-6.1	75.49	355.3	40.9	40.86	19.88	19.98	16.32	153.0	54000018	34	36	-1	36	357	48	75	-6	75	355	(MN-N)%	
33.92	32.74	43.17	40.6	48.09	65.37	53.64	84.56	39.3	45.39	43.76	19.98	20.55	16.57	156.6	54000019	34	32	28	43	40	48	65	53	84	39	(ON-O)%	
33.92	32.74	43.17	40.6	20.13	0.68	1.82	1.95	69.3	62.07	53.7	19.84	30.74	24.46	179.3	54000020	34	32	28	43	40	20	0	1	1	69	(ON-N)%	
54.21	-4.7	50.5	50.72	95.3	88.97	-7.91	99.17	99.48	94.5	63.41	59.89	37.8	31.22	28.64	263.4	54000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)%
54.21	-4.7	50.5	50.72	95.3	20.55	1.21	2.03	2.37	59.1	55.78	59.3	36.94	45.06	36.56	331.1	54000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)%
35.9	-31.79	20.36	37.75	147.3	53.55	-61.81	40.72	74.02	146.6	41.41	40.34	22.19	21.86	19.59	181.6	54000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)%
35.9	-31.79	20.36	37.75	147.3	20.95	1.31	2.0	2.39	56.8	39.62	40.69	21.66	31.39	27.19	181.6	54000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)%
58.99	-30.95	-42.83	52.84	234.1	94.81	-1.82	6.97	7.21	104.6	60.62	67.91	43.05	42.26	39.84	345.3	54000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)%
58.99	-30.95	-42.83	52.84	234.1	19.39	0.46	1.31	1.39	70.4	74.4	67.11	43.47	50.99	43.16	400.8	54000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)%
26.46	31.17	-44.12	54.02	305.2	94.79	-1.8	6.93	7.16	104.5	86.71	91.44	72.88	66.4	67.82	583.8	54000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)%
26.46	31.17	-44.12	54.02	305.2	19.48	0.48	1.32	1.41	69.7	60.01	55.28	18.89	30.95	26.65	243.6	54000028	26	31	-44	54	305	19	0	1	1	69	(V-N)%
47.86	74.93	-6.17	75.18	355.2	19.88	0.53	1.27	1.38	67.0	76.63	79.83	33.13	46.36	36.13	310.1	54000029	48	74	-6	75	355	20	0	1	1	67	(M-W)%
48.04	65.24	53.02	84.07	39.1	94.82	-1.77	6.74	6.97	104.7	86.2	93.92	50.83	52.84	47.55	382.2	54000031	48	65	53	84	39	95	-1	6	6	104	(O-W)%
48.04	65.24	53.02	84.07	39.1	19.91	0.68	0.98	1.19	55.1	95.28	87.56	33.05	47.55	36.52	320.7	54000032	48	65	53	84	39	20	0	0	1	55	(O-N)%
88.84	-7.51	99.94	100.22	94.2	94.87	-1.9	7.23	7.47	104.7	78.81	93.07	17.98	35.33	27.52	134.7	54000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)%
88.84	-7.51	99.94	100.22	94.2	19.2	0.45	1.19	1.27	69.2	135.35121.0971.94	72.5	73.48	46.4	9.54000034	89	-7	99	100	94	95	0	1	1	1	69	(Y-N)%	
52.21	-63.24	39.78	74.72	147.8	94.8	-1.88	7.19	7.44	104.7	72.14	81.49	46.03	44.51	40.75	333.8	54000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)%
52.21	-63.24	39.78	74.72	147.8	19.37	0.46	1.3	1.39	70.3	90.7	81.35	37.37	49.56	39.42	335.0	54000036	52	-63	39	74	147	19	0	1	1	70	(L-N)%
26.86	31.17	-43.9	53.84	305.3	59.11	-30.71	-42.84	52.71	234.3	66.98	69.79	47.03	50.52	48.93	359.8	54000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C)%
26.86	31.17	-43.9	53.84	305.3	48.01	74.74	-5.91	74.97	355.4	64.35	61.54	37.02	35.74	30.48	348.8	54000038	27	31	-43	53	305	48	74	-5	74	355	(V-M)%
48.01	65.27	53.13	84.16	39.1	47.94	74.93	-6.19	75.19	355.2	53.44	60.1	26.33	25.21	27.24	155.6	54000039	48	65	53	84	39	48	74	-6	75	355	(O-M)%
48.01	65.27	53.13	84.16	39.1	88.84	-7.71	98.71	99.01	94.4	101.9195.24	55.5	66.66	56.76	343.2	54000040	48	65	53	84	39	89	-7	98	99	94	(O-Y)%	
52.06	-63.42	39.55	74.75	148.0	88.81	-7.56	99.34	99.63	94.3	87.84	89.69	52.27	44.45	42.8	291.6	54000041	52	-63	39	74	148	89	-7	99	99	94	(L-Y)%
52.06	-63.42	39.55	74.75	148.0	58.96	-30.89	-42.83	52.81	234.1	90.69	88.84	41.34	40.73	45.86	309.9												

TUB-Registrierung: 20140801-XG54/XG54L0NA.TXT /PS TUB-Material: Code=rha4ta
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	DE*ab	DE*94	DE*CM	DE*00	dE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %				
data for all colour (a) of experiment, , %imp=98, colour difference pairs MA_EC098=MEL_ADJACENT_EC, ioutn=0, iouts=0 %																												
7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	24.0	22.95	21.47	21.55	18.66	125.9	54000051	78	7	-7	9	315	95	-1	6	104	(W-V-W)%			
7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	22.42	23.46	20.81	17.2	16.65	162.4	54000052	78	7	-7	9	315	60	15	-19	24	308	(W-V-W)%		
78.3	17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	22.76	22.34	17.83	32.91	22.37	82.9	54000053	84	17	2	17	9	95	-1	6	104	(Wm-W)%		
83.97	17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	23.31	23.73	16.97	14.13	13.11	104.4	54000054	84	17	2	17	9	72	37	0	37	359	(Wm-W)%	
82.78	14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	22.16	22.94	16.71	20.73	19.45	94.3	54000055	83	14	17	23	50	95	-1	7	104	(W0-W)%		
82.78	14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	24.59	23.82	15.59	13.74	12.08	101.7	54000056	83	14	17	23	50	71	31	29	43	43	(W0-W)%	
93.11	-6.36	28.57	29.27	102.5	94.84	-1.77	6.9	7.13	104.4	23.39	22.21	9.71	14.11	12.32	52.2	54000057	93	-6	28	29	102	95	-1	6	104	(WY-W)%		
93.11	-6.36	28.57	29.27	102.5	92.03	-9.68	51.97	52.86	100.5	22.47	23.65	10.28	10.14	8.36	38.4	54000058	93	-6	28	29	102	92	-9	51	52	100	(WY-W)%	
84.62	-17.15	14.27	22.31	140.2	94.77	-1.7	6.61	6.83	104.4	21.09	20.01	13.97	14.93	15.23	78.4	54000059	85	-17	14	22	140	95	-1	6	104	(WL-W)%		
84.62	-17.15	14.27	22.31	140.2	72.84	-32.92	22.13	39.67	146.0	20.11	21.19	14.79	12.32	11.24	97.1	54000060	85	-17	14	22	140	73	-32	29	146	(WL-LW)%		
68.58	-23.63	-30.29	38.42	232.0	76.79	-16.56	-18.75	25.02	228.5	19.02	15.82	9.64	9.12	8.32	87.7	54000061	69	-23	-30	38	232	77	-16	-18	25	228	(CW-CW-CW-C)%	
68.58	-23.63	-30.29	38.42	232.0	59.13	-30.86	-42.86	52.82	234.2	14.11	17.31	10.87	9.7	9.2	112.1	54000062	69	-23	-30	38	232	59	-30	-42	52	234	(CW-C)%	
44.21	22.97	-31.7	39.15	305.9	60.3	15.34	-19.57	24.87	308.0	20.53	21.53	16.91	16.01	16.97	180.8	54000063	44	22	-31	39	305	60	15	-19	24	308	(VW-VW)%	
44.21	22.97	-31.7	39.15	305.9	27.04	31.13	-43.94	53.85	305.3	23.62	22.61	17.98	20.05	15.04	230.9	54000064	44	22	-31	39	305	27	31	-43	53	305	(VW-V)%	
60.11	56.15	-3.8	56.28	356.1	71.53	37.39	-0.61	37.39	359.0	25.65	22.19	12.67	11.96	11.17	108.4	54000065	60	56	-3	56	356	72	37	0	37	359	(Mw-Mw)%	
60.11	56.15	-3.8	56.28	356.1	48.09	74.97	-6.57	75.26	354.9	19.04	22.5	13.18	12.48	12.51	127.2	54000066	60	56	-3	56	356	48	74	-6	75	354	(Mw-M)%	
49.55	42.4	65.21	40.5	71.22	31.5	29.96	43.48	43.5	43.5	27.09	24.97	13.26	12.84	11.81	116.1	54000067	59	49	42	65	40	71	31	29	43	43	(Ow-Ow)%	
49.55	42.4	65.21	40.5	47.91	65.55	53.73	84.76	39.3	39.3	20.52	22.64	12.39	11.96	11.86	120.3	54000068	59	49	42	65	40	48	65	53	84	39	(Ow-O)%	
90.73	-10.44	77.87	78.57	97.6	92.03	-9.68	51.97	52.86	100.5	23.74	25.94	6.0	9.11	6.82	28.2	54000069	91	-10	77	78	97	92	-9	51	52	100	100	(Yw-Yw)%
90.73	-10.44	77.87	78.57	97.6	88.92	-7.75	98.59	98.9	94.4	23.17	20.97	5.31	6.8	4.93	18.9	54000070	91	-10	77	78	97	89	-7	98	98	94	94	(Yw-Y)%
63.63	-47.75	31.25	57.07	146.7	72.84	-32.92	22.13	39.67	146.0	21.46	19.69	10.42	10.01	9.11	85.2	54000071	64	-47	31	57	146	73	-32	29	146	146	146	(Lw-Lw)%
63.63	-47.75	31.25	57.07	146.7	53.08	-62.72	39.96	74.36	147.4	18.5	20.27	11.61	10.77	10.46	103.2	54000072	64	-47	31	57	146	53	-62	39	147	147	147	(Lw-L)%
48.84	-23.06	-32.15	39.56	234.3	59.31	-30.82	-42.44	52.45	234.0	18.9	16.6	11.44	10.6	10.89	103.6	54000073	49	-23	-32	39	234	59	-30	-42	52	234	234	(Cn-Cn)%
48.84	-23.06	-32.15	39.56	234.3	38.56	-15.5	-20.87	25.99	233.3	14.73	17.03	11.39	12.05	11.01	114.2	54000074	49	-23	-32	39	234	39	-15	-20	25	233	233	(Cn-Cn)%
25.04	24.12	-33.9	41.61	305.4	26.77	31.43	-43.88	53.97	305.6	15.68	12.49	4.64	5.46	4.1	47.7	54000075	25	24	-33	41	305	27	31	-43	53	305	305	(Vn-Vn)%
25.04	24.12	-33.9	41.61	305.4	23.23	16.42	-22.23	27.64	306.4	10.9	14.09	5.2	6.99	5.73	60.5	54000076	25	24	-33	41	305	23	16	-22	27	306	306	(Vn-Vn)%
39.95	56.6	-5.2	56.84	354.7	47.96	75.02	-6.12	75.27	355.3	17.3	20.1	9.54	10.14	8.79	86.4	54000077	40	56	-5	56	354	48	75	-6	75	355	355	(Mn-Mn)%
39.95	56.6	-5.2	56.84	354.7	34.33	37.05	-2.58	37.14	356.0	23.31	20.51	7.9	10.0	7.93	69.7	54000078	40	56	-5	56	354	34	37	-2	37	356	356	(Mn-Mn)%
40.17	49.15	39.85	63.27	39.0	47.89	65.54	53.53	84.62	39.2	19.13	22.7	9.5	10.36	8.73	83.7	54000079	40	49	39	63	39	48	65	53	84	39	39	(On-On)%
72.42	-8.18	74.48	74.93	96.2	88.85	-7.73	98.52	98.82	94.4	28.3	29.12	17.36	14.2	12.38	123.5	54000080	40	49	39	63	39	32	27	42	40	40	40	(On-On)%
72.42	-8.18	74.48	74.93	96.2	53.86	-4.99	49.58	49.83	95.7	32.04	31.21	19.42	17.57	16.97	161.5	54000081	72	-8	74	74	96	89	-7	98	98	94	94	(Yn-Yn)%
44.04	-47.55	30.17	56.32	147.6	53.0	-62.87	39.82	74.42	147.6	23.59	20.2	10.32	10.45	10.01	91.7	54000083	44	-47	30	56	147	53	-62	39	147	147	147	(Ln-Ln)%
44.04	-47.55	30.17	56.32	147.6	35.23	-32.23	19.13	37.48	149.3	17.44	20.83	10.32	11.94	9.83	97.8	54000084	44	-47	30	56	147	35	-32	19	149	149	149	(Ln-Ln)%
28.6	-8.71	-9.93	13.21	228.7	38.56	-15.5	-20.87	25.99	233.3	16.1	16.27	12.84	13.98	10.72	120.0	54000085	29	-8	-9	13	228	39	-15	-20	25	233	233	(Nc-Nc)%
28.6	-8.71	-9.93	13.21	228.7	19.44	0.57	1.06	1.21	61.6	17.23	17.07	13.59	19.72	14.92	117.1	54000086	29	-8	-9	13	228	19	0	1	61	61	61	(Nc-Nc)%
21.59	8.2	-9.86	12.83	309.7	23.23	16.42	-22.23	27.64	306.4	14.22	14.93	9.57	9.32	8.23	68.4	54000087	22	8	-9	12	309	23	16	-22	27	306	306	(Nv-Nv)%
21.59	8.2	-9.86	12.83	309.7	19.8	0.76	1.39	1.59	61.1	14.33	13.61	9.65	14.0	12.07	62.6	54000088	22	8	-9	12	309	20	0	1	61	61	61	(Nv-Nv)%
27.14	19.88	0.09	19.88	0.2	34.33	37.05	-2.58	37.14	356.0	17.23	18.8	11.71	12.52	9.71	87.4	54000089	27	19	0	19	0	34	37	-2	37	356	356	(Nm-Nm)%
27.14	19.88	0.09	19.88	0.2	20.32	0.86	1.64	1.85	62.3	21.84	20.26	12.66	19.8	17.63	87.2	54000090	27	19	0	19	0	20	0	1	62	62	62	(Nm-Nm)%
26.6	17.98	15.0	23.41	39.8	33.47	32.53	27.42	42.55	40.1	19.02	20.33	11.57	12.47	9.4	84.4	54000091	27	17	15	23	39	33	32	27	40	40	40	(No-No)%
26.6	17.98	15.0	23.41	39.8	19.55	0.34	1.14	1.19	73.0	24.81	23.51	13.1	20.74	17.99	98.6	54000092	27	17	15	23	39	20	0	1	73	73	73	(No-N)%
37.38	-2.16	26.01	26.1	94.7	53.86	-4.99	49.58	49.83	95.7	34.44	28.89	19.76	19.08	18.03	168.5	54000093	37	-2	26	26	94	54	-4	49	49	49	49	(Ny-Ny)%
37.38	-2.16	26.01	26.1	94.7	19.78	0.58	1.39	1.51	67.2	24.84	30.39	21.03	29.02	20.54	202.0	54000094	37	-2	26	26	94	20	0	1	67	67	67	(Ny-N)%
27.0	-16.04	9.78	18.79	148.6	35.23</																							

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmatrik/XG54/XG54.HTM>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmatrik>

Eingabe: w/rgb/cmyk -> (w/rgb/cmyk)
Eingabe: w/rgb/cmyk -> (w/rgb/cmyk)

%*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, , %imp=98, colour difference pairs MA_EC098=MEL_ADJACENT_EC, ioutn=0, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14

iai+1 = 98, CIELAB_Fa = 0.99, CIELAB_STRESSa = 9.47

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15

iai+1 = 98, CIELCHFa = 0.99, CIELCHSTRESSa = 9.48

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66

iai+1 = 98, C94LCHFa = 0.55, C94LCHSTRESSa = 26.23

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47

iai+1 = 98, CMCLCHFa = 0.59, CMCLCHSTRESSa = 22.91

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81

iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 22.51

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82

iai+1 = 98, C85LCHFa = 4.18, C85LCHSTRESSa = 31.74