

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/YG64/YG64L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=96, colour difference pairs MA_LV096, xchart3=1, xchart4=0 %																												
0094433	0100000	0093400	0037416	0046323	0059435	0070188	0075432	0060812	0006633	03505	03408	02580	02778	02514	14535	64000001	74	-19	-17	26	221	90	-2	8	8	104	(CW-W)%	
0094433	0100000	0093400	0037416	0046323	0059435	0071219	0026573	0053545	0006476	03123	03057	01972	01697	01574	16491	64000002	74	-19	-17	26	221	59	-37	-37	53	224	(CW-C)%	
0094433	0100000	0093400	0027079	0026226	0037489	0070173	0075418	0060694	0009008	04388	04297	03831	03577	03365	25865	64000003	58	9	-19	21	296	90	-2	8	9	104	(VW-W)%	
0094433	0100000	0093400	0027079	0026226	0037489	0006844	0005494	0017846	0008085	03700	03649	03202	03171	02918	33841	64000004	58	9	-19	21	296	28	18	-39	43	295	(VW-V)%	
0094433	0100000	0093400	0046938	0038265	0036669	0070231	0075461	0060548	0007859	04249	04231	02996	03124	02963	17529	64000005	68	33	-1	33	357	90	-2	8	9	103	(MW-W)%	
0094433	0100000	0093400	0046938	0038265	0036669	0029153	0016396	0018216	0007612	03780	03772	02435	02164	02127	20465	64000006	68	33	-1	33	357	48	64	-6	64	354	(MW-M)%	
0094433	0100000	0093400	0045488	0038090	0019729	0070671	0075886	0061105	0007375	04197	04158	02722	03222	02841	17903	64000007	68	29	25	39	41	90	-2	8	9	103	(OW-W)%	
0094433	0100000	0093400	0045488	0038090	0019729	0027376	0016118	0003052	0008485	04071	04025	02453	02219	02156	20864	64000008	68	29	25	39	41	47	58	44	73	37	(OW-O)%	
0094433	0100000	0093400	0060343	0064297	0020892	0070217	0075535	0060299	0004216	04230	04023	01406	02131	01838	08358	64000009	84	0	51	51	90	90	-2	9	9	104	(YW-W)%	
0094433	0100000	0093400	0060343	0064297	0020892	0059918	0063786	0060808	0003246	03738	03523	01131	01260	00902	02978	64000010	84	0	51	51	90	84	0	88	88	90	(YW-Y)%	
0094433	0100000	0093400	0029127	0039628	0023333	0070554	0075886	0060812	0006822	03601	03578	02438	02361	02275	16403	64000011	69	-29	20	36	144	90	-2	9	9	104	(LW-W)%	
0094433	0100000	0093400	0029127	0039628	0023333	0009496	0018447	0005754	0006502	03277	03247	02168	01918	01885	17990	64000012	69	-29	20	36	144	50	-52	34	62	146	(LW-L)%	
0094433	0100000	0093400	0004654	0004259	0008408	0006928	0005486	0018331	0006535	02330	02240	01222	01195	00926	10014	64000013	25	8	-19	21	293	28	19	-40	44	295	(CN-C)%	
0094433	0100000	0093400	0004654	0004259	0008408	0003321	0003553	0003273	0008385	02222	02134	01210	01859	01615	09914	64000014	25	8	-19	21	293	22	0	0	0	151	(CN-N)%	
0094433	0100000	0093400	0010916	0007740	0008170	0028837	0016049	0017909	0003375	03721	03712	01991	01970	01626	15218	64000015	33	30	-3	30	353	47	64	-6	65	354	(VN-V)%	
0094433	0100000	0093400	0010916	0007740	0008170	0003273	0003491	0003220	0003584	03314	03308	01786	02665	02581	14511	64000016	33	30	-3	30	353	22	0	0	0	145	(VN-N)%	
0094433	0100000	0093400	0010472	0007637	0003056	0026973	0015825	0003002	0006770	04110	04038	02025	02026	01638	15219	64000017	33	28	20	34	36	47	58	44	73	37	(MN-M)%	
0094433	0100000	0093400	0010472	0007637	0003056	0003277	0003500	0003211	0007131	03687	03629	01809	02771	02440	15096	64000018	33	28	20	34	36	22	0	0	0	140	(MN-N)%	
0094433	0100000	0093400	0010472	0007637	0003056	0026973	0015825	0003002	0007574	04110	04038	02025	02026	01638	15219	64000019	33	28	20	34	36	47	58	44	73	37	(ON-O)%	
0094433	0100000	0093400	0010472	0007637	0003056	0003277	0003500	0003211	0008206	03687	03629	01809	02771	02440	15096	64000020	33	28	20	34	36	22	0	0	0	140	(ON-N)%	
0094433	0100000	0093400	0018224	0019565	0004769	0059874	0063668	0007187	0007997	05554	05373	03601	03013	02832	25662	64000021	51	-1	41	41	91	84	0	86	86	90	(YN-Y)%	
0094433	0100000	0093400	0018224	0019565	0004769	0003367	0003599	0003274	0009127	05048	04883	03241	04001	03237	29738	64000022	51	-1	41	41	91	22	0	0	0	131	(YN-N)%	
0094433	0100000	0093400	0005410	0008321	0004352	0009641	0018384	0006245	0006480	03404	03357	02009	01982	01718	16262	64000023	35	-25	15	29	148	50	-50	32	60	147	(LN-L)%	
0094433	0100000	0093400	0005410	0008321	0004352	0003304	0003532	0003239	0006798	03171	03134	01768	02584	02232	15307	64000024	35	-25	15	29	148	22	0	0	0	142	(LN-N)%	
0094433	0100000	0093400	0017854	0027502	0053882	0071213	0076604	0061163	0012652	06569	06408	03971	04055	03807	29475	64000025	59	-38	-36	52	223	90	-2	9	9	104	(C-W)%	
0094433	0100000	0093400	0017854	0027502	0053882	0003438	0003664	0003318	0015526	06455	06346	04037	04722	04143	36448	64000026	59	-38	-36	52	223	23	0	0	0	117	(C-N)%	
0094433	0100000	0093400	0007208	0005756	0018396	0071023	0076370	0060914	0013519	08096	07953	06698	06144	06345	51303	64000027	29	19	-39	43	295	90	-2	9	9	103	(V-W)%	
0094433	0100000	0093400	0007208	0005756	0018396	0003463	0003686	0003330	0009356	04471	04295	01722	02755	02397	20011	64000028	29	19	-39	43	295	23	0	0	0	111	(V-N)%	
0094433	0100000	0093400	0029710	0016786	0018810	0070759	0076047	0060812	0013055	08020	07993	04874	04824	04493	34725	64000029	48	64	-6	64	353	90	-2	9	9	103	(M-W)%	
0094433	0100000	0093400	0029710	0016786	0018810	0003503	0003712	0003314	0017095	06950	06934	03068	04219	03419	28403	64000030	48	64	-6	64	353	23	0	0	0	92	(W-N)%	
0094433	0100000	0093400	0027668	0016382	0003198	0071008	0076326	0061090	0014628	08212	08130	04711	05050	04551	35405	64000031	47	58	44	73	37	90	-2	9	9	103	(O-W)%	
0094433	0100000	0093400	0027668	0016382	0003198	0003517	0003737	0003368	0016168	07718	07589	03015	04353	03463	28824	64000032	47	58	44	73	37	23	0	0	0	103	(O-N)%	
0094433	0100000	0093400	0060738	0064723	0007054	0071228	0076604	0060900	0010088	07909	07518	01706	03143	02516	11063	64000033	84	0	88	88	90	90	-2	9	9	103	(Y-W)%	
0094433	0100000	0093400	0060738	0064723	0007054	0003416	0003636	0003226	0017401	10701	10350	06432	06557	06665	44058	64000034	84	0	88	88	90	22	0	1	1	104	(Y-N)%	
0094433	0100000	0093400	0010048	0019139	0005958	0071008	0076384	0060856	0010804	06772	06718	04249	04014	03781	31188	64000035	51	-51	35	62	145	90	-2	9	9	104	(L-W)%	
0094433	0100000	0093400	0010048	0019139	0005958	0003430	0003661	0003302	0013639	06761	06668	03263	04302	03506	29810	64000036	51	-51	35	62	145	23	0	0	0	119	(L-N)%	
0094433	0100000	0093400	0007343	0005864	0018463	0029563	0016748	0018533	0009945	05835	05739	03696	03507	03159	29015	64000037	29	19	-38	43	296	48	63	-6	64	354	(V-C)%	
0094433	0100000	0093400	0007343	0005864	0018463	0017934	0027561	0005372	0010351	06475	06466	04589	04639	04444	32682	64000038	29	19	-38	43	296	59	-37	-36	52	223	(V-M)%	
0094433	0100000	0093400	0027650	0016360	0003097	0060768	0064810	0007181	0007868	08218	08098	05042	06181	05142	31718	64000039	47	58	45	73	37	84	-1	88	88	90	(O-M)%	
0094433	0100000	0093400	0027650	0016360	0003097	0029871	0016862	0018920	0015071	05239	04984	02456	02318	02568	13176	64000040	47	58	45	73	37	48	64	-6	64	353	(O-Y)%	
0094433	0100000	0093400	0009962	0018966	0005857	0060431	0064342	0007089	0012234	08001	07825	04903	04174	04150	27708	64000041	51	-50	35	62	145	84	0	87	87	90	(L-Y)%	
0094433	0100000	0093400	0009962	0018966	0005857	0017546	0027143	0005295	0011848	07305	06958	03828	03573	04048	24613	64000042	51	-50	35	62	145	59	-38	-36	52	223	(L-C)%	
0094433	0100000	0093400	0017816	00274																								

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/YG64/YG64L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %	
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=96, colour difference pairs MA_LV096, xchart3=1, xchart4=0 %																											
0094433	0100000	0093400	0045942	0047129	0048623	0070481	0075711	0061075	0003494	02174	02129	02075	02078	01775	12181	64000051	74	4	-5	6	308	90	-2	8	8	104	(VM-V)%
0094433	0100000	0093400	0045942	0047129	0048623	0006548	0005434	0017841	0003740	05875	05779	05406	04660	04966	44920	64000052	74	4	-5	6	308	28	16	-39	42	292	(VM-M)%
0094433	0100000	0093400	0058892	0055889	0048081	0070612	0075842	0061310	0003820	02066	02059	01728	03121	02175	08089	64000053	80	15	4	15	16	90	-2	8	8	104	(MO-M)%
0094433	0100000	0093400	0058892	0055889	0048081	0028226	0015754	0016812	0003729	05968	05953	04430	03467	03349	29454	64000054	80	15	4	15	16	47	64	-4	64	355	(MO-O)%
0094433	0100000	0093400	0056182	0053677	0034500	0070744	0076033	0061002	0003623	02246	02222	01646	02048	01943	09336	64000055	78	14	19	23	53	90	-2	9	9	104	(YO-O)%
0094433	0100000	0093400	0056182	0053677	0034500	0026642	0015642	0002853	0003278	06048	05988	04085	03440	03218	29042	64000056	78	14	19	23	53	47	58	45	73	37	(YO-Y)%
0094433	0100000	0093400	0066276	0072004	0039188	0071037	0076326	0061368	0002170	02078	01976	00913	01286	01117	04457	64000057	88	-3	29	29	97	90	-2	8	9	103	(YL-Y)%
0094433	0100000	0093400	0066276	0072004	0039188	0059713	0062936	0005831	0002267	06281	05973	02743	02285	01748	07247	64000058	88	-3	29	29	97	83	0	92	92	89	(YL-L)%
0094433	0100000	0093400	0047553	0056519	0038939	0070920	0076179	0061705	0003093	01836	01819	01326	01359	01383	07892	64000059	80	-15	15	22	134	90	-2	8	8	104	(CL-L)%
0094433	0100000	0093400	0047553	0056519	0038939	0008563	0016969	0005703	0003246	05094	05066	03775	03095	03004	27037	64000060	80	-15	15	22	134	48	-52	31	61	148	(CL-C)%
0094433	0100000	0093400	0010352	0015498	0030208	0015062	0023725	0050747	0003765	01624	01595	01054	01008	01033	09677	64000061	46	-29	-29	41	225	56	-38	-39	54	225	(W-Wc)%
0094433	0100000	0093400	0010352	0015498	0030208	0007168	0009906	0016799	0002782	01604	01575	00982	01072	00942	09699	64000062	46	-29	-29	41	225	38	-19	-20	28	226	(Wc-Wc)%
0094433	0100000	0093400	0005542	0004927	0012901	0006548	0005434	0017841	0004594	01071	01030	00463	00516	00355	04467	64000063	27	10	-30	31	290	28	16	-39	42	292	(Cw-Cw)%
0094433	0100000	0093400	0005542	0004927	0012901	0004553	0004341	0005265	001140	01094	00498	00649	00489	05116	64000064	27	10	-30	31	290	25	6	-19	20	287	(Cw-C)%	
0094433	0100000	0093400	0017647	0010941	0011866	0028226	0015754	0016812	0004547	01895	01891	00914	00968	00829	07906	64000065	39	46	-4	46	354	47	64	-4	64	355	(W-Wv)%
0094433	0100000	0093400	0017647	0010941	0011866	0011364	0008306	0008793	0003374	01869	01865	00758	00961	00787	06212	64000066	39	46	-4	46	354	35	28	-3	28	352	(Wv-Wv)%
0094433	0100000	0093400	0016907	0010939	0003068	0026642	0015642	0002853	0005098	02205	02161	00936	01017	00845	07810	64000067	39	42	31	53	36	47	58	45	73	37	(Vw-Vw)%
0094433	0100000	0093400	0016907	0010939	0003068	0010447	0007750	0003166	0003861	02021	01989	00829	01041	00827	07310	64000068	39	42	31	53	36	33	26	20	33	37	(Vw-V)%
0094433	0100000	0093400	0035174	0037826	0005422	0059713	0062936	0005831	0001534	02940	02836	01675	01421	01258	12207	64000069	68	-1	67	67	91	83	0	92	92	89	(W-Wm)%
0094433	0100000	0093400	0035174	0037826	0005422	0018153	0019577	0004622	0001491	02955	02854	01762	01663	01623	14967	64000070	68	-1	67	67	91	51	-1	42	42	92	(Wm-Wm)%
0094433	0100000	0093400	0006494	0011674	0005092	0008563	0016969	0005703	0003751	01783	01753	00929	00961	00856	08072	64000071	41	-39	21	45	150	48	-52	31	61	148	(Mw-Mw)%
0094433	0100000	0093400	0006494	0011674	0005092	0004786	0007725	0004377	0003234	01630	01605	00882	01028	00825	08288	64000072	41	-39	21	45	150	33	-27	13	30	154	(Mw-C)%
0094433	0100000	0093400	0025491	0034867	0055626	0036361	0045166	0056827	0002804	01628	01587	00911	00908	00829	08017	64000073	66	-28	-27	39	223	73	-19	-16	25	218	(W-Wo)%
0094433	0100000	0093400	0025491	0034867	0055626	0007001	0009798	0016565	0003613	03026	03017	02843	02597	02828	25692	64000074	66	-28	-27	39	223	37	-20	-20	28	224	(Wo-Wo)%
0094433	0100000	0093400	0015037	0013624	0027536	0026633	0025810	0036127	0001066	01890	01854	01504	01451	01542	15905	64000075	44	13	-30	33	294	58	9	-18	20	297	(Ow-Ow)%
0094433	0100000	0093400	0015037	0013624	0027536	0004577	0004370	0008488	0001540	02293	02268	01960	02267	01620	20101	64000076	44	13	-30	33	294	25	6	-19	20	287	(Ow-O)%
0094433	0100000	0093400	0037181	0025661	0025782	0046499	0037943	0035350	0002834	01918	01912	01152	01094	01049	09943	64000077	58	48	-3	48	356	68	32	0	32	0	(W-Wy)%
0094433	0100000	0093400	0037181	0025661	0025782	0011418	0008304	0008577	0003803	03031	03028	02390	02377	02339	22571	64000078	58	48	-3	48	356	35	29	-2	29	354	(Wy-Wy)%
0094433	0100000	0093400	0035160	0024730	0007549	0044960	0037445	0017444	0003217	02125	02103	01199	01173	01097	10599	64000079	57	45	39	60	40	68	30	29	42	44	(Yw-Yw)%
0094433	0100000	0093400	0035160	0024730	0007549	0010501	0007718	0002999	0004248	03448	03401	02440	02492	02365	23010	64000080	57	45	39	60	40	33	27	21	34	38	(Yw-Y)%
0094433	0100000	0093400	0061207	0066217	0011149	0062994	0068913	0022318	0003869	02338	02223	00560	00832	00630	02374	64000081	85	-3	75	75	92	86	-4	52	52	95	(W-Wl)%
0094433	0100000	0093400	0061207	0066217	0011149	0018226	0019628	0004638	0003431	04727	04612	03451	02913	02809	26292	64000082	85	-3	75	75	92	51	-1	42	42	92	(Wl-Wl)%
0094433	0100000	0093400	0017597	0027986	0012476	0028712	0039057	0021875	0002056	01612	01601	00989	00916	00873	08267	64000083	60	-41	28	50	145	69	-29	22	37	141	(Lw-Lw)%
0094433	0100000	0093400	0017597	0027986	0012476	0004810	0007775	0004383	0002793	03332	03295	02726	02670	02673	25167	64000084	60	-41	28	50	145	34	-28	13	30	154	(Lw-L)%
0094433	0100000	0093400	0004461	0005800	0007838	0007001	0009798	0016565	0004106	01524	01491	01131	01238	00947	10349	64000085	29	-12	-10	16	218	37	-20	-20	28	224	(C-Cn)%
0094433	0100000	0093400	0004461	0005800	0007838	0002914	0003245	0003159	0004395	01582	01555	01125	01616	01267	09857	64000086	29	-12	-10	16	218	21	-2	0	2	198	(Cn-Cn)%
0094433	0100000	0093400	0003805	0003938	0005394	0004577	0004370	0008488	0002168	01139	01094	00817	00846	00733	05169	64000087	23	1	-9	9	278	25	6	-19	20	287	(CN-CN)%
0094433	0100000	0093400	0003805	0003938	0005394	0003049	0003386	0003296	0002185	00939	00903	00752	01077	00859	04420	64000088	23	1	-9	9	278	22	-2	0	2	199	(NC-N)%
0094433	0100000	0093400	0006163	0005409	0005432	0011418	0008304	0008577	0003210	01821	01817	01280	01296	01116	08299	64000089	28	12	-1	12	351	35	29	-2	29	354	(V-Vn)%
0094433	0100000	0093400	0006163	0005409	0005432	0003151	0003488	0003364	0004053	01580	01578	01261	01946	01774	07553	64000090	28	12	-1	12	351	22	-2	0	2	196	(Vn-Vn)%
0094433	0100000	0093400	0005766	0005092	0003173	0010501	0007718	0002999	0003616	02110	02074	01364	01351	01107	08292	64000091	27	11	9	14	38	33	27	21	34	38	(VN-VN)%
0094433	0100000	0093400	0005766	0005092	0003173	0003019	0003355	0003279	0004697	01835	01806	01379	01973	01859	07990	64000092	27	11	9	14	38	21	-2	0	2	200	(NC-N)%
0094433	010000																										

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
-----	----	----	----	----	----	----	----	----	----	-------	-------	-------	-------	-------	-------	----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	--------

%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=96, colour difference pairs MA_LV096, xchart3=1, xchart4=0 %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 96, d_CIELABmina = 9.39, d_CIELABmaxa = 107.01, d_CIELABavea = 39.86

iai+1 = 96, CIELAB_Fa = 5.59, CIELAB_STRESSa = 32.92

iai+1 = 96, d_CIELCHmina = 9.03, d_CIELCHmaxa = 103.5, d_CIELCHavea = 39.05

iai+1 = 96, CIELCHFa = 5.48, CIELCHSTRESSa = 32.84

iai+1 = 96, d_C94LCHmina = 4.63, d_C94LCHmaxa = 66.98, d_C94LCHavea = 24.2

iai+1 = 96, C94LCHFa = 3.28, C94LCHSTRESSa = 42.55

iai+1 = 96, d_CMCLCHmina = 5.16, d_CMCLCHmaxa = 65.57, d_CMCLCHavea = 25.55

iai+1 = 96, CMCLCHFa = 3.52, CMCLCHSTRESSa = 35.68

iai+1 = 96, d_C00LCHmina = 3.55, d_C00LCHmaxa = 66.65, d_C00LCHavea = 23.34

iai+1 = 96, C00LCHFa = 3.23, C00LCHSTRESSa = 37.21

iai+1 = 96, d_C85LCHmina = 23.74, d_C85LCHmaxa = 513.03, d_C85LCHavea = 180.34

iai+1 = 96, C85LCHFa = 24.46, C85LCHSTRESSa = 43.24

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/YG64/YG64L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*	ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%CIELAB	data for all colour (a) of experiment, iimp=96, colour difference pairs MA_LV096, xchart3=1, xchart4=0 %																												
73.76	-19.63	-17.27	26.15	221.34	89.59	-2.23	8.71	8.99	104.3	6.63	35.05	25.8	27.78	25.14	145.3564000001	74	-19	-17	26	221	90	-2	8	8	104	(CW-W)%			
73.76	-19.63	-17.27	26.15	221.34	58.58	-37.91	-37.55	53.36	224.7	6.47	31.23	19.72	16.97	15.14	164.9164000002	74	-19	-17	26	221	59	-37	-37	53	224	(CW-C)%			
58.26	9.66	-19.5	21.77	296.35	89.59	-2.23	8.81	9.09	104.2	9.0	43.88	38.31	35.77	33.65	258.6564000003	58	9	-19	21	296	90	-2	8	9	104	(VW-W)%			
58.26	9.66	-19.5	21.77	296.35	28.12	18.36	-39.13	43.23	295.1	8.08	37.0	32.02	31.71	29.18	338.4164000004	58	9	-19	21	296	28	18	-39	43	295	(VW-V)%			
68.22	33.06	-1.24	33.08	357.83	89.61	-2.2	8.98	9.25	103.7	7.85	42.49	29.96	31.24	29.63	175.2964000005	68	33	-1	33	357	90	-2	8	9	103	(MW-W)%			
68.22	33.06	-1.24	33.08	357.83	47.5	64.24	-6.51	64.57	354.2	7.61	37.8	24.35	21.64	21.27	204.6564000006	68	33	-1	33	357	48	64	-6	64	354	(MW-M)%			
68.09	29.49	25.86	39.23	41.23	89.81	-2.11	8.8	9.05	103.4	7.37	41.97	27.22	32.22	28.41	179.0364000007	68	29	25	39	41	90	-2	8	9	103	(OW-W)%			
68.09	29.49	25.86	39.23	41.23	47.14	58.79	44.85	73.95	37.3	8.48	40.71	24.53	22.19	21.56	208.6464000008	68	29	25	39	41	47	58	44	73	37	(OW-O)%			
84.12	-0.88	51.2	51.21	90.99	89.64	-2.38	9.28	9.58	104.3	4.21	42.3	14.06	21.31	18.38	83.58	64000009	84	0	51	51	90	90	-2	9	9	104	(YW-W)%		
84.12	-0.88	51.2	51.21	90.99	83.85	-0.75	88.58	88.59	90.4	3.24	37.38	11.31	12.6	9.02	29.78	64000010	84	0	51	51	90	84	0	88	88	90	(YW-Y)%		
69.21	-29.42	20.93	36.11	144.56	89.81	-2.36	9.07	9.38	104.5	6.82	36.01	24.38	23.61	22.75	164.0364000011	69	-29	20	36	144	90	-2	9	9	104	(LW-W)%			
69.21	-29.42	20.93	36.11	144.56	50.04	-52.09	34.83	62.66	146.2	6.5	32.77	21.68	19.18	18.85	179.9	64000012	69	-29	20	36	144	50	-52	34	62	146	(LW-L)%		
24.54	8.69	-19.76	21.59	293.73	28.1	19.3	-40.2	44.6	295.6	6.53	23.3	12.22	11.95	9.26	100.1464000013	25	8	-19	21	293	28	19	-40	44	295	(CN-C)%			
24.54	8.69	-19.76	21.59	293.73	22.17	-0.55	0.3	0.63	151.6	8.38	22.22	12.1	18.59	16.15	99.14	64000014	25	8	-19	21	293	22	0	0	0	151	(CN-N)%		
33.45	30.46	-3.54	30.66	353.36	47.05	64.96	-6.63	65.3	354.1	3.37	37.21	19.91	19.7	16.26	152.1864000015	33	30	-3	30	353	47	64	-6	65	354	(VN-V)%			
33.45	30.46	-3.54	30.66	353.36	21.94	-0.39	0.27	0.47	145.1	3.58	33.14	17.86	26.65	25.81	145.1164000016	33	30	-3	30	353	22	0	0	0	145	(VN-N)%			
33.23	28.06	20.85	34.96	36.62	46.75	58.81	44.54	73.78	37.1	6.77	41.1	20.25	20.26	16.38	152.1964000017	33	28	20	34	36	47	58	44	73	37	(MN-M)%			
33.23	28.06	20.85	34.96	36.62	21.98	-0.46	0.38	0.6	140.1	7.13	36.87	18.09	27.71	24.4	150.9664000018	33	28	20	34	36	22	0	0	0	140	(MN-N)%			
33.23	28.06	20.85	34.96	36.62	46.75	58.81	44.54	73.78	37.1	7.57	41.1	20.25	20.26	16.38	152.1964000019	33	28	20	34	36	47	58	44	73	37	(ON-O)%			
33.23	28.06	20.85	34.96	36.62	21.98	-0.46	0.38	0.6	140.1	8.2	36.87	18.09	27.71	24.4	150.9664000020	33	28	20	34	36	22	0	0	0	140	(ON-N)%			
51.35	-1.32	41.88	41.9	91.81	83.79	-0.59	86.96	86.96	90.3	7.99	55.54	36.01	30.13	28.32	256.6264000021	51	-1	41	41	91	84	0	86	86	90	(YN-Y)%			
51.35	-1.32	41.88	41.9	91.81	22.33	-0.51	0.57	0.77	131.6	9.12	50.48	32.41	40.01	32.37	297.3864000022	51	-1	41	41	91	22	0	0	0	131	(YN-N)%			
34.66	-25.51	15.32	29.76	148.99	49.97	-50.59	32.52	60.14	147.2	6.48	34.04	20.09	19.82	17.18	162.6264000023	35	-25	15	29	148	50	-50	32	60	147	(LN-L)%			
34.66	-25.51	15.32	29.76	148.99	22.09	-0.51	0.39	0.65	142.2	6.79	31.71	17.68	25.84	22.32	153.0764000024	35	-25	15	29	148	22	0	0	0	142	(LN-N)%			
59.44	-38.17	-36.42	52.76	223.65	90.14	-2.38	9.31	9.62	104.3	12.65	65.69	39.71	40.55	38.07	294.7564000025	59	-38	-36	52	223	90	-2	9	9	104	(C-W)%			
59.44	-38.17	-36.42	52.76	223.65	22.56	-0.35	0.67	0.76	117.4	15.52	64.55	40.37	47.22	41.43	364.4864000026	59	-38	-36	52	223	23	0	0	0	117	(C-N)%			
28.81	19.02	-39.11	43.49	295.93	90.03	-2.32	9.36	9.65	103.9	13.51	80.96	66.98	61.44	63.45	513.0364000027	29	19	-39	43	295	90	-2	9	9	103	(V-W)%			
28.81	19.02	-39.11	43.49	295.93	22.63	-0.28	0.73	0.78	111.1	9.35	44.71	17.22	27.55	23.97	200.1164000028	29	19	-39	43	295	23	0	0	0	111	(V-N)%			
48.0	64.23	-6.9	64.6	353.86	89.88	-2.24	9.2	9.47	103.6	13.05	80.2	48.74	48.24	44.93	347.2564000029	48	64	-6	64	353	90	-2	9	9	103	(M-W)%			
48.0	64.23	-6.9	64.6	353.86	22.73	-0.03	0.99	0.99	92.1	17.09	69.5	30.68	42.19	34.19	284.0364000030	48	64	-6	64	353	23	0	0	0	92	(M-N)%			
47.48	58.48	44.44	73.45	37.23	90.01	-2.26	9.16	9.44	103.9	14.62	82.12	47.11	50.5	45.51	354.0564000031	47	58	44	73	37	90	-2	9	9	103	(O-W)%			
47.48	58.48	44.44	73.45	37.23	22.81	-0.18	0.78	0.81	103.4	16.16	77.18	30.15	43.53	34.63	288.2464000032	47	58	44	73	37	23	0	0	0	103	(O-N)%			
84.34	-0.9	88.43	88.43	90.58	90.14	-2.35	9.56	9.85	103.8	10.08	79.09	17.06	31.43	25.16	110.6364000033	84	0	88	88	90	90	-2	9	9	103	(Y-W)%			
84.34	-0.9	88.43	88.43	90.58	22.46	-0.28	1.12	1.15	104.1	17.4	107.0164	32	65.57	66.65	440.5864000034	84	0	88	88	90	22	0	1	1	104	(Y-N)%			
50.86	-51.18	35.32	62.19	145.39	90.04	-2.38	9.43	9.73	104.1	10.8	67.72	42.49	40.14	37.81	311.8864000035	51	-51	35	62	145	90	-2	9	9	104	(L-W)%			
50.86	-51.18	35.32	62.19	145.39	22.55	-0.43	0.76	0.88	119.5	13.63	67.61	32.63	43.02	35.06	298.1	64000036	51	-51	35	62	145	23	0	0	0	119	(L-N)%		
29.09	19.14	-38.78	43.24	296.26	47.95	63.87	-6.41	64.19	354.2	9.94	58.35	36.96	35.07	31.59	290.1564000037	29	19	-38	43	296	48	63	-6	64	354	(V-C)%			
29.09	19.14	-38.78	43.24	296.26	59.49	-37.97	-36.16	52.44	223.6	10.35	64.75	45.89	46.39	44.44	326.8264000038	29	19	-38	43	296	59	-37	-36	52	223	(V-M)%			
47.45	58.53	45.08	73.88	37.6	84.39	-1.02	88.0	88.01	90.6	7.86	82.18	50.42	61.81	51.42	317.1864000039	47	58	45	73	37	84	-1	88	88	90	(O-M)%			
47.45	58.53	45.08	73.88	37.6	48.09	64.42	-6.96	64.8	353.8	15.07	52.39	24.56	23.18	25.68	131.7664000040	47	58	45	73	37	48	64	-6	64	353	(O-Y)%			
50.65	-50.99	35.42	62.09	145.21	84.14	-0.78	87.95	87.95	90.5	12.23	80.01	49.03	41.74	41.5	277.0864000041	51	-50	35	62	145	84	0	87	87	90	(L-Y)%			
50.65	-50.99	35.42	62.09	145.21	59.11	-38.41	-36.03	52.66	223.1	11.84	73.05	38.28	35.73	40.48	246.1364000042	51	-50	35	62	145	59	-38	-36	52	223	(L-C)%			
59.41	-38.22	-36.48	52.84	223.66	50.91	-51.41	35.72	62.61	145.2	9.02	73.89	41.56	36.03	40.84	247.9164000043	59	-38	-36	52	223	51	-51	35	62	145	(C-V)%			
59.41	-38.22	-36.48	52.84	223.66	28.64	19.45	-39.33	43.88	296.3	10.38	65.43	44.34	46.85	44.7	331.4964000044	59	-38	-36	52	223	29	19	-39	43	296	(C-L)%			
84.11	-0.99	87.58	87.59	90.65	47.35	58.4	44.94	73.7	37.5	14.42	81.84	48.18	61.68	51.31	316.4964000045	84	0	87	87	90	47	58	44	73	37	(Y-L)%			
84.11	-0.99	87.58	87.59	90.65	51.15	-51.42	36.01	62.78	144.9	16.0	79.3	44.36	41.3	41.07	273.2664000046	84	0	87	87	90	51	-51	36	62	144	(Y-O)%			
47.98	64.3	-6.88	64.66	353.89	28.98	19.6	-39.34	43.95	296.4	7.71	58.41	32.63	35.09	31.58	292.2164000047	48	64	-6	64	353	29	19	-39	43	296	(M-O)%			
4																													

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/YG64/YG64L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
%CIELAB	data for all colour (a) of experiment, iimp=96, colour difference pairs MA_LV096, xchart3=1, xchart4=0 %																										
74.27	4.14	-5.24	6.68	308.28	89.72	-2.16	8.68	8.95	104.0	3.49	21.74	20.75	20.78	17.75	121.81	64000051	74	4	-5	6	308	90	-2	8	8	104	(VM-V)%
74.27	4.14	-5.24	6.68	308.28	27.96	16.01	-39.4	42.53	292.1	3.74	58.75	54.06	46.6	49.66	449.2	64000052	74	4	-5	6	308	28	16	-39	42	292	(VM-M)%
79.55	15.32	4.45	15.95	16.19	89.79	-2.14	8.57	8.83	104.0	3.82	20.66	17.28	31.21	21.75	80.89	64000053	80	15	4	15	16	90	-2	8	8	104	(MO-M)%
79.55	15.32	4.45	15.95	16.19	46.66	64.24	-4.9	64.43	355.6	3.72	59.68	44.3	34.67	33.49	294.5	64000054	80	15	4	15	16	47	64	-4	64	355	(MO-O)%
78.27	14.17	19.03	23.73	53.32	89.87	-2.24	9.01	9.29	104.0	3.62	22.46	16.46	20.48	19.43	93.36	64000055	78	14	19	23	53	90	-2	9	9	104	(YO-O)%
78.27	14.17	19.03	23.73	53.32	46.51	58.51	45.19	73.93	37.6	3.27	60.48	40.85	34.4	32.18	290.4	64000056	78	14	19	23	53	47	58	45	73	37	(YO-Y)%
87.97	-3.8	29.52	29.77	97.35	90.01	-2.2	8.9	9.17	103.9	2.17	20.78	9.13	12.86	11.17	44.57	64000057	88	-3	29	29	97	90	-2	8	9	103	(YL-Y)%
87.97	-3.8	29.52	29.77	97.35	83.41	0.67	92.02	92.02	89.5	2.26	62.81	27.43	22.85	17.48	72.47	64000058	88	-3	29	29	97	83	0	92	92	89	(YL-L)%
79.91	-15.6	15.94	22.31	134.37	89.94	-2.16	8.46	8.74	104.3	3.09	18.36	13.26	13.59	13.83	78.92	64000059	80	-15	15	22	134	90	-2	8	8	104	(CL-L)%
79.91	-15.6	15.94	22.31	134.37	48.23	-52.15	31.94	61.16	148.5	3.24	50.94	37.75	30.95	30.04	270.3	64000060	80	-15	15	22	134	48	-52	31	61	148	(CL-C)%
46.32	-29.26	-29.84	41.79	225.56	55.82	-38.36	-39.37	54.97	225.7	3.76	16.24	10.54	10.08	10.33	96.77	64000061	46	-29	-29	41	225	56	-38	-39	54	225	(W-Wc)%
46.32	-29.26	-29.84	41.79	225.56	37.69	-19.63	-20.34	28.27	226.0	2.78	16.04	9.82	10.72	9.42	96.99	64000062	46	-29	-29	41	225	38	-19	-20	28	226	(Wc-Wc)%
26.55	10.99	-30.03	31.98	290.09	27.96	16.01	-39.4	42.53	292.1	4.59	10.71	4.63	5.16	3.55	44.67	64000063	27	10	-30	31	290	28	16	-39	42	292	(CW-Cw)%
26.55	10.99	-30.03	31.98	290.09	24.79	6.24	-19.81	20.78	287.4	5.26	11.4	4.98	6.49	4.89	51.16	64000064	27	10	-30	31	290	25	6	-19	20	287	(Cw-C)%
39.49	46.69	-4.88	46.95	354.03	46.66	64.24	-4.9	64.43	355.6	4.54	18.95	9.14	9.68	8.29	79.06	64000065	39	46	-4	46	354	47	64	-4	64	355	(W-Wv)%
39.49	46.69	-4.88	46.95	354.03	34.63	28.67	-3.71	28.91	352.6	3.37	18.69	7.58	9.61	7.87	62.12	64000066	39	46	-4	46	354	35	28	-3	28	352	(Wv-Wv)%
39.49	42.65	31.56	53.06	36.49	46.51	58.51	45.19	73.93	37.6	5.09	22.05	9.36	10.17	8.45	78.1	64000067	39	42	31	53	36	47	58	45	73	37	(Vw-Vw)%
39.49	42.65	31.56	53.06	36.49	33.47	26.83	20.51	33.77	37.4	3.86	20.21	8.29	10.41	8.27	73.1	64000068	39	42	31	53	36	33	26	20	33	37	(Vw-V)%
67.89	-1.85	67.16	67.19	91.57	83.41	0.67	92.02	92.02	89.5	1.53	29.4	16.75	14.21	12.58	122.07	64000069	68	-1	67	67	91	83	0	92	92	89	(W-Wm)%
67.89	-1.85	67.16	67.19	91.57	51.36	-1.75	42.67	42.7	92.3	1.49	29.55	17.62	16.63	16.23	149.67	64000070	68	-1	67	67	91	51	-1	42	42	92	(Wm-Wm)%
40.7	-39.48	21.89	45.15	150.99	48.23	-52.15	31.94	61.16	148.5	3.75	17.83	9.29	9.61	8.56	80.72	64000071	41	-39	21	45	150	48	-52	31	61	148	(MW-Mw)%
40.7	-39.48	21.89	45.15	150.99	33.42	-27.88	13.05	30.78	154.9	3.23	16.3	8.82	10.28	8.25	82.88	64000072	41	-39	21	45	150	33	-27	13	30	154	(MW-M)%
65.65	-28.77	-27.49	39.79	223.7	73.0	-19.86	-16.02	25.52	218.8	2.8	16.28	9.11	9.08	8.29	80.17	64000073	66	-28	-27	39	223	73	-19	-16	25	218	(W-Wo)%
65.65	-28.77	-27.49	39.79	223.7	37.49	-20.44	-20.15	28.7	224.5	3.61	30.26	28.43	25.97	28.28	256.92	64000074	66	-28	-27	39	223	37	-20	-20	28	224	(Wo-Wo)%
43.7	13.72	-30.18	33.16	294.44	57.86	9.54	-18.37	20.71	297.4	1.06	18.9	15.04	14.51	15.42	159.05	64000075	44	13	-30	33	294	58	9	-18	20	297	(Ow-Ow)%
43.7	13.72	-30.18	33.16	294.44	24.88	6.17	-19.45	20.4	287.6	1.54	22.93	19.6	22.67	16.2	201.01	64000076	44	13	-30	33	294	25	6	-19	20	287	(Ow-O)%
57.72	48.72	-3.12	48.82	356.32	67.98	32.84	0.12	32.84	0.2	2.83	19.18	11.52	10.94	10.49	99.43	64000077	58	48	-3	48	356	68	32	0	32	0	(W-Wy)%
57.72	48.72	-3.12	48.82	356.32	34.62	29.08	-2.97	29.23	354.1	3.8	30.31	23.9	23.77	23.39	225.71	64000078	58	48	-3	48	356	35	29	-2	29	354	(Wy-Wy)%
56.82	45.85	39.04	60.22	40.41	67.61	30.03	29.82	42.32	44.7	3.21	21.25	11.99	11.73	10.97	105.99	64000079	57	45	39	60	40	68	30	29	42	44	(Yw-Yw)%
56.82	45.85	39.04	60.22	40.41	33.4	27.53	21.55	34.97	38.0	4.24	34.48	24.4	24.92	23.65	230.1	64000080	57	45	39	60	40	33	27	21	34	38	(Yw-Y)%
85.11	-3.09	75.82	75.89	92.33	86.46	-4.76	52.54	52.75	95.1	3.86	23.38	5.6	8.32	6.3	23.74	64000081	85	-3	75	75	92	86	-4	52	52	95	(W-W1)%
85.11	-3.09	75.82	75.89	92.33	51.42	-1.62	42.68	42.72	92.1	3.43	47.27	34.51	29.13	28.09	262.92	64000082	85	-3	75	75	92	51	-1	42	42	92	(W1-W1)%
59.88	-41.45	28.57	50.34	145.41	68.79	-29.26	22.9	37.16	141.9	2.05	16.12	9.89	9.16	8.73	82.67	64000083	60	-41	28	50	145	69	-29	22	37	141	(LW-Lw)%
59.88	-41.45	28.57	50.34	145.41	33.53	-28.03	13.2	30.98	154.7	2.79	33.32	27.26	26.7	26.73	251.67	64000084	60	-41	28	50	145	34	-28	13	30	154	(LW-L)%
28.92	-12.77	-10.13	16.31	218.41	37.49	-20.44	-20.15	28.7	224.5	4.1	15.24	11.31	12.38	9.47	103.49	64000085	29	-12	-10	16	218	37	-20	-20	28	224	(C-Cn)%
28.92	-12.77	-10.13	16.31	218.41	21.03	-2.64	-0.88	2.79	198.4	4.39	15.82	11.25	16.16	12.67	98.57	64000086	29	-12	-10	16	218	21	-2	0	2	198	(Cn-Cn)%
23.49	1.3	-9.25	9.34	278.01	24.88	6.17	-19.45	20.4	287.6	2.16	11.39	8.17	8.46	7.33	51.69	64000087	23	1	-9	9	278	25	6	-19	20	287	(CN-Nc)%
23.49	1.3	-9.25	9.34	278.01	21.56	-2.53	-0.89	2.69	199.4	2.18	9.39	7.52	10.77	8.59	44.2	64000088	23	1	-9	9	278	22	-2	0	2	199	(NC-N)%
27.89	12.2	-1.84	12.33	351.38	34.62	29.08	-2.97	29.23	354.1	3.21	18.21	12.8	12.96	11.16	82.99	64000089	28	12	-1	12	351	35	29	-2	29	354	(V-Vn)%
27.89	12.2	-1.84	12.33	351.38	21.93	-2.39	-0.7	2.49	196.3	4.05	15.8	12.61	19.46	17.74	75.53	64000090	28	12	-1	12	351	22	-2	0	2	196	(Vn-Vn)%
27.02	11.55	9.34	14.85	38.96	33.4	27.53	21.55	34.97	38.0	3.61	21.1	13.64	13.51	11.07	82.92	64000091	27	11	9	14	38	33	27	21	34	38	(VN-Nv)%
27.02	11.55	9.34	14.85	38.96	21.45	-2.56	-0.98	2.74	200.9	4.69	18.35	13.79	19.73	18.59	79.9	64000092	27	11	9	14	38	21	-2	0	2	200	(Nv-N)%
35.86	-3.53	19.29	19.61	100.37	51.42	-1.62	42.68	42.72	92.1	4.1	28.16	20.97	19.35	17.64	163.04	64000093	36	-3	19	19	100	51	-1	42	42	92	(M-Mn)%
35.86	-3.53	19.29	19.61	100.37	21.74	-2.48	-0.71	2.58	195.9	5.71	24.51	18.64	25.05	17.82	166.96	64000094	36	-3	19	19	100	22	-2	0	2	195	(Mn-MN)%
27.06	-15.27	5.17	16.13	161.27	33.53	-28.03	13.2	30.98	154.7	3.98	16.39	10.95	11.68	9.26	78.23	64000095	27	-15	5	16	161	34	-28	13	30	154	(MN-Nm)%
27.06	-15.27	5.17	16.13	161.27	22.3	-2.53	-0.87	2.67	199.1	4.44	14.89	9.75	14.1	13.03	63.35	64000096	27	-15	5	16	161	22					

%L*	a*	b*	C*ab	hab	L*	a*	b*	C*ab	hab	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*	a*	b*	C*0	h0	L*	a*	b*	C*1	h1	CODE %
%CIELAB data for all colour (a) of experiment, iimp=96, colour difference pairs MA_LV096, xchart3=1, xchart4=0 %																											
Minimum, maximum and average colour difference value																											
STRESS constant F and STRESS value S																											
iai+1 = 96, d_CIELABmina = 9.39, d_CIELABmaxa = 107.01, d_CIELABavea = 39.86																											
iai+1 = 96, CIELAB_Fa = 5.59, CIELAB_STRESSa = 32.92																											
iai+1 = 96, d_CIELCHmina = 9.03, d_CIELCHmaxa = 103.5, d_CIELCHavea = 39.05																											
iai+1 = 96, CIELCHFa = 5.48, CIELCHSTRESSa = 32.84																											
iai+1 = 96, d_C94LCHmina = 4.63, d_C94LCHmaxa = 66.98, d_C94LCHavea = 24.2																											
iai+1 = 96, C94LCHFa = 3.28, C94LCHSTRESSa = 42.55																											
iai+1 = 96, d_CMCLCHmina = 5.16, d_CMCLCHmaxa = 65.57, d_CMCLCHavea = 25.55																											
iai+1 = 96, CMCLCHFa = 3.52, CMCLCHSTRESSa = 35.68																											
iai+1 = 96, d_C00LCHmina = 3.55, d_C00LCHmaxa = 66.65, d_C00LCHavea = 23.34																											
iai+1 = 96, C00LCHFa = 3.23, C00LCHSTRESSa = 37.21																											
iai+1 = 96, d_C85LCHmina = 23.74, d_C85LCHmaxa = 513.03, d_C85LCHavea = 180.34																											
iai+1 = 96, C85LCHFa = 24.46, C85LCHSTRESSa = 43.24																											