



Equal 9 step grey scaling between  $L^*_{0aN}=14.4$  and  $L^*_{0aW}=125$ ,  $Y_{0ref}=1.8$ , normalisation: white W  
 $L^*_{0aN}=14.4$ ,  $L^*_{0aU}=69.7$ ,  $L^*_{0aW}=125.1$ ,  $Y_{0aN}=1.8$ ,  $Y_{0aU}=40.4$ ,  $Y_{0aW}=180.0$ ,  $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$   
 $L^*_{iN}=22.2$ ,  $L^*_{iAU}=70.7$ ,  $L^*_{iAW}=125.1$ ,  $Y_{iAN}=3.6$ ,  $Y_{iAU}=41.8$ ,  $Y_{iAW}=180.0$ ,  $C_{iAY}=Y_{iAW}:Y_{iAN}=50.5$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps  
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$




Equal 9 step grey scaling between  $L^*_{0aN}=14.4$  and  $L^*_{0aW}=125$ ,  $Y_{0ref}=7.2$ , normalisation: white W  
 $L^*_{0aN}=14.4$ ,  $L^*_{0aU}=69.7$ ,  $L^*_{0aW}=125.1$ ,  $Y_{0aN}=1.8$ ,  $Y_{0aU}=40.4$ ,  $Y_{0aW}=180.0$ ,  $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$   
 $L^*_{iN}=35.3$ ,  $L^*_{iAU}=73.4$ ,  $L^*_{iAW}=125.1$ ,  $Y_{iAN}=8.6$ ,  $Y_{iAU}=45.8$ ,  $Y_{iAW}=180.0$ ,  $C_{iAY}=Y_{iAW}:Y_{iAN}=20.8$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps  
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$




Equal 9 step grey scaling between  $L^*_{0aN}=14.4$  and  $L^*_{0aW}=125$ ,  $Y_{0ref}=3.6$ , normalisation: white W  
 $L^*_{0aN}=14.4$ ,  $L^*_{0aU}=69.7$ ,  $L^*_{0aW}=125.1$ ,  $Y_{0aN}=1.8$ ,  $Y_{0aU}=40.4$ ,  $Y_{0aW}=180.0$ ,  $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$   
 $L^*_{iN}=27.6$ ,  $L^*_{iAU}=71.6$ ,  $L^*_{iAW}=125.1$ ,  $Y_{iAN}=5.3$ ,  $Y_{iAU}=43.1$ ,  $Y_{iAW}=180.0$ ,  $C_{iAY}=Y_{iAW}:Y_{iAN}=34.0$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps  
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$



Equal 9 step grey scaling between  $L^*_{0aN}=14.4$  and  $L^*_{0aW}=125$ ,  $Y_{0ref}=14.4$ , normalisation: white W  
 $L^*_{0aN}=14.4$ ,  $L^*_{0aU}=69.7$ ,  $L^*_{0aW}=125.1$ ,  $Y_{0aN}=1.8$ ,  $Y_{0aU}=40.4$ ,  $Y_{0aW}=180.0$ ,  $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$   
 $L^*_{iN}=45.6$ ,  $L^*_{iAU}=76.5$ ,  $L^*_{iAW}=125.1$ ,  $Y_{iAN}=15.0$ ,  $Y_{iAU}=50.7$ ,  $Y_{iAW}=180.0$ ,  $C_{iAY}=Y_{iAW}:Y_{iAN}=12.0$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps  
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$



see similar files of the whole serie: <http://farbe.li.tu-berlin.de/ees.htm>  
 technical information: <http://farbe.li.tu-berlin.de> or <http://color.li.tu-berlin.de>

TUB registration: 20230701-eee0/eee010np.pdf / .ps  
 application for evaluation and measurement of display or print output  
 TUB material: code=rh4ta