









**Ostwald optimal colours (o), maximum (m)  $C_{AB}$  for D50,  $Y_N=3.6$ ,  $Y_W=90$ ,  $Y_M=520/770$**

$\lambda_1$	$\lambda_2$	X	Y	Z	x	y	z	$h_{xy}$	$l_d$	$l_c$	$l_e$	Code			
1	405	32	564	26.33	48.45	66.13	0.1869	0.3438	0.4692	185.2	17	486	38	592	Cm
7	435	33	565	23.41	48.25	52.04	0.1892	0.39	0.4207	168.6	18	490	46	631	
10	450	33	566	20.93	48.75	35.69	0.1986	0.4625	0.3387	144.6	19	497	-1	497c	
12	460	33	567	19.83	49.37	24.66	0.2113	0.5259	0.2626	128.7	21	506	-1	506c	
13	465	33	568	19.81	50.0	19.91	0.2208	0.5572	0.2218	122.1	22	512	-1	512c	
14	470	34	570	19.94	50.5	15.93	0.2308	0.5846	0.1844	116.9	23	519	-1	519c	
15	475	34	573	21.53	52.24	12.71	0.2489	0.6064	0.1469	111.4	25	527	-1	527c	Gm
15	480	35	578	24.67	55.34	12.71	0.266	0.5968	0.1371	108.4	26	532	-1	532c	
17	485	37	587	30.59	59.41	8.37	0.3109	0.6039	0.0851	98.0	28	544	-1	544c	
18	490	44	620	53.95	71.6	6.98	0.407	0.5402	0.0526	71.3	32	561	-1	561c	
19	495	-1	495c	67.75	76.06	5.88	0.4525	0.5081	0.0393	54.4	33	568	12	463	max
20	500	-1	500c	67.73	74.76	5.02	0.4591	0.5067	0.0334	52.5	33	569	13	466	
22	510	-1	510c	67.65	71.15	3.88	0.4741	0.4986	0.0272	47.4	34	571	14	471	
23	520	-1	520c	67.48	68.78	3.54	0.4826	0.492	0.0253	44.2	34	572	14	473	Ym
25	530	-1	530c	66.65	62.96	3.11	0.5021	0.4743	0.0234	36.4	35	575	15	477	
27	540	-1	539c	64.95	56.11	2.88	0.524	0.4527	0.0232	27.8	35	579	16	480	
28	545	-1	544c	63.73	52.49	2.81	0.5353	0.4409	0.0236	23.4	36	581	16	481	
29	550	-1	549c	62.23	48.77	2.77	0.5469	0.4286	0.0244	19.1	36	583	16	483	
30	555	-1	554c	60.45	45.01	2.74	0.5586	0.4159	0.0254	15.0	37	585	16	484	
32	560	-1	560c	56.05	37.66	2.71	0.5812	0.3905	0.0281	7.7	38	590	17	486	
32	564	1	405	60.44	41.54	8.11	0.5489	0.3773	0.0736	5.2	38	592	17	486	Rm
33	565	7	435	63.36	41.74	22.19	0.4977	0.3279	0.1743	348.6	46	631	18	490	
33	566	10	450	65.84	41.24	38.54	0.452	0.2832	0.2646	324.7	-1	497	19	497	
33	567	12	460	66.94	40.62	49.58	0.4259	0.2585	0.3155	308.7	-1	506	21	506	
33	568	13	465	66.96	39.99	54.33	0.4151	0.2479	0.3368	302.1	-1	512	22	512	
34	570	14	470	66.83	39.49	58.3	0.4059	0.2398	0.3541	296.9	-1	519	23	519	
34	573	15	475	65.25	37.75	61.53	0.3965	0.2324	0.3739	291.5	-1	527	25	527	Mm
35	578	15	480	62.1	34.65	61.52	0.3923	0.2189	0.3887	288.5	-1	532	26	532	
37	587	17	485	56.18	30.58	65.87	0.368	0.2003	0.4135	278.0	-1	544	28	544	
44	620	18	490	32.82	18.39	67.26	0.277	0.1552	0.5677	251.3	-1	561	32	561	
-1	495c	19	495	19.02	13.93	68.36	0.1877	0.1375	0.6746	234.4	12	463	33	568	min
-1	500c	20	500	19.04	15.23	69.22	0.1839	0.1471	0.6688	232.5	13	466	33	569	
-1	510c	22	510	19.13	18.84	70.36	0.1765	0.1739	0.6494	227.5	14	471	34	571	
-1	519c	23	520	19.29	21.21	70.7	0.1735	0.1907	0.6357	224.2	14	473	34	572	Bm
-1	529c	25	530	20.12	27.03	71.13	0.1701	0.2285	0.6013	216.5	15	477	35	575	
-1	539c	27	540	21.82	33.88	71.36	0.1717	0.2666	0.5615	207.8	16	480	35	579	
-1	544c	28	545	24.03	37.75	71.42	0.1746	0.2841	0.5412	203.5	16	481	36	581	
-1	549c	29	550	25.54	41.22	71.47	0.1788	0.3004	0.5207	199.2	16	483	36	583	
-1	554c	30	555	26.42	44.98	71.49	0.1843	0.315	0.5006	195.0	16	484	37	585	
-1	560c	32	560	30.72	52.33	71.52	0.1987	0.3385	0.4627	187.7	17	486	38	590	
W0	380	770	86.78	90.0	74.24	0.3457	0.3585	0.2957	0.0						
N0	380	770	3.47	3.6	2.96	0.3457	0.3585	0.2957	0.0						



see similar files of the whole serie: http://farbe.li.u-berlin.de/eeh3.htm  
 technical information: http://farbe.li.u-berlin.de or http://color.li.u-berlin.de

TUB registration: 2023/07-01-eeh3/eeh310n1.txt/.ps  
 application for evaluation and measurement of display or print output  
 TUB material code=mat4ta