

$XYZ_W=100.93, 100.0, 64.68$

$A_2 = 2,5 (a_2 - a_{2,n}) Y$

$B_2 = 2,5 (b_2 - b_{2,n}) Y$

$a_2 = a_{20} [(x - x_c) / y]$

$b_2 = b_{20} B_c [z / y]$

$a_{20} = 1, b_{20} = -0,4$

$x_c = 0,110, B_c = 1,300$

$C_{AB2} = [A_2^2 + B_2^2]^{1/2}$

6 Ostwald colours (o), $C_{AB,2} = \text{const}$

colour space ($C_{AB,2}, L_{CIE}^*$)

$L_{CIE}^* = 116(Y/100)^{1/3} - 16$ ($Y > 0,8856$) or

$L_{CIE}^* = 116[(841/108)(Y/100) + 4/29] - 16$


Illumin. P40, $Y_W=100.0, Y_N=0.1$

-74 Parameter:

L_{CIE}^* & name

$Y_r = Y/18,$

$L' = L^* - 50$



Name	Range	X	Y	Z	x	y	λ_d	λ_c	a_2	b_2	c_2	A_2	B_2	$C_{AB,2}$	$h_{AB,2}$	Y_r	L_{CIE}^*	L_{CIE}^*	L_{Tur}^*	L_{Tar}^*
R_n	573_775	70.19	41.14	0.05	0.63	0.369600	493	1.408	0.0	0.768	71.0	34.5	79.0	25	2.28	70.2	70.9	70.5	67.2	
Y_n^o	498_775	90.58	95.34	4.06	0.476	0.501576	468	0.73	-0.022	0.314	3.2	74.8	74.9	87	5.29	98.1	99.1	91.4	80.9	
G_n^o	498_573	20.4	54.21	4.02	0.259	0.689540	540	0.216	-0.038	0.582	-67.8	40.3	78.9	149	3.01	78.5	79.3	77.4	72.2	
C_n^o	380_573	30.74	58.86	64.64	0.199	0.381493	600	0.234	-0.571	0.537	-71.0	-34.5	79.0	205	3.27	81.2	82.0	79.4	73.6	
B_n^o	380_498	10.35	4.66	60.62	0.136	0.061468	576	0.435	-6.762	6.432	-3.2	-74.8	74.9	267	0.25	25.7	26.0	16.4	23.6	
M_n^o	573_498	80.53	45.79	60.67	0.43	0.244540	540	1.309	-0.688	0.689	67.8	-40.3	78.9	329	2.54	73.4	74.1	73.2	69.2	
W_n^o	380_775	100.93	100.0	64.68	0.379	0.376	100%	0.717	-0.336	0.01	0.0	0.0	0.0	0	5.55	100.0	101.092	6	81.5	
N_n^o	380_775	0.01	0.01	0.0	0.378	0.375	0%	0.716	-0.336	0.01	0.0	0.0	0.0	0.0	180	0.0	0.0	0.0	-136.20	1
U_n^o	380_775	18.16	18.0	11.64	0.379	0.376	18%	0.717	-0.336	0.01	0.0	0.0	0.0	166	1.0	49.5	50.0	50.0	50.0	