

$XYZ_W=109.84, 99.99, 35.58$

$A_2 = 2,5 (a_2 - a_{2,n}) Y$

$B_2 = 2,5 (b_2 - b_{2,n}) Y$

$a_2 = a_{20} [(x - x_c) / y]$

$b_2 = b_{20} B_c [z / y]$

$a_{20} = 1, b_{20} = -0,4$

$x_c = 0,110, B_c = 2,500$

$C_{AB2} = [A_2^2 + B_2^2]^{1/2}$

6 Ostwald colours (o), $C_{AB,2} = \text{const}$

colour space ($C_{AB,2}, L_{Clr}^*$)


$L_{Clr}^* = L_{CIE}^*(Y) / L_{CIE}^*(18)$

-74 Parameter:

L_{Clr}^* & name

$Y_r = Y/18,$

$L' = L^* - 50$



Illumin. A00, $Y_W=72.0, Y_N=4.5$

Name	Range	X	Y	Z	x	y	λ_d	λ_c	a_2	b_2	c_2	A_2	B_2	$C_{AB,2}$	$h_{AB,2}$	Y_r	L_{CIE}^*	L_{Clr}^*	L_{Tur}^*	L_{Tar}^*
R_n	579_775	58.86	33.53	1.62	0.626	0.356605	499	1.446	-0.048	0.69	51.8	25.7	57.8	26	1.86	64.5	65.2	65.4	63.1	
Y_n^o	504_775	75.46	69.28	3.17	0.51	0.468581	474	0.854	-0.045	0.311	4.4	53.6	53.8	85	3.84	86.6	87.5	83.4	76.3	
G_n^o	504_579	21.53	40.25	3.15	0.331	0.619547	547	0.357	-0.078	0.546	-47.3	27.9	54.9	149	2.23	69.6	70.3	70.0	66.7	
C_n^o	380_579	25.17	42.96	25.59	0.268	0.458499	605	0.345	-0.595	0.539	-51.8	-25.7	57.8	206	2.38	71.5	72.2	71.6	68.0	
B_n^o	380_504	8.57	7.21	24.04	0.215	0.181474	581	0.581	-3.332	2.986	-4.4	-53.6	53.8	265	0.4	32.2	32.6	27.2	31.1	
M_n^o	579_504	62.49	36.24	24.07	0.508	0.295547	547	1.351	-0.664	0.606	47.3	-27.9	54.9	329	2.01	66.7	67.3	67.3	64.7	
W_n^o	380_775	79.09	71.99	25.61	0.447	0.407	72%	0.828	-0.355	0.01	0.0	0.0	0.0	0	4.0	87.9	88.8	84.4	76.9	
N_n^o	380_775	4.94	4.49	1.6	0.447	0.407	4%	0.828	-0.355	0.01	0.0	0.0	0.0	0.0	180	0.25	25.2	25.5	15.5	23.0
U_n^o	380_775	19.77	17.99	6.4	0.447	0.407	18%	0.828	-0.355	0.01	0.0	0.0	0.0	0.0	180	1.0	49.5	50.0	50.0	50.0