

$XYZ_W=95.04, 100.0, 108.89$

$A_2 = 2,5 (a_2 - a_{2,n}) Y$

$B_2 = 2,5 (b_2 - b_{2,n}) Y$

$a_2 = a_{20} [(x - x_c) / y]$

$b_2 = b_{20} B_c [z / y]$

$a_{20} = 1, b_{20} = -0,4$

$x_c = 0,110, B_c = 0,800$

$C_{AB2} = [A_2^2 + B_2^2]^{1/2}$

6 Ostwald colours (o), $C_{AB,2} = \text{const}$

colour space ($C_{AB,2} Y$)

$Y = 18Y_r$

Illumin. D65, $Y_W=90.0, Y_N=3.6$

Name	Range	X	Y	Z	x	y	λ_d	λ_c	a_2	b_2	c_2	A_2	B_2	$C_{AB,2}$	$h_{AB,2}$	Y_r	L^*_{CB}	L^*_{Cb}	L^*_{TUr}	L^*_{TAr}
R_n	567_775	49.44	32.71	3.56	0.576	0.381	596	489	1.223	-0.034	0.683	49.6	25.6	55.8	27	1.81	63.9	64.5	64.8	62.6
Y_n^o	493_775	63.04	76.53	8.77	0.424	0.515	570	463	0.61	-0.036	0.311	-1.0	59.6	59.6	91	4.25	90.1	91.0	85.9	77.8
G_n^o	493_567	16.67	47.05	8.74	0.23	0.649	535	535	0.184	-0.059	0.519	-50.7	33.9	61.0	146	2.61	74.2	74.9	73.8	69.7
C_n^o	380_567	30.61	51.52	88.16	0.179	0.302	489	596	0.23	-0.547	0.433	-49.6	-25.6	55.8	207	2.86	76.9	77.7	76.1	71.3
B_n^o	380_493	17.01	7.7	82.95	0.158	0.071	463	570	0.671	-3.444	3.096	1.0	-59.6	59.6	271	0.42	33.3	33.7	28.9	32.3
M_n^o	567_493	63.38	37.18	82.98	0.345	0.202	535	535	1.161	-0.714	0.656	50.7	-33.9	61.0	326	2.06	67.4	68.0	68.0	65.2
W_n^o	380_775	85.53	90.0	98.0	0.312	0.329	90%		0.616	-0.348	0.01	0.0	0.0	0.0	0	4.99	95.9	96.9	90.0	80.1
N_n^o	380_775	3.42	3.6	3.92	0.312	0.329	3%		0.616	-0.348	0.01	0.0	0.0	0.0	180	0.19	22.3	22.5	9.9	19.8
U_n^o	380_775	17.1	18.0	19.6	0.312	0.329	18%		0.616	-0.348	0.01	0.0	0.0	0.0	184	1.0	49.5	50.0	50.0	50.0


fed50-5a

-74 Parameter:

Y & name

$Y_r = Y/18,$

$L' = L^* - 50$



74

5B

8P

85Y_d

77

Y

100

90

50

47

0

-50

50

C_{AB,2}