




<http://farbe.li.tu-berlin.de/fei0/fei010na.txt> /.ps; only vector graphic VG; start output
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010na.txt /.ps
application for evaluation and measurement of display or print output



TUB material: code=rh4ta



fei00-7n-030-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb / cmy0** (A_j + k26_n27), **000n** (k), **w** (l), **nnn0** (m), **www** (n), **colorml = 0**

TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
->rgb*d, 030-0:



<http://farbe.li.tu-berlin.de/fei0/fei010na.txt /ps; only vector graphic V/G; start output>

see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>

Table with columns labeled A through Z and rows labeled 0000 A01 through 0000 Z01. Each cell contains a 10x10 grid of numerical values representing color data for a specific character and color combination.

fei007n-030-1: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A–n): rbg / cmy / A..j + k26_n27), 000n (k), w (D), mmn (m), ww (o), colorm = 0

TUB registration: 20240301-fei0/fei010na.txt /ps application for evaluator and measurement display or print output

TUB material: code=mat4

feio07n-030-1: Test chart 2g with 40x27=1080 colours; Digital equidistant 9 or 16 step colour scales

Cy8 (288: 1): gp=8: 0:0: gN=0:0: <http://farbe.li.tu-berlin.de/fei0/fei0f0ax.pdf /ps>

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/fei0/fei010na.txt /ps>
technical information: <http://farbe.li.tu-berlin.de/A33872E.htm>
o <http://standards.iso.org/iso/9241/306/fei-2/index.htm>

TUB registration: 20240301-fei0/fei010na.txt /ps application for evaluator and measurement display or print output

TUB material: code=mat4

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/fei0/fei010na.txt /ps>
technical information: <http://farbe.li.tu-berlin.de/A33872E.htm>
o <http://standards.iso.org/iso/9241/306/fei-2/index.htm>

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
 technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
 or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010na.txt / .ps
 application for evaluation and measurement of display or print output
 TUB material: code=rh4ta

i	LAB*ref	L*out	LAB*out	LAB*out/c-ref	ΔE*
1	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.07	6.36	0.01
3	12.72	0.0	0.13	12.72	0.01
4	19.08	0.0	0.2	19.08	0.01
5	25.44	0.0	0.27	25.44	0.01
6	31.8	0.0	0.33	31.8	0.01
7	38.16	0.0	0.4	38.16	0.01
8	44.52	0.0	0.47	44.52	0.01
9	50.89	0.0	0.53	50.89	0.01
10	57.25	0.0	0.6	57.25	0.01
11	63.61	0.0	0.67	63.61	0.01
12	69.97	0.0	0.73	69.97	0.01
13	76.33	0.0	0.8	76.33	0.01
14	82.69	0.0	0.87	82.69	0.01
15	89.05	0.0	0.93	89.05	0.01
16	95.41	0.0	1.0	95.41	0.01
17	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.25	23.85	0.01
19	47.71	0.0	0.5	47.71	0.01
20	71.56	0.0	0.75	71.56	0.01
21	95.41	0.0	1.0	95.41	0.01


Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 0.0$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 0.0$

Mean colour reproduction index: $R^*_{ab,m} = 100$

fei00-3n-030-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



fei01-3n-030-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

$L^*/Y^*_{intended}$ (absolute)	0.0/0.0	6.3/0.7	12.7/1.5	19.0/2.7	25.4/4.5	31.8/6.9	38.1/10.1	44.5/14.2	50.8/19.1	57.2/25.1	63.6/32.3	69.9/40.7	76.3/50.4	82.6/61.5	89.0/74.2	95.4/88.5
$w^* w^* w^*$ setrgb gp=1.00																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = l^*_{CIELAB, r}$ (relative)																
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE740-7n, Picture A7-030-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; DH
 Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46

000n/w/cmy0/rgb
 ->rgb*d, 030-2: