


<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG; start output
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta

fei00-7n-130-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*(A_n, colorml = 1)$

TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
->rgb*_d, 130-0:



<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> / .ps; only vector graphic VG; start output

see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt / .ps
application for evaluation and measurement of display or print output

Table with columns A-Z and rows 01-27. Each cell contains a numerical value representing color data for a specific color and row.

fei00-7n-130-1: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*(A_j + k26 \cdot n27)$, $000n^*(k)$, $w^*(l)$, $nmn0^*(m)$, $www^*(n)$, $colorm = 1$

TUB-test chart fei0; Test chart 2g d0 with 40x27=1080 colours; 1MR, DH 000n w/cmy0/rgb
Digital equidistant 9 or 16 step colour scales $\rightarrow rgb^*_d, 130-1$

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
 technical information: <http://farbe.li.tu-berlin.de/A/33872E.htm>
 or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
 application for evaluation and measurement of display or print output
 TUB material: code=rh4ta

i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE^*
1	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.07	6.36	0.01
3	12.72	0.0	0.13	12.72	0.01
4	19.08	0.0	0.2	19.08	0.01
5	25.44	0.0	0.27	25.44	0.01
6	31.8	0.0	0.33	31.8	0.01
7	38.16	0.0	0.4	38.16	0.01
8	44.52	0.0	0.47	44.52	0.01
9	50.89	0.0	0.53	50.89	0.01
10	57.25	0.0	0.6	57.25	0.01
11	63.61	0.0	0.67	63.61	0.01
12	69.97	0.0	0.73	69.97	0.01
13	76.33	0.0	0.8	76.33	0.01
14	82.69	0.0	0.87	82.69	0.01
15	89.05	0.0	0.93	89.05	0.01
16	95.41	0.0	1.0	95.41	0.01
17	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.25	23.85	0.01
19	47.71	0.0	0.5	47.71	0.01
20	71.56	0.0	0.75	71.56	0.01
21	95.41	0.0	1.0	95.41	0.01


Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 0.0$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 0.0$

Mean colour reproduction index: $R^*_{ab,m} = 100$

fei00-3n-130-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



fei01-3n-130-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



$L^*/Y^*_{intended}$ (absolute)	0.0/0.0	6.3/0.7	12.7/1.5	19.0/2.7	25.4/4.5	31.8/6.9	38.1/10.1	44.5/14.2	50.8/19.1	57.2/25.1	63.6/32.3	69.9/40.7	76.3/50.4	82.6/61.5	89.0/74.2	95.4/88.5
$w^* w^* w^*$ setrgb gp=1.0																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = l^*_{CIELAB, r}$ (relative)																
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE740-7n, Picture A7-130-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
 Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46

000n/w/cmy0/rgb
 ->rgb*_d, 130-2:


<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output

TUB material: code=rh4ta



fei00-7n-131-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*(A_n, colorml = 1)$

TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
->rgb*_d, 130-0:



see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.htm>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta


i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE*
1	5.69	0.0	5.69	0.0	0.01
2	11.67	0.0	9.36	-2.3	2.31
3	17.65	0.0	14.01	-3.63	3.64
4	23.63	0.0	19.12	-4.5	4.51
5	29.62	0.0	24.55	-5.06	5.07
6	35.6	0.0	30.23	-5.36	5.37
7	41.58	0.0	36.12	-5.45	5.46
8	47.56	0.0	42.19	-5.36	5.37
9	53.54	0.0	48.42	-5.11	5.12
10	59.52	0.0	54.79	-4.72	4.73
11	65.5	0.0	61.29	-4.2	4.21
12	71.48	0.0	67.91	-3.56	3.57
13	77.47	0.0	74.64	-2.82	2.83
14	83.45	0.0	81.47	-1.97	1.98
15	89.43	0.0	88.4	-1.02	1.03
16	95.41	0.0	95.41	0.0	0.01
17	5.69	0.0	5.69	0.0	0.01
18	28.12	0.0	23.17	-4.94	4.95
19	50.55	0.0	45.29	-5.25	5.26
20	72.98	0.0	69.58	-3.39	3.4
21	95.41	0.0	95.41	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 3.4$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 2.7$

Mean colour reproduction index: $R^*_{ab,m} = 85$



fei00-3n-131-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

fei01-3n-131-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



$L^*/Y^*_{intended}$ (absolute)	5.6/0.6	11.6/1.3	17.6/2.4	23.6/3.9	29.6/6.0	35.5/8.8	41.5/12.2	47.5/16.4	53.5/21.5	59.5/27.5	65.5/34.6	71.4/42.8	77.4/52.3	83.4/63.0	89.4/75.0	95.4/88.5
$w^* w^* w^*$ setrgb																
$g_N=1.08$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = l^*_{CIELAB, r}$ (relative)																
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.053	0.112	0.175	0.239	0.304	0.371	0.439	0.506	0.575	0.645	0.714	0.785	0.857	0.927	1.0

OE740-7n, Picture A7-131-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
Viewing Y contrast $Y_W:Y_N=88,9:0,62$; Y_N range 0,46 to <0,93

000n/w/cmy0/rgb
->rgb*d, 130-2:


<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output



TUB material: code=rh4ta



fei00-7n-132-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*(A_n, colorml = 1)$

TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
->rgb*_d, 130-0:



<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> / .ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt / .ps
application for evaluation and measurement of display or print output

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	l	m	n																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
01	0.0000	0.0001	0.0010	0.0018	0.0027	0.0041	0.0054	0.0071	0.0090	0.0110	0.0126	0.0141	0.0157	0.0171	0.0180	0.0190	0.0200	0.0210	0.0216	0.0220	0.0225	0.0230	0.0234	0.0237	0.0240	0.0242	0.0244	0.0246	0.0248	0.0250	0.0252	0.0254	0.0256	0.0258	0.0260	0.0262	0.0264	0.0266	0.0268	0.0270	0.0272	0.0274	0.0276	0.0278	0.0280	0.0282	0.0284	0.0286	0.0288	0.0290	0.0292	0.0294	0.0296	0.0298	0.0300	0.0302	0.0304	0.0306	0.0308	0.0310	0.0312	0.0314	0.0316	0.0318	0.0320	0.0322	0.0324	0.0326	0.0328	0.0330	0.0332	0.0334	0.0336	0.0338	0.0340	0.0342	0.0344	0.0346	0.0348	0.0350	0.0352	0.0354	0.0356	0.0358	0.0360	0.0362	0.0364	0.0366	0.0368	0.0370	0.0372	0.0374	0.0376	0.0378	0.0380	0.0382	0.0384	0.0386	0.0388	0.0390	0.0392	0.0394	0.0396	0.0398	0.0400	0.0402	0.0404	0.0406	0.0408	0.0410	0.0412	0.0414	0.0416	0.0418	0.0420	0.0422	0.0424	0.0426	0.0428	0.0430	0.0432	0.0434	0.0436	0.0438	0.0440	0.0442	0.0444	0.0446	0.0448	0.0450	0.0452	0.0454	0.0456	0.0458	0.0460	0.0462	0.0464	0.0466	0.0468	0.0470	0.0472	0.0474	0.0476	0.0478	0.0480	0.0482	0.0484	0.0486	0.0488	0.0490	0.0492	0.0494	0.0496	0.0498	0.0500	0.0502	0.0504	0.0506	0.0508	0.0510	0.0512	0.0514	0.0516	0.0518	0.0520	0.0522	0.0524	0.0526	0.0528	0.0530	0.0532	0.0534	0.0536	0.0538	0.0540	0.0542	0.0544	0.0546	0.0548	0.0550	0.0552	0.0554	0.0556	0.0558	0.0560	0.0562	0.0564	0.0566	0.0568	0.0570	0.0572	0.0574	0.0576	0.0578	0.0580	0.0582	0.0584	0.0586	0.0588	0.0590	0.0592	0.0594	0.0596	0.0598	0.0600	0.0602	0.0604	0.0606	0.0608	0.0610	0.0612	0.0614	0.0616	0.0618	0.0620	0.0622	0.0624	0.0626	0.0628	0.0630	0.0632	0.0634	0.0636	0.0638	0.0640	0.0642	0.0644	0.0646	0.0648	0.0650	0.0652	0.0654	0.0656	0.0658	0.0660	0.0662	0.0664	0.0666	0.0668	0.0670	0.0672	0.0674	0.0676	0.0678	0.0680	0.0682	0.0684	0.0686	0.0688	0.0690	0.0692	0.0694	0.0696	0.0698	0.0700	0.0702	0.0704	0.0706	0.0708	0.0710	0.0712	0.0714	0.0716	0.0718	0.0720	0.0722	0.0724	0.0726	0.0728	0.0730	0.0732	0.0734	0.0736	0.0738	0.0740	0.0742	0.0744	0.0746	0.0748	0.0750	0.0752	0.0754	0.0756	0.0758	0.0760	0.0762	0.0764	0.0766	0.0768	0.0770	0.0772	0.0774	0.0776	0.0778	0.0780	0.0782	0.0784	0.0786	0.0788	0.0790	0.0792	0.0794	0.0796	0.0798	0.0800	0.0802	0.0804	0.0806	0.0808	0.0810	0.0812	0.0814	0.0816	0.0818	0.0820	0.0822	0.0824	0.0826	0.0828	0.0830	0.0832	0.0834	0.0836	0.0838	0.0840	0.0842	0.0844	0.0846	0.0848	0.0850	0.0852	0.0854	0.0856	0.0858	0.0860	0.0862	0.0864	0.0866	0.0868	0.0870	0.0872	0.0874	0.0876	0.0878	0.0880	0.0882	0.0884	0.0886	0.0888	0.0890	0.0892	0.0894	0.0896	0.0898	0.0900	0.0902	0.0904	0.0906	0.0908	0.0910	0.0912	0.0914	0.0916	0.0918	0.0920	0.0922	0.0924	0.0926	0.0928	0.0930	0.0932	0.0934	0.0936	0.0938	0.0940	0.0942	0.0944	0.0946	0.0948	0.0950	0.0952	0.0954	0.0956	0.0958	0.0960	0.0962	0.0964	0.0966	0.0968	0.0970	0.0972	0.0974	0.0976	0.0978	0.0980	0.0982	0.0984	0.0986	0.0988	0.0990	0.0992	0.0994	0.0996	0.0998	1.0000																																																																																																																																																																																																																																																															
02	0.0001	0.0002	0.0003	0.0004	0.0005	0.0006	0.0007	0.0008	0.0009	0.0010	0.0011	0.0012	0.0013	0.0014	0.0015	0.0016	0.0017	0.0018	0.0019	0.0020	0.0021	0.0022	0.0023	0.0024	0.0025	0.0026	0.0027	0.0028	0.0029	0.0030	0.0031	0.0032	0.0033	0.0034	0.0035	0.0036	0.0037	0.0038	0.0039	0.0040	0.0041	0.0042	0.0043	0.0044	0.0045	0.0046	0.0047	0.0048	0.0049	0.0050	0.0051	0.0052	0.0053	0.0054	0.0055	0.0056	0.0057	0.0058	0.0059	0.0060	0.0061	0.0062	0.0063	0.0064	0.0065	0.0066	0.0067	0.0068	0.0069	0.0070	0.0071	0.0072	0.0073	0.0074	0.0075	0.0076	0.0077	0.0078	0.0079	0.0080	0.0081	0.0082	0.0083	0.0084	0.0085	0.0086	0.0087	0.0088	0.0089	0.0090	0.0091	0.0092	0.0093	0.0094	0.0095	0.0096	0.0097	0.0098	0.0099	0.0100	0.0101	0.0102	0.0103	0.0104	0.0105	0.0106	0.0107	0.0108	0.0109	0.0110	0.0111	0.0112	0.0113	0.0114	0.0115	0.0116	0.0117	0.0118	0.0119	0.0120	0.0121	0.0122	0.0123	0.0124	0.0125	0.0126	0.0127	0.0128	0.0129	0.0130	0.0131	0.0132	0.0133	0.0134	0.0135	0.0136	0.0137	0.0138	0.0139	0.0140	0.0141	0.0142	0.0143	0.0144	0.0145	0.0146	0.0147	0.0148	0.0149	0.0150	0.0151	0.0152	0.0153	0.0154	0.0155	0.0156	0.0157	0.0158	0.0159	0.0160	0.0161	0.0162	0.0163	0.0164	0.0165	0.0166	0.0167	0.0168	0.0169	0.0170	0.0171	0.0172	0.0173	0.0174	0.0175	0.0176	0.0177	0.0178	0.0179	0.0180	0.0181	0.0182	0.0183	0.0184	0.0185	0.0186	0.0187	0.0188	0.0189	0.0190	0.0191	0.0192	0.0193	0.0194	0.0195	0.0196	0.0197	0.0198	0.0199	0.0200	0.0201	0.0202	0.0203	0.0204	0.0205	0.0206	0.0207	0.0208	0.0209	0.0210	0.0211	0.0212	0.0213	0.0214	0.0215	0.0216	0.0217	0.0218	0.0219	0.0220	0.0221	0.0222	0.0223	0.0224	0.0225	0.0226	0.0227	0.0228	0.0229	0.0230	0.0231	0.0232	0.0233	0.0234	0.0235	0.0236	0.0237	0.0238	0.0239	0.0240	0.0241	0.0242	0.0243	0.0244	0.0245	0.0246	0.0247	0.0248	0.0249	0.0250	0.0251	0.0252	0.0253	0.0254	0.0255	0.0256	0.0257	0.0258	0.0259	0.0260	0.0261	0.0262	0.0263	0.0264	0.0265	0.0266	0.0267	0.0268	0.0269	0.0270	0.0271	0.0272	0.0273	0.0274	0.0275	0.0276	0.0277	0.0278	0.0279	0.0280	0.0281	0.0282	0.0283	0.0284	0.0285	0.0286	0.0287	0.0288	0.0289	0.0290	0.0291	0.0292	0.0293	0.0294	0.0295	0.0296	0.0297	0.0298	0.0299	0.0300	0.0301	0.0302	0.0303	0.0304	0.0305	0.0306	0.0307	0.0308	0.0309	0.0310	0.0311	0.0312	0.0313	0.0314	0.0315	0.0316	0.0317	0.0318	0.0319	0.0320	0.0321	0.0322	0.0323	0.0324	0.0325	0.0326	0.0327	0.0328	0.0329	0.0330	0.0331	0.0332	0.0333	0.0334	0.0335	0.0336	0.0337	0.0338	0.0339	0.0340	0.0341	0.0342	0.0343	0.0344	0.0345	0.0346	0.0347	0.0348	0.0349	0.0350	0.0351	0.0352	0.0353	0.0354	0.0355	0.0356	0.0357	0.0358	0.0359	0.0360	0.0361	0.0362	0.0363	0.0364	0.0365	0.0366	0.0367	0.0368	0.0369	0.0370	0.0371	0.0372	0.0373	0.0374	0.0375	0.0376	0.0377	0.0378	0.0379	0.0380	0.0381	0.0382	0.0383	0.0384	0.0385	0.0386	0.0387	0.0388	0.0389	0.0390	0.0391	0.0392	0.0393	0.0394	0.0395	0.0396	0.0397	0.0398	0.0399	0.0400	0.0401	0.0402	0.0403	0.0404	0.0405	0.0406	0.0407	0.0408	0.0409	0.0410	0.0411	0.0412	0.0413	0.0414	0.0415	0.0416	0.0417	0.0418	0.0419	0.0420	0.0421	0.0422	0.0423	0.0424	0.0425	0.0426	0.0427	0.0428	0.0429	0.0430	0.0431	0.0432	0.0433	0.0434	0.0435	0.0436	0.0437	0.0438	0.0439	0.0440	0.0441	0.0442	0.0443	0.0444	0.0445	0.0446	0.0447	0.0448	0.0449	0.0450	0.0451	0.0452	0.0453	0.0454	0.0455	0.0456	0.0457	0.0458	0.0459	0.0460	0.0461	0.0462	0.0463	0.0464	0.0465	0.0466	0.0467	0.0468	0.0469	0.0470	0.0471	0.0472	0.0473	0.0474	0.0475	0.0476	0.0477	0.0478	0.0479	0.0480	0.0481	0.0482	0.0483	0.0484	0.0485	0.0486	0.0487	0.0488	0.0489	0.0490	0.0491	0.0492	0.0493	0.0494	0.0495	0.0496	0.0497	0.0498	0.0499	0.0500	0.0501	0.0502	0.0503	0.0504	0.0505	0.0506	0.0507	0.0508	0.0509	0.0510	0.0511	0.0512	0.0513	0.0514	0.0515	0.0516	0.0517	0.0518	0.0519	0.0520	0.0521	0.0522	0.0523	0.0524	0.0525	0.0526	0.0527	0.0528	0.0529	0.0530	0.0531	0.0532	0.0533	0.0534	0.0535	0.0536	0.0537	0.0538	0.0539	0.0540	0.0541	0.0542	0.0543	0.0544	0.0545	0.0546	0.0547	0.0548	0.0549	0.0550	0.0551	0.0552	0.0553	0.0554	0.0555	0.0556	0.0557	0.0558	0.0559	0.0560	0.0561	0.0562	0.0563	0.0564	0.0565	0.0566	0.0567	0.0568	0.0569	0.0570	0.0571	0.0572	0.0573	0.0574	0.0575	0.0576	0.0577	0.0578	0.0579	0.0580	0.0581	0.0582	0.0583	0.0584	0.0585	0.0586	0.0587	0.0588	0.0589	0.0590	0.0591	0.0592	0.0593	0.0594	0.0595	0.0596	0.0597	0.0598	0.0599	0.0600	0.0601	0.0602	0.0603	0.0604	0.0605	0.0606	0.0607	0.0608	0.0609	0.0610	0.0611	0.0612	0.0613	0.0614	0.0615	0.0616	0.0617	0.0618	0.0619	0.0620	0.0621	0.0622	0.0623	0.0624	0.0625	0.0626	0.0627	0.0628	0.0629	0.0630	0.0631	0.0632	0.0633	0.0634	0.0635	0.0636	0.0637	0.0638	0.0639	0.0640	0.0641	0.0642	0.0643	0.0644	0.0645	0.0646	0.0647	0.0648	0.0649	0.0650	0.0651	0.0652	0.0653	0.0654	0.0655	0.0656	0.0657	0.0658	0.0659	0.0660</

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta


i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE^*
1	10.99	0.0	0.0	10.99 0.0 0.0	0.01
2	16.62	0.0	0.03	13.12 0.0 0.0	3.5
3	22.25	0.0	0.06	16.44 0.0 0.0	5.81
4	27.88	0.0	0.11	20.45 0.0 0.0	7.42
5	33.5	0.0	0.17	24.98 0.0 0.0	8.52
6	39.13	0.0	0.22	29.94 0.0 0.0	9.19
7	44.76	0.0	0.29	35.27 0.0 0.0	9.49
8	50.39	0.0	0.35	40.93 0.0 0.0	9.45
9	56.02	0.0	0.43	46.9 0.0 0.0	9.12
10	61.64	0.0	0.5	53.13 0.0 0.0	8.51
11	67.27	0.0	0.58	59.63 0.0 0.0	7.64
12	72.9	0.0	0.66	66.36 0.0 0.0	6.54
13	78.53	0.0	0.74	73.31 0.0 0.0	5.21
14	84.15	0.0	0.82	80.48 0.0 0.0	3.67
15	89.78	0.0	0.91	87.85 0.0 0.0	1.93
16	95.41	0.0	1.0	95.41 0.0 0.0	0.01
17	10.99	0.0	0.0	10.99 0.0 0.0	0.01
18	32.1	0.0	0.15	23.81 0.0 0.0	8.29
19	53.2	0.0	0.39	43.88 0.0 0.0	9.32
20	74.31	0.0	0.68	68.08 0.0 0.0	6.23
21	95.41	0.0	1.0	95.41 0.0 0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 6.0$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 4.8$

Mean colour reproduction index: $R^*_{ab,m} = 74$



fei00-3n-132-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

fei01-3n-132-2: File: Measure unknown; Device: Device unknown; Date: Date unknown




$L^*/Y^*_{intended}$ (absolute)	10.9/1.2	16.6/2.2	22.2/3.5	27.8/5.4	33.5/7.7	39.1/10.7	44.7/14.3	50.3/18.7	56.0/23.9	61.6/29.9	67.2/36.9	72.8/45.0	78.5/54.1	84.1/64.3	89.7/75.8	95.4/88.5
$w^* w^* w^*$ setrgb																
$g_N=1.17$ No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = l^*_{CIELAB, r}$ (relative)																
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0,0	0,041	0,093	0,15	0,211	0,274	0,34	0,408	0,476	0,548	0,62	0,693	0,769	0,845	0,921	1,0

OE740-7n, Picture A7-132-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
Viewing Y contrast $Y_W:Y_N=88,9:1,25$; Y_N range 0,93 to <1,87

000n/w/cmy0/rgb
->rgb*_d, 130-2:

<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta

fei00-7n-133-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*(A_n, colorml = 1)$



TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
->rgb*_d, 130-0:



<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
 see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
 technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
 or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
 application for evaluation and measurement of display or print output
 TUB material: code=rh4ta


i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE*
1	18.01	0.0	18.01	0.0	0.01
2	23.17	0.0	19.2	-3.95	3.96
3	28.33	0.0	21.49	-6.83	6.84
4	33.49	0.0	24.5	-8.98	8.99
5	38.65	0.0	28.12	-10.52	10.53
6	43.81	0.0	32.26	-11.53	11.54
7	48.97	0.0	36.89	-12.07	12.08
8	54.13	0.0	41.94	-12.18	12.19
9	59.29	0.0	47.41	-11.87	11.88
10	64.45	0.0	53.25	-11.19	11.2
11	69.61	0.0	59.46	-10.14	10.15
12	74.77	0.0	66.02	-8.74	8.75
13	79.93	0.0	72.9	-7.02	7.03
14	85.09	0.0	80.1	-4.98	4.99
15	90.25	0.0	87.61	-2.63	2.64
16	95.41	0.0	95.41	0.0	0.01
17	18.01	0.0	18.01	0.0	0.01
18	37.36	0.0	27.16	-10.19	10.2
19	56.71	0.0	44.63	-12.07	12.08
20	76.06	0.0	67.71	-8.34	8.35
21	95.41	0.0	95.41	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 7.7$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 6.1$

Mean colour reproduction index: $R^*_{ab,m} = 66$



fei00-3n-133-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

fei01-3n-133-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



$L^*/Y^*_{intended}$ (absolute)	18.0/2.5	23.1/3.8	28.3/5.5	33.4/7.7	38.6/10.4	43.8/13.7	48.9/17.5	54.1/22.0	59.2/27.3	64.4/33.3	69.6/40.1	74.7/47.9	79.9/56.5	85.0/66.1	90.2/76.8	95.4/88.5
$w^* w^* w^*$ setrgb																
$g_N = 1.29$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = l^*_{CIELAB, r}$ (relative)																
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0,0	0,03	0,074	0,125	0,181	0,241	0,306	0,374	0,444	0,517	0,593	0,669	0,749	0,831	0,914	1,0

OE740-7n, Picture A7-133-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
 Viewing Y contrast $Y_W:Y_N=88,9:2,5$; Y_N range 1,87 to <3,75

000n/w/cmy0/rgb
 ->rgb*d, 130-2:


<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output

TUB material: code=rh4ta



fei0-7n-134-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*(A_n, colorml = 1)$

TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
→ $rgb^*_d, 130-0$:



see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
 technical information: <http://farbe.li.tu-berlin.de/A/33872E.htm>
 or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
 application for evaluation and measurement of display or print output
 TUB material: code=rh4ta


i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE*
1	26.85 0.0 0.0	0.0 0.0	26.85 0.0 0.0	0.0 0.0 0.0	0.01
2	31.42 0.0 0.0	0.01 27.5 0.0 0.0	0.0 -3.91 0.0 0.0	3.92	
3	35.99 0.0 0.0	0.03 28.99 0.0 0.0	0.0 -6.99 0.0 0.0	7.0	
4	40.56 0.0 0.0	0.06 31.15 0.0 0.0	0.0 -9.4 0.0 0.0	9.41	
5	45.13 0.0 0.0	0.1 33.91 0.0 0.0	0.0 -11.21 0.0 0.0	11.22	
6	49.7 0.0 0.0	0.15 37.21 0.0 0.0	0.0 -12.48 0.0 0.0	12.49	
7	54.27 0.0 0.0	0.21 41.03 0.0 0.0	0.0 -13.24 0.0 0.0	13.25	
8	58.84 0.0 0.0	0.27 45.33 0.0 0.0	0.0 -13.5 0.0 0.0	13.51	
9	63.41 0.0 0.0	0.34 50.1 0.0 0.0	0.0 -13.3 0.0 0.0	13.31	
10	67.99 0.0 0.0	0.42 55.33 0.0 0.0	0.0 -12.65 0.0 0.0	12.66	
11	72.56 0.0 0.0	0.5 60.98 0.0 0.0	0.0 -11.56 0.0 0.0	11.57	
12	77.13 0.0 0.0	0.59 67.06 0.0 0.0	0.0 -10.05 0.0 0.0	10.06	
13	81.7 0.0 0.0	0.68 73.56 0.0 0.0	0.0 -8.13 0.0 0.0	8.14	
14	86.27 0.0 0.0	0.78 80.45 0.0 0.0	0.0 -5.81 0.0 0.0	5.82	
15	90.84 0.0 0.0	0.89 87.74 0.0 0.0	0.0 -3.09 0.0 0.0	3.1	
16	95.41 0.0 0.0	1.0 95.41 0.0 0.0	0.0 0.0 0.0 0.0	0.01	
17	26.85 0.0 0.0	0.0 26.85 0.0 0.0	0.0 0.0 0.0 0.0	0.01	
18	43.99 0.0 0.0	0.09 33.17 0.0 0.0	0.0 -10.81 0.0 0.0	10.82	
19	61.13 0.0 0.0	0.3 47.66 0.0 0.0	0.0 -13.46 0.0 0.0	13.47	
20	78.27 0.0 0.0	0.61 68.65 0.0 0.0	0.0 -9.61 0.0 0.0	9.62	
21	95.41 0.0 0.0	1.0 95.41 0.0 0.0	0.0 0.0 0.0 0.0	0.01	

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 8.5$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 6.8$

Mean colour reproduction index: $R^*_{ab,m} = 63$



fei00-3n-134-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

fei01-3n-134-2: File: Measure unknown; Device: Device unknown; Date: Date unknown




$L^*/Y^*_{intended}$ (absolute)	26.8/5.0	31.4/6.8	35.9/9.0	40.5/11.5	45.1/14.6	49.7/18.1	54.2/22.2	58.8/26.8	63.4/32.0	67.9/37.9	72.5/44.4	77.1/51.7	81.6/59.7	86.2/68.5	90.8/78.1	95.4/88.5
$w^* w^* w^*$ setrgb																
$g_N=1.42$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*_{CIELAB,r}$ (relative)																
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.021	0.056	0.1	0.151	0.207	0.27	0.336	0.407	0.482	0.56	0.641	0.727	0.815	0.905	1.0

OE740-7n, Picture A7-134-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
 Viewing Y contrast $Y_W:Y_N=88,9:5$; Y_N range 3,75 to <7,5

000n/w/cmy0/rgb
 ->rgb*d, 130-2:

<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta

fei00-7n-135-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^* (A_n, colorml = 1)$



TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
->rgb*_d, 130-0:



see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
 technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
 or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt / .ps
 application for evaluation and measurement of display or print output
 TUB material: code=rh4ta


i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE^*
1	37.99	0.0	0.0	37.99 0.0 0.0	0.01
2	41.81	0.0	0.01	38.32 0.0 0.0	3.49
3	45.64	0.0	0.02	39.23 0.0 0.0	6.41
4	49.47	0.0	0.05	40.68 0.0 0.0	8.79
5	53.3	0.0	0.08	42.65 0.0 0.0	10.65
6	57.13	0.0	0.12	45.11 0.0 0.0	12.02
7	60.96	0.0	0.18	48.06 0.0 0.0	12.9
8	64.78	0.0	0.24	51.48 0.0 0.0	13.3
9	68.61	0.0	0.3	55.38 0.0 0.0	13.23
10	72.44	0.0	0.38	59.74 0.0 0.0	12.7
11	76.27	0.0	0.46	64.56 0.0 0.0	11.7
12	80.1	0.0	0.55	69.84 0.0 0.0	10.26
13	83.93	0.0	0.65	75.57 0.0 0.0	8.36
14	87.75	0.0	0.76	81.74 0.0 0.0	6.01
15	91.58	0.0	0.88	88.35 0.0 0.0	3.23
16	95.41	0.0	1.0	95.41 0.0 0.0	0.01
17	37.99	0.0	0.0	37.99 0.0 0.0	0.01
18	52.34	0.0	0.07	42.11 0.0 0.0	10.23
19	66.7	0.0	0.27	53.37 0.0 0.0	13.33
20	81.05	0.0	0.58	71.23 0.0 0.0	9.82
21	95.41	0.0	1.0	95.41 0.0 0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta L^*_{CIELAB} = 8.3$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 6.7$

Mean colour reproduction index: $R^*_{ab,m} = 64$



fei00-3n-135-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

fei01-3n-135-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



$L^*/Y^*_{intended}$ (absolute)	37.9/10.0	41.8/12.3	45.6/15.0	49.4/17.9	53.2/21.3	57.1/25.0	60.9/29.1	64.7/33.7	68.6/38.8	72.4/44.3	76.2/50.3	80.0/56.8	83.9/63.9	87.7/71.5	91.5/79.7	95.4/88.5
$w^* w^* w^*$ setrgb	[Color patches]															
$g_N=1.6$	[Color patches]															
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = l^*_{CIELAB, r}$ (relative)	[Color patches]															
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0,0	0,013	0,039	0,076	0,12	0,172	0,23	0,295	0,365	0,441	0,523	0,608	0,699	0,795	0,894	1,0

OE740-7n, Picture A7-135-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
 Viewing Y contrast $Y_W:Y_N=88,9:10$; Y_N range 7,5 to <15

000n/w/cmy0/rgb
 ->rgb*d, 130-2:


<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output



TUB material: code=rh4ta



fei00-7n-136-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*_{d,130-0}(A_n)$, $colorml = 1$

TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
-> $rgb^*_{d,130-0}$



<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta


i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE*				
1	52.02	0.0	0.0	52.02	0.0	0.0	0.0	0.0	0.01
2	54.91	0.0	0.0	52.17	0.0	0.0	-2.73	0.0	2.74
3	57.8	0.0	0.02	52.67	0.0	0.0	-5.12	0.0	5.13
4	60.7	0.0	0.04	53.54	0.0	0.0	-7.14	0.0	7.15
5	63.59	0.0	0.06	54.79	0.0	0.0	-8.79	0.0	8.8
6	66.48	0.0	0.1	56.43	0.0	0.0	-10.04	0.0	10.05
7	69.37	0.0	0.15	58.47	0.0	0.0	-10.89	0.0	10.9
8	72.27	0.0	0.2	60.91	0.0	0.0	-11.35	0.0	11.36
9	75.16	0.0	0.27	63.75	0.0	0.0	-11.4	0.0	11.41
10	78.05	0.0	0.35	67.01	0.0	0.0	-11.03	0.0	11.04
11	80.95	0.0	0.43	70.69	0.0	0.0	-10.25	0.0	10.26
12	83.84	0.0	0.52	74.78	0.0	0.0	-9.05	0.0	9.06
13	86.73	0.0	0.63	79.3	0.0	0.0	-7.42	0.0	7.43
14	89.62	0.0	0.74	84.24	0.0	0.0	-5.38	0.0	5.39
15	92.52	0.0	0.87	89.61	0.0	0.0	-2.9	0.0	2.91
16	95.41	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.01
17	52.02	0.0	0.0	52.02	0.0	0.0	0.0	0.0	0.01
18	62.87	0.0	0.06	54.44	0.0	0.0	-8.41	0.0	8.42
19	73.71	0.0	0.24	62.28	0.0	0.0	-11.42	0.0	11.43
20	84.56	0.0	0.55	75.87	0.0	0.0	-8.68	0.0	8.69
21	95.41	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 7.1$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 5.7$

Mean colour reproduction index: $R^*_{ab,m} = 69$



fei00-3n-136-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

fei01-3n-136-2: File: Measure unknown; Device: Device unknown; Date: Date unknown



$L^*/Y^*_{intended}$ (absolute)	52.0/20.1	54.9/22.8	57.8/25.7	60.6/28.9	63.5/32.2	66.4/35.9	69.3/39.8	72.2/44.0	75.1/48.5	78.0/53.3	80.9/58.3	83.8/63.7	86.7/69.4	89.6/75.4	92.5/81.8	95.4/88.5
$w^* w^* w^*$ setrgb	[Color swatches]															
$g_N=1.81$ No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = l^*_{CIELAB, r}$ (relative)	[Color swatches]															
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0,0	0,007	0,025	0,053	0,09	0,135	0,189	0,25	0,318	0,395	0,478	0,568	0,666	0,771	0,881	1,0

OE740-7n, Picture A7-136-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
Viewing Y contrast $Y_W:Y_N=88,9:20$; Y_N range 15 to <30


000n/w/cmy0/rgb
->rgb*_d, 130-2:

<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>



see similar files of the whole series: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>



TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta



fei00-7n-137-0: Test chart 2g with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*_{d, 130-0}$ (A_n), $colorml = 1$

TUB-test chart fei0; Test chart 2g_d0 with 40x27=1080 colours; 1MR, DH
Digital equidistant 9 or 16 step colour scales

000n/w/cmy0/rgb
-> $rgb^*_{d, 130-0}$



<http://farbe.li.tu-berlin.de/fei0/fei010fa.txt> /.ps; only vector graphic VG;
see separate images of this page: <http://farbe.li.tu-berlin.de/fei0/fei0.htm>

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/feis.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.htm>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fei0/fei010fa.txt /.ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta


i	LAB*ref	l*out	LAB*out	LAB*out/c-ref	ΔE*
1	69.7	0.0	69.7	0.0	0.01
2	71.41	0.0	69.75	-1.65	1.66
3	73.13	0.0	69.97	-3.15	3.16
4	74.84	0.0	70.37	-4.46	4.47
5	76.55	0.0	70.99	-5.55	5.56
6	78.27	0.0	71.84	-6.41	6.42
7	79.98	0.0	72.94	-7.03	7.04
8	81.7	0.0	74.29	-7.4	7.41
9	83.41	0.0	75.91	-7.49	7.5
10	85.12	0.0	77.8	-7.31	7.32
11	86.84	0.0	79.98	-6.85	6.86
12	88.55	0.0	82.45	-6.09	6.1
13	90.27	0.0	85.23	-5.03	5.04
14	91.98	0.0	88.3	-3.67	3.68
15	93.7	0.0	91.7	-1.99	2.0
16	95.41	0.0	95.41	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
 $\Delta E^*_{CIELAB} = 4.6$

Mean lightness difference (5 steps)
 $\Delta L^*_{CIELAB} = 3.7$

Mean colour reproduction index: $R^*_{ab,m} = 80$



fei00-3n-137-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

fei01-3n-137-2: File: Measure unknown; Device: Device unknown; Date: Date unknown

$L^*/Y^*_{intended}$ (absolute)	69.6/40.3	71.4/42.7	73.1/45.3	74.8/48.0	76.5/50.7	78.2/53.6	79.9/56.6	81.6/59.7	83.4/62.9	85.1/66.2	86.8/69.6	88.5/73.2	90.2/76.8	91.9/80.6	93.6/84.5	95.4/88.5
$w^* w^* w^*$ setrgb	[Color swatches]															
$g_N=2.1$ No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*_{CIELAB,r}$ (relative)	[Color swatches]															
$w^*_{intended}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0,0	0,003	0,014	0,033	0,062	0,098	0,145	0,201	0,265	0,341	0,426	0,52	0,625	0,74	0,864	1,0

OE740-7n, Picture A7-137-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^*$ setrgbcolor

TUB-test chart fei0; In-output relation according to ISO 9241-306; 1MR, DH
Viewing Y contrast $Y_W:Y_N=88,9:40$; Y_N range 30 to <60

000n/w/cmy0/rgb
->rgb*d, 130-2: