

http://farbe.li.tu-berlin.de/fel3/fel310fa.txt /ps; only vector graphic VG;
see separate images of this page: http://farbe.li.tu-berlin.de/fel3/fel3.htm

see similar files of the whole serie: <http://farbe.li.tu-berlin.de/fels.htm>
technical information: <http://farbe.li.tu-berlin.de/A/33872E.html>
or <http://standards.iso.org/iso/9241/306/ed-2/index.html>

TUB registration: 20240301-fel3/fel310fa.txt /ps
application for evaluation and measurement of display or print output

Table with columns labeled A through Z and a through n, containing numerical data for color calibration. The table is organized into a grid with rows numbered 01 to 27 and columns grouped by letter. Each cell contains a small numerical value representing color data.

fel3-10, Page 2/16, Test chart G with 40x27=1080 colours; digital equivalent 9 or 16 step colour scales; Colour data in column (A-n): $rgb^*(A_j + k26 - 1080)$, $000n^*(k)$, $w^*(l)$, $nnn0^*(m)$, $www^*(n)$, $color = 1$, $xchart = 1$, $pchart = 1$

TUB-test chart fel3; fel3: Test chart 2g di with 40x27=1080 colours; IMR, DH
Digital equivalent 9 or 16 step colour scales
>rgb*_d, 130-1:

see similar files of the whole serie: http://farbe.li.tu-berlin.de/fels.htm
technical information: http://farbe.li.tu-berlin.de/AV33872E.html
or http://standards.iso.org/iso/9241/306/ed-2/index.html

Table with columns labeled A through Z and a through n, containing numerical data for color calibration. The table is organized into a grid with 26 columns and 26 rows of data points.

fel30-70, Page 2/16, Test chart G with 40x27=1080 colours; digital equivalent 9 or 16 step colour scales; Colour data in column (A-n): rgb*(A_j + k26_n27), 000n*(k), w*(l), nnn0*(m), www*(n), colorm = 1, xchart = 40, pchart = 1

TUB-test chart fel3 with 40x27=1080 colours; 1MR, DH 000n/w/cmy0/rgb
Digital equivalent 9 or 16 step colour scales >rgb*d, 130-1:

http://farbe.li.tu-berlin.de/fel3/fel310fa.txt /ps; only vector graphic VG;
see separate images of this page: http://farbe.li.tu-berlin.de/fel3/fel3.htm

TUB registration: 20240301-fel3/fel310fa.txt /ps
application for evaluation and measurement of display or print output
TUB material: code=rh4ta

see similar files of the whole serie: http://farbe.li.tu-berlin.de/fels.htm
technical information: http://farbe.li.tu-berlin.de/A/3872E.htm
or http://standards.iso.org/iso/9241/306/ed-2/index.html

Table with 27 columns (A-Z) and 27 rows (0-27). Each cell contains a 3x3 grid of color values (r, g, b) for different colorant combinations. The table is a test chart for color calibration and measurement.

fel3-10, Page 2/6, Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rrg* (A_j + k26_n27), 000n* (k), w*(l), nnn0*(m), www*(n), colorm = 1, xchart = 56, pchart = 1

TUB-test chart fel3; fel3: Test chart 2g di with 40x27=1080 colours; YCN1 (2.25:1); gp=1.0; gn=2.1 http://farbe.li.tu-berlin.de/fel3/fel31n.pdf /ps
>rgb*d, 130-1:

l=13561