

$$\log[\text{sensitivity}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log S_a = -0,35[u_\lambda - u_{445}]^2 - 1,17$$

$$\log [V_o, L_a, M_a, S_a]$$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,17$$

$$\log M_a = \log M_o - 0,13$$

$$u_\lambda = (\lambda - 550)/50$$



$$\log[\text{sensitivity}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log S_a = -0,35[u_\lambda - u_{445}]^2 + 0,02$$

$$\log [V_o, L_a, M_a, S_a]$$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,17$$

$$\log M_a = \log M_o - 0,13$$

$$u_\lambda = (\lambda - 550)/50$$



$$\log[\text{saturation}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log S_a = -0,35[u_\lambda - u_{445}]^2 - 1,17$$

$$\log [V_o/V_o, L_a/V_o, M_a/V_o, S_a/V_o]$$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,17$$

$$\log M_a = \log M_o - 0,13$$

$$\text{saturation V}$$



$$\log[\text{saturation}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log S_a = -0,35[u_\lambda - u_{445}]^2 + 0,02$$

$$\log [V_o/V_o, L_a/V_o, M_a/V_o, S_a/V_o]$$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,17$$

$$\log M_a = \log M_o - 0,13$$

$$\text{saturation V}$$



freq11-5a

freq11-6a

freq11-7a

freq11-7n

freq11-8a