

$$\log[\text{sensitivity}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log V_a = \log V_o + 0,00$$

$$\log [V_a, M_a]$$

$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

$$u_\lambda = (\lambda - 550)/50$$


adaptation

L&M: 557

$t_s = 0.0$

557:
 $L_o = -0,02$ $L_a = -0,00$
 $V_o = -0,00$ $V_a = -0,00$
 $M_o = -0,02$ $M_a = -0,00$

Ma Vo



$$\log[\text{sensitivity}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log V_a = \log V_o + 0,00$$

$$\log [V_a, L_a]$$

$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

$$u_\lambda = (\lambda - 550)/50$$


adaptation

L&M: 557

$t_s = 0.0$

557:
 $L_o = -0,02$ $L_a = -0,00$
 $V_o = -0,00$ $V_a = -0,00$
 $M_o = -0,02$ $M_a = -0,00$

Vo La



freq20-7n

$$\log[\text{saturation}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log V_a = \log V_o + 0,00$$

$$\log [V_a/V_o, M_a/V_o]$$

Ma Vo

saturation V

$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$


$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

adaptation

L&M: 557

$t_s = 0.0$



$$\log[\text{saturation}]$$

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log V_a = \log V_o + 0,00$$

$$\log [V_a/V_o, L_a/V_o]$$

Vo La

saturation V

$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$


$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

adaptation

L&M: 557

$t_s = 0.0$



freq20-8a