

$\log[\text{sensitivity}]$ 

$\log V_o = -0,35[u_\lambda - u_{557}]^2$

$\log V_a = \log V_o + 0,00$

 $\log [V_a, L_a, M_a]$ 

$\log L_o = -0,35[u_\lambda - u_{570}]^2$


$\log M_o = -0,35[u_\lambda - u_{545}]^2$

$\log L_a = \log L_o + 0,58$

$\log M_a = \log M_o - 0,11$

$u_\lambda = (\lambda - 550)/50$

Ga Ma La


 $\log[\text{saturation}]$ 

$\log V_o = -0,35[u_\lambda - u_{557}]^2$

$\log V_a = \log V_o + 0,00$

 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$ 

Ga Ma La

 $\log[\text{sensitivity}]$ 

$\log V_o = -0,35[u_\lambda - u_{557}]^2$

$\log V_a = \log V_o + 0,00$

 $\log [V_a, L_a, M_a]$ 

$\log L_o = -0,35[u_\lambda - u_{570}]^2$


$\log M_o = -0,35[u_\lambda - u_{545}]^2$

$\log L_a = \log L_o + 1,12$

$\log M_a = \log M_o - 0,28$

$u_\lambda = (\lambda - 550)/50$

Ba Ma La

 $\log[\text{saturation}]$ 

$\log V_o = -0,35[u_\lambda - u_{557}]^2$

$\log V_a = \log V_o + 0,00$

 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$ 

Ba Ma La

