

lin[sensitivity]

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log V_a = \log V_o + 0,00$$

[V_o , L_a , M_a ,]


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

$$u_\lambda = (\lambda - 550)/50$$



lin[saturation]

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log V_a = \log V_o + 0,00$$

[$V_o/V_o, L_a/V_o, M_a/V_o,]$

Ma La


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

saturation V



lin[sensitivity]

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log S_a = -0,35[u_\lambda - u_{445}]^2 + 0,02$$


$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

[V_o, L_a, M_a, S_a]

$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

$$u_\lambda = (\lambda - 550)/50$$



lin[saturation]

$$\log V_o = -0,35[u_\lambda - u_{557}]^2$$

$$\log M_o = -0,35[u_\lambda - u_{545}]^2$$

$$\log S_a = -0,35[u_\lambda - u_{445}]^2 + 0,02$$

Ma La

$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log M_a = \log M_o + 0,02$$

$$\log L_a = \log L_o + 0,02$$

$$\log M_a = \log M_o + 0,02$$

saturation V

