




$$\begin{aligned} \log[\text{sensitivity}] & \quad \log O_o = -0,35[u_\lambda - u_{595}]^2 \\ \log L_o = -0,35[u_\lambda - u_{570}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log L_a = \log L_o + 0,00 & \quad \log O_a = \log O_o + 0,26 \\ \log [L_o, O_a, M_a] & \quad \log M_a = \log M_o - 0,09 \end{aligned}$$



$$\begin{aligned} \log[\text{sensitivity}] & \quad \log O_o = -0,35[u_\lambda - u_{595}]^2 \\ \log L_o = -0,35[u_\lambda - u_{570}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log L_a = \log L_o + 0,00 & \quad \log O_a = \log O_o + 0,44 \\ \log [L_o, O_a, M_a] & \quad \log M_a = \log M_o - 0,26 \end{aligned}$$



$$\begin{aligned} \log[\text{saturation}] & \quad \log O_o = -0,35[u_\lambda - u_{595}]^2 \\ \log L_o = -0,35[u_\lambda - u_{570}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log L_a = \log L_o + 0,00 & \quad \log O_a = \log O_o + 0,26 \\ \log [L_o/L_o, O_a/L_o, M_a/L_o] & \quad \log M_a = \log M_o - 0,09 \end{aligned}$$



$$\begin{aligned} \log[\text{saturation}] & \quad \log O_o = -0,35[u_\lambda - u_{595}]^2 \\ \log L_o = -0,35[u_\lambda - u_{570}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log L_a = \log L_o + 0,00 & \quad \log O_a = \log O_o + 0,44 \\ \log [L_o/L_o, O_a/L_o, M_a/L_o] & \quad \log M_a = \log M_o - 0,26 \end{aligned}$$

