

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format
 Date, Test person: 2004-05-01, Name
 Driver adjustment Paper:
 Resolution: Modus:
 Driver version:
 Test device type: unknown
 Test device number:
 Ink: black:
 coloured:
 Test paper:

www.ps.bam.de/BE13/10Q/Q13E00SP.PS/.PDF;
 S: Output Linearization (OL) data BE13/10Q/Q13E00SP.DAT in Distiller Startup (S) Directory
 224 mm (+/- 1 mm)

C c000* M m000* Y y000* N n000* 170 mm (+/- 1 mm) O o000* L l000* V v000* CMY cmy000*

See for similar files: <http://www.ps.bam.de/BE13/>
 Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?







Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0*/000n* setcmycolor
 BAM-test chart no. BE13 Step: S2 input: cmy0*/000n* setcmycolor
 Yield/Emission: 40% geometrical and 20% visual area coverage output: Startup (S) data dependend


224 mm (+/- 1 mm)


170 mm (+/- 1 mm)


















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format
 Date, Test person: 2004-05-01, Name
 Driver adjustment Paper:
 Resolution: Test device type: unknown
 Modus: black:
 coloured:
 Test paper:
 Driver version:


www.ps.bam.de/BE13/10Q/Q13E00SP.PS/.PDF;
 S: Output Linearization (OL) data BE13/10Q/Q13E00SP.DAT in Distiller Startup (S) Directory
 224 mm (+/- 1 mm)



C c000* M m000* Y 00y0* N 000n* 170 mm (+/- 1 mm) O 0my0* L c0y0* V cm00* CMY cmy0*

See for similar files: <http://www.ps.bam.de/BE13/>
 Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmycolor
 BAM-test chart no. BE13 Step: S2 input: cmy0* / 000n* setcmycolor
 Yield/Emission: 40% geometrical and 20% visual area coverage output: Startup (S) data dependend



224 mm (+/- 1 mm)

170 mm (+/- 1 mm)

