

www.ps.bam.de/CE24/L24E00N1.PS/.TXT; first output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: <http://www.ps.bam.de/CE24/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0

BAM registration: 20040601-CE24/L24E00N1.PS/.TXT
application for relative reproduction properties of achromatic device output

BAM material: code=th4ta
CE24 form 3.1, Set 1.1, Page 1 High count 1

L^*/Y_{intended} (absolute)	18.0/2.5	23.1/3.8	28.3/5.5	33.4/7.7	38.6/10.4	43.8/13.7	48.9/17.5	54.1/22.0	59.2/27.3	64.4/33.3	69.6/40.1	74.7/47.9	79.9/56.5	85.0/66.1	90.2/76.8	95.4/88.5
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$w^* = \frac{L^*}{L^*_{\text{CELLAR}, r}}$ (relative) w^*_{input}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Picture C3: 16 visual equidistant L^* -grey steps; PS operator: $w^*_{\text{lin}} 1.0 \exp \text{ setgray}$

BAM-test chart no. CE24

Measurement of 16 step center luminances in grey surround Z

Step: S1

input: $w^*_{\text{lin}} 1.0 \exp \text{ setgray}$

output: no change compared to input