


DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel
 Labanda Sinpat Abarress
 Tendar,BSF
 URANGLE



LSB
 Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress
 2343 Stantin Dawer Lank
 Benhibe,SDF


Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Landolt-rings W-N Code



L^* / Y (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$\{w^*\}$ CIE LAB,r (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel
 Demperta Aminerimum
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%

www.ps.bam.de/CE94/10L/L94E00SP.PS/.PDF;
 S: Output Linearization (OL) data CE94/10L/L94E00SP.DAT in Distiller Startup (S) Directory

250 mm +/- 1%


Form: IB, Serie: I, Page: 1

2003-05-01, name1 input: www* setrgbcolor
 Test device type: name2 output: Startup (S) data dependend

ISO/IEC 19752-test chart, form 1B
 Proposal by DIN NI28


224 mm (+/- 1 mm)

170 mm (+/- 1 mm)




224 mm (+/- 1 mm)



170 mm (+/- 1 mm)



224 mm (+/- 1 mm)


170 mm (+/- 1 mm)







See for similar files: <http://www.ps.bam.de/CE94/>
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=3,3?

BAM registration: 20030501-CE94/10L/L94E02SP.PS/.PDF BAM material: code=rh4ta
application for yield test of monochromatic printers




Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 10% geometrical and 5% visual area coverage



DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel
 Labanda Sinpat Abarress
 Tendar,BSF
 URANGLE



LSB
 Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress
 2343 Stantin Dawer Lank
 Benhibe,SDF


Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Landolt-rings W-N Code



L^* / Y (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
\bar{w}^* CIE LAB,r (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel
 Demperta Aminerimum
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%

www.ps.bam.de/CE94/10L/L94E00SP.PS/.PDF;
 S: Output Linearization (OL) data CE94/10L/L94E00SP.DAT in Distiller Startup (S) Directory

250 mm +/- 1%


Form: 1B, Serie: 2, Page: 1

2003-05-01, name1 input: www* setrgbcolor
 Test device type: name2 output: Startup (S) data dependend

ISO/IEC 19752-test chart, form 1B
 Proposal by DIN NI28


224 mm (+/- 1 mm)

170 mm (+/- 1 mm)




224 mm (+/- 1 mm)



170 mm (+/- 1 mm)



224 mm (+/- 1 mm)


170 mm (+/- 1 mm)





See for similar files: <http://www.ps.bam.de/CE94/>
Technical information: <http://www.ps.bam.de/19752>

BAM registration: 20030501-CE94/10L/L94E02SP.PS/.PDF
application for yield test of monochromatic printers
BAM material: code=rh4ta



Version 2.0, io=3,3?

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 10% geometrical and 5% visual area coverage

